

Damage Prevention Committee Meeting Case List

July 14, 2026

Omnibus Session

Case Number	Stakeholders	Summary	Violations & Recommendation
60836	Facility Owner: COMCAST Contractor/Excavator: STRAIGHT TO THE POINT Project Owner: WEST PENN POWER / FIRSTENERGEY Other: Cecil Township / Cecil Twp Muni Auth Other: Verizon PA LLC	<u>On 10/9/2025 10:00:00 AM at MONACO DR, CECIL TWP, WASHINGTON</u> The incident occurred on Thursday, October 9, 2025, on Monaco Drive, in Cecil Township, Washington County. A cable TV line owned by Comcast was damaged. Comcast stated in their Alleged Violation Report (AVR), "damaged feeder line. Damage to unmarked Comcast line. Facility Type: Cable TV-Comcast. Excavation Equipment: Excavator. Hazardous Release: No. Went based off email from PUC and PA1call tix. Comcast has not been receiving AVRs from the excavators." West Penn Power (WPP), the project owner, stated in their AVR, On October 2, 2025, "Straight to the Point, Excavator, submitted PA One Call Routine Ticket 20252753021, to install a new electric conduit for WPP on Monaco Dr., Cecil Township, Washington County, PA. On October 9, 2025, the Excavator submitted Emergency POCS Ticket 20252821056 noting that there was damage to an unmarked cable line. WPP was not aware that an AVR was needed until notified by the PAPUC. WPP has communicated to Excavator that notifying WPP is a requirement any time there is a dig in. WPP's Operation Supervisor has reached out to the Excavator to reinforce the policy to contact WPP when a dig in occurs." Straight To The Point stated in their AVR, "we were digging a receiving pit for the bore we were about to do. Had the located utilities located. Dug the pit with the excavator hit and unmarked Comcast line. Called it in. Comcast came out and did the repair and located their line at that time while he was there so we could locate it at other locations. This was during the time that Comcast fired USIC from doing their locates and did not have anybody doing their locating." On 1/27/2026 emails and letters were sent to the contractor, Straight To The Point and the project owner, West Penn Power/FirstEnergy requesting AVR's. There was no letter or email sent to Comcast requesting an AVR because their AVR was sent first, initiating the case. Straight To The Point's AVR was submitted on 2/17/2026, not within 30 days of the 10/9/2025 incident. West Penn Power/FirstEnergy's AVR was submitted on 2/2/2026, not within 30 days of the 10/9/2025 incident. WPP was aware of the damage because they responded	COMCAST: \$8,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$1,000.00 Section 2(5)(vii) Subsequent \$2,500.00 Section 2(10) Subsequent \$2,500.00 STRAIGHT TO THE POINT: \$250.00 Section 5(20) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00 WEST PENN POWER / FIRSTENERGEY: \$0.00 Section 6.1(7) 1st Offense \$0.00 Cecil Township / Cecil Twp Muni Auth: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Verizon PA LLC: \$1,250.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Clear No Facilities to the Damage Emergency ticket 20252821056. Comcast's AVR was submitted on 12/03/2025, not within the 30 business days of the 10/9/2025 incident. Comcast was aware of the damaged cable tv line because Straight To The Point stated "Comcast came out and did the repair and located their line at that time", and they responded to the Damage Emergency ticket. *20252753021- Routine ticket placed on 10/2/2025 at 2:20pm, with response due date as 10/9/2025, and lawful start dates as 10/7/2025 – 10/17/2025. Late Responses from: Comcast as Field Marked on 11/5/2025. Verizon PA LLC as Clear No Facilities on 10/20/2025. Straight To The Point failed to call in a renotify ticket because Comcast did not Respond. *20252821056- Damage Emergency ticket placed on 10/9/2025 at 10:07am. Late Responses from: Comcast as Field Marked on 11/14/2025. Cecil Township Municipal Auth and Cecil Township as Clear No Facilities on 10/10/2025. Verizon PA LLC as Clear No Facilities on 11/3/2025. Violations: *Comcast is in violation of sections: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20252753021 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20252753021 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20252821056 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Recommendation: Penalties Applied and PUC Online Compliance Training is Required for the Responsible Individual(s) *Straight To The Point is in violation of sections: 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. 20252753021 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. Recommendation: Penalty Applied to 5(20). For section 5(16) zero penalty but keep the violation. PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *West Penn Power/FirstEnergy is in violation of section:	

Case Number	Stakeholders	Summary	Violations & Recommendation
		6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Recommendation: Zero penalty but keep the violation and PUC Online Compliance Training is Required for the Responsible Individual(s) *Verizon PA LLC is in violation of sections: 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20252753021 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20252821056 Recommendation: Penalties Applied, and PUC Online Compliance Training is Required for the Responsible Individual(s) *Cecil Township / Cecil Twp Muni Auth is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20252821056 Recommendation: Penalty Applied, and PUC Online Compliance Training is Required for the Responsible Individual(s)	
59240	Facility Owner: Verizon Contractor/Excavator: NORTH WALES WATER AUTHORITY Project Owner: NORTH WALES WATER AUTHORITY - spacesaver Other: COMCAST	<u>On 10/9/2025 2:15:00 PM at 616 EAGLE LN, UPPER GWYNEDD TWP, MONTGOMERY</u> The incident occurred on 10/09/2025 at 616 Eagle Ln., in Upper Gwynedd Township, in Montgomery County. A communication line was damaged. NORTH WALES WATER AUTHORITY (NWWA), the project owner and excavator, stated in their Alleged Violation Report (AVR) that, “Comcast Cable was not marked”. AVR request letter sent to Comcast on 12/18/2025. on 1/05/2025 An email was received from Comcast stating that Comcast has no record of damage at this location. An AVR request was mailed to Verizon on 1/05/2025. Verizon was the only communications facility owner who responded field marked to damage emergency ticket 20252813886. No AVR or contact has been received from Verizon as of 2/27/2026. *Emergency Ticket 20252813886 was submitted by NORTH WALES WATER AUTHORITY on 10/08/2025 at 15:16. Comcast and Frontier Communications responded “Clear” . Verizon did not respond field marked until 10/09/2025 at 14:37. *Emergency Ticket 20252812331 was submitted by NORTH WALES WATER AUTHORITY on 10/08/2025 at 12:13 to repair a water service. Frontier responded “clear” Both Verizon and Comcast responded “field marked”. VIOLATIONS Verizon is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line.	Verizon: \$4,000.00 Section 2(5)(i) 3rd Offense \$1,500.00 Section 2(10) 3rd Offense \$2,000.00 Section 2(11) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Verizon was the only communications facility owner who responded field marked to damage emergency ticket 20252813886. This is a third time offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. An AVR request was mailed to Verizon on 1/05/2025. No AVR or contact has been received from Verizon as of 2/27/2026. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. No contact has been received from Verizon as of 2/27/2026. Questions on the AVR request letter were not addressed. Recommendation: The penalties are applied. PUC compliance education has been recently completed.	
61705	Facility Owner: West Penn Power / FirstEnergy Contractor/Excavator: Homeowner Project Owner: Homeowner	<u>On 10/22/2025 5:18:00 PM at 89 Swenglish Lane, GERMAN TWP, FAYETTE</u> The incident occurred on Wednesday, October 22, 2025, at 89 Swenglish Lane, in German Township, Fayette County. An electric line owned by West Penn Power/FirstEnergy (WPP) was damaged. There is no ticket associated with this case. WPP stated in their Alleged Violation Report (AVR), “On October 22, 2025, West Penn Power was notified of an outage at 89 Swenglish Lane, Fayette County, Pennsylvania. West Penn Power investigated and determined that Jacob Magerko, “Excavator”, damaged the underground electric service. The root cause of the damage was the Excavator failed to request the location and type of facility owner through the Pennsylvania One Call System.” WPP provided photos of the damaged line. PA One Call compliance commented, Excavator Jacob Magerko has not placed one calls in the past. The Homeowner stated in their AVR, “I was attempting to repair a clogged or possibly collapsed roof drain pipe and was digging along the line when we struck an unmarked electrical line. I had previously submitted a One Call request several months earlier when my ground-mounted solar panels were installed, but this particular line was not marked at that time. I contacted the electrical company, and they were able to come out and repair the line the same day. I have since paid the \$2,500.00 bill that was issued for the cost of the repair.” WPP submitted their AVR on 1/09/2026, not within 30 business days of the 10/22/2025 incident. WPP was notified of the damage on the same day it occurred because the Homeowner, excavator and project owner called WPP about the damage. On Thursday, 2/26/2026, a letter was mailed to the Homeowner, Jacob Magerko requesting an AVR. The	West Penn Power / FirstEnergy: \$1,000.00 Section 2(10) 1st Offense \$1,000.00 Homeowner: \$0.00 Section 5(2.1) 1st Offense \$0.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		AVR was submitted on Monday, 3/14/2026, not within 30 days of the 10/22/2025 incident. Violations: *West Penn Power/FirstEnergy is in violation of section: 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Recommendation: Penalty Applied *Homeowner is in violation of sections: 5(2.1) – Homeowner failed to submit a location request to One Call within the correct timeframe. 5(16) – Homeowner Failed to submit an Alleged Violation Report within 30 days of striking a line. Recommendation: Zero penalties but keep the violations and PUC Online Compliance Training is required for the Homeowner/Excavator(s) working onsite at this excavation.	
61704	Facility Owner: PENNSYLVANIA ELECTRIC CO / FIRST ENERGY Contractor/Excavator: EXCAVATOR Project Owner: HOMEOWNER	<u>On 10/22/2025 5:28:00 PM at 78 Maple Road, Washington, PA 15301, HOPEWELL TWP, WASHINGTON</u> The incident occurred on 10/22/2025 at 78 Maple Road, in HOPEWELL TWP in Washington Co. An electric service line owned by PENNSYLVANIA ELECTRIC CO was damaged. PENNSYLVANIA ELECTRIC CO stated in their Alleged Violation Report (AVR) that “On October 22, 2025, West Penn Power was notified of an outage at 78 Maple Road, Washington County, Pennsylvania. West Penn Power investigated and determined that Sandy Wilkinson, “Excavator”, damaged the underground electric service. The root cause of the damage was the Excavator failed to request the location and type of facility owner through the Pennsylvania One Call System”. Pictures and reports were provided. Sandy Wilkinson and JASON SCHUTTER, the homeowners were sent an AVR request letter on 1/14/2026. AVR was due by 2/13/2026 The damage report submitted by PA Electric noted that CHRIS HANEY, their son-in-law was the excavator for this incident. On 3/01/2026, after the case was completed, AVR2026MAR010001 was received. SANDY WILKINSON stated in the AVR that, “Building a new house next to existing home. While digging for new electrical supply line for new house we hit the line going to the existing home. Called the power company they came out and temporarily repaired it. The line that was hit is out of service now existing home will be torn down new power is supplying new home.”	EXCAVATOR: \$500.00 Section 5(16) 1st Offense \$500.00 HOMEOWNER: \$0.00 Section 6.1(7) 1st Offense \$0.00 Section 6.1(8) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		JASON SCHUTTER the excavator and one of the in-laws, per the message left on 2/04/2025, stated that , " I am reaching out about the letter my in laws (Jim & Sandy Wilkinson) received about the under ground wire that was hit while digging. I'm the one that was digging. I did call 811 before the project was started and was notified the power company was the only one that had utilities in the area. They came out and stuck flags in the ground. The first flag was like 6-8 feet away from the pole in a different direction of the way I was digging. I hit the wire about 2 feet away from the pole which was also about 2 feet away from the direction the flags were going marking the line. If you could get back to me I'd appreciate it. List is my email address also my cell is (724)-350-1788". On 2/04/2026 DPI Maki returned a call to Chris Haney who stated that he will submit an AVR. He stated that he submitted a one call ticket and got the email response from OneCall that there was only one facility on the property. Chris stated that they marked the property and that the line was at least 6' from where he was digging, but when he hit it, it was all coiled up. He states he has a picture of the damage, but no other pictures. He also said that he did not know that he needed to "do any of this stuff". Chris stated that he was digging for his in-laws who are putting in a new home. DPI Maki asked that one of the homeowners reach out to her. Chris gave his address and email for contact. Chris also stated that the in-laws were living in the old house while the new house was being build. The are demolishing the old house. DPI Maki let Chris know that a OneCall ticket is needed to demolish a house. On 3/02/2026 DPI Maki returned a call to Chris Haney and left a detailed message. DPI Maki is asking about the work that was done that was expected to take 2 months and what the project was in October when the incident occurred. DPI Maki also confirmed the AVR that was received from Sandy Wilkinson and let Chris Haney know that an AVR was not received from him as of 3/02/2026. On 2/27/2026 DPI Maki called excavator Chris Haney to ask if an AVR was submitted. Chris stated that he submitted an AVR and a OneCall ticket before he began to dig. He will reach out to OneCALL if he cannot find it. DPI went over the penalties that go with the violations and asked that his in-laws send in an email with a statement to our damage prevention box. DPI updated the excavators address as given by the excavator. DPI Maki also recommended that an AVR be submitted at this time, if one was not already. DPI Maki also let Chris know again that the AVR is submitted through the OneCall system and how to submit this form. Chris stated that he owns his own equipment but does not use this as a business. Chris stated that he will submit an AVR early next week. DPI Maki asked him to please let her know, since the case has time limit and needs to be completed. *Ticket 20251391887 was submitted by Chris Haney on 5/19/2025 at 11:34 to use an excavator and a skid steer to excavate for a new house, run sewer lines and install a	

Case Number	Stakeholders	Summary	Violations & Recommendation
		new driveway. The project is expected to take 2 months. DPI also sent an email on 3/02/2026 asking about the ticket submission and the incident in which occurred in October. *Ticket 20251391910 was submitted by Chris Haney on 5/19/2025 at 11:38 for demolition of the mobile home. The electric line is still marked on the attachment named "Damage_Details". VIOLATIONS Chris Haney is in violation of: Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Recommendation: The \$1000. penalty for violation section 5(16) is reduced to \$500. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Sandy Wilkinson and JASON SCHUTTER are in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. The \$1000. Penalty is reduced to a warning. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The \$1000. Penalty for Section 6.7(7) is reduced to a warning. The \$500. Penalty for Section 6.1(8) is reduced to a warning.	
59887	Facility Owner: Chambersburg (Borough) Gas Department Contractor/Excavator: ProDrill Solutions, LLC Project Owner: Brightspeed	<u>On 10/27/2025 9:20:00 AM at MACINTOSH WAY, CHAMBERSBURG BORO, FRANKLIN</u> Chambersburg Borough, Franklin County. A gas line owned by Chambersburg (Borough) Gas Department was damaged. 911 was called. Chambersburg (Borough) Gas Department, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “201 MacIntosh Way - 10/27/2025 gas main hit by horizontal directional drilling operations. (20 pages) 1 ¼ inch PE gas main installed 1997. MAOP 55PSIG. Chambersburg Gas Department system. ProDrill Solutions, LLC was the HDD operator. The gas main was marked with flags and yellow paint. The HDD operator failed to pothole the main prior to drilling across the area. HDD operator (excavator) failed to use prudent means within the tolerance zone. ProDrill Solutions, LLC 34 South Warner Avenue Bryn Mawr, PA 19010 PAOCS ticket # 20252934786 Line hit 9:20AM Made safe via squeeze-off 10:20AM One customer was out of service for approximately 2.5 hours.	ProDrill Solutions, LLC: \$500.00 Section 5(4) 1st Offense \$500.00 Brightspeed: \$1,750.00 Section 2(5)(v) 1st Offense \$250.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Chambersburg Fire Department responded, shut down streets in area and evacuated a residential building and an office. (Please see attached PDF with photos.)” – Photos were submitted. ProDrill Solutions, LLC, the excavator, submitted an AVR. Their AVR states, “Serial Number(s): 20252811294, 20252934786 - While performing underground horizontal drilling for a project at MACINTOSH WAY, FRANKLIN COUNTY, CHAMBERSBURG BORO on October 27, 2025 a 3/4" service line for Gas was hit by our drill. Although we spot for gas utility where it was initially marked, the actual line was more than 2 feet away. 911 was called immediately as well as the facility owners. There were no other major incidents, the line was fixed on the spot and we continued the work.” Photos were submitted. Brightspeed is the project owner. An AVR request letter was sent 01/20/2026. An AVR has not been filed as of 02/27/2026. The submitted photos show the gas line marked using yellow paint and flags. The Fire Department responded, shut down streets in area and evacuated a residential building and office. Routine ticket 20252934786 had a response due date of 10/22/2025. - Brightspeed did not respond to this ticket until 10/25/2025. Violations: ProDrill Solutions, LLC- Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance training education is required. Brightspeed- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20252934786. - Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. - Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalty is applied. PUC compliance training education is required.	
59930	Facility Owner: PECO Contractor/Excavator: FIDELITY CONTRACTING LLC Project Owner: Pennsylvania American Water Company Designer: Pennsylvania	<u>On 10/27/2025 1:00:00 PM at 521 S 4TH AVE, UPPER PROVIDENCE TWP, MONTGOMERY</u> PECO accepts. ***** The incident occurred on October 27th, 2025, at approximately 1:00 PM, at 521 South 4th Avenue, in Upper Providence Township, Montgomery County.	PECO: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	American Water Company (Placeholder)	An electrical line owned by PECO was damaged. PECO, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Contractor damaged unmarked secondaries while trenching. Contractor failed to submit a renotification to 811 to have visible drop on pole marked." Photos were submitted. Fidelity Contracting LLC, the excavator, submitted an AVR. Their AVR states, "Crew was excavating to install water main when they struck an unmarked group of electrical wires. At that point work was stopped and the 1-call system, as well as PECO electric, were notified of the damage. A PECO technician was dispatched and repair was made to the damaged lines." Photos were submitted. Pennsylvania American Water Company, the project owner and designer, submitted an AVR. Their AVR states, " Contractor was excavating to install water main when they struck an unmarked group of electrical wires. PECO came and repairs were made." No electrical line mark outs can be seen in the submitted photos. PECO reported in their AVR that their line was unmarked. PECO responded "Field Marked" to the routine tickets, as well as the renotify/ insufficient tickets. Violations: PECO- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance training education is required.	
60133	Facility Owner: Columbia Gas Contractor/Excavator: PJ Cable Construction Project Owner: Shentel Communications LLC. Designer: ADVANTAGE ENGINEERS LLC	<u>On 10/29/2025 2:10:00 PM at 3595 KINGSTON RD, SPRINGETTSBURY TWP, YORK</u> The incident occurred on 10/29/2025 at 3595 KINGSTON RD in SPRINGETTSBURY TWP in York County. A Columbia Gas distribution line was damaged. SHENTEL GLO FIBER stated in their Alleged Violation Report (AVR) that, "The marked 2" gas main was already exposed before the damage occurred. The damage occurred due to excavator while carrying the missile, tripped and the missile fell tip first puncturing the top of the exposed 2" gas main." 911 was notified. Damage Investigation and notes were provided. On 1/28/2026 DPI sent an email to Shentel asking for the final design ticket number and the contact information including email for ADVANTAGE ENGINEERS LLC. On 1/28/2026 Shentel provided the designer information. COLUMBIA GAS of PA stated in their AVR that "At approximately 2:00 PM on October 29, 2025, a crew member was transporting a pneumatic mole to a trench	PJ Cable Construction: \$1,000.00 Section 5(11.2) 1st Offense \$500.00 Section 5(6)(ii) 1st Offense \$500.00 ADVANTAGE ENGINEERS LLC: \$2,000.00 Section 4(2) 1st Offense \$500.00 Section 4(2.5) 1st Offense \$500.00 Section 4(8) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		located beneath a sidewalk. While walking toward the trench, the individual tripped over a hose on the ground and fell. As a result of the fall, the mole slipped from his grip and dropped vertically into the trench. The trench was approximately six feet in length, and the mole landed directly on top of an exposed gas line. The gas line had been exposed for several hours prior to the incident, and its location was known to the crew. Fortunately, the crew member was not injured during the fall. Vicente immediately contacted 911 at approximately 2:04 PM to report the incident. Pictures were provided. P J CABLE CONSTRUCTION stated in their AVR that “THE GAS MAIN WAS EXPOSED BUT, WHILE CARRYING THE MISSILE THE EMPLOYEE TRIPED OVER AND DROPE THE MISSILE PUNCTURING THE GAS MAIN”. Project is 21,232 ft. Records Research/Data Collection is the listed Subsurface Utility Engineering (SUE) that was used. Project cost is listed as <\$400,000. Project length is 21,232’ ADVANTAGE ENGINEERS LLC were sent an AVR request letter on 1/29/2026. Looking for a final design for this project. Due 3/13/2026. No AVR has been received no contact has been made. VIOLATIONS P J CABLE CONSTRUCTION is in violation of: Section 5(11.2) – When using trenchless technology, Excavator failed to utilize at a minimum, the best practices published by the Common Ground Alliance. GCA 22, 5-29 Trenchless Excavation. The trenchless equipment operator performs a sit inspection, walking the trenchless excavation path prior to commencing work, and has a good understanding of the job. Columbia Gas notes that the individual tripped over a hose on the ground and fell. As a result of the fall, the mole slipped from his grip and dropped vertically into the trench. Having a hose on the ground in the path of workers is a hazard that should have been noted prior to the commencement of the work, so that this trip hazard could be avoided. Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. Recommendations: The penalties are applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. See CGA 22 ADVANTAGE ENGINEERS LLC is in violation of: Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed. Section 4(2.5) – Failed to comply with all requests for information by the commission relating to the	

Case Number	Stakeholders	Summary	Violations & Recommendation
		commission's enforcement authority under this act within 30 days of receipt of request. Section 4(8) – Designer failed to submit an Alleged Violation Report through the One Call System within 30 business days of being notified or aware that a violation of this act may have been committed. Recommendations: The penalties are applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s).	
60058	Facility Owner: Johnstown City Contractor/Excavator: AL ANGELICCHIO CONSTRUCTION AND EXCAVATION Other: PEOPLES NATURAL GAS COMPANY LLC	<u>On 11/2/2025 9:00:00 PM at SR 0056, JOHNSTOWN CITY, CAMBRIA</u> The incident occurred on 11/02/2025 on SR 0056 in JOHNSTOWN CITY in Cambia County. A traffic loop owned by the city of Johnstown was damaged. PEOPLES NATURAL GAS COMPANY LLC stated in their AVR that, “AL ANGELICCHIO CONSTRUCTION AND EXCAVATION was diggin to install new gas mains and services for PNG when they struck an unmarked 2" plastic conduit. Contractor pulled out approximately 75' of conductor with the excavator. This is the second damage on this facility. No markings were placed in the field by the city of Johnstown after the first damage. Johnstown city did not want to claim this as their utility the first damage. These are for streetlights. Other AVR sent in September AVR2025SEP150003”. * AVR2025SEP150003 is in case 58410. AVR request letter sent on 3/04/2026 to Johnstown City. On this same day, DPI Maki sent an email to Johnstown asking to verify contact information. On 3/04/2026 an email was received stating that Johnstown submitted an AVR. DPI responded to the email asking for the AVR number. On 3/05/2026 Johns town provided the ticket numbers which references ticket number 20252654937, which is in case 58410 and AVR was found that Johnstown City submitted 2 AVR’s for case 58410, both have the incident date of 9/14/2025. On 3/06/2026 Johnstown City send an email stating that they forgot how to submit an AVR. DPI Maki returned an email that same day with links on instructions of how to submit and AVR and the OneCall Liaisons contact info. JOHNSTOWN CITY OF stated in their AVR that, “On 11/02/2025 Ace Excavating hit traffic loop which we had marked according to my field marker. We had to repair the lines for our traffic lights. Unfortunately, no pictures were taken.” AVR request letter sent on 12/30/2025 to AL ANGELICCHIO CONSTRUCTION AND EXCAVATION. On 1/06/2025 DPI Maki returned a call to AL and sent an email confirming that an AVR is still needed. On 2/13/2026 DPI Maki returned a call to Al at AL ANGELICCHIO CONSTRUCTION AND EXCAVATION. DPI explained the dispute process after the DPC vote for case 58410. DPI Maki also looked for AVR’s that Al said were submitted. No other AVR’s were found. DPI requested that AA email us the AVR	Johnstown City: \$500.00 Section 2(5)(i) 1st Offense \$500.00 AL ANGELICCHIO CONSTRUCTION AND EXCAVATION: \$2,500.00 Section 5(16) 2nd Offense \$1,500.00 Section 5(17) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		numbers or submit an AVR for case 60058. DPI Maki followed up with an email as asked by AA for a reminder. No AVR has been received as of 3/13/2026. VIOLATIONS Johnstown City is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). AL ANGELICCHIO CONSTRUCTION AND EXCAVATION: Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. This is a second offense. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within 30 days of the receipt of the request. This is a second offence. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
60939	Facility Owner: CHESTER WATER AUTHORITY Contractor/Excavator: KIELY CIVIL Project Owner: PECO Other: SUNOCO PIPELINE LP	<u>On 11/3/2025 9:58:00 AM at CANTERBURY DR, NETHER PROVIDENCE TWP, DELAWARE</u> SUNOCO PIPELINE LP disputed. They provided additional information. Violation was withdrawn. Chester Water Authority accepts. ***** The incident occurred on November 3rd, 2025, at approximately 9:58 AM, on Canterbury Drive, in Nether Providence Township, Delaware County. A water line owned by Chester Water Authority was damaged. Chester Water Authority, the facility owner. An Alleged Violation Report (AVR) has not been filed as of 03/17/2026. An AVR request letter was sent 02/27/2026. Kiely Civil, the excavator, submitted an AVR. Their AVR states, “Water line was unmarked. WTR line looks to be a 1in copper line.” Photos were submitted. Kiely Civil reported on their AVR they are also representing PECO. PECO is the project owner. (Kiely Civil submitted an AVR on their behalf.) The submitted photos show no mark outs for the water line. Chester Water Authority responded, “Field Marked” to routine ticket 20252812262 on 10/09/2025.	CHESTER WATER AUTHORITY: \$3,000.00 Section 2(14) 1st Offense \$500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(10) 1st Offense \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 SUNOCO PIPELINE LP: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Routine ticket 20252812262 had a response due date of 10/10/2025. - SUNOCO PIPELINE LP did not respond to this ticket. Emergency ticket 20253072236 had a response due date of 11/3/2026. - CHESTER WATER AUTHORITY AHRS responded to the ticket on 11/18/2025. Violations: CHESTER WATER AUTHORITY- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. - Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20253072236. - Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. Recommendation: The penalty is applied. PUC compliance training education is required. SUNOCO PIPELINE LP- - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket 20252812262.- Withdrawn.	
60099	Facility Owner: Peoples Gas Contractor/Excavator: FERRACO LANDSCAPING INC Project Owner: Property Owner	On 11/4/2025 10:30:00 AM at 395 RODI RD, PENN HILLS MUNIC, ALLEGHENY Peoples Gas submitted a dispute with additional information. Upon review of the submitted information, the violation and penalty were withdrawn. ***** The incident occurred on November 4th, 2025, at approximately 10:30 AM, at 395 Rodi Road, in Penn Hills Munic, Allegheny County. A gas mainline tap owned by Peoples Gas, was damaged. Peoples Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, Ferraco Landscaping INC working for Pittsburgh Conservancy to plant new trees struck and damaged a Peoples Gas mainline tap to a doctors office. Peoples Gas marked the line via measurements due to no access to tracer wire and the line drifted away from the markings. The Peoples Gas locator called and spoke with the onsite contact, Greg, about the trouble locate and advised him to use prudent digging techniques to spot the PNG line. Upon striking the line, Ferraco called the locator, not	Peoples Gas: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		811 or 911 to report the damage. The locator and a PNG field technician arrived on site and made the area safe. - PNG advised Ferraco that an investigation about the damage would be completed. Ferraco stated multiple times that they were digging carefully and that two guys had shovels. When asked by PNG how they were digging carefully, with an excavation hole within 18" of marked utilities, Ferraco admitted to using the excavator, not the two guys with shovels. The damage was caused by the excavator, not a shovel. 911 was not called by Ferraco. Photos were submitted. Ferraco Landscaping Inc., the excavator, submitted an AVR. Their AVR states, "Excavation for tree installation area where tap in cap was hit was not properly marked. After tap in cap was hit, no gas was smelled. I stopped excavation and called locator who called service department and both arrived within minutes. It was determined tap in cap was struck and the markings were not accurate. The locator stated that he had trouble locating the locator signal at Stoneledge and Rodi Road intersection. He also stated Duquesne light damaged gas line in same area installing new pole prior to our event. The locator at intersection at Stoneledge and Rodi Road was not still not found when our event occurred. Included in this project, prior to hitting the tap in cap, were 12 holes excavated along Rodi Road involving utilities markings with no issues. Marking flags were removed by gas company when damaged tap in cap was exposed and new paint was sprayed to show where new gas line was located. The tap in cap was 42 inches from the original marking and 12 inches from surface with no safety tape visible. After service/repair team showed up, I spoke with the technician who stated the tap in cap could be dislodged with a shovel. Excavation and hand digging were utilized with caution. The images attached below were taken on scene prior to new lines being marked after the tap in cap was exposed." Photos were submitted. The property owner is the project owner. An AVR has not been filed as of 03/04/2026. Pittsburgh Conservancy submitted a letter advising they are not the project owner. The address where the incident occurred was a single-family home. The submitted photos show yellow paint and flags were used. Documentation states that offset markings were used. Some of the yellow paint may have been placed after the damage occurred. Documentation shows the facility owner contacted the excavator prior to the damage and advised they were unable to locate the curb box for 395 and therefore some of their measurements were wrong and suggested the use of hand tools if possible. No indication there was a release of gas. Violations:	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Peoples Gas- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Withdrawn.	
61330	Facility Owner: COMCAST Contractor/Excavator: MARTINEZ & SON FENCE LLC Project Owner: Homeowner Other: Verizon, PA LLC	<u>On 11/6/2025 7:00:00 AM at 1908 STERIGERE ST, WEST NORRITON TWP, MONTGOMERY</u> The incident occurred on 11/5/2025 at 1908 Sterigere Street in West Norriton Township, Montgomery County, and is in reference to excavation occurring prior to the lawful start date on the valid routine ticket. Comcast is the facility owner. Their only Alleged Violation Report (AVR) was submitted on 1/8/2026 and states, “LOCATOR WENT TO MARK LINES, EXCAVATOR ALREADY AUGERED HOLES BEFORE TICKET WAS DUE”. 30 business days from 11/6/2025 is 12/22/2025. Martinez & Son Fence LLC is the excavator. An AVR was not filed as of 02/03/2026 and an AVR request was sent the same day. An AVR was submitted the same day that states, “Internet cable was damaged during fence installation”. No documents or images were provided. They indicated the excavation was by auger in the ticket, and the damage occurred by "Method AUGERING Equipment AUGER" in their AVR but no documentation is provided that shows mechanical methods were used to excavate. There is a post hole digger shown, and all holes show signs of hand digging, not an auger. Homeowner is the project owner. An AVR was not filed as of 02/03/2026. Ticket # 20253072709 was entered on 11/3/2025 at 12:45PM by Martinez & Son Fence for a dig date on 11/6/2025. Verizon did not respond to this ticket until 12/3/2025. Martinez & Son Fence then entered Ticket #20253072766 at 12:56PM for a dig date of 11/5/2025 at 7AM which is before the lawful dig date. Verizon did not respond to this ticket until 12/3/2025. Comcast provided multiple photos from their markout on 12/5/2025 that shows excavation was started prior to the lawful start date. Violations: Facility (other) -Verizon: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket # 20253072709 Section 2(5)(v) – Failed to respond to a routine One Call ticket Ticket #20253072766 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	Verizon, PA LLC: \$1,000.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00
60232	Facility Owner: Comcast Contractor/Excavator: NORTH WALES WATER AUTHORITY Project Owner: NORTH	<u>On 11/10/2025 10:00:00 AM at 1404 CRYSTAL VALLEY DR, UPPER DUBLIN TWP, MONTGOMERY</u> The incident occurred on 11/10/2025 at 1404 CRYSTAL VALLEY DR in UPPER DUBLIN TWP in MONTGOMERY County.	Comcast: \$3,000.00 Section 2(10) Subsequent \$2,500.00 Section 2(11) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
	WALES WATER AUTHORITY - spacesaver Other: BUCKS COUNTY WATER AND SEWER AUTHORITY	A cable service line was damaged. NORTH WALES WATER AUTHORITY the project owner and excavator stated in their Alleged Violation Report (AVR) that “Line was marked correctly but hit with initial excavation of soil due to shallow depth”. They added that they “Failed to use prudent techniques in the tolerance zone”. Pictures were provided. Comcast was sent an AVR request letter on 1/06/2025. On 2/09/2026 an email was received from Comcast denying any damage. On 2/11/2026 DPI Maki sent a snip of the area where the damage was and asked Comcast to consider any of the addresses within this area. See attachment “ticket map attachments side by side”. COMCAST stated in their AVR that, “LINE WAS DAMAGED WHEN INSTALLING A NEW HYDRANT.” Pictures were provided. Other AVR that was submitted: BUCKS COUNTY WATER AND SEWER AUTHORITY stated in their AVR that “North Wales Water Authority was replacing a fire hydrant at 1404 Crystal Valley Drive in Upper Dublin Township. During the work, they hit a cable tv line. BCWSA owns the sanitary main in the street and was not involved in the incident.” *Ticket 20253000350 was submitted by NORTH WALES WATER AUTHORITY on 10/27/2025 with a response due by 10/29/2025. Comcast responded “field marked” on 10/29/2025 to Ticket 20253000350. Verizon responded “clear” on 10/29/2025. VIOLATIONS NORTH WALES WATER AUTHORITY is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Comcast is in violation of: Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. This is a subsequent offense. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	\$500.00 NORTH WALES WATER AUTHORITY: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
62049	Facility Owner: COMCAST Contractor/Excavator: A & Y Landscaping Services	<u>On 11/10/2025 10:15:00 AM at 131 WESTBURY CT, DOYLESTOWN BORO, BUCKS</u> The incident occurred on November 10th, 2025, at approximately 10:15 AM, at 131 Westbury Court, in Doylestown Borough, Bucks County. A cable line owned by Comcast was damaged. A Pa One Call ticket was not requested. Comcast, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Hit coax feeder while doing stump grinding." Comcast reported on their AVR that 51+ customers had their service impacted for 1 - 6 hours. A & Y Landscaping Services is the excavator. An AVR has not been filed as of 03/19/2026. An AVR request letter was sent 02/11/2026, requesting info about the incident and project owner. The submitted photos show a large area/ pile of wood chips. No utility mark outs can be seen in the submitted photos, but the damaged line is visible. A Pa One Call ticket was not requested. Pa One Call reported the excavator has placed one calls in the past, but none related to Comcast's AVR. Violations: A & Y Landscaping Services – - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. (Fine Factor of 0.5 applied to due 51+ customers had their service impacted for 1 - 6 hours.) - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: The penalty is applied. PUC compliance training education is required.	A & Y Landscaping Services: \$3,250.00 Section 5(2.1) 1st Offense \$1,500.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00
60610	Facility Owner: Verizon Contractor/Excavator: Utility Line Services Project Owner: PECO	<u>On 11/11/2025 9:40:00 AM at MORRIS AVE, LOWER MERION TWP, MONTGOMERY</u> PECO accepts. ***** The incident occurred on November 11th, 2025, at approximately 9:40 AM, on Morris Avenue, in Lower Merion Township, Montgomery County. A communication line owned by Verizon was damaged.	Verizon: \$3,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(10) 2nd Offense \$1,500.00 Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Verizon is the facility owner. An Alleged Violation Report (AVR) request letter was sent on 03/17/2026. An AVR was filed on 3/20/2026. The AVR was due 12/24/2025 and submitted almost 3 months late. Their AVR states, “On 11/11/2025, Utility Line Services, allegedly hit a utility owned by Verizon at MORRIS AVE, LOWER MERION TWP, MONTGOMERY. Mark out location given by excavator is not accurate, we have no idea using the information provided in the original ticket where the excavation would actually be. Google maps attached showing the area. We have no record of line repair for any facilities even though comcast states it is not their cable. We have no lines of service out, and really have no idea where the excavation was. We had to go out after the fact to find the repairs surface.” Utility Line Services, the excavator, submitted an AVR. Their AVR states, “While trenching in the area of Morris Avenue and Twin Arch Lane to install a gas main, the crew damaged an unmarked Verizon Duct. The wires inside the duct were not damaged.” PECO is the project owner. An AVR has not been filed as of 04/22/2026. An AVR request letter was sent 03/17/2026. The submitted photos do not show any communication line markings. There was a routine ticket requested for the area where the damage occurred, with a response due date of 11/07/2025. Verizon did not respond to the ticket until 12/10/2025, indicating they did not mark their line or communicate with the excavator. Routine ticket 20253093461 had a response due date of 11/07/2025. - Verizon did not respond until 12/10/2025. - PECO responded with ‘Scheduled Mark’ and that the line would be marked by 01/11/2026. They responded ‘Field Marked’ on 11/18/2025. Emergency ticket 20253151035 had a response due date of 11/11/2025. - Verizon did not respond to this ticket until 11/25/2025. Violations: Verizon- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. - Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket 20253093461.	Section 2(5)(vii) 1st Offense \$1,000.00 PECO: \$2,000.00 Section 6.1(7) 2nd Offense \$1,500.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		- Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20253151035. Recommendation: The penalty is applied. PUC compliance training education is required. PECO- - Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. - Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalty is applied.	
60720	Facility Owner: PECO AN EXELON COMPANY Contractor/Excavator: GREENSTONE GARDENS Project Owner: HOMEOWNER	<u>On 11/12/2025 11:24:00 AM at 232 ROSEDALE AVE, TREDYFFRIN TWP, CHESTER</u> The incident occurred on Tuesday, November 12, 2025, at 231 Rosedale Avenue, Tredyffrin Township, Chester County. A gas line owned by PECO A Exelon Company was damaged. PECO reported stated in their Alleged Violation Report (AVR), “contractor called in an emergency locate ticket and a regular ticket. The ticket was called in as an emergency which is against the law and led to the damage.” “On 11-12-2025 USIC was notified about a damage to a 1/2" plastic gas service at 231 Rosedale Ave, Wayne, Chester County, PA. The contractor, Greenstone Gardens, had been digging for a driveway extension, using mechanized equipment, when they struck the tap for a 1/2" plastic service on a 2" steel gas main. Greenstone Gardens had a routine ticket, 20253112486, that was due on 11-12-2025 at 2359 hours. Greenstone Gardens had called in emergency ticket, 20253142914 on 11-10-2025 around 1343 hours, with a scheduled dig date of 11-11-2025 at 0730. The emergency ticket had the same scope listed as the routine ticket, with the exception of the added statement that the customer was getting water in the basement. The contractor falsified the emergency ticket; by bypassing the routine ticket and calling in an emergency request so he could start his non-emergency excavation. 811 and act 50 define an emergency in section 1 as "a sudden or unforeseen occurrence involving a clear and immediate danger to life, property or the environment, including, but not limited to, serious breaks or defects in a facility owner's lines." Driveway extensions and paver installs do not constitute an emergency excavation, placing the contractor out of compliance with PA1 Call law, section 2, Emergency Notices.” Greenstone Gardens stated in their AVR, “we were excavating left side of the driveway to install a paver driveway expansion. While digging with the mini excavator nicked a gas line that was not marked. Greenstone Gardens did submit a dig request for the area (left side of driveway install permeable pavers 10FT X	GREENSTONE GARDENS: \$2,500.00 Section 5(9) 1st Offense \$1,000.00 Section 5(11) 1st Offense \$250.00 Section 5(20) 1st Offense \$250.00 Section 5(8) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		18FT.) and it was failed to be marked by the USCI locator.” 20253112486- Routine ticket placed on 11/7/2025 at 2:01pm, with Response due date of 11/12/2025. PECO Respond on 11/12/2025 as Field Marked. Location Information-- [WAYNE, PA 19087. FRONT PAVER WALKWAY REMOVE + REPLACE 15FTX3FT. LEFT SIDE OF HOUSE REMOVE + REPLACE PAVER WALKWAY + FLAGSTONE STEPEPRS. 55FTX3FT + 4FTX5FTRASH CAN AREA + 3FTX3.5FT RECYCLE BIN AREA. LEFT SIDE OF DRIVEWAY INSTALL PERMEABLE PAVERS 10FTX18FT] 20253142914- Excavation Emergency ticket placed on 11/10/2025 at 1:43pm, Remarks- Customer is Getting Water in Basement in Front. PECO Responded on 11/10/2025 as Field Marked. Location Information-- [WAYNE, PA 19087. FRONT PAVER WALKWAY REMOVE + REPLACE 15FTX3FT. LEFT SIDE OF HOUSE REMOVE + REPLACE PAVER WALKWAY + FLAGSTONE STEPEPRS. 55FTX3FT + 4FTX5FTRASH CAN AREA + 3FTX3.5FT RECYCLE BIN AREA. LEFT SIDE OF DRIVEWAY INSTALL PERMEABLE PAVERS 10FTX18FT] Greenstone Gardens did not provide actual excavation location information and did not mark the proposed excavation worksite in white but explained the work that was to be completed. The left side of the house would be determined by an individual facing the house or if the individual was facing the road. PECO did locate and mark the gas line; view their Side-by-Side photos- the left photo is showing the yellow mark (the individual facing the road), and the right photo is showing the excavation worksite/damage (the individual facing the house). Look at the Google street view screenshot of 232 Rosedale Avenue. Also, look at the photo of the gas meter, which is behind the small bushes and between the large bushes- look at the Google street view- gas meter screenshot. PECO located and marked in-line with the gas meter. Greenstone Gardens, when arrived on site, there was not a renotify ticket placed to have PECO locate and mark the correct side of the house. On Friday, 1/30/2026, an email was sent to Greenstone Gardens requesting additional information, asking, Does Greenstone Gardens have pictures of the water that was in the basement? The Emergency ticket that was placed on 11/10/2025, was it a valid Emergency? The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, Definition for an Emergency: "Emergency" means a sudden or unforeseen occurrence involving a clear and immediate danger to life, property and the environment, including, but not limited to, serious breaks or defects in a facility owner's lines.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		On Wednesday, 2/11/2026, Greenstone Gardens replied explaining, “In or around the early part of November 2025, Greenstone Garden (hereinafter “GG”) entered into a lawful contract with the homeowner/occupier of 232 Rosendale Avenue, Tredyffrin Township, PA (hereinafter “the Rosendale property”), to install a paver expansion to their driveway (hereinafter “the expansion project”). The expansion project required some excavation of soil adjacent to the driveway. As legally required, GG submitted a Routine Pennsylvania One Call request on or about November 7, 2025 (Serial #20253112486) (hereinafter “Request #1”) (see Pennsylvania Underground Utility Line Protection Request attached hereto as Exhibit A) (hereinafter “PUULPR”), which expressly identified “PECO EXELON CO” lines to be investigated and marked. The response date of Request #1 is November 12, 2025. On or about November 10, 2025, GG submitted an Emergency Pennsylvania One Call request for the expansion project (Serial #20253142914) (hereinafter Request #2) (See PUULPR attached hereto as Exhibit B). The response date of Request #2 is November 10, 2025. On or about November 10, 2025, agents of the Pennsylvania One Call System (hereinafter “POCS”) arrived at the Rosendale property and marked what GG thought were all underground lines (hereinafter “marking #1”). Additionally, on or about November 12, 2025, POCS agents, again, arrived at the Rosendale property and completed a second investigation of underground lines (hereinafter “marking #2”). On both Request #1 and Request #2, GG requested markings for all lines on the Rosendale property and, specifically, requested markings for the area of excavation, which GG identified in both of its requests as being on the “LEFT SIDE OF THE DRIVEWAY.” In response to Request #1 and Request #2, POCS’s agents failed to mark a PECO gas line, which was located adjacent to the driveway, on the Rosendale property. As a direct result of the failure of POCS agents on Two (2) occasions, GG agents, while lawfully operating an excavator, came into contact with a PECO gas line, causing an injury and the release of gas. At no time was GG derelict in its duties of reporting or operation. The direct and sole cause of the resulting injury to a PECO gas line was POCS’s multiple failures to identify the subject PECO gas line.” On Tuesday, 2/17/2026, a letter was mailed to the Homeowner requesting an AVR / information. The Homeowner responded on 2/23/2026 by email stating, “I am reaching out because I received a letter about an overdue AVR. This is the first I am hearing about this request, so I tried to submit Alleged Violation online, but was unable to create an account. I will try to answer the questions asked in the letter. 232 Rosedale Ave is my residence. We were having pavers installed by Greenstone Gardens.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		My husband, Robert Shillingford, was onsite when the incident happened. 911 was called and the police and fire department responded. Greenstone Gardens was digging out grass and soil next to the road to lay the pavers. Even though the township had marked the road to show the underground lines, the grass was not marked, so there was no indication that a gas line extended past the asphalt. The gas line was hit. My husband called 911 and PECO to communicate the gas leak and obtain support to fix it. The police and fire department arrived to ensure neighborhood safety. PECO arrived and fixed the pipe. Several pictures have been attached. A large yellow arrow was placed after the incident to indicate the pipe location. The mark was made by the group that was here the day before to mark the utility locations. We have no additional pictures of the construction or the broken pipe.” On Tuesday, 3/3/2026, an email was sent to the Homeowner requesting additional information asking, “in addition to the damaged gas line, was there an Emergency on 11/10/2025, that required immediate repair/cleanup of water damage in the basement? If so, summarize detailing that event.” The Homeowner replied the same day stating, “Not at my property or due to this issue. I am unaware of any water damage situations.” Violations: *Greenstone Gardens is in violation of sections: 5(9) – Emergency notification does not meet the requirements of “emergency” as defined in Section 1 – Excavator Ticket. 20253142914 5(11) – Excavator failed to use the color white to mark a proposed excavation work site when exact work site information cannot be provided. 20253112486 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. (The Homeowner called 911, "My husband called 911 and PECO to communicate the gas leak and obtain support to fix it.") Recommendation: Penalties Applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. Excavator is 3 years past-due on DPC required education from 2023 for case 27358. They did pay the invoice.	
61630	Facility Owner: UGI UTILITIES INC Contractor/Excavator: Mario's Contracting and Quality Firewood, LLC Project Owner: Homeowner/Resident	<u>On 11/12/2025 12:25:00 PM at 339 TERRACE ST, HONSDALE BORO, WAYNE</u> Incident occurred on Tuesday, November 12, 2025, at 339 Terrace Street, in Honesdale Borough, Wayne County. A gas line owned by UGI Utilities Inc was damaged.	Mario's Contracting and Quality Firewood, LLC: \$2,000.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		UGI reported an Excavator issue as failing to use prudent techniques within the tolerance zone. UGI stated in their Alleged Violation Report (AVR), "Excavator struck and damaged a correctly marked gas facility while digging in the tolerance zone with mechanized equipment." The Fire Department responded to the 911 call and 1 customer's service was interrupted for 1 - < 6 hours. UGI provided photos of damage line, excavation within the tolerance zone, and the backhoe with Mario's Construction on it; view UGI pic 1 – UGI pic 7. Also view, EX- Mario Contract active business Screenshot; doing a business search, it shows the status as active for Mario's Contracting and Quality Firewood, LLC. On Tuesday, 1/8/2026, an email and letters were sent to the excavator, Mario Gonzalez and the Homeowner requesting AVR's. On Wednesday, 1/21/2026, there was returned mail, a letter requesting an AVR, from Mario Gonzalez, at 408 Dennis Rd Honesdale PA 1843, Return to Sender-No Mail Receptacle-Unable to Forward. On Thursday, 2/26/2026, an email (marioroof@verizon.net) was sent to Mario Gonzalez requesting AVR and the AVR request letter was attached. On Wednesday, 3/11/2026, google searching another mailing address (68 Maple Lane Honesdale PA 18431) and emails were found; sent a letter and emails to Mario Gonzalez requesting an AVR. On Wednesday, 3/25/2026, an email was sent to UGI requesting additional information, "Attached is UGI Utilities Inc AVR and photos. Was the contractor, Mario Gonzalez invoiced for the damage gas line? Mario Gonzalez was sent a letter and an email requesting an AVR, and the letter was returned, and no AVR has been submitted. Also, provide any additional information that UGI Utilities believe is important for the PAPUC Damage Prevention to know." UGI replied to the email on the same day, "Well after the AVR was filed we were able to get additional information on this contractor. I apologize, we should have updated the AVR once we got this additional information. Company name- Mario's Contracting and Quality Firewood Owner/Operator- Mario Foagler Address- 68 Maple Lane Honesdale Pa., 18431 A bill was invoiced to him for \$703.77. We have yet to receive payment." There has been no response to the request for an AVR and no AVR has been submitted by Mario's Contracting and Quality Firewood LLC.	Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Violations: *Mario's Contracting and Quality Firewood LLC is in violation of sections: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements	
62043	Facility Owner: PENN POWER - FIRSTENERGY Contractor/Excavator: Gasparovich Excavating Project Owner: Infinity Custom Homes	<u>On 11/12/2025 3:58:00 PM at 160 SEQUOIA LN, CRANBERRY TWP, BUTLER</u> Gasparovich Excavating - 5(16) reduced from \$1000 to a warning of \$0 for first time AVR offense. ***** The incident occurred on 11/12/2025, at 3:58 PM, on 160 Sequoia Ln, in Cranberry Twp, Butler County. An electric line owned by Penn Power – First Energy was damaged. Penn Power – First Energy is the facility owner. Their Alleged Violation Report (AVR) states, “On November 12, 2025, Penn Power was notified of an outage at 160 Sequoia Lane, Cranberry Township, Butler County, Pennsylvania. USIC, Penn Power’s Contract Locator, investigated and determined that the Excavator, Gasparovich Excavating, damaged an underground secondary line while installing a foundation. The root cause of the damage was that the Excavator failed to request the location and type of facility owner through the One Call System.” Gasparovich Excavating is the excavator. An AVR was not filed as of 03/06/2026 and an AVR request was sent the same day. An email was received and a response was sent on submitting an AVR on 3/9/2026. An AVR was submitted 117 days after the incident date that states, “No PA one call was placed, as we were not digging on said property. We were digging a foundation on an adjacent lot 5' away, when a rock rolled off the excavator bucket and onto said property cracking the exposed electric conduit. No operator struck any lines, no underground utility damage, no injuries, no disruption to any service. Penn Power was notified by Infinity Homes and they came and pulled the wire from cracked conduit and placed wire in new conduit. No pictures were taken to our knowledge. We were contacted by Penn Power claims adjuster, Makala Cox, however several attempts to reach her failed. Attached is a copy of the letter we received from PAPUC along with a copy of the Penn Power correspondence and Invoice/payment for damages.” Infinity Custom Homes is the project owner indicated on Gasparovich Excavating which was submitted on	Gasparovich Excavating: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		3/9/2026. AN AVR wasn't requested from the Project Owner until 3/16/2026 due the late submission of the AVR by the excavator. The investigation was not held until the Project Owner submitted an AVR due to the timelines on investigations. The excavator did not submit a ticket for their excavation. Images submitted show the line that was damaged by Gasparovich Excavating during excavation. Violations: Excavator - Gasparovich Excavating: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
60875	Facility Owner: UGI UTILITIES INC Contractor/Excavator: FIBER TECH SOLUTIONS LLC Project Owner: GIGAPOWER Other: AMERICAN DIRECTIONAL BORING INC	<u>On 11/13/2025 1:07:00 PM at 915 MARTIN DR, JESSUP BORO, LACKAWANNA</u> The incident occurred on Thursday, November 13, 2025, at 915 Martin Drive, in Jessup Borough, Lackawanna County. A gas line owned by UGI Utilities was damaged. UGI reported an Excavator issue as when using trenchless technology, Excavator failed to utilize at a minimum, the best practices published by the Common Ground Alliance, and failed to provide support and mechanical protection of the facility owner's line during excavation. UGI stated in their Alleged Violation Report (AVR), "Excavator struck and damaged a correctly marked gas facility. The gas main was exposed at the time of the damage." UGI provided photos showing the locate marks, and the hit-kit showing marks and damage in-line with each other. The contractor, Fiber Tech Solutions reported a Facility Owner issue as marked incorrectly. Fiber Tech Solutions did not provide a summary in their AVR, but commented in the Locating Information section, "three tickets associated with this hit 20253022170, 20253172386, 20253172395." They provided no attachments and no photos with their AVR. On Thursday, 3/5/2026, an email was sent to Fiber Tech Solutions requesting additional information. There was no response to the email.	FIBER TECH SOLUTIONS LLC: \$2,000.00 Section 5(17) 1st Offense \$500.00 Section 5(11.2) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00 GIGAPOWER: \$1,000.00 Section 6.1(7) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		On Thursday, 1/29/2026, letters and emails were sent requesting AVR's from Fiber Tech Solutions and Gigapower, the project owner. Gigapower did not response to the request and no AVR was submitted. Fiber Tech Solutions submitted their AVR on 2/9/2026, not within 30 days of the 11/13/2025 incident. The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, Responsibilities Of The Excavator, Section 5(16) states: To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. The report of an alleged violation shall be in a form and manner as required by the commission. Violations: *Fiber Tech Solutions is in violation of sections: 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. 5(11.2) – When using trenchless technology, Excavator failed to utilize at a minimum, the best practices published by the Common Ground Alliance. Recommendation: Penalties Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Gigapower is in violation of section: 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Person responsible for submitting AVRs, or their replacement.	
60418	Facility Owner: AQUA PENNSYLVANIA INC Contractor/Excavator: Tace Services Corp Project Owner: Frontier Communications of PA Inc	<u>On 11/14/2025 2:15:00 AM at 18 IRONWOOD ST, TUNKHANNOCK TWP, WYOMING</u> The Non-Damage violation occurred on Friday, November 14, 2025, at 18 Ironwood Street, in Tunkhannock Township, Wyoming County. The Non-Damage violation was reported by Aqua PA. Aqua reported an Excavator issue as failing to create a complex project ticket or take reasonable steps to work with facility owners when working at multiple work sites over a large area. Aqua stated in their Alleged Violation Report (AVR), "Excavator failed to create a Complex Project and submitted over 20 individual PA1 tickets over a large area. See attached spreadsheet for all tickets involved". On Thursday, 1/15/2026, letters and emails were sent requesting AVR's from Tace Services Corp, the excavator and Frontier Communications of PA, the	Tace Services Corp: \$750.00 Section 5(3) 1st Offense \$250.00 Section 5(17) 1st Offense \$500.00 Frontier Communications of PA Inc: \$750.00 Section 4(4) 1st Offense \$250.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		project owner. There were no responses to the request and no AVR's were submitted. View the Spreadsheet showing all tickets involved. Ticket Information for Ironwood Street: The Routine tickets were placed on 11/14/2025. Renotify tickets placed on 11/24/25, with DIRECT CONTACT WITH EXCAVATOR REQUIRED WITHIN TWO HOURS--[N], and with the same Remarks as- [ATTN AQUA PENNSYLVANIA YOU RESPONDED AS REQUESTS MEETING. CALLER STATES THAT THIS WORK IS ONLY FOR A SINGLE PROPERTY. IF YOU NEED CLARIFICATION PLEASE CONTACT GIO ACEVEDO AT 6073789576. PLEASE MARK THE PROPERTY AS SOON AS POSSIBLE AND CHANGE YOUR RESPONSE TO FIELD MARKED WHEN YOU HAVE MARKED YOUR LINES.] *20253183202- Routine ticket placed on 11/14/25 at 9:51pm, 18 Ironwood St, Type of work- fiber drop placement. *20253183202-001- Renotify Ex Insufficient ticket placed on 11/24/25 at 8:19am, 18 Ironwood St. *20253183216- Routine ticket placed on 11/14/25 at 10:14pm, 36 Ironwood St, Type of work- fiber drop placement. *20253183216-001- Renotify Ex Insufficient ticket placed on 11/24/25, at 8:31am, 36 Ironwood St. *20253183218- Routine ticket placed on 11/14/25 at 10:16pm, 52 Ironwood St, Type of work- fiber drop placement. *20253183218-001 Renotify Ex Insufficient ticket placed on 11/24/25 at 8:33am, 52 Ironwood St. Violations: *Tace Services Corp is in violation of section: 5(3) – Excavator failed to hold a preconstruction meeting prior to beginning a complex project. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalties Applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Frontier Communications of PA is in violation of section: 4(4) – Failed to prepare construction drawings to avoid damage to and minimize interference with facilities in the construction area. 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: Penalties Applied, and PUC Online Compliance Training is required for the Project Owner and Designer(s) who worked on this project, or their replacement(s).	
60545	Facility Owner: Peoples Gas Contractor/Excavator: Hohns Lawn Project Owner: Property Owner	<u>On 11/14/2025 1:45:00 PM at 117 Windsor Ct, MONROEVILLE MUNIC, ALLEGHENY</u> The incident occurred on November 14th, 2025, at approximately 1:45 PM, at 117 Windsor Court, in Monroeville Munic, Allegheny County. A gas line owned by Peoples Gas was damaged. There was not a PA One Call ticket. Peoples Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Hohn Excavating working with out a one call request struck and damaged a Peoples Gas service line to 117 Windsor Ct in Monroeville.” Photos were submitted. Hohns Lawn, the excavator, submitted an AVR after an AVR request letter was sent 02/25/2026. Their AVR states, “I was digging out 2 tree stumps that were supposed to be grinded but were not so i started digging around them and the gas line was wrapped around a root and when i pulled on the tree stump it sliced the gas line for the homeowners house. there was no shutoff located so the gas company plugged line temporarily then spliced the line after that. i do not have any pictures or videos from it. it was a small job for a couple hundred dollars and the repair cost was \$184 from gas company. fire truck showed up and there was not a fire”. (AVR was due 12/14/25, AVR request letter sent 2/25/26, AVR filed on 3/11/26) The property owner was the project owner. An AVR was not requested. The submitted photos a large piece of excavation equipment was used at the excavation site. No utility mark out can be seen in the submitted photos. The excavator did not have a Pa One Call ticket. Violations: Hohns Lawn- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning.) Recommendation: The penalty is applied. PUC compliance training education is required.	Hohns Lawn: \$1,250.00 Section 5(16) 1st Offense \$0.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
60494	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: KC McGinnis Services LLC Project Owner: SHIPPENSBURG SCHOOL	<u>On 11/17/2025 11:50:00 AM at 201 Eberly Dr. SOUTHAMPTON TWP, FRANKLIN</u> The non-damage incident occurred on November 17th, 2025, at approximately 11/17/2025, at 201 Eberly Drive, in Southampton Township, Franklin County. An excavator was digging near a gas line owned by UGI, without a Pa One Call ticket. UGI, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "A UGI service tech was performing daily activities when he observed KC McGinnis Services LLC digging near a UGI owned gas line. The UGI employee did not know of a recent PA-1 Call ticket for that address. He stopped and asked the excavator for a valid serial number and they could not provide one. UGI employee called into 811 to verify and report. UGI employee told them to stop digging until they placed a valid PA-1 call. The yellow marks and yellow flags in the pictures were from a previous PA-1 Call for a different excavator." Photos were submitted. KC McGinnis Services LLC is the excavator. An AVR request letter was sent 02/25/2026. An AVR has not been filed as of 03/17/2026. The excavator was digging without a Pa One Call ticket. Large excavation equipment can be seen in the submitted photos. A routine ticket was requested by the excavator after speaking with a UGI employee. The utility line markings seen in the submitted photos were from a previously requested ticket, for a different excavator. Each excavation organization is required to have their own Pa One Call ticket. - Emergency ticket 20253211927 was requested by UGI after confirming the excavation was taking place without a Pa One Call ticket. - Routine ticket 20253212188 was requested by the excavator after speaking with UGI employee, regarding having a Pa One Call ticket. Violations: KC McGinnis Services LLC- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning.) - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. (Warning.) Recommendation: The penalty is applied. PUC compliance training education is required.	KC McGinnis Services LLC: \$1,000.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$0.00 Section 5(17) 1st Offense \$0.00
60546	Facility Owner: PEOPLES NATURAL	<u>On 11/18/2025 12:31:00 AM at 730 S LOGAN BLVD, ALLEGHENY TWP, BLAIR</u> The Non-Damage	

Case Number	Stakeholders	Summary	Violations & Recommendation
	GAS COMPANY LLC Contractor/Excavator: D & M CONTRACTING CASTELLI DEVELOPMENT Project Owner: ALTOONA WATER AUTHORITY WATER DIVISION Designer: GWIN DOBSON AND FOREMAN ENGINEERS Other: SALSGIVER TELECOM	occurred on Wednesday, November 18, 2025, at 730 S. Logan Blvd, Allegheny Township, Blair County. There was a Non-Damage gas leak due to corrosion, the gas line is owned by Peoples Natural Gas Company (PNG). Look at photos showing "...leak from corrosion in steel pipe."- D&M Photos 1-3. Two photos show the hole of the gas line stuffed with a white cloth. PNG reported an Excavation issue as failed to immediately notify 911 when there was a gas leak. PNG stated in their Alleged Violation Report (AVR), "D & M Contracting Castelli Development was digging to install new water main lines when they uncovered a leaking gas main. Leak was near 730 s Logan Blvd. PNG locator was down the road with the other D&M crew. Damage prevention tech informed him to call 911 immediately and PNG. Contractor waited 30 minutes to call 911." D & M Contracting Castelli stated in their AVR, "exposed gas mainline and found leak from corrosion in steel pipe." Altoona Water Authority, the project owner, stated in their AVR, "D&M Contracting, Inc. was installing a water service at 730 S. Logan Blvd, Altoona, PA. D&M Contracting, Inc. performed exploratory excavation and located an 8" steel natural gas main. The natural gas mainline was severely corroded and was leaking. The contractor claims they did not hit the natural gas mainline. The design drawings indicated that a natural gas line was present in this area, and the contractor had located it. The Altoona Water Authority was not notified until after the problem was resolved and the gas line was repaired and backfilled. Please reference Alleged Violation Report (AVR) from D&M Contracting temporary AVR number AVR2025DEC160009 and Gwin Dobson and Foreman Engineers, temporary AVR number AVR2026JAN090025" Gwin Dobson & Foreman Engineers, the designer, stated in their AVR, "D&M Contracting, Inc. was installing a water service at 730 S Logan Blvd, Altoona, PA. D&M Contracting, Inc. performed exploratory excavation and located an 8" steel natural gas main. The natural gas mainline was severely corroded and was leaking. The contractor claims they did not hit the natural gas mainline. The design drawings showed there was a natural gas line in this area and the contractor had located it. Gwin, Dobson & Foreman, Inc. was not notified until after the problem was resolved and the gas line was repaired and backfilled. Attached photos were provided by D&M Contracting, Inc. and the Altoona Water Authority. Reference Alleged Violation Report (AVR) from D&M Contracting, Inc. – Temporary AVR Number AVR2025DEC160009." Additional information from Salsgiver Telecom, and they stated in their AVR, "Salsgiver received email notification of possible involvement in	

Case Number	Stakeholders	Summary	Violations & Recommendation
		AVR2025NOV200021. Salsgiver has no awareness of being involved in AVR2025NOV200021 which is related to serial numbers 20242770092 and 20253141621 which Salsgiver was listed on. Additionally, it relates to serial number 20253222040 which Salsgiver does not appear to have received or been involved in. We cannot look up details about SN 20253222040 because we are not listed on it. Maps associated with tickets 20242770092 and 20253141621 as well as the project plans show no work taking place anywhere that Salsgiver's underground fiber optic facilities are located. Additionally, Salsgiver provided information regarding the location of Salsgiver's facilities via email to the listed contacts on 20242770092 on 10/3/2024 and indicated that Salsgiver would be clear of work at that time. Salsgiver also responded clear in response to 20253141621. No damage has been reported to Salsgiver's facilities and no services are impacted. This submission is made in effort to comply with the email that Salsgiver received and is attached to this AVR, but to the best of our knowledge, we are not involved.” *D & M Contracting Castelli Development Recommendation: No Violation because they did not cause the damage.	
61231	Facility Owner: Verizon Contractor/Excavator: Empower Construction Project Owner: PECO	<u>On 11/18/2025 8:00:00 AM at CROMBY RD, PHOENIXVILLE BORO, CHESTER</u> The incident occurred on 11/18/2025 on CROMBY RD in PHOENIXVILLE BORO in Chester Co. A communication line owned by Verizon was damaged. PECO AN EXELON COMPANY stated in their Alleged Violation Report (AVR) that “On Tuesday November 18th, 2025, Empower Construction was working for PECO to install a new pole when they struck an mismarked Verizon line. The Verizon line was 6ft from the closest mark. The crew immediately stopped work, and all notifications were made”. On 1/09/2026 DPI Maki requested any pictures from PECO. Empower Construction stated in their AVR that, “On Tuesday November 18th, 2025, an Empower Construction aerial crew was tasked with installing a new pole (36395) on Township Line Rd in Phoenixville, PA on the WPVS-Line 1800 project WO#18717359. The crew began their day with conducting a job briefing and walking the project down for mark outs. As the crew was in the process of utilizing mechanical means to dig the new pole location, the crew came in contact with an mismarked Verizon line. The Verizon line was 6ft from the closest mark. The crew immediately stopped work, notified PECO Construction Management, PA One Call, and Empower Construction Management. Original PA1 Call Ticket #20253171956. Damage PA1 call ticket #20253222087 & 20253232088.	Verizon: \$3,000.00 Section 2(5)(i) 3rd Offense \$1,500.00 Section 2(14) 1st Offense \$500.00 Section 2(10) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Verizon was sent an AVR request letter on 1/09/2026. No AVR or communication has been received as of 3/04/2026. VIOLATIONS VERIZON is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a third time offense. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of request. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Recommendation: The penalties are applied. The Required PUC education was recently completed.	
60803	Facility Owner: National Fuel Gas Distribution Contractor/Excavator: Diss Restoration	On 11/18/2025 1:20:00 PM at 404 N Oakland Ave, SHARON CITY, MERCER DISS emailed information after the case was submitted. Confirms demolition occurred without a PA One Call. No AVR has been submitted to date. **** The incident occurred on 11/18/2025, at 1:20 PM, on 404 N Oakland Ave, in Sharon City, Mercer County. A gas line owned by National Fuel was damaged. National Fuel is the facility owner. Their Alleged Violation Report (AVR) states, “Excavator demolishing home without POCS ticket submission. Excavator sheared meter valve off of riser during the demo. National Fuel was never contacted to disconnect utilities. Please see attachments.” Diss Restoration is the excavator. An AVR was not filed as of 01/16/2026 and an AVR request was sent the same day. No AVR was filed as of 3/5/2026. PA One Call Systems has no record of this excavator filing tickets in the past. Images submitted show the site, excavation/demolition, and damage. No marks are seen. No tickets were located for this site. Act 127 of 2024 defines excavator and demolition work, and requires a PA One Call ticket to be entered prior to excavation or demolition work. "Excavator" means any person who or which performs excavation or demolition work for himself or for another person.	Diss Restoration: \$4,000.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Section 5(21) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		"Demolition work" means the partial or complete destruction of a structure, by any means, served by or adjacent to a line or lines. The Act specifically states it's purpose is, "To protect the public health and safety by preventing excavation or demolition work from damaging underground lines..." Violations: Excavator – Diss Restorations: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Section 5(21) – Excavator failed to pay the annual fee for service provided by the One Call System. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
60748	Facility Owner: PECO Contractor/Excavator: Land-Tech Enterprises, Inc. Project Owner: Prime Custom Builders Other: Comcast	<u>On 11/20/2025 9:50:00 AM at 128 ROSE LN, HORSHAM TWP, MONTGOMERY</u> Comcast accepts. PECO accepts. ***** The incident occurred on November 20th, 20025, at approximately 9:50 AM, at 128 Rose Lane, in Horsham Township, Montgomery County. An electrical line owned by PECO was damaged. PECO, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Land Tech Enterprises Inc hit the secondary electric while digging." Photos were submitted. Land-Tech Enterprises, Inc., the excavator, submitted an AVR. Their AVR states, "On the Morning of Thursday 11-20-25 at approximately 950 AM crews were digging to install a water line pipe. the area had been marked and cleared by One Call. LTE foreman preformed a test dig (By hand) not finding any marked utilities. Crews started to dig with a hydraulic excavator. When the foreman noticed three unmarked unidentified wires in his trench.	PECO: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Land-Tech Enterprises, Inc.: \$250.00 Section 5(20) 1st Offense \$250.00 Comcast: \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The foreman stopped Right away (R/W) and notified PA-1 for an emergency located. Upon the response PECO arrived and indicated that the line was theirs. USIC damage investigator arrived and had also identified that the line was unmarked and said quote "the map has not been updated since 1980" and that "No one had any record of this here" Furthermore there was no tape or screenings in the trench identifying that there was a line below. Infra-source arrived approx. 1.5 hours after the strike and made the repair. All crews were off site by 300PM, and the line was back up and running." Photos were submitted. Prime Custom Builders, the project owner, submitted an AVR. Their AVR did not include a summary of the incident. The submitted photos do not show the damaged electrical line was marked. PECO responded to routine ticket 20252963145 with 'Field Marked'. PECO's AVR reported the line was not marked and there was an indication of underground facilities in the excavation area. There were no notes listed on the ticket indicating there were difficulties locating the electrical line. There is an electrical transformer on the ground near the excavation site, which is an indication of underground electrical facilities in the excavation area. A renotify ticket should have been requested due to unmarked electrical lines. Routine ticket 20252963145 had a response due date of 10/27/2025. - Comcast responded to this ticket on 10/28/2025. Violations: PECO- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance training education is required. Land-Tech Enterprises, Inc.- - Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Recommendation: The penalty is applied. PUC compliance training education is required. Comcast- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20252963145. Recommendation: The penalty is applied. PUC compliance training education is required.	
60639	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: Komplete Excavation Services	<u>On 11/20/2025 2:00:00 PM at 8568 WESTBRANCH HWY, KELLY TWP, UNION</u> The incident occurred on November 20th, 2025, at approximately 2:00 PM, at 8568 Westbranch Highway, in Kelly Township, Union County.	Komplete Excavation Services: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Project Owner: Homeowner	A gas line owned by UGI Utilities was damaged. 911 was called. UGI Utilities, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "A 3rd party contractor struck and damaged a correctly marked gas service during excavation for culvert repair." Photos were submitted. Komplete Excavation Services, the excavator, submitted an AVR. The attachment to their AVR states, "On November 20 we were replacing a steel culvert pipe that ran underneath the driveway at Davy Wengerd. We had called PA one call before we started the project, and they had marked the line. When we uncovered the pipe, the steel gas line had disintegrated due to the fact that it was laying on top of the steel culvert. This line had evidently been repaired earlier simply by sliding a plastic line inside the steel gas line. A neighbor of Davy Wengerd verified that he remembers when the steel line had leaked back in 1995 and that instead of fixing the steel line, they had just inserted the plastic line inside the steel line. Due to the fact that the steel pipe was weakened, it broke when moved slightly during excavation. We temporarily stopped the leak by plugging it, and notified UGI of the leak immediately. The property owner was the project owner. The submitted photos show the gas line marked using yellow paint. There are photos submitted with the mark outs prior to the excavation, as well as after the damage occurred, including the damaged gas line. The gas line was damaged within the tolerance zone using mechanized equipment without daylighting the line first. Violations: Komplete Excavation Services- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance training education is required.	
60635	Facility Owner: West Penn Power / First Energy Contractor/Excavator: Franklin Township Municipal Sanitary Authority Project Owner: Franklin Township Municipal Sanitary Authority (Placeholder) Designer: GIBSON THOMAS ENGINEERING CO INC	<u>On 11/20/2025 2:30:00 PM at 3643 FORBES TRAIL DR, MURRYSVILLE MUNIC, WESTMORELAND</u> West Penn Power / First Energy accepts. ***** The incident occurred on November 20th, 2025, at approximately 2:30 PM, at 3643 Forbes Trail Drive, in Murrys ville Municipality, Westmoreland County. An electrical line owned by West Penn Power was damaged. West Penn Power, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "On October 20, 2025, Franklin Township Municipal	West Penn Power / First Energy: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Sanitary Authority, Excavator, submitted PA One Call Routine Ticket 20252932165 to install a sewer line at 3641 Forbes Trail Dr, Murrysville, Westmoreland County, PA. On November 20, 2025, West Penn Power (WPP) was notified of a dig in at the property and located a damaged underground secondary electric cable. USIC, WPP's Contract Locator investigated and determined that the technician did not verify the path and the underground electric facilities for the secondary were not marked properly." Photos were submitted. Franklin Township Municipal Sanitary Authority, the excavator and project owner, submitted an AVR. Their AVR states, "FTMSA was installing new 12in sanitary sewer line and hit an unmarked electric line there was another electric line that was marked approx.. 4ft away that USIC located and determined it was the mainline and in service. At the time USIC determined that they were getting no readings (from there locating equipment) on the electric line that was hit. USIC noted that the electric line that was unmarked and hit must be a spur or service line. Several homes in the area lost power due to the line strike." Photos were submitted. GIBSON THOMAS ENGINEERING CO INC., the designer, submitted an AVR. Their AVR states, "Franklin Township Municipal Sanitary Authority was installing new 12" sanitary sewerline and hit an unmarked electric line. There was another electric line that was marked approx. 4ft away that USIC Locating determined was the main line and in service. At the time USIC determined that they were getting no readings (from their locating equipment) on the electric line that was hit. USIC noted that the electric line that was unmarked and hit must be a spur or service line. Several homes in the area lost power due to the line strike." Photos were submitted. Their AVR states they are also representing Franklin Township Municipal Sanitary Authority. The submitted photos show one electrical line was marked out using paint and flags. There was a 2nd electrical line, which was not marked. The unmarked electrical line was damaged. Violations: West Penn Power- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance training education is required.	
61421	Facility Owner: Verizon Contractor/Excavator: JKM2 Properties LLC Project Owner: Comcast	On 11/21/2025 12:00:00 PM at 4578 State Hwy 8, <u>HAMPTON TWP, ALLEGHENY</u> The incident occurred on November 21st, 2025, at approximately 12:00 PM, at 4578 State Highway 8, Hampton Township in Town, Allegheny County. A communication line owned by Verizon was damaged.	Verizon: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Comcast: \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Verizon is the facility owner. An Alleged Violation Report (AVR) request letter was sent 03/18/2026. An AVR was received. It stated, "On 11/21/2025, JKM2 Properties LLC, allegedly hit a utility owned by Verizon at 4578 State Hwy 8, HAMPTON TWP, ALLEGHENY." JKM2 Properties LLC, the excavator, submitted an AVR. Their AVR states, "On 11/24/25 our crew was preparing for a bore across State Route 8 near Wildwood Rd directly across from the Aldi. Verizon had marks on the west side of the road where we were to setup for the bore under the road toward Aldi. Our crew hand dug at the marks to expose Verizon 24" on each side of the marks (48" total width) and down to a depth below where we would pass through. The Verizon facility was not found. We setup the bore rig and completed the bore to the other side of the road pulling back 2" HDPE conduit for later use by Comcast. On 11/26/25 we received a call from the Comcast coordinator for the job stating that Verizon was onsite and that we had hit their facility. I immediately went to the site and found that we had in fact drilled through the lower section of the Verizon duct bank, which was approx. 30" x 30" square with multiple ducts. We pulled the 2" HDPE conduit that we had placed out of the bore hole because there was no way for Verizon to complete repairs without the removal of the conduit. I then placed stakes on the remaining marks to either side of our excavation and stretched a yellow rope between the stakes. measuring from the rope to the closest edge of the duct bank we determined that the locate marks placed by Verizon were more than 40" off, which is why the facility was not located prior to our bore operation. The failure to properly mark the facility caused multiple days delay in our project and we had to bore State Route 8 again at a lower depth incurring the cost of the bore and related expenses (traffic control) again in order to finish the project." Photos were submitted. Comcast, the project owner, submitted an AVR. Their AVR states, "Someone might have hit a Comcast Telephone line?" Verizon marked their line using paint and flags. The damage occurred outside of the tolerance zone. The damaged line was not properly marked. Routine ticket 20253211603 had a response due date of 11/19/2025. - Comcast replied "Clear" on 11/21/2025. Violations: Verizon- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC compliance training education is required. Comcast- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253211603. Recommendation: The penalty is applied. PUC compliance training education is required.	
62219	Facility Owner: First Energy - Penn Power Contractor/Excavator: GRACE UTILITIES Project Owner: NG GILBERT	On 11/21/2025 2:01:00 PM at 394 MARY ST, CRANBERRY TWP, BUTLER Pennsylvania Electric Company disputing 2(10) for AVR submission – AVR was submitted 49 business days, 75 calendar days, after the incident. No additional information was provided. **** The incident occurred on 11/21/2025, on 394 Mary St, in Cranberry Twp, Butler County. An electric line owned by Pennsylvania Electric Co was damaged. Pennsylvania Electric Co is the facility owner. Their Alleged Violation Report (AVR) states, “On November 20, 2025, Grace Utility, “Excavator,” submitted POCS Routine Ticket 20253240498 to install new conduit at 394 Mary Street, Cranberry Township, Butler County, Pennsylvania. On November 21, 2025, Penn Power was notified of an outage and made repairs. USIC, Penn Power’s Contract Locator, investigated and determined that an unmarked electric service line was damaged. The root cause of the damage was USIC incorrectly cleared the ticket and did not mark Penn Power’s facilities.” First Energy provided documentation of the power outage on 11/21/2025, and damage report at the site on 11/24/2025. Grace Utilities is the excavator. An AVR was not filed as of 03/09/2026 and an AVR request was sent the same day. Nothing was submitted as of 4/8/2026. NG Gilbert is the project owner. An AVR was not filed as of 03/09/2026 and an AVR request was sent the same day. Nothing was submitted as of 4/8/2026. Ticket #20253240498 was the routine ticket for the damage location. The lawful start date for the ticket was 11/25/2025. The damage occurred on 11/21/2025, and the excavator entered an insufficient version for this ticket on 11/22/2025 that states, “ONSITE MARKINGS ARE INCORRECT. PLEASE RETURN TO CORRECT THE MARKINGS. THANK YOU.” Violations: Facility Owner – First Energy - Penn Power: Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work.	First Energy - Penn Power: \$1,000.00 Section 2(10) 1st Offense \$1,000.00 GRACE UTILITIES: \$3,750.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Section 5(7) 1st Offense \$1,000.00 NG GILBERT: \$1,500.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Excavator - Grace Utilities: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Project Owner - NG Gilbert: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
61022	Facility Owner: National Fuel Contractor/Excavator: Palermo Excavation	<u>On 11/22/2025 11:30:00 AM at CHERRY ST EXT, SUMMIT TWP, ERIE</u> Upon additional review of the case and documentation, violations were withdrawn for Palermo Excavating. ***** The incident occurred on November 22nd, 2025, at approximately 11:30 AM, on Cherry Street EXT, in Summit Township, Erie County. A gas line owned by National Fuel was damaged. National Fuel, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Excavator struck properly marked natural gas distribution main line. Please see attachments.” The AVR reported the damage was caused by Palermo Excavation. Photos were submitted. Their AVR did not indicate if 911 was called.	Palermo Excavation: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Palermo Excavation is the excavator. An AVR has not been filed as of 04/02/2026. An AVR request letter was sent 03/02/2026 and requested the name and contact information of the project owner/ person requesting the project to be completed. The project owner's information was not provided. The Damage Prevention Investigator (DPI) spoke with the owner of Palermo Excavation, who was unaware of any damage to the gas line. The owner stated the company placed a ticket to install water and sewer lines at his own property but did not complete the work listed on the ticket due to the weather. Allegedly the neighbor may have asked the owner's son to complete some unpaid work, and this may have been when the damage occurred. The owner stated to his knowledge, he was not billed by National Fuel for the damage to the gas line and stated the ticket was unrelated to the damage. The DPI advised the owner to put the information into writing and submit an AVR on the Pa One Call site. The submitted photos show that the damaged gas line was accurately marked using yellow flags. The gas line was damaged within the tolerance zone. Routine ticket 20253210778 was placed on 11/17/2025, for work taking place at 7260 Cherry Street Ext. The ticket listed a duration of 1 week to install sewer and water. The damage occurred on 11/22/2025, at the lot next to the address listed on the routine ticket, 7200 Cherry Street Ext. There was not a Pa One Call ticket for the address where the damage occurred. The utility mark outs at the site where the damage occurred, were from the routine ticket placed for 7260 Cherry Street Ext. National Fuel's AVR reported the damage was caused by Palermo Excavation and did not indicate if 911 was called. The emergency ticket placed by National Fuel for the emergency repair of the damaged gas line did not indicate if 911 was called. Per the Underground Utility Line Protection Law Act 127 of 2024, it is the duty of each excavator to: - immediately notify 911 and the facility owner if the damage results in the escape of any flammable, toxic or corrosive gas or liquid. - submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. - submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - comply with all requests for information by the commission relating to the commission's enforcement	

Case Number	Stakeholders	Summary	Violations & Recommendation
		authority under this act within thirty days of the receipt of the request. Violations: Based upon additional review. Violations and penalties were withdrawn. Palermo Excavation- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request.	
61249	Facility Owner: UGI UTILITIES INC Contractor/Excavator: Homeowner	<u>On 11/23/2025 4:16:00 PM at 211 Church Street, DALTON BORO, LACKAWANNA</u> The incident occurred on Sunday, November 23, 2025, at 211 Church Street, in Dalton Borough, Lackawanna County. A gas line owned by UGI Utilities was damaged. There are no tickets associated with this case. UGI reported an Excavator issue as Homeowner failing to submit a locate request through the PA One Call System before excavation. UGI stated in their Alleged Violation Report (AVR), “Homeowner using a skid steer with an auger to install fence posts struck and damaged a UGI gas facility. Homeowner did not have a PAOC.” UGI provided photos of the excavation and mechanical equipment. On Monday, 2/2/2026, a letter was sent to the Homeowner, Taylor Dunn requesting an AVR. There was no response to the request and no AVR was submitted. Violations: Homeowner- Taylor Dunn is in violation of sections: 5(2.1) – Homeowner failed to submit a location request to One Call within the correct timeframe. 5(16) – Homeowner Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Homeowner failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Warning, zero penalties but keep the violations with PUC Online Compliance Excavator Training is Required.	Homeowner: \$0.00 Section 5(2.1) 1st Offense \$0.00 Section 5(16) 1st Offense \$0.00 Section 5(17) 1st Offense \$0.00
60835	Facility Owner: PECO Contractor/Excavator: Cardinal Construction	<u>On 11/25/2025 9:58:00 AM at 352 FAIRFIELD RD, PLYMOUTH TWP, MONTGOMERY</u> The incident occurred on November 25th, 2025, at approximately	Cardinal Construction Group: \$1,750.00 Section 5(23) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
	Group Project Owner: Property Owner Other: STRATEGIC CAPITOL LLC	9:58 AM, at 352 Fairfield Road, in Plymouth Township, Montgomery County. A gas line owned by PECO was damaged. PECO, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Print did not show loop in gas line, no longer there when crew replaced." Photos were submitted. The report attached to their AVR reported the damage was caused by Cardinal Construction Group. Cardinal Construction Group is the excavator. An AVR request letter was sent 04/07/2026. An AVR was received 4/23/2026. It states, "We were excavating for water and sewer replacement. We had the one call done and where the marking were did not line up with where the gas line ran. Where the markings were essentially were straight line hugging the house. Our sewer was about 10-12 feet off the house. The gas line actually crossed the trench which did not line up with the markings. One representative, I think from pa one call, even admitted that the markings were no where near the actual line." Their AVR stated 911 was not called. Photos were submitted. Strategic Capitol LLC - An AVR request letter was sent 03/03/2026. They sent a response advising they were not the project owner and not part of this incident. Cardinal Construction Group did not have a Pa One Call ticket. The utility markings seen in the submitted photos were from Strategic Capitol LLC's routine ticket. (Note the gas line was damaged within the tolerance zone of the gas line's mark out for Strategic Capitol LLC's routine ticket.) Per Act 127 of 2024 / The Underground Utility Line Protect Law; it shall be the duty of each excavator who intends to perform excavation or demolition work to: - Submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. - Not delegate the excavator's duty to submit a locate request to the One Call System to another person. The excavator shall have the sole responsibility to submit each locate request to the One Call System. - Immediately notify 911 and the facility owner if the damage results in the escape of any flammable, toxic or corrosive gas or liquid. The excavator shall take reasonable measures, based on its knowledge, training, resources, experience and understanding of the situation, to protect themselves and those in immediate danger, the general public, the property and the environment until the facility owner or emergency responders have arrived and completed their assessment and shall remain on the work site to convey any pertinent information to	\$500.00 Section 5(8) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		responders that may help them to safely mitigate the situation. - Submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Violations: Cardinal Construction Group- - Section 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. - Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning.) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
60787	Facility Owner: Peoples Natural Gas Contractor/Excavator: Revelation Plumbing	On 11/25/2025 11:00:00 AM at 914 Wilhelm St, <u>PITTSBURGH CITY, ALLEGHENY</u> The incident occurred on 11/25/2025, at 11:00 AM, on 914 Wilhelm St, in Pittsburgh City, Allegheny County. A gas line owned by Peoples Natural Gas was damaged. Peoples Natural Gas is the facility owner. Their Alleged Violation Report (AVR) states, “Revelation Plumbing failed to place a locate request. They were replace the customer side gas service line. When the Peoples Gas tech arrived to do an inspection, they discovered that the Peoples Gas side of the curb stop was almost completely severed on the bottom. Even though there was no One Call request, there was paint on the sidewalk from other locates.” Images provided show the site, excavation, and damage. Peoples Natural Gas indicates that 911 was not contacted. Revelation Plumbing is the excavator. An AVR was not filed as of 01/12/2026 and an AVR request was sent the same day. No AVR was filed as of 3/5/2026. No tickets were located by PA One Call Systems for this excavator, or site. The excavator has placed PA One Calls in the past.	Revelation Plumbing: \$3,750.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Violations: Excavator - Revelation Plumbing: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
61101	Facility Owner: PECO Contractor/Excavator: MARIO'S TREE AND LANDSCAPING LLC Other: RUPAM PATHEJA	<u>On 12/3/2025 1:13:00 AM at 445 WILLIAMSON RD, LOWER MERION TWP, MONTGOMERY</u> The incident occurred on 12/3/2025, at 1:13 AM, on 445 Williamson Rd, in Lower Merion Twp, Montgomery County. A gas line owned by PECO was damaged. PECO is the facility owner. Their Alleged Violation Report (AVR) states, “Mario's Tree & Landscaping LLC was excavating to remove and install trees for the homeowner when they struck a 1" plastic service. The contractor failed to acquire a PA1call ticket.” Mario's Tree And Landscaping LLC is the excavator. An AVR was not filed as of 01/29/2026 and an AVR request was sent the same day. No information was received from the excavator as of 3/17/2026. Images provided show the site, excavation, damaged line, and work truck operated by Mario's Tree And Landscaping. There were no tickets for this site, timeframe, and locator. A ticket was located by PA One Call from 9/23/2025 which was called in by RUPAM PATHEJA for Mario's Tree And Landscaping. No marks were visible. Violations: Excavator - Mario's Tree And Landscaping LLC: Section 5(21) – Excavator failed to pay the annual fee for service provided by the One Call System. Section 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole	MARIO'S TREE AND LANDSCAPING LLC: \$2,500.00 Section 5(21) 1st Offense \$250.00 Section 5(23) 1st Offense \$0.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		responsibility to submit each locate request to the One Call System. Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
60951	Facility Owner: AJH Management Contractor/Excavator: Caddick Utilities Project Owner: Aqua PA Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC Other: Verizon	<u>On 12/3/2025 9:30:00 AM at NESHAMINY VALLEY DR, BENSALEM TWP, BUCKS</u> The incident occurred on December 3rd, 2025, at approximately 9:30 AM, on Neshaminy Valley Drive, in Bensalem Township, Bucks County. An electrical line owned by AJH Management was damaged. AJH Management, the facility owner, submitted additional information. They stated, “AJH Management was not notified about any work that was being done on Neshaminy Valley Drive that caused the utility line break. We started getting notified by our tenants that we had no electric. Once we were notified, we contacted Henkels & McCoy to complete the repair. The excavator did not call our property to notify us. I am unaware if the line was marked in the tolerance zone. The line was not hit more than once in a 6 month period. We own the electrical line on Neshaminy Valley Drive that was damaged. I am not sure if we are registered with PA one call.” Photos were submitted. Caddick Utilities, the excavator, submitted an AVR. Their AVR states, “Damaged unmarked electric line. Response crews determined line was privately owned by condominium complex, AJH Management, The Grand Condominiums. Repair crew made temporary repair and were to replace line next day.” Photos were submitted. Aqua PA, the project owner, submitted an AVR. Their AVR states, "Aqua Contractor Caddick Utilities damaged unmarked electric line. Response crews determined line was privately owned by Condominium complex, AJH Management, The Grand Condominiums. Repair crew made temporary repair and were to replace line next day.” Total Engineering and Consulting Services LLC, the designer, submitted an AVR. Their AVR states, "Aqua Contractor Caddick Utilities damaged unmarked electric	AJH Management: \$250.00 Section 2(1) 1st Offense \$250.00 Verizon: \$1,250.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		line. Response crews determined line was privately owned by Condominium complex, AJH Management, The Grand Condominiums. Repair crew made temporary repair and were to replace line the next day.” AJH Management was not enrolled with Pa One Call. They were not notified of the Pa One Call tickets and therefore did not mark their lines. AJH Management paid to repair the damaged electrical line. Owners and operators of underground facilities in Pennsylvania are required to be members of Pennsylvania One Call System. Pennsylvania Underground Utility Line Protection (UULP) law. PA Act 287 of 1974, as amended by Act 127 of 2024. The definition of a facility owner is any public utility or agency, political subdivision, municipality, authority, rural electric cooperative or other person or entity who or which owns or operates a line, and the underground line serves one or more customers or consumers in Pennsylvania. This case is related to the following PUC cases: 036717, 061214, 061604, 062012. Routine ticket 20253231329 had a response due date of 11/21/2025. - Verizon responded late to this ticket. They responded on 11/26/2025. Emergency ticket 20253372104 had a response due date of 12/02/2025. - Verizon responded late to this ticket. They responded on 12/5/2025. Violations: AJH Management- - Section 2(1) – Facility owner is not a member of One Call. Recommendation: The penalty is applied. PUC compliance training education is required. Verizon- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253231329. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20253372104. Recommendation: The penalty is applied.	
61500	Facility Owner: Aqua PA Contractor/Excavator: J F Kiely Construction Co Project Owner: PECO	<u>On 12/3/2025 10:00:00 AM at 238 Old State Road, SPRINGFIELD TWP, DELAWARE</u> The incident occurred on December 3rd, 2025, at approximately 10:00 AM, at 238 Old State Road, in Springfield Township, Delaware County. A water line owned by Aqua PA was damaged.	J F Kiely Construction Co: \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(3) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Aqua PA, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Excavator hit a marked water service at 238 Old State Rd." Photos were submitted. J F Kiely Construction Co, the excavator, submitted an AVR. Their AVR states, "Hit water line." Photos were submitted. They reported in their AVR they're representing PECO. PECO, the project owner, submitted an AVR. Their AVR states, "On Wednesday, 12/03/25, Kiely working for PECO was digging trench with a backhoe to install gas main, when the bucket struck the marked water service at 238 Old State Rd in Springfield. Water was contained within the trench and all notifications were made." Photos were submitted. The submitted photos show the water line was accurately marked using blue paint. The blue paint was very faded. The water line was damaged within the tolerance zone. A request to have the line remarked may have prevented the damage from occurring since the mark out was faded. Both routine tickets related to this incident were 'updates' and stated within the 'remarks' section of the ticket, "REASON FOR UPDATE: WORK IN PROGRESS NO ADDITIONAL MARK OUTS NEEDED." Please note that a ticket 'update' is not required on an active work site when the markings are preserved, and the equipment has not been moved off the work site for more than two business days. An 'update' to a ticket modifies the lawful start dates on an existing locate request due to work not starting, work stopped and is starting again, or work in progress when remarking is needed. An 'update' to a ticket should not be requested if the work is in progress and remarking is not required. Violations: J F Kiely Construction Co- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. - Section 5(3) – Excavator failed to preserve mark-outs or request a remark. (This violation is a warning and no penalty was applied.) Recommendation: The penalty is applied. PUC compliance training education is required.	
60889	Facility Owner: Peoples Gas Contractor/Excavator: Pittsburgh Water (PWSA) Project Owner: Pittsburgh Water (PWSA) (Placeholder)	<u>On 12/3/2025 12:11:00 PM at 1323 PAULSON AVE, PITTSBURGH CITY, ALLEGHENY</u> Peoples Gas accepts. ***** The incident occurred on December 3rd, 2025, at approximately 12:11 PM, at 1323 Paulson Avenue, in Pittsburgh City, Allegheny County.	Peoples Gas: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		A gas service line owned by Peoples Gas was damaged. 911 was called. Peoples Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Pittsburgh Water struck and damaged a mismarked Peoples Gas service line that made an undocumented turn." Photos were submitted. Pittsburgh Water, the excavator and project owner, submitted an AVR. Their AVR states, "PWSA digging to locate curb box. They hit a mismarked active gas service line. Mismarked by almost 3 ft. 911 and Peoples Gas responded. Peoples made repairs." Photos were submitted. The submitted photos show the gas line was not accurately marked and the damage occurred outside of the tolerance zone. Violations: Peoples Gas- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance training education is required.	
61070	Facility Owner: PEOPLES NATURAL GAS COMPANY LLC Contractor/Excavator: TNT Excavating	<u>On 12/4/2025 1:30:00 PM at 1405 Marlboro Ave, WILKINSBURG BORO, ALLEGHENY</u> The incident occurred on Thursday, December 4, 2025, at 1405 Marlboro Avenue, in Wilkinsburg Borough, Allegheny County. A gas line owned by Peoples Natural Gas Company (PNG) was damaged. There are no tickets associated with this case. PNG reported an Excavator issue as failing to submit a locate request through the PA One Call System before excavation, failing to plan the demolition work to avoid damage to the gas line, and failed to immediately call 911 and the facility owner. PNG stated in their Alleged Violation Report (AVR), "TnT Excavating doing building demolition struck and damaged the customer owned service line while working without a One Call request." The PA One Call Compliance commented, "TNT Excavating has placed One Call notifications in the past." PNG provided photos of the demolition with the backhoe. On Monday, 2/2/2026, a letter and email were sent to TNT Excavating requesting an AVR. There was no response to the request and no AVR was submitted. On Wednesday, 3/11/2026, an email was sent to PNG requesting additional information, "How was PNG notified of the damaged line?" PNG replied the next day stating, "PNG was notified by Travis Ruft, which we	TNT Excavating: \$3,750.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		believe was an employee of TNT Excavating. Travis called into the Operations Center to report that the facility was leaking gas previously and needed someone to come out and take a look at it. Upon arrival, PNG's first responder noticed the damaged facility and TNT Excavating did not place a PA One Call. And from what we can tell, 911 was not notified. There was no coverage of 911 present upon our arrival or as we made the repair by retiring the facility. Please let me know if you require any additional information." Violations: TNT Excavating is in violation of sections: 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalties Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
61984	Facility Owner: MET-ED / FIRSTENERGY Contractor/Excavator: 3 Deep Construction LLC Project Owner: Frontier Communications of PA Inc Other: SUPERIOR SPLICING	<u>On 12/5/2025 9:18:00 AM at OESTERLING DR, ONTELAUNEE TWP, BERKS</u> The incident occurred on Friday, December 5, 2025, on Oesterling Drive near 5 Oesterling Drive, in Ontelaunee Township, Berks County. An electric line owned my Met-Ed FirstEnergy was damaged. Met-Ed reported an Excavator issue as failing to use prudent techniques within the tolerance zone. Met-Ed stated in their Alleged Violation Report (AVR), "On December 1, 2025, Three Deep Construction, Excavator, submitted PA One Call Routine Ticket 20253351016 to Oesterling Drive, Ontelaunee Township, Berks County, PA. On December 5, 2025, the customer at 5 Oesterling Drive reported partial power. Met-Ed (ME) investigated and located a damaged three-phase primary line causing the partial power. USIC, ME's Contract Locator, investigated and determined that the damaged primary line was marked correctly and excavation was within the tolerance zone. The root cause of the dig in is that Excavator failed to use due care within the tolerance zone." Met-Ed provided photos showing the damaged electric line. On Thursday, 2/5/2026, an AVR was received from Superior Splicing noted their role as the Excavator, but	3 Deep Construction LLC: \$2,000.00 Section 5(11.2) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Frontier Communications of PA Inc: \$1,000.00 Section 6.1(7) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		there was no summary of the incident, they provided the excavation work was done by Three Deep Construction, and noted there was a facility issue as No response to an Excavation or Demolition notification. On Friday, 2/27/2026, emails and letters were sent requesting AVRs from 3 Deep Construction LLC and the project owner, Frontier Communications. There was no response to the request and no AVRs were submitted. On Tuesday, 4/7/2026, an email was sent to Met-Ed requesting additional information, "In the AVR it's mentioned that 3 Deep Construction damaged Met-Ed's three-phase primary line causing the partial power. Was 3 Deep Construction invoiced for the damage? If so, did they submit a payment? Also, provide any additional information that you believe is important for the PAPUC Damage Prevention to know." The next day Met-Ed replied to the email, "Currently FE PA claims department is in process of collecting all associated costs and is holding Three Deep Construction responsible for all damage costs. An invoice will be sent to the Excavator upon receipt of all charges from FE PA operations." 20253182927- Routine ticket placed on 11/14/2025, Equipment type- Boring Machine. Violations: *3 Deep Construction LLC is in violation of sections: 5(11.2) – When using trenchless technology, Excavator failed to utilize at a minimum, the best practices published by the Common Ground Alliance. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalties Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Frontier Communications is in violation of section: 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Person responsible for submitting AVRs, or their replacement.	
61709	Facility Owner: Penelec / First Energy Contractor/Excavator: RGK Building Solutions, LLC Project Owner: Homeowner	<u>On 12/5/2025 10:01:00 AM at 107 Skyline Drive, PORTAGE TWP, CAMBRIA</u> The incident occurred on December 5th, 2025, at approximately 10:00 AM, at 107 Skyline Drive, in Portage Township, Cambria County. An electrical line owned by Penelec was damaged. There was not a Pa One Call ticket. Penelec, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "On	RGK Building Solutions, LLC: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		December 5, 2025, Penelec was notified by a customer of an outage at 107 Skyline Drive, Cambria County, Pennsylvania. The customer identified RGK Building Solutions, LLC as the “Excavator” at issue. Penelec investigated and discovered a damaged secondary. The root cause of the damage was the Excavator failed to request the location and type of facility owner through the Pennsylvania One Call System in advance of beginning excavation or demolition work.” Photos were submitted. RGK Building Solutions LLC is the excavator. An AVR request letter was sent on 03/10/2026 (AVR was due within 30 days of the incident. The AVR due date was 01/04/2026). They submitted an AVR on 03/11/2026. Their AVR stated, “It was understood by contractor that the home owner had completed a 1 call. That was not the case and had not been completed. Total oversight by contractor”. The submitted photos show the damaged utility line. No utility mark outs are seen in the submitted photos. Excavator reported in their AVR they believed the homeowner had completed a Pa One Call ticket request. An excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. It shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. Violations: RGK Building Solutions, LLC- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning.) - Section 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. (Warning.)	Section 5(23) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible for the damage, or their replacement(s).	
61000	Facility Owner: Aqua America Contractor/Excavator: Brothers Contreras LLC Project Owner: Comcast	<u>On 12/5/2025 3:09:00 PM at W 6TH ST, MEDIA BORO, DELAWARE</u> The incident occurred on 12/05/2025, on W 6Th St, in Media Boro, Delaware County. A sewer line owned by Aqua Pennsylvania Inc was damaged. The facility was not notified by the excavator when damage occurred. Aqua PA is the facility owner. Their Alleged Violation Report (AVR) states, "Excavator hit a gravity sewer main using a gopher at 6th St & Olive St, Media Boro. Excavator did not notify Aqua of the damage and attempted to repair the sewer main themselves. Local builders not related to this project, saw that this Excavator had damaged the gravity sewer main and the Excavator shoved a piece of corrugated drainage pipe in its place in an attempt to repair. Builders told Excavator they couldn't to that and then the Builders notified Aqua of this damage at 3:09 pm on 12/5/2025. Aqua responded. Excavator had removed the corrugated pipe. Aqua called in a Contractor to repair the sewer main correctly." Brothers Contreras LLC is the excavator. An AVR was not filed as of 01/28/2026 and an AVR request was sent the same day. No AVR was submitted as of 3/18/2026. Comcast is the project owner. An AVR was not filed as of 01/28/2026, and an AVR request was sent the same day. No AVR was submitted as of 3/18/2026. Images provided show the damaged line, which is multiple feet underground. The ticket for this excavation states it will be 1 ft depth. Violations: Excavator – Brothers Contreras LLC: Section 5(2.2) – Excavator failed to provide exact information to identify the worksite. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request.	Brothers Contreras LLC: \$3,000.00 Section 5(2.2) 1st Offense \$250.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(7) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Comcast: \$2,000.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Project Owner – Comcast: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
61237	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: Carr and Duff Inc Project Owner: PECO Designer: HBK Engineering Other: AT&T Other: Sadsbury Township Chester County	<u>On 12/6/2025 11:51:00 AM at OCTORARA TRL, SADSBUY TWP, CHESTER</u> Carr and Duff provided additional information - reduced the penalty for the 5(3.1) violation from \$250 to a warning of \$0, and reduced the 1.1 violation from \$1000 to \$500. HBK Engineering 4(2.2) withdrawn ***** The incident occurred on 12/6/2025, at 11:51 AM, on Octorara Trl, in Sadsbury Twp, Chester County. A sewer line owned by Pennsylvania American Water was damaged. A Damage Emergency ticket was placed by Carr and Duff. Pennsylvania American Water is the facility owner. Their Alleged Violation Report (AVR) states, “Around 9:20am an on-site contractor working on a new shopping center called about sewage coming up around a Telephone pole. PAWC arrived on site around 9:30 to investigate and confirmed break. Pump station was then shut down and septic hauler called to haul waste from pump station. PAWC dug up force main and determined the pole was through the force main. Repairs were made and force main needed to be re-routed around the pole. Pole was not there as of 12/3/2025 and incident date was 12/9/2025. I was unable to find a one call ticket for this pole to help determine when pole was placed. After further investigation it was found that the area of where this force main is, is not in the "notification" area in 811 as well as several other areas.” Carr & Duff LLC is the excavator. Their AVR states, “The crew set the pole location 1 (pole 38766) and then proceeded to another location. A couple hours later, the crew returned to location 1 and noticed water was coming up from the ground beside the pole. The foreman suspected a mismarked sewer line might have been hit. He contacted 1-call, and they confirmed it was clear. No further actions were needed at that time.” PECO is the project owner listed on the Damage Emergency ticket. An AVR was not filed as of 02/02/2026 and an AVR request was sent the same day. No AVR was submitted as of 3/23/2026.	Pennsylvania American Water (PAWC): \$750.00 Section 2(1)(ii)(A) 1st Offense \$250.00 Section 2(5)(i) 1st Offense \$500.00 Carr and Duff Inc: \$500.00 Section 5(3.1) 1st Offense \$0.00 Section 1.1 1st Offense \$500.00 PECO: \$1,000.00 Section 6.1(3) 1st Offense \$500.00 Section 6.1(8) 1st Offense \$500.00 HBK Engineering: \$0.00 AT&T: \$250.00 Section 2(5)(v.2) 1st Offense \$250.00 Sadsbury Township Chester County: \$500.00 Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		HBK ENGINEERING LLC is the designer. An AVR was not filed as of 02/02/2026 and an AVR request was sent the same day. They submitted an AVR on 2/9/2026 that states, “Apparent sewer line strike installing a pole. For PECO projects, the designers are not made aware of utility line strikes during construction. HBK has limited information on this event.” Ticket # 20253400162 New – Damage – Emergency was entered on 12/6/25 at 12:47 PM. PAWC is not a facility on the notification, and all other facilities responded, “Clear”. Ticket #20253252489 Update – Excavation – Routine had a response date of 11/25/2025 and a start date of 11/26/2025 through 12/9/2025. AT&T responded “Clear” on 11/26/2025 at 7:38AM, and Sadsbury Township Chester County responded “Clear” on 12/1/2025. PAWC is not a facility on this ticket. Ticket # 20253371635 was entered to update Ticket #20253252489 and was entered on 12/03/2025. The new update ticket was entered due to, “WORK IN PROGRESS REMARK LINES”. The damage occurred prior to the lawful start date on this ticket. The routine tickets for this excavation are over 3500 ft, and cover multiple intersections. No Complex Project was found by PA One Call. There are preliminary design tickets for the project but no Final Design was found by PA One Call. PAWC did provide information on their line for the preliminary design request. Image provided are from 12/6/2025 and show the excavation, site, and green flags. PAWC was not a facility on the tickets entered for this excavation location. Violations: Facility - Pennsylvania American Water (PAWC): Section 2(1)(ii)(A) – Failed to provide the One Call System with the counties, municipalities, and wards in which it lines are located. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator - Carr & Duff LLC: Section 5(3) – Excavator failed to hold a preconstruction meeting prior to beginning a complex project. Section 1.1 – Excavator did not begin within legal timeframe. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Project Owner – PECO: Section 6.1(3) – Released a project to bid or construction before final design was complete. PUC online Compliance Training is required for the designer(s) who worked on this project, or their replacement(s). Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Designer - HBK ENGINEERING LLC: Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed. PUC online Compliance Training is required for the designer(s) who worked on this project, or their replacement(s). Facility(other) – AT&T: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20253252489 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility(other) - Sadsbury Township Chester County: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket #20253252489 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61133	Facility Owner: UGI Utilities Inc. Contractor/Excavator: DeLeon Construction	<u>On 12/6/2025 3:30:00 PM at 101 S. Wyoming St., HAZLETON CITY, LUZERNE</u> The incident occurred on December 6th, 2025, at approximately 3:30 PM, at 101 South Wyoming Street, in Hazleton City, Luzerne County. A gas line owned by UGI Utilities Inc. was damaged. 911 was called. There was not a Pa One Call ticket for this project. UGI Utilities Inc., the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “DeLeon Construction was digging without a PA One Call Ticket and when digging they struck a gas service facility creating a damage and a leak.” Photos of the damaged line were submitted. DeLeon Construction is the excavator. An AVR has not been filed as of 04/09/2026. An AVR request letter was sent by the DPI on 03/10/2026, which included a request for the project owner’s information.	DeLeon Construction: \$3,000.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Section 5(21) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Pa One Call noted in their research, “No record of contractor, with address and phone # provided on AVR, placing one calls in the past.” A Pa One Call ticket was not placed for the location, and therefore no utilities were notified to mark their lines. Pa One Call verified they have no record of this contractor (DeLeon Construction) and they are not a member of Pa One Call. Act 127 of 2024 – Underground Utility Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth to: - Submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. - Plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Excavation or demolition work which requires temporary or permanent interruption of a facility owner's service shall be coordinated with the affected facility owner in all cases. - Submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of the receipt of the request. - Make a locate request to the One Call System prior to excavation or demolition work and to pay the applicable fee for the request. Violations: DeLeon Construction- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. - Section 5(21) – Excavator failed to pay the annual fee for service provided by the One Call System.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
61652	Facility Owner: Aqua PA Contractor/Excavator: P AND A PLUMBING Project Owner: Homeowner	<u>On 12/8/2025 11:00:00 AM at 610 W ROLLING RD, SPRINGFIELD TWP, DELAWARE</u> P and A 5(16) violation reduced from \$1000 to a warning of \$0. ***** The incident occurred on 12/8/2025, at 11:00 AM, on 610 W Rolling Rd, in Springfield Twp, Delaware County. A water line owned by Aqua PA was damaged. No ticket was found by PA One Call for the site, time frame, and excavator. A previous emergency ticket was called in by the excavator on 11/11/2025 for a dig date of 11/13/2025 for a 2 day excavation. Aqua PA is the facility owner. Their Alleged Violation Report (AVR) states, "Excavator hit marked water service. Also believe they were working without a valid PA1 ticket". P And A Plumbing is the excavator. An AVR was not filed as of 02/09/2026 and an AVR request was sent the same day. An AVR was submitted 72 days after the incident that states, "curb key did not work so squat had to replace it so we could shut the wattle down and remove the water line blocking the sewer". No documents or images were submitted with the AVR. The homeowner is the project owner. Images provided show the site, excavation, damage, and marks from a previous ticket at the location. While there are marks, and the damaged line is within the tolerance zone of a previous blue mark, there was no active ticket for the timeframe when the excavation occurred. Violations: Excavator – P And A Plumbing: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	P AND A PLUMBING: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00
61531	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: Solutions Fiberoptic Project Owner: Lumen	<u>On 12/8/2025 12:00:00 PM at VIEWMONT DR, DICKSON CITY BORO, LACKAWANNA</u> This non-damage incident occurred on December 8th, 2025, at 12pm along Viewmont Drive, Dickson City Boro, Lackawanna County.	Solutions Fiberoptic: \$1,750.00 Section 5(3) 1st Offense \$250.00 Section 5(16) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
		Tickets exceeded 1,000ft with no complex meeting. PAWC's Alleged Violation Report (AVR) states, "Contractor (Solutions Fiberoptic) was excavating to install fiber optic lines. The project measures over 1000 lineal feet and requires a design ticket and a complex meeting ticket, the contractor did not submit either. 12/18/25 - met on site with Maria White from PA1Call, Calvin Ortega from Solutions Fiberoptic and Dickson City Borough. Maria White shut down project due to non-compliance." Routine ticket 20253422420 states the work for is Level 3 which is owned by Lumen/Century Link. Ticket also exceeds 2,000ft. No design or complex tickets were located by PA1call. Lumen and Solutions Fiberoptic were mailed and emailed request for AVRs. No AVR have been submitted. Recommended violations, penalties, and education: Solutions Fiberoptic Section 5(3) – Excavator failed to hold a preconstruction meeting prior to beginning a complex project. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Level 3 Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed. Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed Section 4(4) – Failed to prepare construction drawings to avoid damage to and minimize interference with facilities in the construction area. Section 4(4.1) - Failed to depict lines or facilities with the appropriate quality levels based on the complexity of the design and construction activities obtained through the SUE process in the planning and design phases in accordance with the American Society of Civil Engineers (ASCE) most recently published standard CI/ASCE 38. Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 6.1(4) – Failed to participate in design and preconstruction meetings. Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to	\$1,000.00 Section 5(17) 1st Offense \$500.00 Lumen: \$4,000.00 Section 4(2) 1st Offense \$500.00 Section 4(2.2) 1st Offense \$250.00 Section 4(4) 1st Offense \$250.00 Section 4(4.1) 1st Offense \$500.00 Section 6.1(3) 1st Offense \$500.00 Section 6.1(4) 1st Offense \$500.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the commission's enforcement authority under this act within 30 days of receipt of written request. -PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	
61033	Facility Owner: Peoples Gas Contractor/Excavator: Duquesne Light Project Owner: Duquesne Light (Placeholder) Designer: SARGENT AND LUNDY	<u>On 12/9/2025 10:30:00 AM at 6159 FORWARD AVE, PITTSBURGH CITY, ALLEGHENY</u> Peoples Gas accepts. ***** The incident occurred on December 09th, 2025 at approximately 10:30 AM, at 6159 Forward Avenue, in Pittsburgh City, Allegheny County. A 4-inch pressured gas main owned by Peoples Gas was damaged. 911 was called. Peoples Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Duquesne Light using an auger to replace a utility pole struck and damaged a Peoples Gas 4in pressured main line that was mismarked." Photos were submitted. Duquesne Light, the excavator and project owner, submitted an AVR. Their AVR states, "DLC was digging to set a utility pole when a mismarked 4" gas main was struck. Fire and police responded. No injuries were incurred." Photos were submitted. All submitted photos show the gas main was mismarked by approximately 3 feet. A hit kit is seen in Peoples Gas' photos [Reference photo image: PEOPLES mount royal 2] showing the distance from the gas mark out to the location of the damage. Violations: Peoples Gas- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied.	Peoples Gas: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00
60989	Facility Owner: Comcast Contractor/Excavator: JDA UNDERGROUND LLC Other: Verizon, PA	<u>On 12/9/2025 1:30:00 PM at SAWMILL CIR, NEW GARDEN TWP, CHESTER</u> The incident occurred on 12/9/2025, at 1:30 PM, on Sawmill Cir, in New Garden Twp, Chester County. A communication line was damaged. JDA Underground indicated it was a Comcast line in their AVR. No additional information, including images, was provided. Comcast is the facility owner as indicated by JDA. An Alleged Violation Report (AVR) was not filed as of 01/28/2026 and an AVR request was sent the same day. No AVR was submitted as of 3/23/2026. JDA Underground LLC is the excavator. Their AVR has no summary, and very little information in general. An	Comcast: \$500.00 Section 2(14) 1st Offense \$500.00 JDA UNDERGROUND LLC: \$750.00 Section 5(2.2) 1st Offense \$250.00 Section 5(17) 1st Offense \$500.00 Verizon, PA: \$1,250.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		email was sent to them requesting more information. No response was received from JDA. Ticket # 20253431712 New – Damage – Emergency was entered on 12/9/2025 at 11:48AM. All responses were “Clear” except Verizon who responded “Conflict” as their only response on 12/10/2025 at 3:18 PM. Ticket #20253293625 New – Excavation – Routine had a response due date of 12/4/2025. Verizon’s only response was “Insufficient Information” entered on 12/16/2025. Comcast responded “Field Marked” by the response due date. JDA Underground lists themselves as the Project Owner on all tickets. Additionally, JDA did not provide more information on the incident when requested so the actual Project Owner cannot be determined. Violations: Facility – Comcast: Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Facility (other) – Verizon: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20253431712 Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20253293625 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator – JDA Underground: Section 5(2.2) – Excavator failed to provide exact information to identify the worksite. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	Section 2(5)(v.2) 1st Offense \$250.00
61521	Facility Owner: PECO Contractor/Excavator: HORST EXCAVATING Project Owner: DOSTER CONSTRUCTION Designer: CONTROL POINT ASSOCIATES Other: FEDERAL RENT A FENCE INC	<u>On 12/10/2025 7:30:00 AM at 2660 AUDUBON RD, LOWER PROVIDENCE TWP, MONTGOMERY</u> The incident occurred on 12/10/2025 on 2660 Audubon Rd, in Lower Providence Twp, Montgomery County. Two gas lines owned by PECO were damaged. Images show 2 separate lines were damaged at the same excavation site by the excavator, Horst Excavating, on the same day. PECO was notified of the damage by 911.	HORST EXCAVATING: \$2,250.00 Section 5(3) 1st Offense \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(6)(i) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
		PECO is the facility owner. Their Alleged Violation Report (AVR) states, “CONTRACTOR INSTALLING DOWN SPOUTS AND DRAINAGE STRUCK THE ACCURATELY MARKED MAIN WITH AN EXCAVATOR. CONTRACTOR DID NOT HAVE THEIR OWN POC AND WAS USING POC OF FENCE COMPANY.” Horst Excavating is the excavator. An AVR was not filed as of 02/05/2026 and an AVR request was sent the same day. They submitted an AVR 65 days after the incident that states, “On the morning of 12/10/2025, an employee operating a mini excavator was digging for rain leaders along the perimeter of the building when they struck the gas with the bucket of the excavator. The mini excavator was being used at the time to break through the frost layer which was approximately 6" to 8" thick. As the operator in the mini excavator continued to dig, they struck the gas line which was located approximately 13" to 15" below surface grade. Following the strike, 911 was called and the site was evacuated.” Doster Construction is the project owner. An AVR was not filed as of 02/05/2026 and an AVR request was sent the same day. An AVR was submitted 79 days after the incident that states, “Currently doing a new construction build at 2660 Audubon Road, Norristown PA 19403. The site subcontractor, Horst Excavating, hit a recently marked PECO installed gas line near the building while excavating for storm line”. CONTROL POINT ASSOCIATES is the designer. An AVR was not filed as of 3/17/2026. Image submitted show the site, excavation, equipment, and damaged line. There are 2 damaged lines shown. Damage 1: The area is mostly dirt, and has been excavated recently and all vegetation has been removed. The most recent ticket submitted for this site by the excavator, Horst Excavating, was on 3/24/2025. No marks, or indication that those marks were preserved, are visible. There are marks from a recent ticket called in by FEDERAL RENT A FENCE INC on 12/2/2025, and those marks indicate the line that was damaged. Damage 2: The area, excavation, damage, and marks are shown. It cannot be determined if these marks are from the recent ticket called in by FEDERAL RENT A FENCE INC on 12/2/2025 or if they are from the original ticket called in by Horst Excavating on 3/24/2025. The damaged line is within the tolerance zone of the yellow marks. Violations: Excavator – HORST EXCAVATING: Section 5(3) – Excavator failed to preserve mark-outs or request a remark. Damage 1.	\$250.00 Section 5(16) 1st Offense \$1,000.00 DOSTER CONSTRUCTION: \$0.00 Section 6.1(7) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Damage 1. Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Damage 2. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Project Owner - DOSTER CONSTRUCTION: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. This violation is being reduced from \$1000 to a warning of \$0. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
61273	Facility Owner: Columbia Gas Contractor/Excavator: Snyder Environmental Services, Inc. Project Owner: Borough of Somerset Designer: THE EADS GROUP INC	<u>On 12/10/2025 2:40:00 PM at CRESTVIEW DR, SOMERSET BORO, SOMERSET</u> The incident occurred on December 10th, 2025, at approximately 2:40 PM, on Crestview Drive, in Somerset Borough, Somerset County. A gas line owned by Columbia Gas was damaged. 911 was called. Columbia Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “S.E.S. utilized mechanized excavation equipment within the tolerance zone of an accurately marked gas line. During the digging process, the equipment made contact with the gas line, resulting in damage and the subsequent escape of gas. The incident occurred despite the line being properly marked Columbia gas responded secured the area and made the necessary repairs.” Photos were submitted. Snyder Environmental Services, Inc., the excavator, submitted an AVR. Their AVR states, “Line was clearly marked, fault to excavator.” Photos were submitted. Borough of Somerset, the project owner, submitted an AVR. Their AVR did not include a summary. Photos were submitted. THE EADS GROUP INC, the designer, submitted an AVR. Their AVR did not include a summary. Photos were submitted.	Snyder Environmental Services, Inc.: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The submitted photos show the gas line was properly marked using yellow paint. The damage to the gas line occurred within the tolerance zone. Violations: Snyder Environmental Services, Inc- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
61085	Facility Owner: PECO Contractor/Excavator: Caddick Utilities Project Owner: PENNSYLVANIA AMERICAN WATER Other: Verizon	<u>On 12/11/2025 11:00:00 AM at 620 W MAIN ST, NORRISTOWN BORO, MONTGOMERY</u> The incident occurred on December 11th, 2025, at approximately 11:00 AM, at 620 West Main Street, in Norristown Borough, Montgomery County. A gas line owned by PECO was damaged. 911 was called. PECO, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Contractor saw cutting water service sawed through accurately marked gas service, locate under the water service.” Photos were submitted. Caddick Utilities, the excavator, submitted an AVR. Their AVR states, “Damaged correctly marked gas service at 620 Main St., Norristown. The line was nipped with a saws-all while cutting copper water line being replaced. Crew did not adequately protect the gas line. Repair crew fixed the line in less than an hour.” Photos were submitted. Pennsylvania American Water, the project owner, submitted an AVR. Their AVR states, "Contractor working for PAWC to replace a leaking service cut the gas line with a saw while cutting out the water line. Caddick called 911 the fire department responded and Peco arrived quickly and made the repair.” The submitted photos show the gas line was accurately marked using yellow paint. The line was damaged within the tolerance zone. Emergency ticket 20253443325 had a response due date of 12/20/2025. - Verizon responded to this ticket on 1/26/2026. Violations: Caddick Utilities - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance training education is required. Verizon-	Caddick Utilities: \$500.00 Section 5(4) 1st Offense \$500.00 Verizon: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		- Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20253443325. Recommendation: The penalty is applied. PUC compliance training education is required.	
61140	Facility Owner: ARMSTRONG Contractor/Excavator: WILSON EXCAVATING Project Owner: Peoples Gas Company Other: ADAMS TOWNSHIP MUNICIPAL WATER AUTH OF Other: CONSOLIDATED COMMUNICATIONS Other: First Energy - Penn Power Other: First Energy - West Penn Power	<u>On 12/11/2025 11:30:00 AM at TWINBROOK RD, MIDDLESEX TWP, BUTLER</u> **** Incident occurred on December 11th, 2025, at 11:30am along Twinbrook Road, Middlesex Township, Butler County. A telecom line was damaged. Wilson Excavating's Alleged Violation Report (AVR) states, "Wilson Excavating was working for Peoples Gas at 201 Cedar Lane when an unmarked Armstrong telephone line was struck with an excavator. Facility owner was notified and made repairs." Peoples Gas Company's AVR states, "On 12/11/2025, Wilson Excavating was digging to install natural gas lines for PNG when they struck an unmarked Armstrong cable line. Wilson crews called in the damage and waited for repairs to be made." Armstrong's AVR states, "On 12/11/2025, WILSON EXCAVATING, allegedly hit a utility owned by ARMSTRONG at TWINBROOK RD, MIDDLESEX TWP, BUTLER. Case # 61140 after investigation we were not able to confirm are facility was hit." Armstrong address lookup shows service is available for 101 Twinbrook Rd, Valencia see file Armstrong Serve at 101 Twinbrook. Google Streetview shows telecom lines dropping down the pole and marked out at the damage site in October of 2023. See files Proof of Telecom line GoogleStreetview Oct 2023. Armstrong responded clear to design ticket 20253143301 despite have lines in the area. Armstrong along with First Energy's Penn Power, West Penn, and Consolidated Communications responded Scheduled Mark on 12/8/25 to routine ticket 20253361928-00 that had a legal dig date of 12/9/25. All four companies failed to mark their lines until after the legal dig date. Field Mark responses for all four companies came in for the renotify ticket 20253361928-01 on 12/11/25 after the renotify and emergency damage tickets had been placed by the excavator. A complex meeting was held on this project to set up mutually aggregable mark outs. No complex meeting notes or agreements have been uploaded to Coordinate PA. Armstrong responded Field Mark to the emergency ticket 20253451512, but no AVR was filed within 30 days of the line being hit. The emergency ticket alleges that Armstrong's line was damaged. Adams Township Municipal Water Authority responded late to ticket 20253392441.	ARMSTRONG: \$2,000.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(v.2) 1st Offense \$250.00 Section 2(4) 1st Offense \$250.00 Section 2(10) 1st Offense \$1,000.00 ADAMS TOWNSHIP MUNICIPAL WATER AUTH OF: \$250.00 Section 2(5)(v.2) 1st Offense \$250.00 CONSOLIDATED COMMUNICATIONS: \$250.00 Section 2(5)(v.2) 1st Offense \$250.00 First Energy - Penn Power: \$500.00 Section 2(5)(v.2) 2nd Offense \$500.00 First Energy - West Penn Power: \$500.00 Section 2(5)(v.2) 2nd Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommended violations, penalties, and education: Armstrong Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253361928-00. Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. 20253361928-00. Section 2(4) – Failed to respond to designer’s request for information within 10 business days. 20253143301. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). First Energy's Penn Power Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. 20253361928-00. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). First Energy's West Penn Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. 20253361928-00. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). Consolidated Communications Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. 20253361928-00. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). Adams Township Municipal Water Authority Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. 20253392441. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s).	
61499	Facility Owner: UGI Utilities Inc Contractor/Excavator: Berks Concrete LLC Project Owner: JEEVANDEEP LLC Other: JPMS MANUFACTURING	On 12/12/2025 10:50:00 AM at 245 BUTTONWOOD ST, READING CITY, BERKS The incident occurred on 12/12/2025 at 245 BUTTONWOOD ST in READING CITY in BERKS Co. A gas service line owned by UGI was damaged. UGI UTILITIES INC stated in their Alleged Violation Report (AVR) that “Excavator utilizing mechanized and prudent techniques, struck and unmarked gas service while excavating outside of the scope of the PAOC ticket. The excavator was also piggy backing off of the ticket. The owner of the gas station called in the ticket and the excavator did not have a valid paoc ticket. I have	Berks Concrete LLC: \$2,000.00 Section 5(16) 1st Offense \$0.00 Section 5(23) 1st Offense \$500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		included pre and post locate photos”. They added that “Locator indicated that he spoke with the gas station owner and was shown the location of the work to be done and marked accordingly. The excavator along with not having a valid PAOC, also worked well outside of the indicated scope of work”. 911 was notified. Pictures were provided. BERKS CONCRETE LLC AVR request letter was sent on 1/09/2025. Berks Concrete started in their AVR that “While excavating manually near the gas line mark, employee accidentally hit the gas line with a pickaxe. Immediately we heard the gas line hissing, turned off all power equipment and called 911”. No pictures were provided. JEEVANDEEP LLC, the project owner AVR request letter was sent on 1/09/2025. On 3/06/2026 another AVR request letter was sent to another address, but with the same email. On 3/06/2026 Damage Prevention Investigator (DPI) Maki returned a call to Rashmi Patel, Who stated he was out of the country earlier and tried to respond to the email, but was unsuccessful. He stated that he is not so comfortable understanding written words, so would prefer to call in an AVR. DPI Maki provided the number for this. Rashmi stated that he hired berks Concrete to do the work. He stated that they had an excavator that they were using, but at the time of the damage, they were using hand equipment. VIOLATIONS BERKS CONCRETE LLC is in violation of: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. The incident occurred on 12/12/2025. AVR was submitted on 1/20/2026. This is over the 30 day time requirement for the excavator to submit an AVR. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within 30 days of the receipt of the request. In the AVR request letter the questions that were asked were not answered. Answers to “Who hired you to do this work?” and “What was the scope of the work?” were not answered. Section 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. Ticket 20253281467 was submitted by Rashmi Patel the project owner. Recommendation: The penalties are applied except for violation section 5(16) penalty of \$1000. Is reduced to a warning. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	JEEVANDEEP LLC: \$1,000.00 Section 6.1(7) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		JEEVANDEEP LLC is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. A courtesy AVR request letter was mailed and emailed to the address provided in the ticket for Jeevandeeep LLC. No AVR nor contact has been received as of 3/06/2026. Recommendation: The penalty is applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement.	
61461	Facility Owner: PEOPLES NATURAL GAS COMPANY LLC Contractor/Excavator: GREATER PITTSBURGH PLUMBING Other: HOMEOWNER	<u>On 12/12/2025 12:00:00 PM at 1203 OLD CONCORD RD, MONROEVILLE MUNIC, ALLEGHENY</u> The incident occurred on Friday, December 12, 2025, at 1203 Old Concord Road, in Monroeville Municipal, Allegheny County. A gas line owned by Peoples Natural Gas Company (PNG) was damaged, by Greater Pittsburgh Plumbing (GPP). PNG reported an Excavator issue as failing to provide One Call System with exact information to identify the work site, failing to call 911 and the facility owner of damage resulting in a gas leak, In the event of a damage; failed to take reasonable measures of protection until safety personnel arrive, and failed to use prudent techniques within the tolerance zone. PNG stated in their Alleged Violation Report (AVR), “Greater Pittsburgh Plumbing struck and damaged a customer owned gas service line working outside the scope of work on their locate request. The request was for 1202, across the street from the damage, and stated working PRIVATE only. The damage occurred across the street at 1203 on 12/12 right past the Peoples Gas curb stop. GPP struck the line and told the homeowner that a call to Peoples Gas was not needed, that they(GPP) would fix the line. GPP fixed the line and did not properly do so. Peoples Gas was called to the house on 12/21 for an outside odor. At the time of the call, a damage was not known. The Peoples Gas responder called for a crew. The attached pictures are from that crew. The homeowners were very kind and told both the responding crew and the initial responding technician all the details. A different plumber was called and repaired the customer line the next day.” On Wednesday, 2/4/2026, letters and an email were sent to GPP and the Homeowner requesting AVR’s. On Wednesday, 2/11/2026, GPP responded by email with a picture and a summary of the incident. GPP’s email was replied to on the same day stating, “Thank you for the information. Also, submit an Alleged Violation Report (AVR) through the PA One Call’s website as instructed in the AVR request letter and email.”	GREATER PITTSBURGH PLUMBING: \$2,500.00 Section 5(19) 1st Offense \$250.00 Section 5(20) 1st Offense \$250.00 Section 5(8) 1st Offense \$1,000.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		GPP submitted their AVR on Monday, 2/23/2026, not within 30 days of the Friday, 12/12/2025 incident. There was no response from the Homeowner. GPP reported a Facility Owner issue as Marked Incorrectly. GPP stated in their AVR (the same information provided in the email, no additional information), “The owner was there and saw that we did not hit it that it was leaking - The technician recommended they call this gas company right away and the customer did not want her gas to be shut off. The damage was already existing and we did not hit the line. Our tech has been trained to call the gas company when they smell a line is leaking. PA one call marked the line in the street and we were not digging in the street when they noticed the leak. We called in the PA one call on 12/5 at 10:15am 203120251205 and were working near the neighbors property but still at 1202 Concord. A picture is attached showing where they marked the gas line compared to where we were working.” On Thursday, 3/12/2026, an email was sent to PNG requesting additional information, and PNG replied on the same day to the Damage Prevention Investigator (DPI). Email information as follows: DPI: In the AVR PNG stated, “Peoples Gas was called to the house on 12/21 for an outside odor.” Who called PNG about the odor? PNG: Caitlin Baker, the homeowner of house 1203 Old Concord Rd., Monroeville DPI: Also, PNG reported an Excavator issue as: Failed to provide One Call System with exact information to identify the work site. The Routine ticket, 20253391147 did note PRIVATE only. “The request was for 1202, across the street from the damage, and stated working PRIVATE only.” Provide information and photos, if possible, on Greater Pittsburgh Plumbing working out of the scope of the Routine ticket. PNG: The attached screenshot of the leak report created by PNG’s first responder tells the tale. He has great documentation on what occurred in the yard of 1203 Old Concord Rd. The homeowner, Caitlin Baker informed PNG’s first responder that GPP hit her line, made a repair that was still leaking, informed her not to notify the gas company, and that they would install a new line for her without PNG knowing. You can see the new gas riser with fresh pipe dope on the connections indicating this line and riser was new. You can see house 1203 Old Concord has red bricks. 1202 Old Concord has yellowish/tan bricks. And for the damage to occur on the customer owned side of the curb box, GPP had to be excavating in her yard, outside of the placed one call ticket’s scope of work.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		DPI: We received information from GPP reporting a Facility Owner issue as- Marked Incorrectly and GPP stated, “The owner was there and saw that we did not hit it that it was leaking - The technician recommended they call this gas company right away and the customer did not want her gas to be shut off. The damage was already existing and we did not hit the line.” “PA one call marked the line in the street and we were not digging in the street when they noticed the leak.” Provide information on, If there was an actual damage or an existing issue. PNG: Caitlin Baker, the homeowner stated who damaged her line. There was a new riser and gas service line installed without PNG knowing. This is not up to code and they even left the line leaking. Picture 2 shows the connection made with the new line installed and the existing curb valve. A stab coupler was installed to make the connection (black piece in photo). Pictures 3, 4, and 5 shows the new riser, no bracket installed, and the new pipe dope on the fittings. The service line will not pass a test administered by PNG without a wall bracket. PNG would fail the line and have the plumber correct the problem and install the wall bracket before gas is introduced into the line. Violations: *Greater Pittsburgh Plumbing is in violation of sections: 5(19) – Excavator failed to provide accurate information to the One Call System. 20253391147 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. 5(8) – Excavator vacated worksite after causing damage that resulted in the escape of any flammable, toxic or corrosive gas or liquid. 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. Recommendation: Penalties Applied to all sections, except for section 5(16) zero penalty but keep the violation. PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. GPP submitted their AVR on Monday, 2/23/2026, not within 30 days of the 12/12/2025 incident.	
61266	Facility Owner: UGI Contractor/Excavator: DB Utility Contractors Project Owner: Palmerton Municipal Authority Designer: KEYSTONE CONSULTING ENGINEERS INC	<u>On 12/15/2025 10:00:00 AM at 731 1st St, PALMERTON BORO, CARBON</u> The incident occurred on 12/15/2025, at 12:24 PM, at 731 1st St, in Palmerton Boro, Carbon County. A gas line owned by UGI was damaged. The facility and 911 were notified directly by the excavator, and a damage ticket was entered the following day. UGI is the facility owner. Their Alleged Violation Report (AVR) states, “DB Utility Contractor was	DB Utility Contractors: \$2,250.00 Section 5(3) 1st Offense \$500.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		digging and when doing so they struck a correctly marked gas service to house 731 1st. St. creating a damage. Also DB Utility did not maintain the gas markings.” D B Utility Contractors is the excavator named on the ticket and the employee that contacted Palmerton Boro directly about the damage. An AVR was not filed as of 02/02/2026 and an AVR request was sent the same day. No AVR was submitted as of 3/5/2026. Palmerton Boro is the project owner. Their AVR states, “An employee from DB Utility Contractors called me on Dec 15 2025 and informed that they struck a UGI gas line. I immediately told them to dial 911 and gave them the UGI emergency number to call. UGI informed me that the line was marked but was underneath snow that the contractor failed to remove.” Keystone Consulting Engineers INC entered an AVR that states, “L.B. Construction Enterprises, Inc. hit a gas service line while working on water service line upgrades in Alley M in the Borough of Palmerton for the Palmerton Municipal Authority.” Ticket #20252670760 was the last ticket found by PA One Call for this excavation. This ticket was entered on 9/24/25. Images provided show that there were still marks from this ticket, but they were covered with snow and the excavator did not uncover them, preserve them through the storm, or request a remark. Violations: Excavator - D B Utility Contractors: Section 5(3) – Excavator failed to preserve mark-outs or request a remark. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	Section 5(17) 1st Offense \$500.00
61644	Facility Owner: UGI Utilities Inc. Contractor/Excavator: American Rooter Project Owner: American Water Resources "AWR"	<u>On 12/16/2025 5:11:00 PM at 134 SAMBOURNE ST, WILKES BARRE CITY, LUZERNE</u> The incident occurred on 12/16/2025 at 134 SAMBOURNE ST, in WILKES BARRE CITY, LUZERNE COUNTY. A gas line owned by UGI was damaged.	American Rooter: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	d/b/a Oncourse Home Solutions	UGI UTILITIES INC stated in their Alleged Violation (AVR) that “Excavator struck and damaged a correctly marked gas facility”. They added that “Failed to use prudent techniques in the tolerance zone”. 911 was notified. Pictures were provided. American Rooter was sent an AVR request letter on 1/14/2026. AMERICAN ROOTER stated in their AVR that they “Excavated for a waterline spot repair and struck a small section of the gas line while excavating”. They state that the project is <\$400,000. They list themselves as the project owner. 911 was notified. Damage Prevention Investigator (DPI) Maki sent an email on 2/03/2026 confirming who hired American Rooter. An email was received stating that American Water Resources hired American Rooter. Pictures were provided. On 2/03/2026 AVR request letter was sent to American Water Resources the project owner. Due 3/03/2026. On 2/25/2026 American Water Resources (“AWR” d/b/a Oncourse Home Solutions) attorney responded and answered that “In response to your questions, we can report that American Rooter was hired by AWR as an independent contractor for the relevant job, which had an estimated cost of \$1,350. The home/facility owner was notified when the damage occurred”. DPI sent the AVR request letter and a copy of ACT 127-2024 noting that an AVR is required and gave the PA One Call site address. American Water Resources, LLC gave no statement in their AVR. They did not answer any questions about the project either in the AVR or another way. They did not provide any attachments. *Project owner is listed ON TICKET 20253462423 AS American Rooter. They list themselves as the project owner on ticket 20253462423. VIOLATIONS AMERICAN ROOTER is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. On 1/14/2026 a letter and an email was sent requesting an AVR from American Rooter, they submitted their AVR on 1/28/2026, not within 30 days of the 12/16/2025 incident” Recommendation: The penalty is applied. The p\$1000. Penalty for Section 5(16) violation is reduced to a warning. PUC compliance education is required for the excavators working onsite of this excavation or their replacements	Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
62158	Facility Owner: COMCAST Contractor/Excavator: DAVID KING LANDSCAPING INC Project Owner: SB Conrad, Inc Designer: WILKINSON DESIGN GROUP, LLC Other: NV HOMES Other: STACKHOUSE BENSINGER INC	<u>On 12/18/2025 12:52:00 PM at 295 BRINTON LAKE RD, THORNBURY TWP, DELAWARE</u> The incident occurred on 12/18/2025 at 295 BRINTON LAKE RD in Thornbury Township in Delaware Co. A communications line owned by Comcast was damaged. COMCAST stated in their Alleged Violation Report (AVR) that “CONTRACTOR WORKING FOR NV HOMES WAS PLANTING TREES AND CUT CABLE IN MULTIPLE SPOTS. CONTRACTOR STATED THEY DIDN'T NEED TO CALL TO DIG BECAUSE THERE WAS NO UNDERGROUND POWER”. On 2/3/2026 DPI asked Comcast if they could provide more information about the excavator. Comcast responded with an email that same day and is looking for more info. * AVR's have conflicting townships listed, but an internet search showed that this is considered to be Thornbury Township. N V HOMES stated in their AVR that “Buffer/privacy trees planted in December for new community. Trees were planted inside site boundary line. Comcast fixed line same day, I believe homeowner at 295 called in disruption of service. Comcast service line was approximately 6" deep and directly under abandoned concrete and asphalt that was being ripped out to be able to plant trees. This is listed as a 2 day project under \$400,000. Compliance Research results: Contractor has placed One Call Notifications in the past under company name DAVID KING LANDSCAPING. Last Contact Info: PO Box 60070, King of Prussia, PA 19406, 610-637-1491. DAVID KING LANDSCAPING, Inc. was sent an AVR request letter on 3/06/2026. DAVID KING LANDSCAPING, Inc. stated in their AVR that, “Home Builder requested landscaper to plant trees inside the boundary line to create a privacy buffer. Holes for trees were hand dug. In order to plant the trees in a line, a section of existing asphalt less than 6" in depth had to be removed. Comcast line was stuck to the bottom of the asphalt and the line broke. Comcast was notified immediately. Comcast made the repair the same day”. They added that this was a designer issue since the designer failed to provide facility owner information on the drawing. AVR was due 30 days after the 12/18/20025 damage. SB Conrad, Inc, the project owner was sent an AVR request letter on 3/06/2026. On 3/10/2026 NVHomes reached out stating that they have submitted an AVR already. The AVR request letter was sent to SB Conrad, Inc. DPI responded on the same day and asked for the relationship between the 2 companies. On 3/10/2026 an email was received from NVRINC stating that “ SB Conrad is the developer on the job. NVHomes buys developed lots that are ready for	DAVID KING LANDSCAPING INC: \$1,000.00 Section 5(2.1) 1st Offense \$1,000.00 SB Conrad, Inc: \$2,000.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(3) 1st Offense \$500.00 Section 6.1(8) 1st Offense \$500.00 WILKINSON DESIGN GROUP, LLC: \$500.00 Section 4(2) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		building a home. We are separate companies. Wilkinson is the design engineer for the project. Do they all need to fill out the AVR?" DPI Maki responded with an email on that same day that, " If you directly hired the landscaper, you are considered the project owner. If he was hired by SB Conrad, then SB Conrad would need to fill out an AVR. The excavator who is doing the work does need to fill out an AVR. The designer also needs to fill out an AVR. I am looking for a final design ticket from the designer". No AVR has been received. No contact has been made. AVR was due by 4/07/2026. On 6/01/2026 return mail was received. DPI updated the ZIP code and resent the 2 letters for this case. WILKINSON DESIGN GROUP, LLC stated in their AVR that, "Buffer/privacy trees planted in December for new community. Trees were planted inside development tract boundary line. Utility line that was hit for 295 Brinton Lake Road to the south of the proposed development was found to be located partially on the proposed development tract. Comcast fixed line same day, I believe homeowner at 295 Brinton Lake Road called in disruption of service. Comcast service line was approximately 6" deep and directly under abandoned concrete and asphalt that was being ripped out to be able to plant trees. Wilkinson Design Group was not contacted prior to installation of trees nor were they requested to provide construction stakeout for their installation. VIOLATIONS DAVID KING LANDSCAPING, Inc. is in violation of: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. WILKINSON DESIGN GROUP, LLC is in violation of: Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed. Recommendation: The penalty is applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). SB Conrad, Inc is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner's line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement.	
61813	Facility Owner: Verizon Contractor/Excavator: CHESTER WATER AUTHORITY Contractor/Excavator: Chester Water Authority Placeholder	<u>On 12/20/2025 3:00:00 PM at 412 IVY MILLS RD, CONCORD TWP, DELAWARE</u> Incident occurred on December 20th, 2025, at 3pm on 412 Ivy Mills Road, Concord Township, Delaware County. A telecom line was damaged. Chester Water Authority's Alleged Violation Report (AVR) states, "CWA had a water main break on Saturday December 20th at around 10am our on call foreman responded to the emergency at about 11:30 am and called in the PA 1 Call for here and now. After waiting over 2hours for all the utilities to show and mark their facilities at about 3 - 4pm started to excavate for our water main. While digging over our water main our BH." Images show an unmarked telecom line was damaged. Lines dropping down the poles indicate telecom lines are present and Verizon had not responded to the ticket. The initial visit after the ticket 20253540224 was placed showed that the telecom lines were not marked. Verizon was mailed and emailed a request for an AVR on 2/26/26. No AVR was submitted as of 3/30/26. Recommended violations, penalties, and education: Verizon Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253540224. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20253540224. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20253540327. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Chester Water Authority	Verizon: \$10,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(5)(vii) Subsequent \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00 Section 2(10) Subsequent \$2,500.00 Section 2(14) 1st Offense \$500.00 CHESTER WATER AUTHORITY: \$250.00 Section 5(20) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. 20253540224. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
61954	Facility Owner: UGI Utilities Inc. Contractor/Excavator: New Visions Renovation Project Owner: Property Owner	<u>On 12/24/2025 2:00:00 AM at 1048 CARMALT ST, DICKSON CITY BORO. LACKAWANNA</u> The incident occurred on 12/24/2025, at 2:00 AM, on 1048 Carmalt St, in Dickson City Boro, Lackawanna County. A gas line owned by UGI was damaged. 911, the facility, nor PA One Call, were notified of the damage. UGI is the facility owner. Their Alleged Violation Report (AVR) states, “Excavator struck and damaged a gas facility while digging without a PAOC. A PAOC was found for this address from March 2025 for a different plumbing contractor unknown if it is related to this incident. PAOC number is below. The tenant notified UGI of an odor complaint and advised the arriving service technician that she believed the excavator struck the gas facility and fixed it himself around 0200am that morning. During the investigation approx. 60' of the gas service to the above stated address was found laying in the yard. The piping that was found was the 1" plastic gas service that was installed by UGI in 2019. It is suspected that the excavator purchased yellow underground gas piping and fitting and replaced the damaged section himself. UGI nor 911 was notified of the damage when it occurred. UGI excavated in the area in question and found yellow gas piping and a fitting that is not used by UGI. The finds are congruent with the report from the tenant. UGI was required to replace the section of service that was involved in this incident.” Images submitted support the statements in the AVR. New Visions Renovation is the excavator. An AVR was not filed as of 03/04/2026 and an AVR request letter was sent the same day. Nothing was received from New Visions as of 4/2/2026. PA One Call states that they are not a member of the One Call System. Yitzy (Yitzchok) Jung is the project owner listed on a previous ticket, and the owner of the rental property shown on tax records. An AVR was not filed as of 03/04/2026 and an AVR request was sent the same day. Nothing was received from Yitzy Jung as of 4/2/2026. Violations: Excavator - New Visions Renovation: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge,	New Visions Renovation: \$5,750.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(7) 1st Offense \$1,000.00 Section 5(8) 1st Offense \$1,000.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Property Owner: \$500.00 Section 6.1(7) 1st Offense \$0.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		groove, or other damage to such lines or to their coating or cathodic protection. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. Section 5(8) – Excavator vacated worksite after causing damage that resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Project Owner - Yitzy (Yitzchok) Jung: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. This violation is reduced from \$1000 to a warning of \$0. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. PUC online Compliance Training is required.	
61424	Facility Owner: Comcast Facility Owner: PECO Facility Owner: Verizon Contractor/Excavator: AQUA Placeholder Project Owner: AQUA PENNSYLVANIA INC	<u>On 12/25/2025 1:21:00 AM at 1547 MILL RACE LN, EAST GOSHEN TWP, CHESTER</u> This non-damage incident occurred on December 25th, 2025, at 1:21am on 1547 Mill Race Lane, East Goshen Township, Chester County. Facility owners failed to respond to an emergency ticket and a renotification of an emergency ticket. Aqua's Alleged Violation Report (AVR) states, "Facility Owners Comcast Cable, PECO and Verizon did not respond to Emergency and Renotification and mark their lines. Aqua Crew was forced to abandon the repair overnight as no one responded and there is long side underground electric lines on both sides of the roadway behind curb." PECO, Verizon, and Comcast were mailed and emailed a request for an AVR as to why emergency ticket 20253590003-00 and emergency ticket renotification -01 were not responded to? Emergency Ticket 20253590003-00 and Emergency Renotification -01 had the following responses: BP COMCAST CABLE MONTGOMERY COUNTY FIELD MARKED. 12/26/2025 10:15:13 AM UQ-WEBSVC	Comcast: \$6,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(v.1) Subsequent \$2,000.00 Section 2(10) Subsequent \$2,500.00 Section 2(14) 1st Offense \$500.00 PECO: \$3,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(v.1) 1st Offense \$500.00 Section 2(10) 1st Offense \$1,000.00 Section 2(14) 1st Offense \$500.00 Verizon: \$5,500.00 Section 2(14) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 6:05:36 AM DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 3:25:09 AM JZ COMCAST CABLE CHESTER COUNTY FIELD MARKED. 12/26/2025 10:15:13 AM UQ-WEBSVC DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 6:05:36 AM DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 3:25:09 AM KF PECO AN EXELON COMPANY CLEAR. NO FACILITIES OR FACILITIES NOT INVOLVED BASED ON TICKET INFORMATION. 12/29/2025 12:55:48 PM AAA-WEBSVC CLEAR. NO FACILITIES OR FACILITIES NOT INVOLVED BASED ON TICKET INFORMATION. 12/29/2025 12:50:26 PM CLS-WEBSVC DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 6:05:36 AM DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 3:25:09 AM YI VERIZON PENNSYLVANIA LLC CLEAR. NO FACILITIES OR FACILITIES NOT INVOLVED BASED ON TICKET INFORMATION. 1/23/2026 3:17:03 PM AAA-WEBSVC CONFLICT. LINES NEARBY. DIRECT CONTACT TO FOLLOW BY FACILITY OWNER. 1/15/2026 7:58:15 AM AAA-WEBSVC DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 6:05:36 AM DID NOT RESPOND THROUGH PA ONE CALL. 12/25/2025 3:25:09 AM Reponses above show that each company knowingly responded to these tickets late. PA1call also provides stakeholders with a daily review of tickets. ACT 127 of 2024 states: " if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. The report of alleged violation shall be in a form and manner as required by the commission. " Section 2(10) To submit a report of alleged violation to the commission through the One Call System not more than thirty business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. The report of alleged violation shall be in a form and manner as required by the commission. AVRs are due by 2/9/26. Courtesy AVR requests were mailed and emailed on 2/4/26. No AVRs have been submitted by Comcast, PECO, or Verizon. Violations:	Section 2(10) Subsequent \$2,500.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(v.1) 3rd Offense \$1,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PECO Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20253590003-00. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. 20253590003-01. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Verizon Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20253590003-00. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. 20253590003-01. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Comcast Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		20253590003-00. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. 20253590003-01. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	
62397	Facility Owner: COMCAST Contractor/Excavator: A AND J DRAINAGE SOLUTIONS Project Owner: Timber Creek At Towamencin	<u>On 12/30/2025 9:00:00 AM at DOGWOOD CT, TOWAMENCIN TWP, MONTGOMERY</u> The incident occurred on 12/30/2025, at 9:00 AM, on Dogwood Ct, in Towamencin Twp, Montgomery County. A cable line owned by Comcast was damaged by A and J Drainage while using hand tools. Comcast is the facility owner. Their Alleged Violation Report (AVR) was submitted 44 days after the incident and states, “EXCAVATOR DAMAGED AN ACCURATELY MARKED CABLE LINE”. No mark out images were provided. Damage images were provided but the markings in reference to the damage line cannot be seen. A And J Drainage Solutions is the excavator. An AVR was not filed as of 03/20/2026 and an AVR request was sent the same day. An AVR was submitted 83 days after the incident that states, “On December 30, 2025, we were performing work at 900 Dogwood Court to extend a downspout in order to address an erosion concern. Within the existing eroded trench, an orange Comcast line was visible above grade. We carefully exposed this line in the work area and proceeded to hand-dig around it using shovels to reach the required depth. During excavation, we also encountered several additional black cables located beneath the visible orange line. These cables appeared to be previously damaged and inactive, as exposed ends were visible near the building. No damage was observed to the visible orange line during our work. While work was ongoing, Comcast technicians arrived on site and informed us that internet service to Building 900 was down. We explained the conditions encountered, including the exposed orange line and the presence of additional cables below. Using	

Case Number	Stakeholders	Summary	Violations & Recommendation
		diagnostic equipment, the Comcast technicians determined that an additional buried cable located beneath the visible line had been impacted during excavation. This line was not visible prior to digging and was not identified during the utility marking process. The Comcast technicians completed repairs on site and restored service to Building 900.” Images were provided to support their statements. Timber Creek Condominium Association is the project owner. An AVR was not filed as of 03/20/2026. No information was provided on this stakeholder for us to send them an AVR request. Violations: None – Hand tools	
62300	Facility Owner: COMCAST Contractor/Excavator: J K CONSTRUCTION Project Owner: D R HORTON - WPA LLC	<u>On 12/30/2025 11:00:00 AM at 3061 AUDREY DR, GREENSBURG CITY, WESTMORELAND</u> The incident occurred on 12/30/2025, at 11:00 AM, on 3061 Audrey Dr, in Greensburg City, Westmoreland County. A cable line owned by Comcast was damaged. There was no ticket placed by the excavator for this site and timeframe. Comcast is the facility owner. Their Alleged Violation Report (AVR) states, “CABLE WAS HIT IN THE MIDDLE OF RUN, HAD TO CUTO OPEN CONDUIT TO FIX. TOLD CONTRACTOR TO LEAVE WHERE CABLE WAS HIT UN-BURIED.” JK Construction is the excavator. Their AVR states, “Hand excavated xfinity cable line to locate. When excavating trench towards cable line, rock shelf must have lifted and broke cable. No noticeable damage until cable company came to repair and we had to excavate further down their line to find the break. Location of cable lines were known and excavated by hand prior to excavation. Cable company also confirmed hand excavation of their lines and noticed no damage until further excavation that they assisted in.” No images or documentation were provided. D R HORTON - WPA LLC is the project owner listed on the ticket input after the damage occurred. Tax records show D R Horton owns 3073 Audrey Dr. An AVR was not filed as of 03/17/2026 and an AVR Request was sent the same day. An AVR was submitted that states, “Excavator hit comcast low voltage line”. No images or documentation were provided. Images provided by Comcast show the site, excavation, and damaged line. The site is a new building construction, and the ticket that was entered after the damage occurred was for “INSTL SWR AND WTR LINES”. All dirt seen in the area has been disturbed, and where the damage occurred a trench has been excavated. No marks are seen as no ticket was placed for this location. The excavator states the line was damaged while excavating near the line.	J K CONSTRUCTION: \$1,500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(ii) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Violations: Excavator - JK Construction: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
61504	Facility Owner: UGI Utilities Contractor/Excavator: J S WRIGHT EXCAVATING Project Owner: Pennsylvania American Water (PAWC)	<u>On 12/30/2025 3:00:00 PM at 122 PARK DR, WAVERLY TWP, LACKAWANNA</u> Incident occurred on December 30, 2025, at 3pm on 122 Park Drive, Waverly Township, Lackawanna County. A gas line was damaged. UGI's Alleged Violation Report (AVR) states, "Excavator failed to protect correctly marked gas facility. While moving a mini excavator the excavator struck and damaged the exposed facility causing an uncontrolled release of gas." J S Wright Excavating's AVR states, "On December 30, 2025, at approximately 3:00 PM, a gas service line was damaged during excavation activities performed by JS Wright, LLC at 122 Park Drive, Clarks Summit, Pennsylvania." PAWC's AVR states, "PAW hired JS Wright to excavate at 122 Park Drive, Waverly. The excavation was for a leaking water main, the site was marked in white, emergency PA 1 Call was valid. All utilities were field marked. The location of the gas service and main were marked correctly. The damage to gas service occurred after it was found by hand and exposed. The operator of the mini excavator had the bucket in the air above the exposed gas service when he tracked the machine forward it tipped forward slightly causing the bucket to lower and come into contact with the gas service near the tap. All work was stopped, area was cleared, 911 and 811 were notified at 3:00pm. UGI arrived on site at approximately 3:15pm, repair was made to the gas service and excavation by JSW continued at approximately 4:30pm." Images show that the gas line was damaged within the tolerance zone. Violation: J S Wright Excavating Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	J S WRIGHT EXCAVATING: \$500.00 Section 5(4) 1st Offense \$500.00
61551	Facility Owner: Philadelphia CITY Water Department	<u>On 12/31/2025 3:37:00 PM at 7375 WOOLSTON AVE, PHILADELPHIA CITY, PHILADELPHIA</u> The incident	Philadelphia CITY Water Department: \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Contractor/Excavator: PHILADELPHIA GAS WORKS Project Owner: PHILADELPHIA GAS WORKS - spacesaver Other: Philadelphia City Department of Streets Other: VERIZON	occurred on 12/31/2025 at 7375 WOOLSTON AVE in PHILADELPHIA CITY in PHILADELPHIA County. A water line owned by Philadelphia Water Department was damaged. PHILADELPHIA GAS WORKS stated in their Alleged Violation Report (AVR) that, “This ticket was put in for an emergency excavation on 12-31-2025. The Philadelphia Water Department failed to mark this out on the same day. On January 2nd at 11:38am they put a response in they will schedule date and time this mark out for January 5th, 2026 by 15:00. They are constantly scheduling date and time emergencies. Hand digging and hand tools area specified for the excavation work. No pictures were provided. Ticket states to “PLEASE MARK THE RW AND FW IN FRONT OF THIS PROPERTY TO ABANDON THE SERVICE FOR SAFETY.” On 1/12/2026 Damage Prevention Investigator (DPI) Maki sent an email asking why this abandonment of the gas service warranted an emergency ticket? An email was received on 1/12/2025 stating that “This is considered an emergency because the gas line goes into a property without a gas account and if tampered with or turned on with our PGW’s knowledge could lead to an explosion. This part of the emergency definition: a sudden or unforeseen occurrence involving a clear and immediate danger to life, property”. PHILADELPHIA WATER DEPARTMENT stated in their AVR that, “Was the line marked within the tolerance zone? Per our photos, mark outs were completed 1/5/2025. These photos can be forwarded if requested. Was the line marked by due date as listed on the One Call Ticket? No. With a due date of 12/31/2025, a holiday for our vendor, the mark outs did not take place on 12/31 or 1/1. The ticket was assigned to the located on 1/2/2026 and was marked out Monday 1/5/2026. Why did Philadelphia City Water respond that they will schedule a markout for emergency ticket 20253651640, instead of marking the lines as soon as practicable? Given the holiday, PWD marked its lines as soon as practicable. Pictures were provided. Philadelphia CITY Water Department WAS SENT AN AVR REQUEST LETTER ON 1/12/2025. On 1/14/2025 an email was received with answers to the questions in the AVR request letter. Was the line marked within the tolerance zone?Per our photos, mark outs were completed 1/5/2025. These photos can be forwarded if requested. Was the line marked by due date as listed on the One Call Ticket?No. With a due date of 12/31/2025, a holiday for our vendor, the mark outs did not take place on 12/31 or 1/1. The ticket was assigned to the located on 1/2/2026 and was marked out Monday 1/5/2026. Why did Philadelphia City Water respond that they will schedule a markout for emergency ticket 20253651640, instead of marking the lines as soon as practicable? Given the holiday, PWD marked its lines as soon as practicable.	Section 2(5)(vii) 1st Offense \$1,000.00 Philadelphia City Department of Streets: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 VERIZON: \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		*Emergency Ticket 20253651640- was submitted to abandon a service line. The method of excavation is listed as being by hand with a shovel. Philadelphia Department of Streets had no response until they responded clear on 1/05/2026. Philadelphia City Water dept did not respond scheduled mark until 1/02/2026. Verizon did not respond "Clear" until 1/16/2026. VIOLATIONS PHILADELPHIA WATER DEPARTMENT is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification 20253651640 as soon as practicable following notification. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Philadelphia City Department of Streets is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification 20253651640 as soon as practicable following notification. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Verizon is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification 20253651640 as soon as practicable following notification. Verizon did not respond "Clear" until 1/16/2026. This is a subsequent offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
61542	Facility Owner: PENCORE SERVICES / BLUE RIDGE COMMUNICATIONS Contractor/Excavator: RLE ENTERPRISES Project Owner: PENNSYLVANIA AMERICAN WATER	<u>On 1/2/2026 9:30:00 AM at MOUNTAIN DRIVE, MOUNT POCONO BORO, MONROE</u> The incident occurred on Friday, January 2, 2026, on Mountain Drive, in Mount Pocono Borough Monroe County. A Cable TV line owned by Pencore Services / Blue Ridge Communications was damaged. The contractor, RLE Enterprises stated in their Alleged Violation Report (AVR), “While digging for a new water service, our crew struck a Blue Ridge Communications cable wire 6" below grade when remove the frost above the facility for house #61 Mountain Drive. Blue Ridge Communications was notified and arrived onsite to make repairs.” The contractor provided photos of the damaged line. The project owner PA American Water Company (PAWC) stated in their AVR, “While digging for a new water service, RLE crew struck a Blue Ridge Communications cable wire 6" below grade when remove the frost above the facility for house #61	PENCORE SERVICES / BLUE RIDGE COMMUNICATIONS: \$1,500.00 Section 2(10) 1st Offense \$1,000.00 Section 2(11) 1st Offense \$500.00 RLE ENTERPRISES: \$0.00 Section 5(4) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Mountain Drive. Blue Ridge Communications was notified and arrived onsite to make repairs.” Both the contractor and project owner provided photos of the damaged line. On Friday, 2/6/2026, a letter and an email was sent to the Facility Owner, Pencore Services / Blue Ridge Communications requesting an AVR. There was no response to the request and no AVR was submitted. On Wednesday, 2/18/2026, the facility owner completed the PUC Compliance Education and passed the test for the Facility Owner & Locator. Pencore Services / Blue Ridge Communications responded to the Routine tickets 20253561141, 20253561142, with communicating when they will locate and mark the facilities. Also, they responding to the Damage Emergency ticket noting, “Line Marked Shallow Line and Contractor Trying to Break Frost Line” The depth of a facility is not under the Responsibilities of The Facility Owner in The Underground Utility Line Protection Law aka PA One Call Law. No Violation. RLE Enterprises, No Violation due to environmental conditions and the shallowness of the facility. Violations: *Pencore Services / Blue Ridge Communications is in violation of sections: 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty (30) days of the receipt of the request. Recommendation: Penalties Applied *RLE Enterprises: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: No Violation due to environmental conditions and the shallowness of the facility.	
61554	Facility Owner: Verizon Contractor/Excavator: Aqua America	<u>On 1/2/2026 10:00:00 AM at 1371 SHADOW OAK DR, TREDYFFRIN TWP, CHESTER</u> The incident occurred on 1/2/2026, at 10:00 AM, on 1371 Shadow Oak Dr, in Tredyffrin Twp, Chester County. A communication line owned by Verizon was damaged. Verizon did not respond to the excavation ticket, and the excavator did not call in a renotify prior to starting excavation. The excavator entered an emergency damage ticket and Verizon was notified of the damage, but did not respond.	Verizon: \$4,500.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(10) 2nd Offense \$1,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Verizon is the facility owner. An Alleged Violation Report (AVR) was not filed as of 02/05/2026 and an AVR request was sent the same day. No AVR has been submitted as of 3/26/2026. Aqua Pennsylvania is the excavator and project owner. Their AVR states, "Crew damaged unmarked Verizon line when rocks in the back on the excavation hole fell on the line and broke it. Verizon did not respond to the original nor the damage tickets submitted." Ticket #20260020139 New – Excavation– Emergency was entered on 1/2/26 at 7:24 AM. Verizon responded on 2/3/2026 with "Conflict". No renotify was entered by Aqua when Verizon didn't respond to the ticket within 2 hours. Ticket # 20260020799 New – Damage – Emergency was entered on 1/2/26 at 10:00 AM. Verizon's only response was "Conflict" on 2/3/2026. Violations: Facility – Verizon: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket #20260020139 Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260020799 Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of receipt of the request. Excavator – Aqua: Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10).	Section 2(14) 1st Offense \$500.00 Aqua America: \$250.00 Section 5(20) 1st Offense \$250.00
61558	Facility Owner: PHILADELPHIA GAS WORKS Contractor/Excavator: FRANKIE D PLUMBING AND HEATING Project Owner: OPTIMAL CONSTRUCTION GROUP LLC	<u>On 1/2/2026 11:54:00 AM at CROSS ST, PHILADELPHIA, PHILADELPHIA</u> Philadelphia Water disagrees. They provided date stamped pictures showing that they did mark out timely. OPTIMAL CONSTRUCTION GROUP LLC disagrees. On 4/21/2026 Optimal Construction submitted an AVR. This is a first-time offense and the \$1000. Penalty for not submitting an AVR is reduced to \$500. On 4/21/2026 an email was received with most of the questions in the	FRANKIE D PLUMBING AND HEATING: \$1,000.00 Section 5(9) 1st Offense \$1,000.00 OPTIMAL CONSTRUCTION GROUP LLC: \$750.00 Section 6.1(7) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
	Other: COMCAST Other: PECO Other: Philadelphia City Department of Streets Other: Philadelphia City Water Department	AVR answered. On 4/21/200266 DPI responded with an email asking who the architect was for this project. An email was received on 4/21/2026 stating that, "The architect was Designblendz." The \$500 penalty is reduced to \$250. ***** The incident occurred on 1/02/2026 on Cross St. Philadelphia City in Philadelphia Co. *No Damage An emergency ticket that should have been a routine ticket was submitted. Philadelphia Gas Works stated in their Alleged Violation Report (AVR) that "Contractor is working to install new water and sewer to a new construction project at 4705 Sheldon "B" this is not an emergency. PA Act 287 of 1974, as amended defines an Emergency as:"...a sudden or unforeseen occurrence involving a clear and immediate danger to life, property, and the environment, including, but not limited to, serious breaks or defects in a facility owner's lines. Pictures were provided. FRANKIE D PLUMBING AND HEATING was sent an AVR request letter on 1/12/2026. On 1/12/2026 DPI Maki returned a call to Danielle from Frankie D Plumbing, who had questions about the AVR request letter. DPI Maki explained why this letter was sent to them and that they need to submit an AVR through the OneCall system. Danielle stated she understood. FRANKIE D PLUMBING AND HEATING Listed the AVR submitter as PGW, but stated in their AVR that "This was a project we were doing and it is alleged that we called in a non emergency as an emergency. However, this was considered and emergency as when we initially started the project, we came into some issues with "hard earth" we had to plate the work and come back with other machinery in order to complete the task. With inclement weather, we were worried that plows would move the plates. Therefore, once we were able to obtain the other machinery, we needed to get right back out there which is why we needed to call this in as an emergency. Also, there was a second letter we received that we struck a utility line. After confirmation from our foreman on site , we did not hit any utility at anytime. No line was ever hit, there was no damage to anything during our excavation". Pictures were provided. On 3/10/2026 an email was received stating that "the backhoe was removed everyday we were there. We needed to get a ramhoe out there for the hard earth". On 3/12/2026 Frankie's Plumbing responded that, "The machine was off site for more than two business days. However, New Years Day fell within the time frame. We went back with the ramhoe on 1/5". OPTIMAL CONSTRUCTION was sent an AVR request letter on 1/12/2026. No AVR has been submitted as of 3/09/2026. On 4/21/20026, after the stakeholder review went out, Optimal Construction submitted an AVR. Frankie D Plumbing was hired to install sewer services	\$500.00 Section 6.1(8) 1st Offense \$250.00 COMCAST: \$2,000.00 Section 2(5)(vii) 3rd Offense \$2,000.00 PECO: \$750.00 Section 2(5)(v) 3rd offense \$750.00 Philadelphia City Department of Streets: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Philadelphia City Water Department: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		to a project with a property address of 4705 Sheldon Street, which is a through property with 2 homes. One home faces Sheldon, the rear home faces Cross Street (not assigned address yet). They called a PA One Call in for the rear street (cross) and proceeded with the excavation upon their lawful dig dates. Once started and more than halfway excavated, they hit rock and could no longer continue with a normal backhoe. They needed a ramhoe, which they needed to rent. They covered the street with metal plates. During the wait time they were predicting a snowstorm and Frankie D Plumbing was concerned that if we got snow as they were calling for, the snow would cover up the metal plates and snow plows would not see it, therefore potentially pushing the plates out of the way and either the snowplow falling into the hole or worse another car. It is my understanding that Frankie D Plumbing called in an emergency PA One Call to get this done prior to the potential snow event. Other than hiring them to do the work, I am not a firsthand witness to all of these actions and events and only learned of some of this recently, and learned all of the details upon receiving a fine for this event. At the end of the day, it seems as if this is over a clerical issue which was only done to avoid potential accidents and with good intentions, and in Frankie D's eyes, deemed this an "emergency". There was no damage done to any utility work during this process. I do not feel that any party, including my company, Optimal Construction, should be fined for trying to do the right thing. Hindsight is always 20/20, but at the end of the day they were trying to avoid any potential accidents. They were not trying to do anything under the radar, all proper permits and street right ways were pulled. I'd ask for understanding on this situation. VIOLATIONS FRANKIE D PLUMBING AND HEATING is in violation of: Section 5(9) – Emergency notification does not meet the requirements of “emergency” as defined in Section 1 – Excavator Ticket. Emergency ticket 20260021098 was submitted on 1/02/2026 with a response due by 1/04/2026 and a scheduled excavation date of 1/05/2026. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. OPTIMAL CONSTRUCTION is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. OPTIMAL CONSTRUCTION was sent an AVR request letter on 1/12/2026. No AVR has been submitted as of 4/15/2026. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Questions in	

Case Number	Stakeholders	Summary	Violations & Recommendation
		the AVR request letter were not answered. There was no communication from Optimal Construction. Recommendation: The penalties are applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement. COMCAST is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. *Emergency ticket 20260021098 was submitted by FRANKIE D PLUMBING AND HEATING on 1/02/2026 at 11:54. Comcast did not respond "clear" until 1/05/2026 at 11:20. This is a third time offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed. Philadelphia City Department of Streets is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Emergency ticket 20260021098 was submitted by FRANKIE D PLUMBING AND HEATING on 1/02/2026 at 11:54. Philadelphia Department of City Streets did not respond "clear" until 1/05/2026 at 7:21. Recommendation: The penalty is applied. PUC compliance education has been recently completed. Philadelphia City Water Department is in violation of: Section 2(5)(iii.1) – Facility owner failed to propose a mutually agreeable scheduling by which the excavator, facility owner or designer may locate the facilities. *Ticket 20253570270 was submitted by FRANKIE D PLUMBING AND HEATING on 12/23/2025 Philadelphia City Water scheduled a mark, but did not mark out until 1/02/2026. There was no mutual agreement in writing for this late mark out. Recommendation: The penalty is applied. PUC compliance education has been recently completed. PECO is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253570270 was submitted by FRANKIE D PLUMBING AND HEATING on 12/23/2025 at 7:57. PECO did not respond until they field marked on 1/05/2026. This is a third time offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
61612	Facility Owner: UGI Utilities Contractor/Excavator: Wild Rose Inc Project Owner: Wild Rose Concrete Placeholder	<u>On 1/5/2026 8:40:00 AM at 17288 SR287, WELLSBORO BORO, TIOGA</u> Incident occurred on January 5th, 2026, at 8:40am on 17288 State Route 87, Wellsboro Boro, Tioga County. A gas line was damaged. UGI's Alleged Violation Report (AVR) states, "While excavating to locate and repair their own water service,	Wild Rose Inc: \$1,500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Wild Rose Concrete struck and damaged an unmarked gas service. Wild Rose Concrete did not submit a PA One Call ticket prior to excavation." AVR notes that 911 was notified. Wild Rose Concrete's AVR states,"Water line broke and we thought we were clear of any gas lines however due to the lay of the land the gas line was run in a round about way. After digging about 12" down the line was struck , UGI was called immediately and employee and staff were evacuated from the site until deemed safe to start work." Emergency ticket, 20260053275, called in after the damage indicated Equip Type--BH AND HAND TOOLS. Images show the dig site filled with water along with the broken gas line. Recommended violations, penalties, and education: Wild Rose Concrete Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Reduced by 50% from \$1,000 to \$500 for submitting an AVR promptly after PUC request. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
61703	Facility Owner: COLUMBIA GAS OF PA INC Contractor/Excavator: Sanner Excavating Project Owner: NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY Designer: SLEIGHTER ENGINEERING	<u>On 1/5/2026 10:00:00 AM at 1510 W CRAWFORD AVE, DUNBAR TWP, FAYETTE</u> Incident occurred on January 5th, 2026, at 10am on 1510 West Crawford Avenue, Dunbar Township, Fayette County. A gas line was damaged. Columbia Gas Company's Alleged Violation Report (AVR) states, "Sanner Excavating was performing work at the site when they detected the smell of natural gas at a curb box they were crossing. Upon further investigation it was determined that the trench collapsed and damaged the exposed gas line. Columbia Gas responded and made necessary repairs." North Fayette County Municipal Authority's AVR states, "excavating for a new water line installation, curb box and stop was outside of trench line. During the backfill operation a rotten egg smell was detected and I called PA One Call to report and Columbia Gas and 911. Laborer hand dug around gas curb box and could hear a hissing sound. It was then left alone until Columbia Gas Crew arrived to investigate. The curb stop was faulty and replaced by Columbia Gas technician." Sleighter Engineering's AVR states, "I am the construction inspector consultant for Sleighter Design, Sanner Excavating installing a new water main for the North Fayette County Municipal Authority. Sanner	Sanner Excavating: \$1,000.00 Section 5(6)(ii) 1st Offense \$500.00 Section 5(16) 1st Offense \$500.00 NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY: \$500.00 Section 6.1(3) 1st Offense \$500.00 SLEIGHTER ENGINEERING: \$500.00 Section 4(2) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		excavating trench had installed the water main and started to backfill when a smell of rotten eggs was noticed. There was a gas curb box outside of the trench area the gas line was not disturbed by contractor. I called PA One Call, Columbia Gas and 911 to notify. Columbia Gas crew arrived at site at 10:30 AM and crimped gas service line and hand dug around curb box to expose curb stop. Service crew replaced curb stop." Sanner Excavating's AVR states, "Inspector was on sight called in Columbia gas for a preexisting gas leak, foreman was not on sight. 1 vehicle and 1 repair man repaired a 1 inch service line. 911 was not called. Serial number 20260051431, date ticket number 20260051431. TYPE OF ALLEGED VIOLATION QUESTION LISTED BELOW: I had to pick something in order for the application to be submitted but there was no violation it was a preexisting gas leak." Images show the line was accurately marked and the damaged line repair. Sleighter Engineering and Sanner Excavating was mailed and email a request for an AVR on 2/27/26. Sanner Excavation submitted an AVR on 3/19/26. Sleighter Engineering submitted a final design ticket on 3/19/24 and a complex meeting ticket on 9/22/25. No final design ticket was placed within 10 - 90 days of bid/construction. Recommended violations, penalties, and education: Sanner Excavating Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Reduced by 50% from \$1000 to \$500 for submitting after PUC request. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Sleighter Engineering Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). North Fayette County Municipal Authority Section 6.1(3) – Released a project to bid or construction before final design was complete. PUC compliance education is required.	
62302	Facility Owner: COMCAST Contractor/Excavator: YORK TRENCHING AND BORING Project Owner:	<u>On 1/5/2026 11:15:00 AM at 209 ELM ST, ST LAWRENCE BORO, BERKS</u> The incident occurred on 1/05/2026 on Elm St in St. Lawrence Borough in Berks County.	YORK TRENCHING AND BORING: \$750.00 Section 5(4) 1st Offense \$750.00 SERVICE ELECTRIC

Case Number	Stakeholders	Summary	Violations & Recommendation
	SERVICE ELECTRIC CABLEVISION INC Other: Metropolitan Edison Co / First Energy Other: SERVICE ELECTRIC CABLEVISION INC spacesaver	A communications line owned by Comcast was damaged. 1 commercial and 61 residential customers were affected. COMCAST the facility owner stated that the excavator “Failed to protect and preserve the markings after beginning excavation, or contact the One Call System to request the facilities be marked again” in their Alleged Violation Report (AVR). Pictures were provided. ON 3/23/2026 DPI Maki sent an email asking Comcast about the number of people who were affected by this damage. On 3/24/2026 Comcast responded that, “There were 1 Commercial and 61 Residential customers”. See attachment named “Comcast – Number affected”. YORK TRENCHING AND BORING was sent an AVR request letter on 2/11/2026. NO AVR was sent, so on 3/20/2026 AVR request letter was hand mailed. Questions asked including who paid you for this work? Due 4/20/2026. INSTALLING CONDUIT by directional drilling. Jim from YORK TRENCHING AND BORING, LLC called and stated that they are getting fines from the communication companies even when they are not at fault. He said that he has talked to Sara and Sara had told him to send over the bills he is getting, as we can take a look at them and try to help. DPI Maki explained the AVR and why they need to be filed. Jim stated that they have videos that they take prior to any excavations. He will fill out an AVR and attach the video that will show that the marks were there when they excavated. YORK TRENCHING AND BORING, LLC stated in their AVR that ,” CABLE PROTECTION SERVICES LOCATOR FOR COMCAST IS CLAIMING THAT WE ARE NOT KEEPING OUR LOCATES UPDATED. AVR'S ARE BEING SUBMITTED TO PA 811 BY CABLE PROTECTION SERVICES WITHOUT OUR KNOWLEDGE. IF AN INCIDENT OCCURS CABLE PROTECTION SERVICES DOES ALL THEIR INVESTIGATION WHEN NO FORMAN, SUPERINTENDENT OR CREWS ARE ON SITE. YORK TRENCHING AND BORING LOCATES ARE UPDATED CONTINUOUSLY AND REFRESHED WHEN NEEDED. They added that the equipment used was hand tools and hand digging to install conduit. SERVICE ELECTRIC CABLEVISION INC The Project Owner was sent an AVR request letter on 3/23/2026. SERVICE ELECTRIC CABLEVISION INC stated in their AVR that, “Our contractor York trenching and boring states, the locator for Comcast is filing AVR's with no on site investigation.” They state that York Trenching and Boring were using hand tools and hand digging. Please see attachment named “Elm street markings and tool in line”. See also “orange mark in line with cable” and “orange mark in line with cable 2”.	CABLEVISION INC: \$250.00 Section 2(5)(v) 1st Offense \$250.00 Metropolitan Edison Co / First Energy: \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ticket 20253641578 was submitted by York Trenching and Boring on 12/30/2025 to remark the lines, work had not yet started, with a response due by 1/02/2026. Service Electric Cablevision did not respond until 1/06/2026. Metropolitan Edison Co / First Energy did not respond until 1/06/2026. VIOLATIONS: YORK TRENCHING AND BORING is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. A fine factor of .5 has been added as per our Damage Prevention Fine Factor Determination based on the degree of threat to public safety and inconvenience. The incident resulted in the loss of utility service to >50 customers. SERVICE ELECTRIC CABLEVISION INC is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253641578 was submitted by York Trenching and Boring on 12/30/2025 to remark the lines, work had not yet started, with a response due by 1/02/2026. Service Electric Cablevision did not respond until 1/06/2026. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Metropolitan Edison Co / First Energy is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253641578 was submitted by York Trenching and Boring on 12/30/2025 to remark the lines, work had not yet started, with a response due by 1/02/2026. Metropolitan Edison Co / First Energy did not respond until 1/06/2026. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61701	Contractor/Excavator: Caddick Project Owner: Pennsylvania American Water (PAWC) Other: Comcast Other: LOWER PROVIDENCE TOWNSHIP Other: PECO Other: Verizon	On 1/5/2026 12:00:00 PM at 16 DRIFTWOOD DR, LOWER PROVIDENCE TWP, MONTGOMERY PECO - Provided additional information. Removed the 2(5)(I) and 2(14)violation, and reducing the 2(10) to a warning of \$0. ***** The incident occurred on 1/5/2026, at 12:00 PM, on 16 Driftwood Dr, in Lower Providence Twp, Montgomery County. A communication line owned by Comcast was damaged. An emergency damage ticket was placed by the excavator. Images show three (3) damaged lines.	Comcast: \$1,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(vii) 1st Offense \$1,000.00 LOWER PROVIDENCE TOWNSHIP: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 PECO: \$0.00 Section 2(10) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
		Multiple AVRs were requested from Comcast, PECO, and Verizon. Only Comcast submitted an AVR as of 3/30/2026. The images of the damage appear to be communication line and electric lines. An AVR request was sent to Verizon, Lower Providence Township, Comcast, and PECO on 2/26/2026. Ticket# 20260040296 was a renotify emergency excavation ticket that states, “ATTN COMCAST, LOWER PROVIDENCE TWP AND VERIZON YOU HAVE NOT RESPONDED PLEASE MARK OR CLEAR THE LINES. ATTN PECO YOU RESPONDED FIELD MARKED. CALLER STATES ONLY ONE SIDE OF THE RD IS MARKED. PLEASE MARK BOTH SIDES OF THE RD.” All responded “Field Marked” prior to the damage being reported at 12:00 PM on Caddick’s AVR, and an Emergency Damage ticket entered at 12:47 PM . Comcast submitted an AVR 38 days after the incident that states, “UNKNOWN DAMAGER, WAITING ON INVESTIGATION REPORT”. The images they submitted show the same excavation site as the images submitted by Caddick. An AVR was requested from PECO. They emailed markout images but did not submit an AVR after additional communication was sent requesting the AVR. All images submitted show there are electrical marks in the area, but the lines were not fully marked in the location area of the ticket, and subsequent damage. See image “No electrical marks in area of damage”. Verizon did not submit an AVR but sent an email on 2/27/2026 that states, “We were not affected by this. It was a Comcast cable that was hit.” A response was sent asking Verizon to provide all information in their AVR. Verizon did not submit an AVR or respond to the email as of 3/30/2026. Caddick Utilities LLC is the excavator. Their AVR states, “Damaged unmarked CATV lines.” Pennsylvania American Water is the project owner. Their AVR states, “We were renewing a leaking service for 16 driftwood and the water main was located across the street at 15 driftwood. While digging up the curb box at 16 driftwood the unmarked lines were hit. They marked the lines at 15 driftwood but not at 16 driftwood.” Lower Providence Township responded to the AVR request indicating they only have underground sewer lines. The images provided only show damaged electric and communication lines. Ticket # 20260040296 was the emergency excavation ticket for excavation at 7AM on 1/5/2026. A renotify was entered by Caddick at 7:32 AM on 1/5/2026 that states, “ATTN COMCAST, LOWER PROVIDENCE	\$0.00 Verizon: \$3,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(10) 2nd Offense \$1,500.00 Section 2(14) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		TWP AND VERIZON YOU HAVE NOT RESPONDED PLEASE MARK OR CLEAR THE LINES. ATTN PECO YOU RESPONDED FIELD MARKED. CALLER STATES ONLY ONE SIDE OF THE RD IS MARKED. PLEASE MARK BOTH SIDES OF THE RD.” Comcast responded “Field Marked” on 1/5/2026 at 9:05 AM PECO responded “Field Marked” at 7:08, and 10:56AM on 1/5/2026. Lower Providence Township responded Field Marked on 1/5/2026 at 7:41AM Verizon responded “Insufficient Information. Do Not Dig.” on 1/26/2026, and “Field Marked” on 1/5/2026 at 8:43 AM. Violations: Facility – Comcast: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260040296-000 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Facility – Verizon: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260040296-000 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Facility – PECO: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Ticket # 20260040296-000 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation	

Case Number	Stakeholders	Summary	Violations & Recommendation
		or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Facility (other) - Lower Providence Township: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260040296-000 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61676	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: Dixon A C & R Corp Project Owner: Homeowner Other: WILLIAMSPORT SANITARY AUTHORITY	On 1/5/2026 2:20:00 PM at 1020 PARK AVE, WILLIAMSPORT CITY, LYCOMING Homeowner Accepts: \$0 Warning and no education - Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner's line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. \$0 Warning and no education - Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request *** The incident occurred on 1/05/2026 at 14:20 at 1020 PARK AVE in WILLIAMSPORT CITY in LYCOMING County. A gas line owned by UGI was damaged. UGI UTILITIES INC stated in their Alleged Violation Report (AVR) that Contractor struck and damaged a correctly marked gas service line. Contractor was excavating outside of their lawful dig dates and did not request any update tickets or have equipment on site prior to work starting on Jan. 5th, 2026 per contractor on site during visit. 911 was notified. They added that "UGI locator located service for last ticket that was submitted. Contractor had not started work until Jan. 5th 2026, well outside of the lawful dig dates without an update. Marks were faded but present and flags were present in work area to show gas in area". Pictures were submitted. Kathleen Young, the project owner and homeowner was sent an AVR request letter on 1/14/2026. Due 2/3/2026. NO AVR has been submitted as of 2/04/2026. No contact has been made. Dixon A C & R Corp the excavator was sent an AVR request letter on 1/14/2026. Due 2/3/2026. DIXON	Dixon A C & R Corp: \$1,500.00 Section 5(4) 1st Offense \$500.00 Section 5(9) 1st Offense \$1,000.00 Homeowner: \$0.00 Section 6.1(7) 1st Offense \$0.00 Section 6.1(8) 1st Offense \$0.00 WILLIAMSPORT SANITARY AUTHORITY: \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		ACNR stated in their AVR that “During excavation, gas line was nicked, UGI was called and fixed the piped”. 911 was notified. They state that the work began on 1/5/2026 and was an emergency repair. No pictures were provided. Emergency Ticket 20260053827 was submitted on 1/05/2026 at 16:12. This is after UGI submitted the AVR report on 1/05/2026 at 14:20. DPI sent an email asking Dixon A C & R Corp who the best contact is for their company and asked about the time difference between the emergency ticket and the AVR submitted by UGI. No other information has been provided. Ticket 20253252043 was submitted by DIXON ACNR on 11/21/2025 at 13:02 with a response due by 11/30/2025. The excavation was scheduled for 12/01/2025 at 8am. The lawful start dates are 12/01/2025 thru 12/09/2025. Williamsport Sanitary Authority did not respond until they “filed Marked” on 12/01/2025. Ticket reads that work site is 1020 Park Ave and that site is marked in white and the work is front, rear, left and right on private property. Ticket 20260053827 was submitted by DIXON ACNR on 1/05/2026 at 16:12 with a response due by 1/07/2026 and the work to begin on 1/08/2026. Emergency ticket 20260060347 was submitted by DIXON ACNR on 1/06/2026 at 7:49. The excavation is expected to take a week. They note that this is a copy of Ticket 20260053827 to “expedite to emergency”. This is to replace a water line. Work site is 1020 Park Ave , the site is marked in white and is 3’ X 15—20’ and includes the sidewalk, private property, front and left. Please note that this is for the same work that needed to completed on Ticket 20253252043 and Ticket 20260053827. UGI had marked the lines by 9am on 1/05/2026 for the emergency ticket. VIOLATIONS Dixon A C & R Corp is in violation of: Section 5(9) – Emergency notification does not meet the requirements of “emergency” as defined in Section 1 – Excavator Ticket. Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalties are applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Kathleen Young is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The \$1000. Penalty for 6.1(7) is reduced to a warning. The penalty for 6.1(8) is maintained. This homeowner did not make any contact with our office. WILLIAMSPORT SANITARY AUTHORITY is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253252043 was submitted by DIXON ACNR on 11/21/2025 at 13:02 with a response due by 11/30/2025. The excavation was scheduled for 12/01/2025 at 8am. The lawful start dates are 12/01/2025 thru 12/09/2025. Williamsport Sanitary Authority did not respond until they “Field Marked” on 12/01/2025. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61583	Facility Owner: Philadelphia Gas Works Contractor/Excavator: Nello Construction Project Owner: Philadelphia City Water Department Other: PECO Other: Philadelphia City Department Of Streets Other: Verizon	On 1/6/2026 8:04:00 AM at N 26th st, PHILADELPHIA CITY, PHILADELPHIA Philadelphia City Department Of Streets - violation removed ***** The incident occurred on 1/6/2026, at 8:04 AM, on N 26Th St, in Philadelphia City, Philadelphia County. A gas line owned by Philadelphia Gas Works was damaged. An emergency ticket was called in by Nello Construction to notify that a gas “line was leaking but they were able to shut off the line as the curb stop...”. The legal start date on the routine ticket for excavation was 1/8/2026. Philadelphia Gas Works is the facility owner. Their Alleged Violation Report (AVR) states, “Contractor Nello construction damaged gas line to 1503 with backhoe and they in this case started working before the one call they had put in was valid. They started work here 2 days too early.” An AVR request letter was sent to them to request images of the incident, as none were submitted with their AVR. No response was received. Nello Construction is the excavator. An AVR was not filed as of 02/05/2026 and an AVR request was sent the same day. No AVR was submitted by Nello Construction as of 3/26/2026. Philadelphia City Water Department is the project owner and designer. Their AVR states, “In front of 1629 N 26th St, Philadelphia, PA 19121 During excavation for the water service connection from the newly installed water main to the curb stop, the existing gas service line connected to this property was found to be severely rusted. PGW personnel responded to the site the same day. The following day, they replaced the deteriorated gas line. No damage was caused to the PGW utility service line during excavation. After the replacement was completed, the contractor proceeded with the water service connection.”	Nello Construction: \$2,500.00 Section 1.1 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Philadelphia City Water Department: \$750.00 Section 6.1(3) 1st Offense \$500.00 Section 4(2.2) 1st Offense \$250.00 PECO: \$500.00 Section 2(5)(v.2) 2nd Offense \$500.00 Philadelphia City Department Of Streets: \$0.00 Verizon: \$250.00 Section 2(5)(v.2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ticket # 20260052108 New – Excavation – Routine had a response due date of 1/7/2026. PECO responded “Field Marked” on 1/12/2026. Philadelphia City Department Of Streets responded, “SCHEDULED DATE & TIME LINES WILL BE MARKED BY: 07 Jan 2026 1200” on 1/5/2026 and “Field Marked” on 1/7/2026 at 12:52 PM. Excavation and damage occurred prior to legal start date on the ticket. Ticket # 20253491071 Update – Excavation – Routine was entered on 12/15/25 at 10:26 AM. Verizon’s only response was “Conflict” on 12/17/2025. Philadelphia City Water Department entered preliminary designs for this excavation but no Final Design was found by PA One Call during their Initial Research of the incident. Excavation began prior to the legal start date of Ticket # 20260052108, as indicated by images provided, and the Damage ticket called in on 1/6/2026 by Nello Construction. Violations: Excavator - Nello Construction: Section 1.1 – Excavator did not begin within legal timeframe. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Project Owner/Designer - Philadelphia City Water Department Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed. Facility (other) - Philadelphia City Department Of Streets: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket # 20260052108 Facility (other) -PECO: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket # 20260052108	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Facility (other) – Verizon: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket # 20253491071	
61909	Facility Owner: COMCAST Facility Owner: PECO Facility Owner: VERIZON Contractor/Excavator: Doli Construction Project Owner: NEWTOWN BUCKS COUNTY JOINT MUNI AUTH Designer: GANNETT FLEMING INC Designer: NAVE NEWELL INC	<u>On 1/6/2026 10:00:00 AM at JUSTICE DRIVE, NEWTOWN TWP, BUCKS</u> The incident occurred on 1/06/2026 on Justice Dr. in NEWTOWN TWP in BUCKS Co. *No Damage Facility owners did not mark their lines nor did they respond to a One Call ticket timely. DOLI CONSTRUCTION stated in their Alleged Violation Report (AVR) that “No marks for communication line”. GANNETT FLEMING INC stated in their AVR that “in their AVR “Unmarked communication line”. They also provided the project cost >\$400,000. And the length is 2600LF.Report was provided. Newtown, Bucks County Joint Municipal Authority, was sent an AVR request letter on 1/26/2026. Due by 2/26/2026. NEWTOWN BUCKS COUNTY JOINT MUNI AUTH stated in their AVR “Unmarked communication line”. The project is listed as >\$400,000. 2600LF. Newtown Sewer Authority is listed as the project owner. They add that this is a facility owner issue and that there was “No response to an Excavation or Demolition notification”. Verizon added in the comments that, “We marked on time, we did not come out on time to the renotify”. AVR letters sent to PECO, Comcast and Verizon on 1/30/2025. AVR’s were due by 3/9/2026. No AVR’s have been submitted. No contact has been made as of 3/23/2026. Then on 3/25/2026 Verizon submitted an AVR. Verizon stated in their AVR that , “ An Alleged Violation Report (AVR) has been assigned for investigation by the PA PUC regarding BUCKS COUNTY, NEWTOWN TWP at JUSTICE DRIVE for the affected operation Telecom. Your company may be involved related to the incident on January 06, 2026. Serial Number(s): 20241693529, 20253432392, 20260061405, 20260072142.” *Case is related by tickets to case 58615. Complex Project ticket violation is cited in ticket 20252530652. Designer Gannett Fleming Inc is cited a violation for not submitting a final Design ticket. VIOLATIONS COMCAST is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. *Ticket 20253432392 was submitted by DOLI CONSTRUCTION on 12/09/2025 with a response due by 12/11/2025 asking to have lines remarked. Comcast did not respond until 12/12/2025. This is a subsequent offense.	COMCAST: \$6,500.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(10) 3rd Offense \$2,000.00 Section 2(11) 1st Offense \$500.00 Section 2(5)(i) Subsequent \$2,000.00 PECO: \$4,000.00 Section 2(5)(v) 3rd Offense \$1,500.00 Section 2(10) 1st Offense \$1,000.00 Section 2(11) 1st Offense \$500.00 Section 2(5)(i) 2nd Offense \$1,000.00 VERIZON: \$7,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(10) Subsequent \$2,500.00 Section 2(11) 1st Offense \$500.00 Section 2(5)(v) 2nd Offense \$1,000.00 Section 2(5)(v) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. This is a 3rd time offense. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a subsequent offense. Recommendation: The penalties are applied. PUC compliance education has been recently completed. VERIZON is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. *Ticket 20260061435 was submitted by Doli on 1/06/2026 with a response due by 1/08/2026. Verizon did not respond clear until 1/19/2026. They did not mark their lines. This is a second time offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. The incident occurred on 1/06/2026, and the AVR letters were sent to PECO, Comcast and Verizon on 1/30/2025. AVR’s were due by 3/9/2026. AVR was received on 3/25/2026, after the stakeholder review went out. This is a subsequent offense. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a subsequent offense. Recommendation: The penalties are applied. PUC compliance education has been recently completed. PECO is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. *Ticket 20253432392 was submitted by DOLI CONSTRUCTION on 12/09/2025 with a response due by 12/11/2025 asking to have lines remarked. PECO did not respond until 1/05/2026. . They did not mark their lines and responded clear on 12/29/2025. This is a third time offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation	

Case Number	Stakeholders	Summary	Violations & Recommendation
		or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a second time offense. Recommendation: The penalties are applied. PUC compliance education has been recently completed.	
62013	Facility Owner: PECO Contractor/Excavator: Sila Services LLC DBA Delco Storm and Sewer Services Project Owner: Adam Home Services Project Owner: Homeowner	<u>On 1/6/2026 10:09:00 AM at STEEL RD, HAVERFORD TWP, DELAWARE</u> Incident occurred on January 6th, 2026, at 10:09am along Steel Road, Haverford Township, Delaware County. A gas line was damaged at 176 Friendship Rd, Drexel Hill, PA 19026 PECO's Alleged Violation Report (AVR) states, "CONTRACTOR HIT CORRECTLY MARKED 1" PLASTIC SERVICE." Sila Services LLC DBA Delco Storm and Sewer Services' AVR states, "While excavating for the installation of a sewer installation the gas line was struck creating a leak. The leak was able to be contained until PECO arrived to repair the line." Images show a mini excavator along with the damaged within the tolerance zone. Emergency ticket states, "Work is Being Done For ADAM HOME SERVICES Type SWR REPLACEMENT." Recommended violations, penalties, and education: Sila Services LLC DBA Delco Storm and Sewer Services Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 20260040100 -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	Sila Services LLC DBA Delco Storm and Sewer Services: \$500.00 Section 5(4) 1st Offense \$500.00
62012	Facility Owner: PECO Contractor/Excavator: Caddick Utilities Project Owner: Aqua America Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC Other: Verizon, PA LLC	<u>On 1/6/2026 10:31:00 AM at NESHAMINY VALLEY DR, BENSALEM TWP, BUCKS</u> The incident occurred on 1/6/2026, at 10:31 AM, on Neshaminy Valley Dr, in Bensalem Twp, Bucks County. A gas line owned by PECO was damaged. An emergency ticket was entered for the damage. PECO is the facility owner. Their Alleged Violation Report (AVR) states, “CADDICK UTILITIES LLC was excavating to install a new water main when they struck an inaccurately marked plastic gas service using a standard excavator. The facility records for 6401 Neshaminy were inaccurate resulting in the mis-marked service.”	PECO: \$1,000.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00 Verizon, PA LLC: \$2,000.00 Section 2(5)(viii) 1st Offense \$500.00 Section 2(5)(v) 3rd Offense \$1,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Caddick Utilities is the excavator. Their AVR states, "Damaged incorrectly marked 1/2" plastic gas service." Aqua Pennsylvania is the project owner. Their AVR states, "Aqua Contractor Caddick Utilities, damaged incorrectly marked 1/2" plastic gas service - 6401 Neshaminy Valley Dr". Total Engineering And Consulting Services is the designer. Their AVR states, "Aqua Contractor, Caddick Utilities, damaged incorrectly marked 1/2" plastic gas service - 6401 Neshaminy Valley Dr". Images were submitted that support the statements in all AVRs that the damaged line was not within the tolerance zone of the marks. Ticket # 20253571440 New – Excavation – Routine was entered on 12/23/25 at 12:39 PM, with a response due date of 12/26/2025. PECO's only response was "Field Marked" on 1/5/2026. Verizon's only response was "Clear" on 1/13/2026. Ticket # 20253023561 New – Excavation– Complex Project was entered on 10/29/25 at 2:31 PM and required attendance or to mark clear by 11/2/2025. Verizon's only response was on 11/25/2025. This case is related to the following cases by tickets: 036717, 061214 Violations: Facility – PECO: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket # 20253571440 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility(other) – Verizon: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket # 20253571440 Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Ticket # 20253023561 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61627	Facility Owner: PENNSYLVANIA AMERICAN WATER Contractor/Excavator: ROGELE INC Project Owner: CAMP HILL BOROUGH	<u>On 1/6/2026 10:40:00 AM at 153 N 17TH ST, CAMP HILL BORO, CUMBERLAND</u> The incident occurred on Tuesday, January 6, 2026, at 153 N. 17th Street, in Camp Hill Borough, Cumberland County. A water line owned by PA American Water Company (PAWC) was damaged. The photos provided show the damage.	PENNSYLVANIA AMERICAN WATER: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Rogele Inc, the contractor, working for Camp Hill Borough, reported a Facility Owner issue as failed to locate point of connection to the facility line. Rogele and Camp Hill Borough both stated in their Alleged Violation Report (AVR), "Approx 10:40am on 1/9/26, Rogele's crew struck an unmarked water service line with excavator bucket. Foreman called Superintendent, Dave Jenkins, who in turn called PA-1Call (Emergency Ticket 20260061664). PA American Water crew arrived approx.11:30am, assessed the situation and determined/agreed that the service was NOT marked and continued with a repair to the service line." PAWC stated in their AVR, "Approx 10:40am on 1/9/26, Rogele's crew struck an unmarked water service line with excavator bucket. Foreman called Superintendent, Dave Jenkins, who in turn called PA-1Call (Emergency Ticket 20260061664). PA American Water crew arrived approx.11:30am, assessed the situation and determined/agreed that the service was NOT marked and continued with a repair to the service line. We have updated GIS maps for this area for future locates." Violation: *PA American Water Company is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty Applied	
61604	Facility Owner: PECO Contractor/Excavator: CADDICK UTILITIES LLC Project Owner: Aqua Pa Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC	<u>On 1/6/2026 11:30:00 AM at NESHAMINY VALLEY DR, BENSALEM TWP, BUCKS</u> The incident occurred on 1/06/2026 on NESHAMINY VALLEY DR in BENSALEM TWP in Bucks Co. *Non damage Unmarked Electric lines were exposed. CADDICK UTILITIES LLC stated in their Alleged Violation Report (AVR) that "Exposed incorrectly marked electric lines. No damage". Picture and report were provided. Emergency ticket 20260062556 describes the location as "WORKING AT THE INTER. NEAREST ADDRESS IS 6400 NESHAMINY VALLEY DR". AVR request letters sent 1/13/2026 AQUA PENNSYLVANIA INC stated in their AVR that "Aqua Contractor Caddick Utilities exposed incorrectly marked electric lines. No damage - Neshaminy Valley Dr". Aqua Pa send an email on 1/16/2026 asking to verify if the questions in the AVR request letter needed to be answered. DPI responded with an email that they did. On 1/27/2026 and email with answers from Aqua was received. The project was >\$400,000 and 5250 LF. The final designer for this project was Total Engineering and contact information was provided. This project was not bid. Parts of the final design were also provided. Level "C" was deemed as a sufficient level of Subsurface	PECO: \$3,500.00 Section 2(10) 1st Offense \$1,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(11) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Engineering by Aqua, but they added that level “A” was used in the first phase of this project. The project start date was 11/25/2025. TOTAL ENGINEERING AND CONSULTING SERVICES LLC was sent an AVR request letter on 1/27/2026. TOTAL ENGINEERING AND CONSULTING SERVICES LLC stated in their AVR that “Aqua Contractor, Caddick Utilities, has exposed incorrectly marked electric lines. No damage - Neshaminy Valley Dr”. PECO was sent an AVR request letter on 1/27/2026. Due 3/12. No AVR has been submitted as of 3/20/2026. *Case is connected by tickets to case 60951, 61214, and 62012 VIOLATIONS PECO is in violation of: Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61623	Facility Owner: PITTSBURGH WATER Contractor/Excavator: PENNSYLVANIA DRILLING COMPANY Project Owner: American Geotechnical & Environmental Services (A.G.E.S.) Designer: JOHNSON MIRMIRAN AND THOMPSON (J M T) Other: MELE AND MELE AND SONS INC Other: VERIZON	<u>On 1/6/2026 12:30:00 PM at 41 MARYLAND AVE, MILLVALE BORO, ALLEGHENY</u> The incident occurred on 1/06/2026 at 41 MARYLAND AVE in MILLVALE BORO in ALLEGHENY Co. A water line owned by Pittsburgh Water and sewer was damaged. PENNSYLVANIA DRILLING COMPANY stated in their Alleged Violation Report (AVR) that “Pennsylvania Drilling was to drill one auger boring with a geotechnical drill rig on Maryland Ave. in Millvale, PA. We were performing the work for AGES, Inc. who was subcontracted by JMT and PWSA. I placed the PA 1-call on 12/29/25 for the work to be performed on 1/6/25. The boring was marked by JMT and we drilled the boring within 2' of the marked boring location due to overhead utility clearance. The driller noted all of the markings on the road and prior to starting and agreed that the boring was clear of any utilities. While sampling from 7.5-9.0 ft, the driller encountered a water line and called me immediately. The driller pulled all equipment out of the hole and moved rig off-site. I called 811 and	PITTSBURGH WATER: \$500.00 Section 2(5)(i) 1st Offense \$500.00 VERIZON: \$1,000.00 Section 2(5)(v) Subsequent \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		they placed an Emergency ticket with all information about the site. I then called PWSA Emergency line and told them all of the specifics and location of the incident. PWSA, JMT, and Borough showed up to access the site”. JOHNSON MIRMIRAN AND THOMPSON J M T the designer stated in their AVR that “Pennsylvania Drilling was to drill one auger boring with a geotechnical drill rig on Maryland Ave. in Millvale, PA. Work performed for AGES, Inc. who was subcontracted by JMT and Pittsburgh Water. PA 1-call ticket placed on 12/29/25 for the work to be performed on 1/6/25. The boring was marked by JMT to be in excess of 18" tolerance zone based on markings that were existing on the site. Penn Drill drilled the boring within 2' of the marked boring location due to overhead utility clearance. The driller noted all of the markings on the road and prior to starting and agreed that the boring was clear of any utilities. While sampling from 7.5-9.0 ft, the driller encountered an unmarked water line. The driller pulled all equipment out of the hole and moved rig off-site. 811 was called and they placed an Emergency ticket with all information about the site. PWSA Emergency line was contacted and told them all of the specifics and location of the incident. PWSA and Borough showed up to access the site”. They list the project as <\$400,000. Pictures were provided. On 12/03/2026 DPI Maki sent an email to JMT asking for contact information of American Geotechnical & Environmental Services (A.G.E.S.) and an explanation of what project they were working on. On 2/03/2026 JMT responded that “JMT was contracted by Pittsburgh Water for water main design. We brought A.G.E.S. onboard for geotechnical engineering and they contracted Pennsylvania Drilling to perform the excavation work. The work being performed was under \$400,000. PITTSBURGH WATER was sent an AVR request letter on 1/14/2026. Due on 2/3/2026. PITTSBURGH WATER & SEWER AUTHORITY THE stated in their AVR that “PENNSYLVANIA DRILLING COMPANY doing work and drilled through a mismarked 6" water main. PWSA responded, shut down and made repairs. I spoke to PWSA locators. The main and service lines were marked. The section of main that was hit dives extremely deep to go under retaining wall and it was tough to get a good signal with the locator. American Geotechnical & Environmental Services (A.G.E.S.) were sent an AVR request letter on 2/03/2026. DPI asked if there was a design completed for this work. Due by 3/3/02026. AMERICAN GEOTECHNICAL AND ENVIRONMENTAL SERVICES stated in their AVR that, “Pennsylvania Drilling was to drill one auger boring with a geotechnical drill rig on Maryland Ave. in Millvale PA. They were performing the work for AGES In. who was subcontracted by JMT and PWSA. A PA One Call was placed 12/29/2025 for the work being	

Case Number	Stakeholders	Summary	Violations & Recommendation
		performed on 1/6/2026. The boring was marked by JMT and was drilled within 2-ft of the marked location due to overhead utility clearance. The driller noted all of the markings on the road and prior to starting the boring agreed that the boring was clear of any utilities. While sampling from 7.5-9.0-ft the driller encountered a waterline and stopped drilling and called supervisors immediately. The driller then pulled the tools from the boring and moved the rig offsite. The drilling contractor contacted 811 and placed an emergency ticket with all site information. The PWSA emergency line as also contacted with the details of the incident. PWSA, JMT and Millvale Borough showed up to assess the site. They added to “Please see photos showing no water line markings within the area of the boring prior to drilling.” TICKET INFORMATION Ticket 20253440598 was submitted on 12/10/2025 by JOHNSON MIRMIRAN AND THOMPSON J M T, the designer, reads that “COULD NOT MARK LOCATION IN WHITE DUE TO PARKED CAR. TEST HOLE TO BE COMPLETED ON EXISTING WATER MAIN IN VICINITY OF 41 MARYLAND AVE. LOCATED IN PAVEMENT IN NORTHERN TRAVEL/PARKING LANE”. Work to be done is for vacuum excavation. *Case 53296 is related by ticket VIOLATIONS PITTSBURGH WATER is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance education has been recently completed VERIZON is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253633156 was submitted on 12/29/2025 with a response due by 1/04/2026. Verizon did not respond until 1/06/2026. This is a subsequent offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed	
61639	Facility Owner: NATIONAL FUEL GAS Contractor/Excavator: MORTIMER EXCAVATING Project Owner: Franklin City General Authority/Franklin City Designer: EADS GROUP	On 1/6/2026 12:31:00 PM at 14TH STREET, FRANKLIN CITY, VENANGO The incident occurred on Tuesday, January 6, 2026, at 624 14th Street, in Franklin City, Venango County. A gas line owned by National Fuel Gas (NFG) was damaged. NFG stated in their Alleged Violation Report (AVR), “Contractor damaged a properly marked NFG service line.” Mortimer Excavating stated in their AVR, “on 1/6/26 we hit gas service at 426 [624] 14th street Franklin, PA with excavator while digging mainline. Snow covered roads caused us to miss paint mark. gas service was 15" deep.” EADS Group, the designer and representing the project owner, The General Authority of the City of Franklin, stated in their AVR, “On 1/6/25, a gas service line was	MORTIMER EXCAVATING: \$500.00 Section 5(3) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		hit on 14th Street between Chestnut Street and New Street while digging to install mainline. Curt Mortimer was operator of excavator when the service line was hit. Line was marked. Line was 1.125" plastic inside of 2" plastic and was 2' deep. 911 was notified instantly, National Fuel notified and onsite. National Fuel repaired the service line in trench before any other work continued. Snow covered roads caused the paint mark to be missed." The pictures and a video show the damaged gas line. Violation: *Mortimer Excavating is in violation of section: 5(3) – Excavator failed to preserve mark-outs or request a remark. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. Mortimer Excavating is delinquent on DPC ordered education for case 453732 from 11/13/2024, and case 40181 from 10/8/2024.	
61638	Facility Owner: PEOPLES NATURAL GAS COMPANY Contractor/Excavator: GRAZIANI CONSTRUCTION Project Owner: PENNSYLVANIA AMERICAN WATER Other: KITTANNING BOROUGH Other: KITTANNING BOROUGH MUNICIPAL AUTHORITY	<u>On 1/7/2026 11:45:00 AM at 1019 ORR AVE, KITTANNING BORO, ARMSTRONG</u> The incident occurred on Wednesday, January 7, 2026, at 1019 Orr Avenue, in Kittanning Borough, Armstrong County. A gas line owned by Peoples Natural Gas Company (PNG) was damaged. The contractor, Graziani Construction stated in their Alleged Violation Report (AVR), "A gas service @ 1019 Orr Avenue that was mismarked by 3ft was hit by Excavator. Picture included in attachments." PNG stated in their AVR, water contractor hit service line that was mismark do to bad maps and records. The service 90s in it that made it 30" inch from the mark." The project owner, PA American Water Company (PAWC) stated in their AVR, "While replacing a water service line, Graziani Construction hit a mismarked gas service line." 20253630740- Routine ticket placed on 12/29/2025, response due date 1/4/2026. No Responses from: Kittanning Borough Municipal Authority, and Kittanning Borough- responded as Field Marked on 1/8/2026 and 1/16/2026. Violations: *Peoples Natural Gas Company is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty Applied *Kittanning Borough Municipal Authority is in violation of section:	PEOPLES NATURAL GAS COMPANY: \$2,000.00 Section 2(5)(i) Subsequent \$2,000.00 KITTANNING BOROUGH: \$250.00 Section 2(5)(v) 1st Offense \$250.00 KITTANNING BOROUGH MUNICIPAL AUTHORITY: \$500.00 Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		2(5)(v) – Failed to respond to a routine One Call ticket. 20253630740 Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Individual(s) responsible to perform the locate for this ticket, or their replacement(s). *Kittanning Borough is in violation of section: 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20253630740 Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61733	Facility Owner: West Penn Power/FirstEnergy Contractor/Excavator: S & M BORING Project Owner: Breezeline	<u>On 1/7/2026 2:27:00 PM at 117 MATTHEW DR, SOUTH UNION TWP, FAYETTE</u> The incident occurred on Wednesday, January 1, 2026, at 117 Matthew Drive, in South Union Township, Fayette County. An electric line owned by West Penn Power/FirstEnergy (WPP) was damaged. S & M Boring, working for Breezeline, stated in their Alleged Violation Report (AVR), “struck a unmarked electric line due to not being marked; the locator did not locate to the power meters.” WPP reported a Facility Owner issue as Missing or incorrect facility line maps or records. WPP stated in their AVR, “On December 30, 2025, S&M Boring, “Excavator”, submitted PA One Call Routine ticket 20253642567 to install fiber optic service at 123 Matthew Drive Suite 1, Uniontown, Fayette County, Pennsylvania. On January 7, 2025, the Excavator notified West Penn Power (“WPP”) of damage to the electric service to the meter. USIC, WPP’s Contract Locator, investigated and determined that the underground line was not marked.” The photos provided show the damaged line. 20260072853- Damage Emergency placed on 1/7/2026 at 2:34pm. No Response from- Breezeline Violations: *West Penn Power/FirstEnergy is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty Applied *Breezeline is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260072853 Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Individual(s) responsible to perform the locate for this ticket, or their replacement(s).	West Penn Power/FirstEnergy: \$1,500.00 Section 2(5)(i) 3rd Offense \$1,500.00 Breezeline: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00
61854	Facility Owner: National Fuel Gas Distribution Contractor/Excavator:	<u>On 1/8/2026 8:15:00 AM at 438 PATTON AVENUE, FARRELL CITY, MERCER</u> The incident occurred on	National Fuel Gas Distribution: \$500.00 Section 2(5)(i) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
	Aqua America Project Owner: Aqua - Placeholder Other: Pennsylvania One Call System	1/8/2026, at 8:15 AM, on 438 Patton Avenue, in Farrell City, Mercer County. A gas line owned by National Fuel Gas was damaged. An emergency ticket was entered for the damage. 911 was not contacted. National Fuel Gas is the facility owner. Their Alleged Violation Report (AVR) states, "Excavator struck natural gas distribution main. There were 4 customers affected from the damage." Aqua is the excavator and project owner. Their AVR states, "Aqua Crew hit a mismarked 2" plastic gas main. Foreman called National Fuel to report the damage and then called PA One Call to report the Damage. The CSR from PA One Call asked if there was a hazardous release, which there was, but did not advise the Foreman to call 911 as indicated on the bottom of the PA One Call ticket. Confirmed with PA One Call Debbie Connelly that the call was reviewed and the Foreman was not advised to call 911. Foreman also spoke with someone at National Fuel who also advised him that he didn't need to call 911. Aqua has reviewed this with the Crew and all other employees that if there is a hazardous release they must call 911 to report this." Aqua submitted 5 images of the site, excavation, damaged line, and marks. The damaged line is not within the tolerance zone of any visible marks. Violations: Facility – National Fuel Gas: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator – Aqua America: Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Pennsylvania One Call System: Section 3(7) – Failed to ensure that 911 was notified after being informed of a release of natural gas or other hazardous substance or of potential danger to life, health, or property. - warning	\$500.00 Aqua America: \$500.00 Section 5(8) 1st Offense \$500.00 Pennsylvania One Call System: \$0.00 Section 3(7) 1st Offense \$0.00
61851	Facility Owner: AQUA PENNSYLVANIA INC Contractor/Excavator: PASSERINI & SONS INC Project Owner: Lower Southampton Township Designer: CKS	<u>On 1/8/2026 10:50:00 AM at 117 TREVOSE RD, LOWER SOUTHAMPTON TWP, BUCKS</u> The incident occurred on Thursday, January 8, 2026, at 117 Trevoise Road, in Lower Southampton Township, Bucks County. A water line owned by Aqua Pennsylvania Inc was damaged.	AQUA PENNSYLVANIA INC: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	ENGINEERS INC ARRO CONSULTING Other: BUCKS COUNTY WATER AND SEWER AUTHORITY	The contractor, Passerini & Sons Inc reported a Facility Owner issue as marked incorrectly. Passerini & Sons stated in their Alleged Violation Report (AVR), "While excavating for a sewer lateral repair, Passerini & Sons, Inc. hit a mismarked 3/4 inch copper water service. This resulted in the corporation pulling out of an existing 20 inch water main. The service fed 117 Trevoise Road. This service was marked approx 27 feet away from our dig site. As a result of the hit, the main was blowing water for approx 2-3 hours until AQUA could do a shut down. As a result of the water running, we were unable to complete our project for the day. Around 2:30pm AQUA took control of the traffic and the site. Passerini & Sons, Inc. left the job site." Aqua reported a Facility Owner issue as missing or incorrect facility line maps or records. Aqua stated in their AVR, "Excavator hit mismarked water service at 117 Trevoise Rd"; "service was mismarked over 20'." CKS Engineers Inc/Arro Consulting, the designer and representing the project owner, Lower Southampton Township, stated in their AVR, "Contractor excavating for sanitary sewer later and damaged a 3/4" copper water service." The photos show the damaged mismarked water line. Bucks County Water and Sewer Authority (BCWSA) provided additional information, and they stated in their AVR, "Lower Southampton was performing a sewer lateral replacement using Passerini and Sons as the Contractor. Scheduled date was Jan 8, 2026. During the work, they hit the water service, which they claim came off the 20" water main which is owned by Aqua PA. BCWSA had previously marked our water main in the area and were unaffected by the hit, as 117 Trevoise Rd is not a BCWSA customer. BCWSA lines were clearly marked and marked correctly." "BCWSA lines not involved in the hit." Violation: *Aqua Pennsylvania Inc is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty Applied	
61725	Facility Owner: PEOPLES NATURAL GAS COMPANY LLC Contractor/Excavator: WILKINSBURG PENN JOINT WATER AUTH Project Owner: WILKINSBURG PENN JOINT WATER AUTH Other: PENN HILLS MUNICIPALITY OF- BO Other: PENN HILLS MUNICIPALITY- PNH	On 1/10/2026 11:00:00 AM at 11401 ALTHEA RD, PENN HILLS MUNIC, ALLEGHENY Dispute- Wilkinsburg Penn Joint Water Authority stated, "Would like to please dispute the penalty imposed for Case Number 06175. The marking for damaged Peoples gas facility in over 3' off as shown in photo. PNG also reported marked incorrectly by facility owner. WPJWA penalized for failing to exercise due care and employ prudent excavation techniques while excavating? Please advise." During review, it was discovered that the WPJWA was not in the tolerance zone. The violation and penalty were removed before the DPC meeting. *****	WILKINSBURG PENN JOINT WATER AUTH: \$0.00 PENN HILLS MUNICIPALITY OF- BO: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 PENN HILLS MUNICIPALITY- PNH: \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The incident occurred on Saturday, January 10, 2026, at 11401 Althea Road, in Penn Hills Municipal, Allegheny County. A gas line owned by Peoples Natural Gas Company (PNG) was damaged. PNG reported a Facility Owner issue as marked incorrectly. PNG stated in their Alleged Violation Report (AVR), “Wilkinsburg Penn Joint Water working on an emergency request struck and damaged a Peoples Gas service line. Peoples Gas marked the line via measurements as permitted in 2 5 i due to no access to tracer wire.” Wilkinsburg Penn Joint Water Authority (WPJWA) stated in their AVR, “WPJWA repairing water main break at #11401 Althea Drive Penn Hills. Struck 1" plastic gas service line to that address. Paint markings were 3' off of line location.” Photos are provided of the damaged, mismarked gas line. PNG communicated with WPJWA stating, “Dropped per measurements and induced over 4” steel ML. No wire in CB at 11401, connected to wire at meter but no signal beyond CB. Marked per measurements. There is a MH in line with the SL, told crew on site the SL could run on either side of MH and dig carefully near SL marks.” Underground Utility Line Protection Law (UULPL) aka PA One Call Law, Act 127: *Responsibilities of the Facility Owner, Section 2(5)(i)- To mark, stake, locate or otherwise provide the position of the facility owner's underground lines at the work site within eighteen inches horizontally from the outside wall of such line in a manner so as to enable the excavator, where appropriate, to employ prudent techniques, which may include hand-dug test holes, to determine the precise position of the underground facility owner's lines. This shall be done to the extent such information is available in the facility owner's records or by use of standard locating techniques other than excavation. Standard locating techniques shall include, at the utility owner's discretion, the option to choose available technologies suitable to each type of line or facility being located at the work site, topography or soil conditions or to assist the facility owner in locating its lines or facilities, based on accepted engineering and operational practices. Facility owners shall make reasonable efforts during the excavation phase to locate or notify excavators of the existence of any known lines and abandoned lines. *Responsibilities of the Excavator, Section 5(4)- To exercise due care and to take all reasonable steps necessary to avoid injury to or otherwise interfere with all lines where positions have been provided to the excavator by the facility owners pursuant to section 2 (5). Within the tolerance zone the excavator shall	Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		employ prudent techniques, which may include hand-dug test holes, vacuum excavation or similar devices to ascertain the precise position of such facilities. If insufficient information to safely excavate is available pursuant to section 2(5), the excavator shall employ like prudent techniques which shall be paid for by the project owner pursuant to clause (15). 20260100023- Excavation Emergency ticket placed on 1/10/2026 at 6:53am, type of work- repair water main break. Late Responses on 1/12/2026 from- Penn Hills Municipality (PNH) as Clear No Facilities, and Penn Hills Municipality Of (BO) as Field Marked. Violations: *Wilkinsburg Penn Joint Water Authority is in violation of section: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Penn Hills Municipality (PNH) is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260100023 Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Individual(s) responsible to perform the locate for this ticket, or their replacement(s). *Penn Hills Municipality Of (BO) is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260100023 Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62061	Facility Owner: Salisbury Township Contractor/Excavator: PPL Project Owner: PPL (Placeholder) Other: Comcast	On 1/10/2026 9:59:00 PM at 4952 LINCOLN HWY E, SALISBURY TWP, LANCASTER The incident occurred on January 10th, 2026, at 9:59 PM, at 4952 Lincoln Hwy E, in Salisbury Twp, Lancaster County. A sewer line owned by Salisbury Township was damaged. Salisbury Township, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “PP&L was replacing a broken pole. They hit the public sewer lateral that was not properly marked.” PPL, the excavator and project owner, submitted an AVR. Their AVR states, “On Saturday Jan 10th a PPL crew was replacing a pole hit on Rt 30 Lancaster when they dug into a sewer line. There were no markings	Salisbury Township: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Comcast: \$2,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		around the dig site, and we had a good PA1 call. We tried to call the PA1 number again to get a response to find out more about what was hit and no one responded. We called again and finally someone from Salisbury Twp called our Crew leader and was asking questions. He said they would be out to look at it in the morning. Our Crew covered to hole and left the site. Just in case someone is looking for info on Sunday, this is what I know.” Photos were submitted. Salisbury Township responded “clear” to the initial emergency ticket (20260100178) and therefore did not mark their line. The line was then damaged. Emergency ticket 20260100178 had a response due date of 01/10/2026. - Comcast responded 1/12/2026. Emergency ticket 20260100236 version -000 had a response due date of 01/10/2026. - Comcast responded 1/12/2026. - Salisbury Township responded “clear” to the -000 version of this ticket, but their line was then damaged, which lead to a renotify version -001. Violations: Salisbury Township - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance training education is required. Comcast- - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20260100178. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket 20260100236 version -001 Recommendation: The penalty is applied. PUC compliance training education is required.	
61761	Facility Owner: PPL Contractor/Excavator: B.R. Kreider & Son, Inc. Project Owner: WOHLSEN CONSTRUCTION Designer: DAVID MILLER ASSOCIATES INC Other: St. John Neumann Catholic Church	On 1/12/2026 10:00:00 AM at 601 E DELP RD, <u>MANHEIM TWP, LANCASTER</u> The incident occurred on 1/12/2026 at 601 E DELP RD in MANHEIM TWP in LANCASTER Co. An electric line owned by PPL was damaged. B R KREIDER AND SON INC the excavator stated in their Alleged Violation Report (AVR) that “An unmarked PPL electric line was hit while excavating for downspout drain pipe”. This is a 4 mo project excavating for a down spout drain. Project is <\$400,000. They added that lines were not marked in accordance with the ANSI standards. Pictures were provided. On 1/23/2025 DPI Maki sent an email asking who hired BR. They responded right away that they were hired by WOHLSEN CONSTRUCTION and stated that they forwarded the email where DPI Maki stated that the PO	PPL: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		does need to submit an AVR and the part of the law that describes the project owner. PPL ELECTRIC UTILITIES CORPORATION the facility owner stated in their AVR that “On Monday January 12th, 2026, B R Kreider and Son INC Was working at 601 E Delp Road installing drainage when they struck an unmarked PPL primary line. PPL was notified and when the crew arrived, they were able to make repairs. Project length was 1000 X 1000. Pictures were provided. WOHLSEN CONSTRUCTION project owner who hired B R Kreider stated in their AVR that “Underground utility line was struck”. The project cost is >\$400,000. And the project is expected to take 6 months. This work is being done for St John Neumann Catholic Church. DAVID MILLER ASSOCIATES INC was sent an AVR request letter on 3/25/2026. Designer tickets were found with AVR2026JAN260012 initial research. St. John Neumann Catholic Church hired David Miller Associates. DAVID MILLER ASSOCIATES INC stated in their AVR that. “Underground Utility line was struck.’ They listed the project as <\$400,000. St John Neumann Catholic Church is the entity who hired the designer and is having the work completed. VIOLATIONS PPL is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
61796	Facility Owner: Verizon Contractor/Excavator: SIGNARAMA MONTCO	On 1/13/2026 2:08:00 AM at E MAIN STREET, NORRISTOWN BORO, MONTGOMERY This non damage incident occurred on January 13th, 2026, at 2:08pm along East Main Street, Norristown Boro, Montgomery County. This is a non-damage incident. Case is related to cases 61096, 59735, and 60850. Signarama Montco's Alleged Violation Report (AVR) states, "Verizon is still mass responding to old, expired tickets, saying that I 'didn't provide enough info' and 'not to dig.' This is getting riddiculous. The AVR won't let me attach all 22 of the serial #'s, so here they are. 20253563683, 20253491008, 20253480220, 20253392615, 20253421546, 20253421547, 20253372232, 20253372231, 20253392614, 20253491007, 20253480222, 20253480224, 20253480222, 20253480223, 20253480219, 20253480221, 20253480220, 20253480219, 20253480221, 20253480223, 20253480224." Several tickets have violations on the related cases or were canceled by the excavator.	Verizon: \$8,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Tickets 20253563683 and 3684 recorded a "No Response" on 12/25/25 which was followed up with an "Insufficient Do Not Dig response" on 1/13/26 by Verizon. Tickets 20253491007 and 1008 recorded a "No Response" on 12/18/25 which was followed up with an "Insufficient Do Not Dig response" on 1/13/26 by Verizon. Verizon was mailed and emailed a request for an AVR on the ticket responses. Violations: Verizon Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253563683. Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253563684. Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253491007. Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253491008. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61882	Facility Owner: UGI UTILITIES, INC Contractor/Excavator: GREAT WESTERN SERVICES Project Owner: UGI UTILITIES, INC	<u>On 1/13/2026 8:30:00 AM at 60 PENN ST, EAST STROUDSBURG BORO, MONROE</u> The incident occurred on Tuesday, January 13, 2026, at 60 Penn Street, in East Stroudsburg Borough, Monroe County. A gas line owned by UGI Utilities Inc was damaged. Great Western Services (GWS) reported an Excavator issue as failed to use prudent techniques within the tolerance zone. GWS stated in their Alleged Violation Report (AVR), “While crew was hand digging by a gas mark, they identified one plastic service that was 2ft from the mark and assumed it was the only service for the mark. When they brought the backhoe in and began digging more, they hit a second plastic service line that was right under the mark.” UGI stated in their AVR, “Great Western was digging and when doing so struck a correctly marked gas service facility creating a damage. Digging in the tolerance zone.,” The photos provided show the damaged gas line within the tolerance zone. Violation: Great Western Services is in violation of section: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: Penalty Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	GREAT WESTERN SERVICES: \$500.00 Section 5(4) 1st Offense \$500.00
61782	Facility Owner: SCOTT TWP AUTHORITY Contractor/Excavator:	<u>On 1/14/2026 6:19:00 AM at FOWLERSVILLE RD, SCOTT TWP, COLUMBIA</u> The incident occurred on	PREMIUM UTILITY CONTRACTOR: \$3,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	PREMIUM UTILITY CONTRACTOR Project Owner: PPL	1/14/2026 at FOWLERSVILLE RD in Scott township in Columbia Co. *No Damage Misuse of emergency tickets. SCOTT TWP AUTHORITY Stated in their AVR that this was “Misuse of Emergency, no crews on any of the three tickets just called in!!!!@”. Email sent to SCOTT TWP AUTHORITY on 1/15/2026, asking if there are any pictures. On 1/15/2026 Scott Twp Water Authority responded that “the reason for my avr was the fact that uh they called in an emergency they called in emergency repair ticket with no emergency other than they just didn't schedule i got up to the site they called it in at like 6:15 in the morning got there on site before seven i was up there about quarter seven i'm going to say no cruise insight nobody anywhere around anywhere all buildings had power homes had power at least lights were on at all the all the homes up there nobody was anywhere around and then they didn't start work until the next day so i don't know that there was damage anywhere they weren't 2 even in the area working”. Another email was received stating that “Basically the AVR was filed based on no emergency existed. No personnel were on site within the two hour window & no work was started until today 1/15/26. Power was on at businesses and homes. No trees were down etc. There were previous one calls for these exact sites.20253492047, 202531192039, 20253492025 to be exact”. On 1/16/2026 an email was received stating that “I can take pictures on Monday of the 3 poles due to them normally not removing old ones right away”. On 1/23/2026 Scot Twp sent in pictures of the poles that were at the location of each emergency ticket that was called in. Pictures were provided PPL ELECTRIC UTILITIES CORPORATION was sent an AVR request letter on 1/15/2026. PPL AVR stated that “AVR is being filed in response to PUC request for AVR. According to information provided by PUC Damage Prevention Group, an AVR was filed stating 3 emergency tickets placed by a PPL contractor were not true emergencies. These tickets are listed below. Ticket 20260140045 was for replacing an anchor that was rotting and coming lose and needed to be replaced ASAP which is why an emergency was placed for that work. The other two tickets were for pole replacements that were not considered emergencies by PPL”. On 2/25/2026 DPI Maki sent an email asking for a work order and pictures. On 2/25/2026 an email was received that stated that “I do not have any documents. I reviewed this incident with our contractor. They were intending to just go out and replace the wire for the anchor and when they did this, the anchor started pulling our of the ground indicating that it was corroded and needed to be replaced”. PREMIUM UTILITY CONTRACTOR was sent an AVR request letter on 1/15/2026. No AVR has been	Section 5(9) 1st Offense \$1,000.00 Section 5(9) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		sent another email asking again about the AVR submission request. DPI responded on 2/26/2026 that an AVR is needed. Please see attachment named “DPI responds to TYSA AVR needed 2” for more information recorded in the emails. No AVR has been received as of 3/25/2026. Verizon the project owner was sent an AVR request letter on 1/26/2026. Due by 2/26/2026. No AVR has been received as of 3/25/2026. VIOLATIONS TYSA LLC is in violation of: Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within 30 days of the receipt of the request. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143104 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/16/2026 and the excavation scheduled for 1/17/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143116 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/16/2026 and the excavation scheduled for 1/17/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143351 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143355 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143358 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket	Section 5(22) 1st Offense \$500.00 VERIZON: \$2,500.00 Section 6.1(7) 3rd Offense \$2,000.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		20260143374 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143379 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143387 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143392 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/16/2026 and the excavation scheduled for 1/17/2026 to Replace pole/s. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260143398 was requested by TYSA LLC on 1/14/2026 at 15:29 with a response due by 1/18/2026 and the excavation scheduled for 1/19/2026 to Replace pole/s. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. VERIZON is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. This is a third offense. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
61807	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: PACT CONSTRUCTION INC Project Owner: LOWER SWATARA TOWNSHIP MUNICIPAL AUTHORITY Designer: HERBERT ROWLAND AND	<u>On 1/14/2026 8:20:00 AM at LUMBER STREET, LOWER SWATARA TWP, DAUPHIN</u> Comcast disagrees. They state that the November 14, 2025, at 9:00 a.m., was attended by Comcast’s contract locate technician. Complex Project ticket 20253110590 was submitted on 11/07/2025 with a response due by 11/13/2025 and the meeting to be held on 11/14/2025 at 9 a.m. Comcast responded "Clear no facilities" on 11/14/2025 at 9:29 a.m. This is after the meeting time. The Complex Project meeting sign in sheet does not have Comcast listed. DPI Maki sent an email to Comcast	UGI Utilities, Inc.: \$1,000.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(i.2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	GRUBIC INC Other: COMCAST Other: LOWER SWATARA TOWNSHIP	on 5/06/2026 asking who represented Comcast at the meeting. The meeting attendees that are on the Complex Project meeting sign in sheet are Veolia Water, PA1Call and UGI. NOTE: Comcast withdrew their dispute 5/12/2026 ***** The incident occurred on 1/14/2026 on LUMBER STREET in LOWER SWATARA TWP in DAUPHIN Co. A gas line was damaged. PACT CONSTRUCTION INC stated in their Alleged Violation Report (AVR) that PACT WORKMEN UNCOVERED AND DAMAGED A 3/4" STEEL GAS SERVICE TO #531 LUMBER STREET. APPROXIMATELY 18" DEEP. No project cost provided, but project is listed as 2100LF. 911 was notified. Reports were provided. HERBERT ROWLAND AND GRUBIC INC the designer stated in their AVR that "AT approximately 8:30 AM on January 14, 2026, the Contractor, PACT One, struck a 3/4" UGI gas lateral servicing 531 Lumber Street while excavating to install a new sewer main. The lateral was properly marked by UGI, but the Contractor indicated that it was not as deep as anticipated. PACT reported that the lateral was 18" from the top of the road. Project is >\$400,000. The length is listed as 2300'. Above ground survey was listed as completed. Pictures and reports were provided. UGI UTILITIES INC the facility owner stated in their AVR that "PACT Construction was digging on Lumber St, Middletown to install new sewer line when they struck and damaged a correctly marked gas service going to 531 Lumber St". They add that "Service line to 531 Lumber St was marked accurately with paint and flags". Pictures were provided. HERBERT ROWLAND AND GRUBIC INC submitted another AVR representing Lower Swatara Township Municipal Authority who is the Project owner and a facility owner. Lower Swatara Township Municipal Authority stated in this AVR that "At approximately 8:30 AM on January 14, 2026, the Contractor, PACT One, struck a 3/4" UGI gas lateral servicing 531 Lumber Street while excavating to install a new sewer main. The lateral was properly marked by UGI, but the Contractor indicated that it was not as deep as anticipated. PACT reported that the lateral was 18" from the top of the road". Reports were provided. Complex Project ticket 20253110590 was submitted by PACT CONSTRUCTION INC on 11/07/2025 with a response due by 11/13/2025. The meeting was held on 11/14/2025 at 9:00am. Meeting attendees were: PACT ONE, L.L.C., PA ONECALL, VEOLIA WATER AND UGI. Lower Swatara Township responded that they will attend the meeting, but did not attend the meeting.	Section 2(5)(iii.1) 1st Offense \$250.00 PACT CONSTRUCTION INC: \$500.00 Section 5(4) 1st Offense \$500.00 LOWER SWATARA TOWNSHIP MUNICIPAL AUTHORITY: \$1,000.00 Section 6.1(4) 1st Offense \$500.00 Section 2(5)(viii) 1st Offense \$500.00 COMCAST: \$1,000.00 Section 2(5)(viii) 2nd Offense \$1,000.00 LOWER SWATARA TOWNSHIP: \$500.00 Section 2(5)(viii) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Lower Swatara Township Municipal Authority responded that they will attend the meeting but did not attend the meeting. Comcast did not respond until 11/14/2025 that they are clear. This is a late response. VIOLATIONS UGI Utilities, Inc. is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253420409 was submitted by PACT CONSTRUCTION INC on 12/08/2025 with a response due by 12/10/2025. UGI did not respond until they field marked on 1/02/2026. Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20253521950 was submitted by PACT CONSTRUCTION INC on 12/18/2025 with a response due by 12/22/2025. UGI scheduled mark on 12/22/2025 and did not mark out until 1/02/2026. Section 2(5)(i.2) – Failed to document Communications between a Facility Owner and Excavator to ensure the excavator is aware of a facility owner’s inability to locate it’s facilities. Ticket 20253420409 had no comments or written agreements. Section 2(5)(iii.1) – Facility owner failed to propose a mutually agreeable scheduling by which the excavator, facility owner or designer may locate the facilities. Ticket 20253521950 was responded to on 12/22/2025 with the scheduled date and time that lines will be marked, but this was not in mutual agreement. No other written agreements were provided. Recommendation: The penalty is applied. The required PUC education was recently completed. PACT CONSTRUCTION INC is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. The PUC required education has not been completed as of 2/04/2026. The education requirement was due by 8/13/2024. LOWER SWATARA TOWNSHIP MUNICIPAL AUTHORITY is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). The response to Complex Project ticket 20253110590 read that they will attend the meeting, but they did not attend the meeting. Section 6.1(4) – Failed to participate in design and preconstruction meetings. The project owner is required to participate in design and preconstruction meetings. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). LOWER SWATARA TOWNSHIP is in violation of:	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). The response to Complex Project ticket 20253110590 read that they will attend the meeting, but they did not attend the meeting. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). COMCAST is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex Project ticket 20253110590 was submitted by PACT CONSTRUCTION INC on 11/07/2025 with a response due by 11/13/2025. Comcast did not respond until 11/14/2025 that they are clear. This is a late response. Recommendation: The penalty is applied. The required PUC education was recently completed.	
62036	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: A K FENCING Project Owner: Sue Hobson Other: FIDELITY CONTRACTING LLC Other: Lower Providence Township Other: Verizon Other: Zayo	<u>On 1/16/2026 9:30:00 AM at 1011 CARDINAL RD, LOWER PROVIDENCE TWP, MONTGOMERY</u> Lower Providence Township violation reduced from \$1000 to a warning of \$0. ***** The incident occurred on 1/16/2026, at 9:30 AM, on 1011 Cardinal Rd, in Lower Providence Twp, Montgomery County. A water line owned by Pennsylvania American Water was damaged. Pennsylvania American Water is the facility owner and project owner. Their Alleged Violation Report (AVR) states, “The water main was marked and Flagged were 100 percent accurate. After marking the water main the locator told the home owner that white proposed marks need to move them back two feet at least. The locator also called A K FENCING and left a message about moving it back. Nobody from the fencing company called him back. The fencing company while using a auger drilled right into our 4" water main less than a foot by the markings. So we had to shut down the water main causing 18 people without water for several hours until it was fixed. We fixed the water main and the water was back on by 2pm.” Images submitted support the statement in Pennsylvania American Water’s AVR. The damaged occurred within the tolerance zone of the blue marks. A K Fencing is the excavator. Their AVR states, “We were installing fence at 1011 Cardinal Rd. & saw that a public water line was close, according to the mark out, but the paint mark was 18" away from the edge of our post hole that we were auguring & figured we're okay, but we did hit the pipe then.. We directly notified the water company right away & they fixed it.”	A K FENCING: \$750.00 Section 5(4) 1st Offense \$500.00 Section 5(6) 1st Offense \$250.00 Lower Providence Township: \$0.00 Section 2(5)(vii) 1st Offense \$0.00 Verizon: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Zayo: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ticket # 20260150937 New – Excavation– Emergency was entered on 1/15/26 at 9:59 AM. A renotify was entered on 1/15/2026 at 12:19PM with the following note, “ATTN LOWER PROVIDENCE TWP, VERIZON, AND ZAYO BANDWIDTH, YOU HAVE NOT RESPONDED TO THE TICKET. PLEASE VISIT THE SITE ASAP TO HAVE ANY AND ALL LINES MARKED, AND UPDATE RESPONSES ONCE COMPLETED. PLEASE CONTACT ONSITE FOR ANY QUESTIONS. THANK YOU”. Lower Providence Township responded “clear” on 1/15/2026 at 1:16 PM Zayo responded “clear” on 1/16/2026 at 12:26 PM Verizon responded “Field Marked” on 1/15/2026 at 12:50 Violations: Excavator - A K Fencing: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(6) – Excavator failed to inform each operator employed by the excavator at the work site of the information obtained. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Facility (other) - Lower Providence Township: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260150937 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) -Verizon Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260150937 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) -Zayo Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260150937 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62010	Facility Owner: Verizon Contractor/Excavator: Empire Boring Inc Project Owner: Verizon - Spacesaver Designer: Verizon - Spacesaver	<u>On 1/16/2026 12:00:00 PM at LUTE RD, CAMBRIA TWP, CAMBRIA</u> Two separate incidents occurred. The first incident occurred on 1/16/2026, the second occurred on 1/19/2026. Both incidents occurred on Lute Rd in Cambria Township in Cambria Co. Communication lines owned by Verizon were damaged. EMPIRE BORING INC stated in their Alleged Violation Report (AVR) for incident occurring on 1/16/2026 that	Verizon: \$9,250.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(vii) Subsequent \$2,500.00 Section 6.1(7) 3rd Offense \$2,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		“Installing fiber conduit for verizon in existing easement. Existing easement is 5ft on each side of marked verizon landline. Verizon line was struck and mismarked by 3ft”. Directional Drilling method was used to install utilities. Project is <\$400,000. Pictures were submitted. EMPIRE BORING INC submitted another AVR for incident occurring on 1/19/2026 which stated that “Installing fiber conduit for Verizon. Working in verizon existing easement 5ft on each side of markings. Markings were incorrect and off by 3ft which line was damaged” Pictures were submitted. Empire Boring responded that “Cost- Unknown Prints were made for this job Not shared excavators Empire was not charged We are doing the work for verizon, installing conduit in existing verizon easement. The line was marked incorrectly by 3ft which line was struck”. On 1/29/20026 DPI Maki sent an email to EMPIRE BORING INC asking about the scope and cost of the entire project. Were designs provided to the excavator? Did Verizon send a bill for repair? DPI also asked for the best contact for Empire Boring Inc. On 1/29/2026 an email was received stating that, “the cost was unknown. Prints were made for this job that were not shared with the excavators. Empire was not charged for the damage. Empire was working for Verizon, installing conduit in existing Verizon Easement.” They added that ,”The line was marked incorrectly by 3FT ”. Verizon was sent an AVR request letter on 1/29/2026. On 1/30/2026 DPI sent an email asking for the part of the design that showed the underground information in the area where the damage occurred. No AVR has been received as of 4/01/2026. ON 1/30/2026 Verizon responded with an email stating that ,” I believe at first glance this was a contractor working for verizon that hit our own cable. We did not submit any design plans. I am still researching this.” An email was sent to OneCall on 4/01/2026 asking why Verizon was not a stakeholder on ticket 20260161675. They were on the other provided tickets. An email response was received on 4/01/2026 stating that, “The serial number you provided stated the type of line damage was unknown. Verizon was did not receive this ticket because of their mapping. They did receive serial number 20260191520 for a Verizon line hit on 1/19 at the intersection of Lute and Thomas were they did have lines mapped.” Ticket 20260010059 is submitted by Empire Boring Inc to work on Lute Rd. The site is said to be marked in white. The nearest intersection is Dillon Ln. [STARTING APPROX 1500FT SOUTH OF POLE 328/P64 CONTINUING SOUTH ANOTHER 500FT AND STOPPING AT POLE 328/P59. FOLLOWING EXISTING VERIZON EASEMENT. MARKED IN WHITE.] Verizon responded with “field marked”.	Section 4(2.2) 1st Offense \$250.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(2) 1st Offense \$250.00 Section 2(2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ticket 20260131993 was submitted by Empire Boring Inc on 1/13/2026 with a response due by 1/15/2026. The work site is on Lute Rd and the nearest intersection is listed as Thomas Rd. [STARTING 500FT NORTH OF THOMAS RD AND CONTINUING 500FT SOUTH TO THOMAS RD AND CROSSING TO WEST SIDE OF LUTE RD AND STOPPING. FOLLOWING EXISTING VERIZON EASEMENT. MARKED IN WHITE.]. Verizon never responded. *Emergency ticket 20260161675 states that an unmarked line was hit at 1409 Lute Rd, while directional drilling. All facility owners responded with “clear” Verizon is not listed as a facility owner. Verizon was not on this ticket because of their mapping. VIOLATIONS Verizon is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket 20260131993 was submitted by Empire Boring Inc on 1/13/2026 with a response due by 1/15/2026. The work site is on Lute Rd and the nearest intersection is listed as Thomas Rd. [STARTING 500FT NORTH OF THOMAS RD AND CONTINUING 500FT SOUTH TO THOMAS RD AND CROSSING TO WEST SIDE OF LUTE RD AND STOPPING. FOLLOWING EXISTING VERIZON EASEMENT. MARKED IN WHITE.]. Verizon never responded. This is a subsequent offense. Section 2(5)(vii) – Failed to respond to an emergency notification 20260191520 as soon as practicable following notification. Verizon never responded to this emergency ticket. This is a subsequent offense. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a subsequent offense. Section 2(2) To provide the OneCall System, within 5 business days, with any revised information required under this section. Emergency ticket 20260161675 stated the type of line damage was unknown. Verizon was not on Emergency ticket 20260161675 because of their mapping. They did receive serial number 20260191520 for a Verizon line hit on 1/19 at the intersection of Lute and Thomas where they did have lines mapped. Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. This is a third time offense. Section 2(2) To provide the OneCall System, within 5 business days, with any revised information required under this section. Verizon was not listed on Emergency ticket 20260161675, and their line was hit.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement. Facility owner PUC compliance education has been recently completed.	
61905	Facility Owner: Philadelphia Gas Works Contractor/Excavator: CARR & DUFF INC Project Owner: Philadelphia City Lights	<u>On 1/19/2026 11:30:00 AM at N 32ND ST, PHILADELPHIA CITY, PHILADELPHIA</u> The incident occurred on 1/19/2026 on N 32ND ST, in PHILADELPHIA CITY in PHILADELPHIA CO. Excavation occurred prior to the lawful start date and a gas line was damaged. CARR AND DUFF stated in their Alleged Violation Report (AVR) that “At approximately 1130am on 1/19/26, C&D crew was digging next to a 2" conduit with wire but not energized . Digging 20-24". Exposed an unmarked gas line and scraped the top causing a dime sized hole. Crew was digging prior to the lawful start date of 1/21/26, Foreman stopped all work, called 911, C&D safety department and PM”. 911 was notified. PHILADELPHIA GAS WORKS (PGW) stated in their AVR that “Contractor CARR and DUFF damaged high pressure 1 1/4 H.P service to 3201 Market ST with backhoe. The one call they had put in for this job was due on the 20th and they started working 1 day earlier then the lawful start date and damaged the service. ticket#20260150178”. PGW added that “Carr and Duff started work on this job 1 day too early before we had a chance to respond to the ticket. They did not start work on their lawful start date, Also where they excavated at clearly had an outside meter set that was very visible but as you can see they still chose to use an backhoe right in front of the outside meter set and hit the gas line”. Picture was provided. CITY OF PHILADELPHIA was sent an AVR request letter on 1/26/2026. No AVR has been received, and no contact has been made as of 4/01/2026. Ticket 20260150178 was submitted by CARR AND DUFF INC] on 1/15/2026 with a response due by 1/20/2026 and a legal dig date of 1/21/2026. The damage incident occurred on 1/19/2026. VIOLATIONS CARR AND DUFF is in violation of: Section 5(2.1) - Began excavation work before the lawful start day (on ticket). Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. CITY OF PHILADELPHIA is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes	CARR & DUFF INC: \$1,000.00 Section 5(2.1) 1st Offense \$1,000.00 Philadelphia City Lights: \$1,500.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		a violation of this act has been committed in association or demolition. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalty is applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement.	
62014	Facility Owner: Columbia Gas Contractor/Excavator: Snyder Environmental Services, Inc. Project Owner: Somerset Borough Designer: THE EADS GROUP INC Other: Comcast Other: Verizon North	<u>On 1/19/2026 5:05:00 PM at 1119 S COLUMBIA AVE, SOMERSET BORO, SOMERSET</u> The incident occurred on January 19th, 2026, at approximately 5:05 PM, at 1119 South Columbia Avenue, in Somerset Borough, Somerset County. A gas line owned by Columbia Gas was damaged. 911 was called. Columbia Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "While replacing the sewer main and lateral, SES Snyder Environmental Services struck an accurately marked gas service line while operating mechanized equipment within the tolerance zone, causing damage to the facility. This contact resulted in the unintended release of natural gas." Snyder Environmental Services, Inc., the excavator, submitted an AVR. Their AVR states, "The gas service was marked correctly but paint was unseen due to snow cover. 911 & 811 was notified." Somerset Borough, the project owner, submitted an AVR. Their AVR states, "The Gas service was marked but the paint was not seen due to snow cover. 911 & 811 was notified by the contractor" The EADS Group Inc., the designer, submitted an AVR. Their AVR states, "Gas services was marked correctly but paint was unseen due to snow cover. 911 & 811 was notified." All AVRs state the gas line was marked accurately using paint, but the painted mark out was not seen due to snow cover. A remark of the lines was not requested. This case is related to case 061273. Routine ticket 20260060265 had a response due date of 01/08/2026. - Comcast responded to this ticket on 01/09/2026. Routine ticket 20260060579 had a response due date of 01/08/2026. - Comcast responded to this ticket on 01/09/2026. Routine ticket 20260091029 had a response due date of 01/14/2026. - Verizon North responded to this ticket on 01/21/2026.	Snyder Environmental Services, Inc.: \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(3) 1st Offense \$0.00 Comcast: \$500.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$250.00 Verizon North: \$3,500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(vii) 2nd Offense \$1,500.00 Section 2(5)(vii) 2nd Offense \$1,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Emergency ticket 20260191765 had a response due date of 01/19/2026. - Verizon North responded to this ticket on 01/21/2026. Emergency ticket 20260191794 had a response due date of 01/19/2026. - Verizon North responded to this ticket on 01/21/2026. Violations: Snyder Environmental Services, Inc. - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. - Section 5(3) – Excavator failed to preserve mark-outs or request a remark. (Warning.) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s). Comcast- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20260060265. - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20260060579. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Verizon North- - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Routine ticket 20260091029. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Emergency ticket 20260191765. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Emergency ticket 20260191794. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62337	Facility Owner: PECO Contractor/Excavator: BRUBACHER EXCAVATING INC Project Owner: AQUA PENNSYLVANIA INC Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC Other: VERIZON Other: VERIZON	<u>On 1/20/2026 8:50:00 AM at 805 HALLOWELL LN, WEST GOSHEN TWP, CHESTER</u> The incident occurred on 1/20/2026 at 805 Hallowell Ln in WEST GOSHEN TWP in Chester Co. A gas line owned by PECO was damaged. BRUBACHER EXCAVATING INC stated in their Alleged Violation Report (AVR) that “While excavating the trench for new water main installation on Ridgewood Ln project, the crew hit an exposed gas line. A 1/2" diameter black conduit was found at 2'-6" deep. The excavation was in the street at 805 Hallowell Ln. The work was being performed for Aqua PA. Original Ticket #2026 005 1522 and the damage ticket #2026 020 0546. Project owner is Aqua. 911 was notified.	BRUBACHER EXCAVATING INC: \$500.00 Section 5(6)(ii) 1st Offense \$500.00 VERIZON: \$1,000.00 Section 2(5)(v) Subsequent \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		AQUA PENNSYLVANIA INC stated in their AVR that “Aqua Contractor Brubacher Excavating, while excavating the trench for new water main installation on Ridgewood Ln project, the crew hit an exposed gas line. A 1/2" diameter black conduit was found at 2'-6" deep. The excavation was in the street at 805 Hallowell Ln”. PECO was sent an AVR request letter on 2/11/2026. PECO stated in their AVR that, “CONTRACTOR INSTALLING WATER MAIN FOR AQUA PA. EXPOSED GAS SERVICE AND WAS USING A DIGGING BAR TO CLEAR AND HIT THE SERVICE.” TOTAL ENGINEERING AND CONSULTING SERVICES LLC stated in their AVR that. “Aqua Contractor, Brubacher Excavating, while excavating the trench for new water main installation on Ridgewood Ln project, the crew hit an exposed Gas line. A 1/2" diameter black conduit was found 2'-6" deep. The excavation was in the street at 805 Hallowell Ln.” 911 was notified. Ticket 20260051522 was submitted by BRUBACHER EXCAVATING INC on 1/05/2026 with a response due by 1/07/2026. Verizon did not respond “field marked” until 1/13/2026. VIOLATIONS BRUBACHER EXCAVATING INC is in violation of: Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Verizon is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. This is a subsequent offense. PUC compliance education has been recently completed.	
62464	Facility Owner: PECO Contractor/Excavator: RABE PLUMBING AND HEATING Project Owner: HOMEOWNER Other: AQUA WATER COMPANY	<u>On 1/20/2026 1:55:00 PM at 923 REMINGTON RD, LOWER MERION TWP, MONTGOMERY</u> The incident occurred on 1/20/20026 at 923 REMINGTON RD in LOWER MERION TWP in Montgomery County. An electric feed to streetlight was damaged. PECO AN EXELON COMPANY stated in their Alleged violation Report (AVR) that, “RABE PLUMBING WORKING FOR AQUA TO REPLACE WATER MAIN AND SERVICES STRUCK THE ACCURATELY MARKED SECONDARY WITH A BACKHOE. ACCURATE MARKS AT LOCATION DESTROYED BY WEATHER AND WORK BUT STILL VISIBLE”. Detailed damage report was provided. Pictures show marks consistent with saw cutting and a bucket.	RABE PLUMBING AND HEATING: \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$0.00 HOMEOWNER: \$0.00 Section 6.1(7) 1st Offense \$0.00 Section 6.1(8) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		RABE PLUMBING AND HEATING was sent an AVR request letter on 3/03/2026. RABE PLUMBING AND HEATING stated in their AVR that, “Contractor was hand digging in rocky soil to find electric line, and it was accidentally. I am not sure type of alleged violation is right below or reason.” No pictures were provided. *Aqua is listed as the PO on ticket 20260131994, and an AVR request letter was sent. Aqua responded in an email received on 3/05/2026, that this work was not being done for Aqua. HOMEOWNER SHERI HERZBERG was sent an AVE request letter with questions on 3/05/2026. NO AVR has been received. No contact has been made. VIOLATIONS: RABE PLUMBING AND HEATING is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. See attachment named “Damage_Details_2026.01_09.26.21_4852441” Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Excavator submitted an AVR when requested, but AVR should have been submitted within 30 days of the damage. Recommendation: The penalty for section 5(4) Excavator failed to use prudent excavation techniques is applied. Violation 5(16) Excavator submitted an AVR when requested. AVR should have been submitted within 30 days of the damage. \$1000. penalty is reduced to a warning. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Homeowner Sara Greco is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: For violation Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report The \$1000. Penalty is reduced to a warning. For violation of Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission. The penalty of \$500. is reduced to a warning.	
62467	Facility Owner: PECO Contractor/Excavator: INTREN Project Owner: PECO - placeholder	<u>On 1/21/2026 12:45:00 PM at CRUM CREEK DR, RIDLEY TWP, DELAWARE</u> The incident occurred on 1/21/2026, at 12:45 PM, on Crum Creek Dr, in Ridley Twp, Delaware County.	PECO: \$1,000.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Designer: ROUSSEY COMPANIES	A gas line owned by PECO was damaged. An emergency ticket was entered for the damage. PECO is the facility owner and project owner. Their Alleged Violation Report (AVR) states, "INTREN, WORKING FOR PECO ELECTRIC, FAILED TO REVIEW GAS PRINTS, FAILED TO ID LOCATION OF GAS MAIN, FAILED TO RENOTE TICKET AFTER SNOWSTORM, AND AUGERED INTO 2" GAS MAIN." Intren is the excavator. Their AVR states, "On Wednesday January 21st at around 12:45, and Intren Overhead electrical crew was using a digger to dig a hole for a pole. While they were digging the hole, at the depth of 3 feet, the crew struck an unmarked gas line which punched a hole in the pipe. The crew stopped work and made the correct calls to Intren GF, PA 1 Call, 911, PECO OCC and PECO SCC. Gas crew arrived to complete repairs and damage prevention." Ticket #20260150217 New – Excavation – Routine was a routine ticket for the damage location. PECO responded "Field Marked" on 1/16/2026, then "Conflict" on 1/21/2026 at 3:33 PM after the damage occurred. No marks are seen in the images provided that indicate the line was marked at the time the damage occurred. No design plans were found/provided by PA One Call during their Initial Review of the AVRs, or with the Coordinate PA documents. Ticket # 20260150245 New – Excavation – Routine had a response due date of 1/20/2026. PECO responded "field marked" on 1/21/2026 at as their only response. Violations: Facility – PECO: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket # 20260150245 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	Section 2(5)(v.2) 2nd Offense \$500.00
62046	Facility Owner: Philadelphia Gas Works Contractor/Excavator: J Silva and Sons LLC Project Owner: Danella Line Services Inc. Other: Comcast Other: Philadelphia City Water Department Other: Verizon	<u>On 1/22/2026 9:20:00 AM at 1000-901 Franklin Mills Circle, PHILADELPHIA CITY, PHILADELPHIA</u> Philadelphia Gas Works submitted a dispute with additional information. Violation withdrawn. Comcast accepts. ***** The incident occurred on January 22nd, 2026, at approximately 9:20 AM, at 1000-901 Franklin Mills Circle, in Philadelphia City, Philadelphia County. A gas line owned by Philadelphia Gas Works was damaged. 911 was called.	Philadelphia Gas Works: \$0.00 Comcast: \$250.00 Section 2(5)(v) 1st Offense \$250.00 Philadelphia City Water Department: \$750.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Philadelphia Gas Works, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "J.SILVA & SONS damaged 2" i.p gas line to 852 FRANKLIN MILLS CIR." J Silva and Sons LLC, the excavator, submitted an AVR. Their AVR states, "Working for Comcast project installing a 2" pipe project using HDD we struck a 2" gas service mismarked 7"-14" off the yellow mark." Danella Line Services Inc., the project owner, submitted an AVR. Their AVR states, " Subcontractor J Sylva and Sons was working for Danella Line Services doing a directional drill to place innerduct for Mastec, a subcontractor for Comcast. While drilling J Sylva struck a 2-inch plastic PGW gas service that was mismarked by 7 feet." Photos were submitted. The submitted photo (General Liability #3449 pic 1) shows the bore path, damaged location and gas line mark outs. The gas company used yellow paint and flags. The gas line mark out was inaccurate. The damage did not occur within the tolerance zone. Routine ticket 20253440602 had a response due date of 12/12/2025. - Verizon did not respond to this ticket until 12/16/2025. - Philadelphia City Water Department responded to the ticket on 12/11/2025 w/ "SCHEDULED DATE & TIME LINES WILL BE MARKED BY: 12 Dec 2025". Did not give a final response. Routine ticket 20253440705 had a response due date of 12/12/2025. - Verizon did not respond to this ticket until 12/16/2025. - Philadelphia City Water Department responded to this ticket on 12/11/2025 w/ "SCHEDULED DATE & TIME LINES WILL BE MARKED BY: 12 Dec 2025". They did not respond field marked until 12/23/2025. Routine ticket 20260073282 had a response due date of 01/09/2026. - Comcast did not respond to this ticket until 01/15/2026. Per Act 127 of 2024 - Underground Utility Protection Law, it shall be the duty of each facility owner to: - Mark, stake, locate or otherwise provide the position of the facility owner's underground lines at the work site within eighteen inches horizontally from the outside wall of such line in a manner so as to enable the excavator, where appropriate, to employ prudent techniques, which may include hand-dug test holes, to determine the precise position of the underground facility owner's lines. - Respond to all notices through the One Call System, provided the request is made in the time frame set forth under this act. The response shall be made not later than the end of the second business day following receipt of the notification by the One Call System, excluding the business day upon which the notification is received, or	Verizon: \$500.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		not later than the day prior to the lawful start date of excavation if the excavator specifies a later date. Violations: Philadelphia Gas Works- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. (Withdrawn.) Verizon- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20253440602. - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20253440705. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Philadelphia City Water Department- - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Routine ticket 20253440602. - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20253440705. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Comcast- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20260073282. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62514	Facility Owner: VERIZON Contractor/Excavator: Caddick Utilities Project Owner: Aqua PA Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC Other: PECO	<u>On 1/22/2026 10:43:00 AM at 6291 and BOWEN RD, BENSALEM TWP, BUCKS</u> AQUA disagreed and stated that they are not the final designer for this stating that TOTAL ENGINEERING AND CONSULTING SERVICES LLC is the designer. DPI sent a copy of the design with the revision to aqua. Aqua provided information that there was no revision that was done to the plans but explained that the word "revision" is part of the form that they use. There is a proposed layout completion date on the form which falls within the final project dates. The violation to Aqua is withdrawn. ***** The incident occurred on 1/22/2026 at BOWEN RD in BENSALEM TWP in Bucks County. A Communications line owned by Verizon was damaged.	VERIZON: \$7,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(14) 1st Offense \$500.00 Section 2(10) Subsequent \$2,500.00 Aqua PA: \$0.00 TOTAL ENGINEERING AND CONSULTING SERVICES LLC:

Case Number	Stakeholders	Summary	Violations & Recommendation
		CADDICK UTILITIES LLC stated in their Alleged Violation Report (AVR) that, “Damaged unmarked telecom line.” The added that the facility owner had unmarked maps of facility line information was missing. Report and Photos were provided. AQUA PENNSYLVANIA INC stated in their AVR that, “Aqua Contractor Caddick Utilities damaged unmarked telecom line - Bowen Rd.” Aqua’s name is on the design. On 4/06/2026 DPI Maki sent an email asking AQUA If the cost of this project was >\$400,000. and who is the final designer for this project? PECO signed the designs that were provided. PECO signed the designs that were provided. On 4/09/2026 Aqua responded that this project is >\$400,000. and that Total Engineering is the final designer for this project. TOTAL ENGINEERING AND CONSULTING SERVICES LLC stated in their AVR that, “ Aqua Contractor Caddick Utilities damaged unmarked telecom line - Bowen Rd.” Verizon was sent an AVR request letter on 3/03/2026. No AVR has been received as of 4/09/2026. *Case is connected to tickets 60951, 61214, 61604, 62012. VIOLATIONS VERIZON is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket 20260161953. Ticket 20260161953 was submitted by CADDICK UTILITIES LLC on 1/16/2026 with a response due by 1/21/2026. Verizon did not respond “Clear” until 3/03/2026. This is a subsequent offense. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a subsequent offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of request. This is a subsequent offense. Recommendation: The penalties are applied. PUC compliance education has been recently completed. TOTAL ENGINEERING AND CONSULTING SERVICES LLC is in violation of: Section 4(3) – Designer’s drawing does not show the position and type of each facility owner’s line, and the name of the facility. Section 4(4.1) - Failed to depict lines or facilities with the appropriate quality levels based on the complexity of the design and construction activities obtained through	\$750.00 Section 4(3) 1st Offense \$250.00 Section 4(4.1) 1st Offense \$500.00 PECO: \$1,000.00 Section 2(5)(v) Subsequent \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the SUE process in the planning and design phases in accordance with the American Society of Civil Engineers (ASCE) most recently published standard CI/ASCE 38. Recommendation: The penalty is applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). AQUA is in violation of: Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed. TECS submitted Final design ticket 20252623485 on 9/19/2025. See attachment named "12096285 Report" which shows Aqua submitting the proposed layout Completion revision on 10/16/2025. PECO is in violation of: Section 2(5)(v) – Failed to respond to routine One Call ticket 20260161953 within the required amount of time. Ticket 20260161953 was submitted by CADDICK UTILITIES LLC on 1/16/2026 with a response due by 1/21/2026. PECO did not respond "filed marked" Until 1/23/2026. This is a subsequent offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
62212	Facility Owner: MUNICIPAL AUTHORITY OF WESTMORELAND COUNTY Contractor/Excavator: EAST COAST PROPERTY MAINTENANCE LLC Project Owner: PEOPLES NATURAL GAS Designer: PEOPLES NATURAL GAS - spacesaver	<u>On 1/23/2026 9:15:00 AM at wyoming st, HEMPFIELD TWP, WESTMORELAND</u> Peoples Gas disagreed with violations 6.1(3) and 2(5)(v) and accepted the violation 4(2) and provided an explanation. On 6/02/2026 DPI sent Peoples Gas an email stating that the violation will be maintained for 6.1(3), but the \$500. penalty is reduced to a warning. DPI Maki also asked for verification of a mutual agreement in writing to consider violation section 2(5)(v). On 6/04/2026 an email was received showing that contact was made with the excavator and agreed upon. The \$750 penalty is reduced to \$350. but even with a mutual agreement, tickets still need to be responded to in the PAOneCALL system. On 6/05/2026 PNG accepted the violations and penalties as written. ***** The incident occurred on 1/23/2026 on Wyoming St in Hempfield Township in Westmoreland Co. A ¾" copper water service line owned by MUNICIPAL AUTHORITY OF WESTMORELAND COUNTY was damaged. EAST COAST PROPERTY MAINTENANCE LLC the excavator, stated in their Alleged Violation Report (AVR) that "While digging the trench for the gas main and crossing over a water service crew hand dug attempting to locate. Crew got to depth without sight of the water line and while attempting to clean up the trench the operator caught the water service resulting in damage. The service ran on a angle and not a straight line. Westmoreland water was notified. East coast crews dug for the water company to help make the repair. Westmoreland water made the repair and service was restored". Pictures were provided.	EAST COAST PROPERTY MAINTENANCE LLC: \$500.00 Section 5(4) 1st Offense \$500.00 PEOPLES NATURAL GAS: \$875.00 Section 6.1(3) 1st Offense \$0.00 Section 4(2) 1st Offense \$500.00 Section 2(5)(v) 3rd offense \$375.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PEOPLES NATURAL GAS COMPANY LLC (PNG) the facility owner, stated in their AVR that “East Coast Property and Maintenance was digging to install new gas mains and services when they struck a 3/4" copper service line. Service ran to 240 Wyoming st Greensburg. Water line was marked correctly”. MUNICIPAL AUTHORITY OF WESTMORELAND COUNTY the facility owner stated in their AVR that “Excavator, East Coast Property Maintenance was digging to install a new gas line for Project Owner, Peoples Gas. East Coast struck an accurately marked Municipal Authority of Westmoreland County (MAWC) water service in the vicinity of 240 Wyoming St. in Hempfield Township. The MAWC service was pulled out of the 6" water main. East Coast contacted MAWC to report the damage. MAWC responded and made the necessary repairs”. Pictures were provided. VIOLATIONS EAST COAST PROPERTY MAINTENANCE LLC is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. PEOPLES NATURAL GAS COMPANY LLC is in violation of: Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed. Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 2(5)(v) – Failed to respond to a routine One Call ticket 20260054036 within the required amount of time. Ticket 20260054036 was submitted by EAST COAST PROPERTY MAINTENANCE LLC on 1/05/2026 with a response due by 1/07/2026. PNG did not respond until 1/12/2026. This is a third time offense. Recommendation: The penalty is applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s).	
62125	Facility Owner: Hampton Shaler Water Authority Contractor/Excavator: W.A Petrakis Contracting Co. Project Owner: Peoples Natural Gas Company Other: KEYSTONE SURVEYING AND MAPPING Other: VERIZON Other: VERIZON BUSINESS FORMERLY MCI	On 1/23/2026 10:30:00 AM at 603 Burchfield Road, <u>SHALER TWP, ALLEGHENY</u> The incident occurred on 1/23/2026 at 603 Burchfield Road in SHALER TWP in Allegheny Co. A water service line was damaged. HAMPTON SHALER WATER AUTH stated in their Alleged Violation Report (AVR) that “On January 23, 2026 around 10:30A.M. a service line was hit by W.A Petrakis Contracting Co. Hampton Shaler Water Authority was notified and a crew sent to shut off the water main. Upon investigation at the scene it was determined the service line that was struck was within	W.A Petrakis Contracting Co.: \$500.00 Section 5(4) 1st Offense \$500.00 VERIZON: \$1,000.00 Section 2(5)(viii) 2nd Offense \$1,000.00 VERIZON BUSINESS FORMERLY MCI: \$500.00 Section 2(5)(viii) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the tolerance zone of the paint markings and the proper repairs were made. Water was then restored to the area and photos taken of the incident.(attached). W A PETRAKIS CONTRACTING COMPANY stated in their AVR that “While digging a trench for gas main installation W. A. Petrakis encountered a water service line in the middle of the street servicing address 603 Burchfield Rd, Allison Park, PA, 15101. The line was damaged by excavator and the only visible marks were on the curb near curb box of the water service. upon review there were marks closer to the damage but were likely washed away by weather factors. Hampton Water was notified, they sent a crew and W. A. Petrakis assisted the repair of the water service”. PEOPLES GAS stated in their AVR that “On 1/23/2026, W.A. Petrakis Contracting Company was digging to install a natural gas mainline for PNG when they struck an accuratley marked Hampton Shaler Water SL. Petrakis called Hampton Shaler Water and repairs were made”.Peoples also answered questions that Hampton Shaler Water Authority was notified directly. The project cost was over \$400,000 and 3,516 fee. Peoples Gas was the final designer for this. SUE level C. Final design one call number is 20253421515. Pictures were provided. Complex Project ticket 20253461713 was submitted by W A PETRAKIS CONTRACTING COMPANY on 12/12/2025 with the complex project meeting to be held on 12/17/2025 at 10 am. Verizon Business never responded to this ticket. Verizon responded that they will attend the meeting, but they did not attend the meeting. Hampton Shaler Water Authority responded that they will attend the meeting. They are listed on the sign-in sheet. Please be aware that the final response should be attended meeting. Shaler Township responded that they will attend the meeting. They are lised on the sign-in sheet. Please be aware that the final response should be attended meeting. Ticket 20260232136 was submitted by W.A Petrakis Contracting Co. on 1/23/20026 at 15:36 with a response due by 1/27/2026. Shaler Township had no response until on 1/28 they “field marked” Hampton Shaler Water Authority never responded. Peoples Natural Gas never responded. VIOLATIONS W.A Petrakis Contracting Co. is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		VERIZON BUSINESS FORMERLY MCI is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex Project ticket 20253461713 was submitted by W A PETRAKIS CONTRACTING COMPANY on 12/12/2025 with the complex project meeting to be held on 12/17/2025 at 10 am. Verizon Business never responded to this ticket. They did not attend the meeting. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). VERIZON is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). This is a second offense. Complex Project ticket 20253461713 was submitted by W A PETRAKIS CONTRACTING COMPANY on 12/12/2025 with the complex project meeting to be held on 12/17/2025 at 10 am. Verizon responded that they will attend the meeting, but they did not attend the meeting. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62137	Facility Owner: UGI Contractor/Excavator: Lancaster City Water - LU Project Owner: UGI - Placeholder	<u>On 1/30/2026 10:30:00 AM at 1720 ROCKVALE RD, WEST LAMPETER TWP, LANCASTER</u> The incident occurred on 1/30/2026, at 10:30 AM, on 1720 Rockvale Rd, in West Lampeter Twp, Lancaster County. A gas line owned by UGI Utilities was damaged. UGI Utilities is the facility owner. Their Alleged Violation Report (AVR) states, “Excavator utilizing mechanized equipment, struck an unmarked gas service.” Lancaster City Of Water is the excavator and project owner. Their AVR states, “water main break repair in front of 1720 Rockvale rd., emergency Pa1 call via emergency ticket with drawn area for mark outs made prior to Water department response. UGI responded and marked their gas main (no gas service lines marked in this area) When digging with backhoe operator pulled up a 1" plastic gas service line. Stopped digging and called 911 and called UGI for response. Took pictures of the scene, no gas service line marked at the address of the one call on either side of the road, also no other service lines marked in the area of the one call. Only 3 marks found from UGI over Gas Main.” Images provided show the site, excavation, marks, and damaged gas line. The main is marked but there are no marks to indicate the damaged lateral gas line. Violations:	UGI: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Facility – UGI: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62171	Contractor/Excavator: GELA CABLE TECHNOLOGY Project Owner: Comcast Other: PECO	<u>On 2/1/2026 12:00:00 AM at 352 W MORELAND AVENUE, UPPER MORELAND TWP, MONTGOMERY</u> The incident occurred on 2/1/2026 and 2/2/2026 and is due to emergency tickets being placed for non-emergency situations. Act 127 of 2024 defines "'Emergency' means a sudden or unforeseen occurrence involving a clear and immediate danger to life, property or the environment, including, but not limited to, serious breaks or defects in a facility owner's lines." PECO is the facility owner who submitted an Alleged Violation Report (AVR) on the 2 emergency tickets. Gela Cable Technology is the excavator who entered the emergency tickets. The tickets list the following as the work type, "INSTL NEW CABLE CONDUIT". Comcast is the project owner. An AVR was not filed as of 03/09/2026. Ticket #20260320393 and #20260320394 were Routine tickets entered by Gela Cable on 2/1/2026 for 352 W MORELAND AVENUE. Ticket # 20260330215 and # 20260330216 were emergency tickets entered by Gela Cable on 2/2/2026 for the same location as the routine tickets. Violations: Excavator - Gela Cable Technology: Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Ticket # 20260330215 Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Ticket # 20260330216 PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	GELA CABLE TECHNOLOGY: \$1,000.00 Section 5(22) 1st Offense \$500.00 Section 5(22) 1st Offense \$500.00
62561	Facility Owner: UGI Contractor/Excavator: Verizon Project Owner: Verizon (Placeholder)	<u>On 2/2/2026 12:25:00 PM at 36 DELAWARE ST, PLAINS TWP, LUZERNE</u> The incident occurred on February 2nd, 2025, at approximately 12:25 PM, at 36 Delaware Street, in Plains Township, Luzerne County. A gas line owned by UGI was damaged. UGI, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Excavator struck and damaged a correctly marked gas facility while using mechanized equipment in the tolerance zone. Excavator damaged the anti corrosion coating. Job site was marked	Verizon: \$500.00 Section 5(20) 1st Offense \$250.00 Section 5(6)(i) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		prior to snow storm. Excavator did not attempt to uncover or expose markings.” Photos were submitted. Verizon, the excavator and project owner, submitted an AVR on 04/01/2026, after an AVR request letter was sent on 03/27/2026. Their AVR states, “On 02/02/2026, Verizon, allegedly hit a utility owned by UGI at 36 Delaware St, Plains Twp, LUZERNE. UGI markings were wrong, well off where they indicated gas line was.” Emergency ticket 20260331875 (requested by Verizon) states the gas crew was already on site, there was not a hazardous release, and the gas line was grazed. The submitted photos show a few inches of snow on the ground. No utility mark outs are visible. Due to the snow, Verizon sent a renotify ticket (20260201548 version 001) on 02/02/2026 at 11:07 AM, that stated, “ATTN UGI YOU RESPONDED FIELD MARKED. DUE TO SNOW CREW ON SITE AND CANNOT LOCATE MARKS. PLEASE RETURN TO SITE AND MARK ASAP.” The damage emergency ticket was then placed on 02/02/2026 at 12:28 PM (1 hour and 21 minutes after the renotify ticket was placed.) UGI had responded “Field Marked” to the initial routine ticket, indicating there were lines in the area. The excavator also noted on the renotify ticket that they cannot locate the lines. Act 127 of 2024 – The Underground Utility Protection Law, Section 5 states that it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - (20) To renotify the One Call System of an unmarked or incorrectly marked facility, if an original, proper locate request has been made to the One Call System and, upon initial arrival at the proposed work site, it is apparent to the excavator that there is an unmarked or incorrectly marked facility. An excavator may not begin excavating in the affected area of the work site until after receiving sufficient information from the facility owner to safely excavate. If the facility owner fails to provide sufficient information to the excavator within three hours after the excavator has notified the One Call System of the unmarked or incorrectly marked facility, the excavator may proceed with excavation subject to the limitations under clause (5). This clause shall apply to an emergency or nonemergency locate request. Violations: Verizon- - Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
62242	Facility Owner: West Penn Power / First Energy Contractor/Excavator: Peoples Gas Project Owner: Peoples Gas (Placeholder)	<u>On 2/3/2026 10:50:00 AM at 7 MALLARD CT, PENN TWP, WESTMORELAND</u> Peoples Gas disputed. They submitted additional information to support why they excavated prior to the electrical line being marked as requested in their emergency ticket. ***** The incident occurred on February 3rd, 2026, at approximately 10:50 AM, at 7 Mallard Court, in Penn Township, Westmoreland County. An electrical line owned by West Penn Power was damaged. West Penn Power, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “On February 3, 2026 at 9:35 AM, Peoples Natural Gas Company LLC “Excavator” submitted PA One Call Emergency ticket 20260340793 to repair a gas line at 7 Mallard Court, Penn Township, Westmoreland County, PA. At approximately 10:40 AM, customers in the area reported no power. West Penn Power “WPP” investigated and located a damaged WPP underground secondary line. The root cause of the dig in is that the Excavator dug prior to the electric line being marked.” Photos were submitted. Peoples Gas, the excavator and project owner, submitted an AVR. Their AVR states, “Peoples gas crews were digging to repair a leak at 7 Mallard Ct Export when they struck an unmarked electric line. PNG hit the line at approximately at 10:50am. USIC showed up after 11:40am to mark the damaged line. PNG did not receive any phone calls from USIC. West Penn crews arrived shortly after to repair the damage.” Photos were submitted. The initial emergency ticket (20260340793) was placed at 9:25 AM, to repair a gas line. West Penn Power responded to the ticket at 12:24 PM. The damage occurred at approximately 10:52 AM. The electrical line was not marked out when it was damaged. Violations: Peoples Gas Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. (withdrawn) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	Peoples Gas: \$0.00
62234	Facility Owner: Veolia Water PA Inc. Other: EBERSOLE EXCAVATING	<u>On 2/4/2026 9:00:00 AM at 100 NISSLEY DR, LOWER SWATARA TWP, DAUPHIN</u> The incident occurred on 2/4/2026, at 9:00 AM, on 100 Nissley Dr, in Lower Swatara Twp, Dauphin County.	Veolia Water PA Inc.: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Other: VEOLIA WATER - Placeholder	A water line owned by Veolia Water was damaged. Veolia Water is the facility owner and project owner. Their Alleged Violation Report (AVR) states, "WHILE DIGGING TO REPLACE THE WATERMAIN, AN UNMARKED SERVICE WAS HIT AND PULLED OUT OF THE WATERMAIN, WHICH THEN CRACKED THE PVC WATERMAIN AS WELL." Ebersole Excavating is the excavator. Their AVR states, "WHILE REPLACING WATER MAIN THEY ENCOUNTERED AN UNMARKED WATER SERVICE THAT WAS PULLED OUT OF THE MAIN & CAUSED THE MAIN TO RUPTURE." Images provided show the site, excavation, and damage. There are no marks shown in the area of the damage to indicate the line that was damaged. The damage occurred within the location scope of the routine ticket for this excavation. Violations: Facility Owner – Veolia Water: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62326	Facility Owner: UGI Utilities Contractor/Excavator: UGI Placeholder Project Owner: UGI Placeholder Other: EAST PENNSBORO TOWNSHIP	<u>On 2/4/2026 11:30:00 AM at 157 WYOMING AVE, EAST PENNSBORO TWP, CUMBERLAND</u> Incident occurred on February 4th, 2026, at 11:30am on 157 Wyoming Avenue, East Pennsboro Township, Cumberland County. A gas line was damaged. UGI's Alleged Violation Report (AVR) states, "UGI Utilities Inc. was digging to retire an existing gas service to 157 Wyoming Ave in Enola. A correctly marked gas service going to 158/160 Wyoming Ave was struck and damaged." AVR notes that 911 was notified. East Pennsboro Township's AVR states, "Received one call for 157 Wyoming Ave on 1/28/2026 for cutting off gas service, crews responded to mark sewer and storm water lines. Received emergency one call for utility damage for gas at 157 Wyoming Ave on 2/4/2026. Crews went out to mark sewer and storm water lines." Images from UGI show that the lateral was marked within the tolerance zone. Recommended violation, penalty, and education: UGI Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques.	UGI Utilities: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		-PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
62669	Facility Owner: PECO Contractor/Excavator: Caddick Utilities Project Owner: Aqua America Designer: TOTAL ENGINEERING AND CONSULTING SERVICES	<u>On 2/6/2026 10:30:00 AM at ROESCH AVE, SPRINGFIELD TWP, MONTGOMERY</u> The incident occurred on 2/6/2026, at 10:30 AM, on Roesch Ave, in Springfield Twp, Montgomery County. A gas line owned by PECO was damaged. An emergency ticket was entered for the damage. PECO is the facility owner. Their Alleged Violation Report (AVR) states, "Caddick was excavating to install a new water main for Aqua water when they struck an accurately marked 1" plastic gas service using a backhoe." PECO provided no documentation with their AVR and were asked for more information via email on 3-20-2026. Images were provided that show the marks prior to excavation, and the site and damage after excavation. The damage was within the tolerance of the marks. Caddick Utilities is the excavator. Their AVR states, "Damaged incorrectly marked gas service. The marks were within the tolerance zone but were not labelled. The damaged line was 1" plastic. The crew had located a 1/2" plastic line just outside the tolerance zone. Throughout the main laying process, all the gas services that were previously crossed were also 1/2" plastic. The actual line was 1" plastic and deeper than they have been. Had the line been labelled for type and size the crew would have known to keep looking for the 1" line." No documentation was provided that Caddick contacted the facility due to the statement in their AVR, "The crew had located a 1/2" plastic line just outside the tolerance zone." Aqua is the project owner. Their AVR states, "Aqua Contractor Caddick Utilities damaged an incorrectly marked gas service. The marks were within the tolerance zone but were not labeled. The damaged line was 1" plastic. The crew had located a 1/2" plastic line just outside the tolerance zone. Throughout the main laying process, all the gas services that were previously crossed were also 1/2" plastic. The actual line was 1" plastic and deeper than they have been. Had the line been labelled for type and size the crew would have known to keep looking for the 1" line. - 222 Roesch Ave". Total Engineering And Consulting Services is the designer. An AVR was not filed as of 03/20/2026 and an AVR request was sent the same day. The AVR they submitted states the same information as Aqua's AVR. They did not provide any details on the designs. Violations: Excavator - Caddick Utilities: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques.	Caddick Utilities: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
62385	Facility Owner: Peoples Gas Company Project Owner: Homeowner Project Owner: Matthews Wall Anchor LLC	<u>On 2/9/2026 3:00:00 PM at 1750 DOMINION DRIVE, UPPER ST CLAIR TWP, ALLEGHENY</u> Incident occurred on February 9th, 2026, at 3pm on 1750 Dominion Drive, Upper Saint Clair Township, Allegheny County. A gas line was damaged. Peoples Gas Company's Alleged Violation Report (AVR) states, "ON 2/10/26 MATHEWS WALL ANCHOR SERVICE WORKING AT 1750 DOMINION DR, STRUCK THE CUSTOMER SIDE GAS SERVICE LINE. MARKS WERE GOOD, FAILED TO SPOT SERVICE AND USE PRUDENT TECHNIQUES IN THE TOLERANCE ZONE. PNG WAS NOTIFIED, ARRIVED ONSITE AND SHUT GAS OFF, MATHEWS WALL ANCHOR SERVICE WILL NEED TO REPLACE SERVICE LINE." Matthews Wall Anchor, LLC's AVR states, "Hit the gas line with a machine, spotter was being used. Line was not marked at the curb box on the day we started 2/9/26, they did not mark it until 2/10/26 9Am, our Forman was on site when they showed up." AVR notes that 911 was notified. Images show that the line was damaged within the tolerance zone. Recommended violation, penalty, and education: Matthews Wall Anchor, LLC Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	Matthews Wall Anchor LLC: \$500.00 Section 5(4) 1st Offense \$500.00
62367	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: James T O'Hara Inc Project Owner: WEST PITTSTON BORO Designer: REILLY ASSOCIATES	<u>On 2/10/2026 9:00:00 AM at WYOMING AVE, WEST PITTSTON BORO, LUZERNE</u> The incident occurred on 2/10/2026, at 9:00 AM, on Wyoming Ave, in West Pittston Boro, Luzerne County. A water line owned by Pennsylvania American Water was damaged. Pennsylvania American Water is the facility owner. Their Alleged Violation Report (AVR) states, ““At approximately 9:30am on Tuesday, February 10th the contractor, James T O'Hara, was excavating to install a manhole when they hit and broke a 3"" cast iron water main. Locator marked mains depicted on sketch on file. No records were found for damaged line.”” James T Ohara Inc is the excavator. Their AVR provides no summary or information on the incident. West Pittston Boro is the project owner. Their AVR states, “Street commissioner notified of exposed water	Pennsylvania American Water (PAWC): \$500.00 Section 2(5)(i) 1st Offense \$500.00 James T O'Hara Inc: \$500.00 Section 5(6)(ii) 1st Offense \$500.00 WEST PITTSTON BORO: \$500.00 Section 2(5)(v.2) 1st Offense \$250.00 Section 2(5)(v.2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		main line by contractor, as they were in the process of installing a stormwater manhole; This was on Delaware Avenue, West Pittston PA. Both parties were unsure of water line being live or out of service. Contractor called street commissioner and notified them that there was a partial shelf collapse which resulted in the water main breaking. No West Pittston Borough property was damaged during this mishap.” REILLY ASSOCIATES is the designer. An AVR was not filed as of 03/20/2026. Images provided show the site, excavation, equipment, marks, and damage. There are no visible marks to indicate the line that was damaged. Excavator daylighted the line and failed to contact the facility, submit a ticket to PA One Call, or provide support or protection for the line. Damage occurred after the line was daylighted. Ticket #20260330630 had a response due date of 2/4/2026. West Pittston Borough responded “clear” on 2/12/2026 as their only response. Ticket # 20260352751 New – Excavation – Routine had a response due date of 2/6/2026. West Pittston Borough responded “clear” on 2/12/2026 as their only response. Violations: Facility – Pennsylvania American Water: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator – James T Ohara Inc: Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Project Owner - West Pittston Boro: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20260330630 Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket # 20260352751 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62711	Facility Owner: PECO Contractor/Excavator: UTILITY LINE SERVICES Project Owner: PECO - Placeholder Designer: PECO - Placeholder Other: BUCKS COUNTY	<u>On 2/17/2026 12:15:00 PM at PATTON RD, SPRINGFIELD TWP, MONTGOMERY</u> The incident occurred on 2/17/2026, at 12:15 PM, on 8808 Patton Rd, in Springfield Twp, Montgomery County. An electric line owned by PECO was damaged. An emergency ticket was entered for the damage.	UTILITY LINE SERVICES: \$1,500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(4) 1st Offense \$500.00 Verizon, PA LLC:

Case Number	Stakeholders	Summary	Violations & Recommendation
	WATER AND SEWER AUTHORITY Other: Verizon, PA LLC	PECO is the facility owner, designer, and project owner. Their Alleged Violation Report (AVR) states, “On 02/17/2026, UTILITY LINE SERVICES working for PECO hit a marked electric with a backhoe.” No images or documents were submitted with their AVR and an email was sent on 3-31-2026 requesting mark out images. Mark out and damage images were provided. Utility Line Services is the excavator. Their AVR states, “The crew was hand digging a tie-in hole in the area of 8808 Patton Rd. to locate the marked utilities. They found the gas main and continued to hand dig on the electric mark the full length of the tie-in hole. They thought they found all existing lines and were in the clear (gas main, orange conduit and a single black line). They began digging with the backhoe and found 3 additional electrical lines that were located deeper than where they had stopped hand digging. Two of the three lines were damaged. Proper notifications were made.” Bucks County Water And Sewer Authority submitted an AVR stating they were not involved. Ticket 20260200380 was the original routine ticket for this excavation and was entered on 1/20/2026 for excavation starting 1/23/2026. The complex project ticket was entered on 1/15/2026, for a proposed dig date of 1/30/2026. Section 5(2.1) of Act 127 of 2024 states, “In the case of a complex project, notification shall not be less than ten business days in advance of the beginning of excavation or demolition work.” Ticket # 20260411565– Verizon did not respond to the routine or renotify ticket. Ticket # 20260482291 New – Damage – Emergency – Verizon did not respond. Images submitted show the excavation occurred in the tolerance zone of the red marks. The damaged line was within the tolerance zone of the marks. Violations: Excavator - Utility Line Services: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Ticket # 20260152498 Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Facility (other) – Verizon: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket # 20260411565-000 Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260482291	\$3,000.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v.1) 3rd Offense \$1,500.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. Ticket # 20260411565-001 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
63015	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: Homeowner Project Owner: Homeowner	<u>On 2/21/2026 12:30:00 PM at 265 TIOGA ST, HAMILTON TWP, TIOGA</u> Homeowner disagrees. Please see attachment "DPI responds to homeowner stating lines were not marked." On 6/04/2026 The homeowner sent in a statement that UGI did not mark their lines. She added that she will send in more pictures and show where the excavation was. Please see attachment named " Tioga St Feb 12 pic 1". This picture shows where the damage occurred and where the excavation took place. See also picture 4, which show the marks and flags in the snow. The marks cross the road before the camper, as they lead to the flagged meter on the house. Water is marked directly in the path of the excavation. On 7/02/2026 DPI called homeowner to let her know about the DPC discussion that is coming up. Homeowner sent an email stating that she did not want to disagree and speak to the DPC. ***** The incident occurred on 2/21/2026 at 265 TIOGA ST in HAMILTON TWP in TIOGA Co. A gas line owned by UGI was damaged. UGI UTILITIES INC stated in their Alleged Violation Report (AVR) that, “While excavating to clear a water service valve, an individual struck and damaged a gas main. Ticket was originally submitted as an emergency ticket and marked while snow and ice were present. Excavation did not take place until 9 days later when all marks were obliterated.” 911 was notified. Pictures were provided. Homeowner Rhonda Moore was sent an AVR request letter on 3/23/2026. Ron Moore the excavator was sent an AVR request letter on 3/23/2026. Damage Prevention Investigator (DPI) returned a call to Rhonda Moore on 3/30/2026, who stated that Ron Moore, her husband, was the excavator and they have an old beat up backhoe that they used. The water pipe owned by Hamilton Township was broken and they went without water for 10 days. Hamilton Township could not come out and Rhonda asked if they could dig the water line up to help the township fix their line. She stated that the ground was frozen and when her husband put his bucket in, the gas line was hit. They notified UGI and asked if there was anything else that they needed to do. UGI stated that they will notify 911 for them and that there was nothing else they needed to do. Rhonda stated that emergency personnel did respond. Rhonda went to the OneCall site and tried to submit an AVR, but was not successful. DPI Maki offered to accept an email with her statement, but Rhonda had already tried to submit her	Homeowner: \$0.00 Section 5(3) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		AVR through the OneCall system, so DPI Maki gave her the number to PaOneCall to submit an AVR by phone or get help with the AVR submission. On 3/31/2026 DPI Maki returned another call to Homeowner Rhonda Morre, who stated that she still was unsuccessful in submitting an AVR through the OneCall system and had left 2 messages asking for help with her AVR submission and was waiting for a call back. DPI Maki stated that she will accept an email in lieu of an AVR, since they are not professional excavators and because of the unsuccessful attempts to submit an AVR. DPI Maki sent a follow-up email to Rhonda so that Rhonda could make her statement. Rhonda stated in an email that was received on 3/31/2026 that, "The water froze at my residence on Feb8th,2026. I contacted the water authority that again my water was frozen underground, presumably in the same vicinity that it had been freezing for the past few years. They indicated on the 11th that they were trying to find someone to dig it up to thaw it. I called 811 on the 12th to get everything marked out. My husband and I told the municipality that we would get it dug up for them, so they could do the work on the line. They agreed. We dug on the 21st and unfortunately hit an old gas line that was unmarked and only about 8 inches underground. I called Ugi, they sent a service man and emergency services in response." VIOLATIONS Ron Moore is in violation of: Section 5(3) – Homeowner failed to preserve mark-outs or request a remark. Pictures that were provided by UGI showed that the area was marked with paint and at least 1 flag. Snow was on the ground. Emergency ticket 20260432308 was submitted by Rhonda Moore on 2/12/2026 at 15:24, with the excavation expected to start on 2/14/2026. The excavation began on 2/21/2026. Recommendation: The \$500. Penalty is reduced to a warning. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. The Moores own excavating equipment. *Damage Prevention Investigator (DPI) returned a call to Rhonda Moore on 3/30/2026, who stated that Ron Moore, her husband, was the excavator and they have an old beat up backhoe that they used. The water pipe was owned by Hamilton Township and per the homeowner, they were not able to come out to fix this line. There was no violation given for submitting an emergency ticket because this homeowner went for 10 days without water. Hamilton Township could not come out during this time and the homeowner asked if they could dig the water line up themselves to help out.	
62682	Facility Owner: Columbia Gas Contractor/Excavator: Northern Pipeline Construction Project Owner: Columbia Gas - Spacesaver Designer: COLUMBIA	<u>On 2/24/2026 8:54:00 AM at 121 EAST ST, CUMBERLAND TWP, GREENE</u> Carmichaels Cumberland Joint Sewer Authority's disagreed and stated that they were in attendance for the Complex Project meeting. The complex project sign in sheet from 12/05/2026 confirms this. DPI reduced the \$500. penalty to a warning and maintained the education requirement.	Columbia Gas: \$250.00 Section 4(2.2) 1st Offense \$250.00 Northern Pipeline Construction: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	GAS - SPACESAVER Other: CARMICHAELS CUMBERLAND JOINT SEWER AUTHORITY (CCJSA) Other: KEYSTONE CONSULTANTS Other: WEST PENN POWER / FIRST ENERGY Other: Windstream	On 5/26/2026 an email was received accepting the warning with the education to CCJSA. Columbia Gas disagreed with the violation of Section 4(2.2) and stated that "Regarding violation 4(2.2): "Failed to submit a design notification through the One Call System when a design drawing is completed." Our original final design was submitted on January 24, 2024. The project was subsequently delayed until November 2025, at which time a preliminary design ticket was entered in error instead of a final design ticket. The complex was created on November 26, 2025, and the complex meeting was held on December 5, 2025. We acknowledge that we did not have a valid final design ticket at the time of the complex project and therefore accepted violation 4(2.2). However, we respectfully request consideration for the removal of the education requirement associated with this violation, given the circumstances and the nature of the administrative error. The education requirement has been removed. ***** The incident occurred on 2/24/2026 at 121 EAST ST In CUMBERLAND TWP, in Green County. A 1" gas plastic service line owned by Columbia Gas was damaged. NORTHERN PIPELINE CONSTRUCTION stated in their Alleged Violation Report (AVR) that, "While digging for 2" mainline on behalf of Columbia Gas for an infrastructure replacement project, the crew came into contact with a 1" PE service line severing it causing a release of product. Site was made safe, 911 was called, and Columbia Gas was notified. The crew mistook a marking for no curb valve with an arrow as the service line mark. The service line was located 5 feet from this mark (three feet outside the mistaken marked tolerance zone) which was covered by snow and road slurry and went unnoticed by the crew." The project is listed as >\$400,000, with a length of 13,428 '. Above ground survey was completed. On 3/26/2026 DPI Maki sent an email to Columbia Gas and NORTHERN PIPELINE CONSTRUCTION for some clarity about the mark out. Was the mark out fully completed by the ticket due date of 1/16/2026. Damage occurred on 1/24/2026. Columbia Gas stated in their AVR that, "NPL, working on behalf of Columbia Gas on an infrastructure replacement project, struck an accurately marked 1" plastic service line serving 121 East St. in Carmichaels. After the damage occurred, the crew immediately contacted 911 as well as Columbia Gas while simultaneously working to shut down the gas. The shutdown was completed quickly enough that the fire department was notified they did not need to respond because the area had been made safe. Columbia Gas Service Technicians arrived promptly, conducted perimeter safety checks, and confirmed the surrounding	CARMICHAELS CUMBERLAND JOINT SEWER AUTHORITY (CCJSA: \$0.00 Section 2(5)(viii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		area was secure while the contractor completed repairs and restored service to the customer. A detailed investigation determined that the incident resulted from an error during the lay path walk. The crew mistakenly placed tolerance zones based on a yellow NCV mark with an arrow pointing toward the home, an orientation that typically aligns with a service line when the property has been fully located. However, this particular NCV mark had been placed earlier by a locator who was only identifying curb boxes, not performing the full locate. As a result, the NCV mark was offset approximately 5 feet from the actual gas service. When the contractor avoided digging within the tolerance zone painted on the NCV mark, they inadvertently struck the active service line. Corrective action moving forward will be to inform all contractor employees that curb box markings and no curb valve markings are not always in line with the marked facility. Also, if a locator works ahead identifying curb boxes, they shall paint "no curb valve" markings with a different color to alert the crew that they need to identify the facility marks. KEYSTONE CONSULTANTS stated in their AVR that, "I don't know what happened in this area but I received an email from PA One Call saying an AVR needed submitted for an area we submit a preliminary design only one call on 2/27/2024. I don't have any other information on this." Ticket 20260140721-000 was requested on 1/14/2026 by NORTHERN PIPELINE CONSTRUCTION with a response due by 1/16/2026. WEST PENN POWER did not respond "field marked" until 1/14/2026 and on 2/24/2026. Windstream responded "clear" on 1/14/2026, then on 2/24/2026 NORTHERN PIPELINE CONSTRUCTION submitted Renotify Ticket 20260140721-001 RNO Remarks-- [ONSITE MARKINGS ARE INCOMPLETE. PLEASE RETURN TO COMPLETE THE MARKINGS. THANK YOU.] AH 0 AH =WINDSTREAM KN 0 KN =WEST PENN POWER. Please note that Windstream Kinetic Service is provided to 121 EAST ST. in Carmichaels in Cumberland Township in Green Co. VIOLATIONS: Northern Pipeline Construction is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: the penalty is applied. PUC compliance education has been recently completed. Columbia Gas is in violation of: Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: the penalty is applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). Windstream is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Renotify Ticket 20260140721-001 was requested on 2/24/2026 by NORTHERN PIPELINE CONSTRUCTION. RNO Remarks-- [ONSITE MARKINGS ARE INCOMPLETE. PLEASE RETURN TO COMPLETE THE MARKINGS. THANK YOU.] AH 0 AH =WINDSTREAM KN 0 KN =WEST PENN POWER. This is a second offence. Recommendation: The penalty is applied. PUC compliance education has been recently completed. WEST PENN POWER is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. WEST PENN POWER did not respond “field marked” on 1/14/2026 and on 2/24/2026. Renotify Ticket 20260140721-001 was requested on 2/24/2026 by NORTHERN PIPELINE CONSTRUCTION. RNO Remarks-- [ONSITE MARKINGS ARE INCOMPLETE. PLEASE RETURN TO COMPLETE THE MARKINGS. THANK YOU.] AH 0 AH =WINDSTREAM KN 0 KN =WEST PENN POWER. This is a second time offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed. CARMICHAELS CUMBERLAND JOINT SEWER AUTH is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Complex Project ticket 20253301061 was submitted by NORTHERN PIPELINE CONSTRUCTION on 11/26/2025, with the meeting to be held on 12/12/2025. The response was due by 12/04/2025. CARMICHAELS CUMBERLAND JOINT SEWER AUTH did not respond “field marked” until 1/07/2026. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62661	Facility Owner: Peoples Natural Gas Contractor/Excavator: CASPER COLOSIMO AND SON INC Project Owner: Pennsylvania American Water (PAWC) Other: BOROUGH OF DRAVOSBURG Other: Verizon	On 2/24/2026 11:30:00 AM at <u>MONROE AVE, WEST MIFFLIN BORO, ALLEGHENY</u> The incident occurred on 2/24/2026, at 11:30 AM, on Monroe Ave, in West Mifflin Boro, Allegheny County. A gas line owned by Peoples Natural Gas was damaged. An emergency ticket was entered for the damage. Peoples Natural Gas is the facility owner. Their Alleged Violation Report (AVR) states, “ON 2/24 CASPER COLOSIMO AND SON INC WORKING FOR PA AMERICAN WATER HIT A PNG JUMPER TAP ON A 3 INCH PLASTIC MAIN LINE CROSSING, CROSSING MARKS WERE OFF DUE TO SIGNAL	Peoples Natural Gas: \$500.00 Section 2(5)(i) 1st Offense \$500.00 BOROUGH OF DRAVOSBURG: \$250.00 Section 2(4) 1st Offense \$250.00 Verizon: \$250.00 Section 2(4) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		BLEED OFF ONTO AN UNMARKED WATER SERVICE LINE AT THE TIME PNG MARKED TICKET. CASPER COLOSIMO AND SON INC FAILED TO SPOT CROSSING WHILE SPOTTING ALL GAS SERVICE LINES. CASPER COLOSIMO AND SON INC NOTFIED 911 AND 811 PNG CREWS ARRIVED ONSITE AND MADE REPAIRS.” Casper Colosimo And Son is the excavator. Their AVR states, “Casper Colosimo Crew with Jonathan Florcassie as Foreman was test pitting all utilities with a vac truck before starting pipe installation on Monroe St in West Mifflin. We were hand digging the 2a stone from the existing Water Main with a shovel and we struck and damaged an unmarked Peoples Gas 1” Service. The closest Peoples Gas mark was 10 feet away. We vacuum excavated all Peoples Gas marks that were placed on the ground. This is clearly the facility’s owners liability for not locating properly.” Pennsylvania American Water is the project owner and designer. Their AVR states, “Colosimo crew was vacuum excavating and while hand digging with a shovel to uncover the existing water main hit and damaged an unmarked Peoples gas service line. The closest marks were 10' away.” Ticket # 20252652343 and 20252652344 Renotify – Excavation-Final Design were entered on 10/7/2025 and indicated “THERE IS NO RESPONSE IN THE PA811 SYSTEM. PLEASE RESPOND THROUGH THE PA811 SYSTEM. THANK YOU.” DRAVOSBURG BOROUGH did not respond. Verizon responded on 11/4/2025. Images provided support the statements in the AVRs. Violations: Facility - Peoples Natural Gas: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) - DRAVOSBURG BOROUGH: Section 2(4) – Failed to respond to designer’s request for information within 10 business days. Ticket # 20252652343 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) – Verizon: Section 2(4) – Failed to respond to designer’s request for information within 10 business days. Ticket # 20252652344 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	

Case Number	Stakeholders	Summary	Violations & Recommendation
63084	Facility Owner: PHILADELPHIA GAS WORKS Contractor/Excavator: Reliant services Project Owner: Homeowner	<u>On 2/25/2026 10:34:00 AM at 4220 NEILSON, PHILADELPHIA CITY, PHILADELPHIA 7-7-2026 - PGW withdraws dispute for July 2026 DPC</u> ***** Pending dispute from PGW. Sent email on 5-15-2026 showing them markout versus damage images and that the line was not within 18" of the marks. ***** The incident occurred on 2/25/2026, at 10:34 AM, on 4220 Neilson, in Philadelphia City, Philadelphia County. A gas line owned by Philadelphia Gas Works was damaged. 911 was not contacted, and no emergency ticket was entered for the damage. Philadelphia Gas Works is the facility owner. Their Alleged Violation Report (AVR) states, "Contractor Reliant Services damaged 1" plastic gas line to 4220 Neilson ST". Reliant Services is the excavator. An AVR was not filed as of 03/17/2026 and an AVR request was sent the same day. An AVR was submitted that states, "Crew was working on site when gas line was hit. Gas company was called immediately and they repaired the line. We were digging in the designated area and we had marked it white and the utilities lines were marked in yellow no where near our digging site. Attached pictures show this." The homeowner is the project owner. An AVR was not filed as of 03/18/2026. Images submitted show yellow marks within close proximity to the excavation. The line that was damaged was not within the tolerance zone of the yellow marks where the damage occurred. Violations: Facility – PGW: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator - Reliant Services: Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	PHILADELPHIA GAS WORKS: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Reliant services: \$1,000.00 Section 5(8) 1st Offense \$1,000.00
62816	Facility Owner: Peoples Natural Gas Contractor/Excavator: Shadco LLC Project Owner: Peoples Natural Gas - Placeholder	<u>On 2/27/2026 10:00:00 AM at LOGAN ST, PUNXSUTAWNEY BORO. JEFFERSON</u> The incident occurred on 2/27/2026, at 10:00 AM, on Logan St, in Punxsutawney Boro, Jefferson County.	Shadco LLC: \$250.00 Section 5(6)(i) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Designer: Gateway Engineers Designer: Peoples Natural Gas - Placeholder	A gas line owned by Peoples Gas was damaged. An emergency ticket was entered for the damage. Peoples Natural Gas is the facility owner, and project owner. Their Alleged Violation Report (AVR) states, "THIS WAS A TROUBLED LOCATE BUT WE MARKED IT IN PINK PAINT BECAUSE OUR RECORDS WERE NOT GOOD. OUR CONTRACTOR KNOW THAT THEY ARE TO SPOT ALL FACILITIES BEFORE DIGGING BUT THEY DID NOT THIS TIME. VAC WAS ON SITE BUT THEY DID NOT USE IT FOR WHATEVER REASON. THE MAKE WAS 18 INCHES FROM THE 2 INCH PIPE". Shadco Inc is the excavator. Their AVR states, "Shadco crew was HDD long services for pipeline project. On this particular service, there was pink paint marked by PNG indicating there wasn't good connection to locate the facility properly. instead of verifying the location prior to excavation of bore hole. The Shadco crew decided to dig outside the tolerance zone of the pink marked utility, assuming they'd be clear. Instead, they struck the existing service they were replacing. Shadco failed initiate verifying with the conflict markings by visually spotting the service prior to using non-destructive means. Paint and Flags were laid near the utility. PNG used pink paint in excavation area to indicate a conflict on the ability to receive a good connection to locate. This service didn't have a curb box to use as a visual indicator." Peoples Natural Gas responded field marked to the routine ticket (#20260540186) for this excavation. Peoples Natural Gas provided documentation that they notified Shadco of their inability to locate it accurately. Shadco dug without daylighting the line. Violations: Excavator - Shadco: Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
62888	Facility Owner: UGI Utilities Inc. Contractor/Excavator: HENKELS AND MCCOY Project Owner: UGI - SPACESAVER	On 3/4/2026 9:36:00 AM at 405 RACE ST, PERKASIE BORO, BUCKS The incident occurred on 3/04/2026 at 405 RACE ST in PERKASIE BORO in Bucks Co. A gas line owned by UGI was damaged. UGI UTILITIES, INC. the Project owner and facility owner, stated in their Alleged Violation Report (AVR) that, "UGI locator did not mark a gas service in the work area of a Henkels and McCoy job and the gas service to house 403 Race St. was damaged." UGI added that , "Locate was completed and marked by the due date. UGI locator missed a gas service in the work area." 911 was notified. Picture was provided.	UGI Utilities Inc.: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		HENKELS AND MCCOY stated in their AVR that, "While excavating to install a new gas service an unmarked service was struck and damaged." 911 was notified. VIOLATIONS UGI is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a second offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
62961	Facility Owner: Hampton Shaler Water Authority Contractor/Excavator: W A PETRAKIS CONTRACTING COMPANY Project Owner: PEOPLES GAS LLC Designer: Peoples Gas LLC - Spacesaver Other: KEYSTONE SURVEYING AND MAPPING Other: VERIZON	<u>On 3/4/2026 10:32:00 AM at 909 Rutgers Dr, SHALER TWP, ALLEGHENY</u> The incident occurred on 3/04/2026 at 909 Rutgers Dr in SHALER TWP in Allegheny County. A water service line owned by HAMPTON SHALER WATER AUTHORITY was damaged. This affected 12 households for 6 hours. HAMPTON SHALER WATER AUTHORITY stated in their Alleged Violation Report (AVR) that, "On March 4th, 2026, Hampton Shaler Water Authority was notified at 10:23 am by W.A Petrakis that they had ripped our service line out for 909 Rutgers Dr. Petrakis did not notify 811 that they hit a service. The authority had to go and shut the water main off for Rutgers Dr and put 12 homes out of water for over 6hrs. When the authority was there, they were notified by the foreman Brandon that he had the copper service already exposed. When Petrakis was cleaning up and backfilling there was asphalt on the copper line and Brandon used the power equipment excavator to remove the asphalt but instead grabbed the copper and ripped it. Causing a break and resulting in water loss for the Authority and its customers". Pictures and reports were provided. W A PETRAKIS CONTRACTING COMPANY stated in their AVR that," While excavating trench for gas line installation, excavator encountered water service for 908 Rutgers Rd. The water service was initially exposed using prudent techniques but dirt and other spoil material recovered the service, when excavator was cleaning the trench the service was struck causing damage." The project is listed at <\$400,000. With a length of 3500'. Pictures and reports were provided. PEOPLES NATURAL GAS COMPANY LLC stated in their AVR that, "On 3/4/2026, WA Petrakis was digging to install new gas mainline for PNG when they struck an accurately marked Hampton Shaler Water SL. Crews were called and repairs were made." Pictures and reports were provided. *Case is connected by tickets to case 62125. CP ticket 20253461713 violations in case 62125. VIOLATIONS	W A PETRAKIS CONTRACTING COMPANY: \$1,000.00 Section 5(4) 1st Offense \$500.00 Section 5(6)(ii) 1st Offense \$500.00 VERIZON: \$250.00 Section 2(4) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		W A PETRAKIS CONTRACTING COMPANY is in violation of: Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalties are applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. VERIZON is in violation of: Section 2(4) – Failed to respond to designer’s request for information within 10 business days. Final Design ticket 20253421515 was submitted by PEOPLES NATURAL GAS COMPANY LLC on 12/08/2025 with a response due by 12/22/2025. Verizon did not respond “insufficient info. Do not dig” until 12/23/2025. This is a third time offense. Recommendation: The penalty is applied. The required PUC education was recently completed. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). NOTED BUT NOT LISTED Hampton Shaler Water Authority is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20260510430 was submitted by W A PETRAKIS CONTRACTING COMPANY on 2/20/2026 with a response due by 2/24/2026. Hampton Shaler Water Authority did not respond until 2/26/2026. This violation has been waived due to the snow storm in this area during this time.	
62960	Facility Owner: Peoples Natural Gas Contractor/Excavator: Henkles and McCoy Project Owner: WEST PENN POWER	<u>On 3/10/2026 7:30:00 AM at E PLEASANT VALLEY BLVD, ALTOONA CITY, BLAIR</u> The incident occurred on 3/10/2026, at 7:30 AM, on E Pleasant Valley Blvd, in Altoona City, Blair County. An emergency ticket was entered for excavation that did not meet the definition of “Emergency” as defined in Act 127 of 2024. Peoples Natural Gas is the facility owner. Their Alleged Violation Report (AVR) states, “HENKELS AND MCCOY placed an emergency ticket to change 3 telephone poles. These poles were not damaged. There is no any sudden, unexpected situation involving underground utility lines that poses an immediate danger to life, health, property, or essential services, such as a, gas leak, fire, or sewer collapse. This is misuse of an emergency. Ticket came in 3/10 at 7:29am for a dig time of 3/10 7:30am.” Images were provided that show the utility poles with no visible damage. No immediate danger to life, property or the environment is visible. Henkels And Mccoy is the excavator. An AVR was not filed as of 04/07/2026.	Henkles and McCoy: \$500.00 Section 5(22) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		West Penn Power is the project owner. An AVR was not filed as of 04/07/2026. Violations: Excavator – Henkels And McCoy: Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
62991	Facility Owner: Peoples Natural Gas Contractor/Excavator: Pennsylvania American Water (PAWC) Project Owner: Pennsylvania American Water (PAWC) - Placeholder	<u>On 3/10/2026 10:00:00 AM at 1659 CREEDMOOR AVE, PITTSBURGH CITY, ALLEGHENY</u> The incident occurred on 3/10/2026, at 10:00 AM, on 1659 Creedmoor Ave, in Pittsburgh City, Allegheny County. A gas line owned by Peoples Natural Gas was damaged. An emergency ticket was entered for the damage. Peoples Natural Gas is the facility owner. Their Alleged Violation Report (AVR) states, “Pennsylvania American Water struck and damaged a properly marked Peoples Gas main line while using mechanized equipment in the tolerance zone with clear evidence of underground facilities. The ticket was placed as an immediate emergency on 3-9. The damage occurred on 3-10.” Pennsylvania American Water is the excavator and project owner. Their AVR states, “PA American crew digging with a backhoe to repair a water main break hit and damaged a marked Peoples Gas main. The damage did occur in the tolerance zone.” Images submitted support the statements in the AVRs. Violations: Excavator – Pennsylvania American Water: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	Pennsylvania American Water (PAWC): \$500.00 Section 5(4) 1st Offense \$500.00

Full Session

Case Number	Stakeholders	Summary	Violations & Recommendation
60958	Facility Owner: Columbia Gas Contractor/Excavator: Barrasso Excavation Inc Project Owner: Shrewsbury Borough Designer: James R. Holley & Associates, INC Other: Verizon North	<u>On 12/4/2025 2:20:00 PM at 48 E Tolna Road, SHREWSBURY BORO, YORK</u> On 7/14/2026 the Damage Prevention Committee voted to remove Barrasso Excavation violations, and keep Columbia Gas' violation as recommended. ***** Columbia Gas -disputing - provided multiple images from far away but nothing that shows the line, or the connection to the main, were marked. They include an image of dirt on the road as a faded mark, but pre-excavation video does not show this dirt mark, and all other yellow marks are still visible from the mark out. None of those marks look like the dirt on the road.	Columbia Gas: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Barrasso Excavation Inc: \$0.00 James R. Holley & Associates, INC: \$0.00 Verizon North: \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Please review the video submitted by Barrasso that shows there are no marks to indicate the line that was damaged. James R. Holley provided additional information - violation removed. Barrasso Excavation Inc disputing – Provided additional information ***** The incident occurred on 12/4/2025, at 2:20 PM, on 48 E Tolna Road, in Shrewsbury Boro, York County. A gas line owned by Columbia Gas was damaged. 911 was not contacted but there was no gas loss reported, per Columbia Gas. Columbia Gas is the facility owner. Their Alleged Violation Report (AVR) states, “Barrasso Excavation, working on a water main replacement project, was excavating with a mini excavator on December 4, 2025. While trenching, the operator struck and damaged a plastic inserted gas service line. There was no gas loss reported. Evidence of utilities was visible, and the excavator failed to call for a new ticket, locate photos are attached showing marks within the area when ticket was placed on October 31, 2025. Work was stopped and the area was made safe.” Barrasso Excavation is the excavator. Their AVR states, “While installing 10" water main in the grass shoulder along Tolna Rd just before the intersection of Tolna and Crosswind Dr, we pulled up an unmarked gas service at about 2:20pm with an excavator. It was an old 3/4" steel line in a protective coating so initially thought to be dead when no gas leak was detected. But, Mark Hernadez from Columbia Gas was contacted to come ensure that the area was safe to work in and that the service was officially dead. When he arrived at 3:00pm, he checked his prints and determined that it was indeed the live service line for House # 1 Crosswind drive. The line was pulled up at least a 12" out of the ground and bent so a new line would have to be run. We made our trench safe once the technician proved there was no ongoing gas leak and left for the night at 4pm.” Srewsbury Borough is the project owner. An AVR request letter was sent on 01/28/2026 and they submitted an AVR that states, “Barrasso Excavation installed water line in \$500,000 project for Shrewsbury Borough. James R. Holley and Associates designed project. The work was on East Tolna Road, North Highland Drive and North Sunset Drive. Project started in October 2025. The project was bid in May 2025. Design One Call was placed with utility marks.” James R. Holley & Associates, INC is the designer. An AVR request letter was sent on 01/28/2026 and they submitted an AVR that states, “We are the engineer for Shrewsbury Borough. We were involved in the design, bidding and preconstruction meeting. We are not involved in the construction monitoring and inspection	Section 2(5)(v.2) 1st Offense \$250.00 Section 2(5)(v.2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		process of the project, that is performed by Shrewsbury Borough Public Works. We were not onsite or involved during the incident. The contractor has provided a detailed description and photographs of the event (AVR2026Jan060029).” Images and video provided show the site, excavation, marks, and damage. There is a gas meter on the side of the home at 48 E Tolna Road. There are no marks to indicate the line to this meter. There are no marks to indicate the line that was damaged. The excavator provided a video showing a site walk was completed and no marks are shown to the meter on 48 E Tolna Road. No renotify, or new tickets, was found for the site until after the damage occurred. Ticket #20253020435 and #20253020434 New – Excavation – Routine had a response due date of 10/31/2025 and Verizon North responded “Field Marked” on 11/4/2025 to both tickets. Ticket # 20252382896 New – Excavation-Preliminary Design was entered on 08/26/2025 after final designs were entered. No Final Design was entered after this Preliminary Design. Violations: Facility – Columbia Gas: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Excavator - Barrasso Excavation: Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Designer - James R. Holley & Associates, INC: Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed. Facility(other) – Verizon north: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20253020435 Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20253020434 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61017	Facility Owner: Comcast Facility Owner: First	<u>On 12/9/2025 11:00:00 AM at 110 PONDEROSA DR, RUSH TWP, CENTRE</u> On 7/14/2026 the Damage	Comcast: \$1,500.00 Section 2(5)(i) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
	Energy - Penelec Contractor/Excavator: Wilson Excavating Project Owner: Pennsylvania American Water (PAWC) Designer: GWIN DOBSON AND FOREMAN ENGINEERS	Prevention Committee voted to remove First Energy – Penelec's violations. ***** First Energy - Penelec is disputing that they do not have lines in the area. Please see files named 110 Ponderosa April 2025 and November 2015. **** Incident occurred on December 9th, 2025, at 11am on 110 Ponderosa Drive, Rush Township, Centre County. A telecom and electrical line was damaged. Comcast's Alleged Violation Report (AVR) states, "CALLER STATES LINES WERE UNMARKED. ALSO DAMAGED THE 4IN DIA DRAIN PIPE CONDUIT OF WHAT THEY BELIEVE IS THE ELEC FEED GOING INTO THE HOUSE, LINES ARE NOT DAMAGED INSIDE. CABLE TV LINE IS DAMAGED. ELEC IS APPX 18IN DEEP AND TV LINE IS APPX 6-8IN DEEP. CALLER STATES LOOKS LIKE INTERNET CABLE POPPED OFF THE POLE AS WELL. FACILITY TYPES: CABLE TV-COMCAST , ELECTRIC-PENELEC EXCAVATION EQUIPMENT: EXCAVATOR HAZARDOUS RELEASE: NO" Comcast AVRs seem to be a copy and paste of 811 tickets placed by the stakeholder that places the ticket. Wilson Excavating's AVRs state, "Wilson Excavating was working at 110 Ponderosa Drive in Phillipsburg when an unmarked Comcast telecom line was struck with an excavator. Damage ticket was submitted and facility owner was notified." "Wilson Excavating was working to install a service for Pennsylvania American Water at 110 Ponderosa St when an unmarked Penelec conduit was damaged. Only the conduit itself was damaged, service line was untouched. Damage ticket was submitted and facility owner was notified." PAWC's AVR states, "The Comcast facility was the internet service line supplying the residence at 110 Ponderosa Drive. The Penelec electrical line itself was not damaged; however, the 4-inch corrugated conduit housing the line was damaged. PA American was on site at the time of the incident and assisted with notifying the homeowner and contacting the respective utility owners." GDF Engineers AVRs state, "Wilson Excavating was working at 110 Ponderosa Drive in Phillipsburg when an unmarked Comcast telecom line was struck with an excavator. Damage ticket was submitted and facility owner was notified. **Line strike occurred by the contractor while performing work which was not within the scope of the design drawings**	\$500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(11) 1st Offense \$500.00 First Energy - Penelec: \$0.00 Pennsylvania American Water (PAWC): \$500.00 Section 6.1(3) 1st Offense \$500.00 GWIN DOBSON AND FOREMAN ENGINEERS: \$500.00 Section 4(2) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		"Wilson Excavating was working to install a service for Pennsylvania American Water at 110 Ponderosa St when an unmarked Penelec conduit was damaged. Only the conduit itself was damaged, service line was untouched. Damage ticket was submitted and facility owner was notified. **Line strike occurred while performing work that was outside the scope of the design drawings** Images show the underground lines. on 1/28/26 First Energy - Penelec and Comcast were mailed and emailed a request for an AVR asking why their responses were clear for tickets ending in 0349 and 1662. Comcast's AVR have the ticket information from the excavator copy and pasted into the AVR. First Energy has not submitted an AVR as of 3/23/26. Comcast was emailed asking for additional information for why the ticket responses were clear both times. Preliminary design tickets were located but no final design tickets were found. Recommended violations, penalties, and education: Comcast Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253360349 Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253431662 Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. -PUC compliance education is required. First Energy - Penelec Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253360349 Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253431662 Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. -PUC compliance education is required. Gwin Dobson and Foreman Engineers Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety business days before final design is to be completed.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		-PUC compliance education is required. Pennsylvania American Water Section 6.1(3) – Released a project to bid or construction before final design was complete. -PUC compliance education is required.	
61344	Facility Owner: Chester Water Authority Contractor/Excavator: Disantis, LLC Project Owner: Keystone Custom Homes	<u>On 12/11/2025 12:00:00 AM at 114 JANINE WAY, FRANKLIN TWP, CHESTER</u> On 7/14/2026 the Damage Prevention Committee voted on Disantis, LLC's violations: 5(3)- Accept the violation and penalty. 5(4)- Accept the violation and penalty. 5(16)- Keep violation. Reduce this violation from \$500 to \$250.. Keep the education requirement. ***** Disantis LLC is disputing. **** Incident occurred on December 11, 2026, at 2pm on 114 Janine Way, Franklin Township, Chester County. A water line was damaged. Chester Water Authority's Alleged Violation Report (AVR) states, "Contractor was digging on the customer side installing a sewer at 114 Janine Way and pulled the water service out of the main." Disantis, LLC's AVR states, "New construction house water service installation; digging in the middle of the font yard (private property) to locate a buried copper water stub on the private side of the curb stop (approximately 12 feet behind the curb stop valve). I hit the 1 inch crimped over copper pipe stub while pulling the excavator bucket towards the machine to clean out the hole; pulled the water service line and cracked the corporate valve tap on the main water line. I notified Chester water of the damage and placed a damage notification through PA1 Call. I hand dug up the water main at the leak to expose the issue for Chester Water to repair; repairs were made by Chester Water that afternoon, and I backed filled the hole shortly after." Keystone Custom Homes AVR is void of summary or comments. Last routine ticket was placed by the Disantis was on 10/16/2024, and the damage occurred on 12/1/2025. Site videos and images do not show any markings on the ground after 11 months from the last ticket being placed by Disantis, LLC. Excavator and project owner were mailed and emailed request to submit AVRs on 2/3/26. Disantis, the excavator, submitted an AVR on 2/4/26. Keystone Custom Homes submitted an AVR on 2/20/26. Both AVRs were submitted 30 days after the damage date. Recommended violations, penalties, and education: Disantis, LLC	Disantis, LLC: \$1,250.00 Section 5(3) 1st Offense \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$250.00 Keystone Custom Homes: \$1,000.00 Section 6.1(7) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 5(3) – Excavator failed to preserve mark-outs or request a remark. Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Reduced violation by 50% from \$1,000 to \$500 due to first offense and supplying AVR promptly after request. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Keystone Custom Homes Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	
61245	Facility Owner: Peoples Gas Company Contractor/Excavator: SOLI CONSTRUCTION INC Project Owner: ASPINWALL BOROUGH Other: Verizon	<u>On 12/16/2025 9:26:00 AM at 10TH ST, ASPINWALL BORO, ALLEGHENY</u> On 7/14/2026 the Damage Prevention Committee voted to accept the violations, penalties, and education as presented in the Investigation Report. ***** Peoples is disputing. **** Incident occurred on December 16th, 2025, at 9:26am on 10th Street, Aspinwall Boro, Allegheny County. A gas line was damaged. Peoples Gas Company's Alleged Violation Report (AVR) states, "On 12/16/2025, Aspinwall Borough was digging to repair a leaking water valve box when they struck a mismarked PNG 3" Plastic ML. The ML was mismarked by approx. 3'. PNG locator did not find wire and marked the ML by a drawing (maps & records. The drawing was incorrect." Soli Construction submitted an AVR without any comments or summary notes. Aspinwall Boro's AVR states, "During a water break repair, a People's Gas line was struck by the contractor working for Aspinwall Borough. The gas line had been marked incorrectly, with the markings located approximately 45 inches off. People's Gas was notified of the incident and acknowledged responsibility for the incorrect line marking." Images provided show that the mark was outside the tolerance zone on the routine ticket placed by Aspinwall Boro on 12/9/25. This ticket was for a "LEAKING VALVE BOX. THE LEAKING VALVE BOX IS 2FT FROM 10TH ST AND CENTER AVE HEADING TOWARDS GUYASUTA LN."	Peoples Gas Company: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00 SOLI CONSTRUCTION INC: \$1,500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$500.00 ASPINWALL BOROUGH: \$500.00 Section 6.1(7) 1st Offense \$500.00 Verizon: \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Soli Construction had placed an emergency ticket on 9/16/25, but it was for removing and replacing the storm inlet up the street that was set for a three day dig timeframe. No current ticket had been placed by Soli Construction. Recommended violations, penalties, and education: Peoples Natural Gas Company Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Soli Construction Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. AVR penalty reduce by 50% from \$1,000 to \$500 for providing AVR after request as a 1st offense. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Aspinwall Boro Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. AVR penalty reduce by 50% from \$1,000 to \$500 for providing AVR after request as a 1st offense. Verizon Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253431748. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61509	Facility Owner: Verizon Contractor/Excavator: A Liberoni, INC Project Owner: PennDOT Other: Taylor Township Lawrence County	<u>On 12/30/2025 9:00:00 AM at W PITTSBURG RD, TAYLOR TWP, LAWRENCE</u> On 7/14/2026 the Damage Prevention Committee voted to accept the violations, penalties, and education as presented in the Investigation Report. ***** A Liberoni, INC disputing ***** The incident occurred on 12/30/2025, at 9:00 AM, on W Pittsburg Rd, in Taylor Twp, Lawrence County. A communication line owned by Verizon was damaged. Verizon is the facility owner listed in A Liberoni's AVR. An Alleged Violation Report (AVR) was not filed as of	Verizon: \$2,000.00 Section 2(14) 1st Offense \$500.00 Section 2(10) 2nd Offense \$1,500.00 A Liberoni, INC: \$1,000.00 Section 5(7) 1st Offense \$1,000.00 Taylor Township Lawrence County: \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		02/04/2026 and an AVR request was sent the same day. No AVR was submitted as of 3/25/2026. A Liberoni is the excavator. Their AVR states, “At approximately 9am we encountered and damaged the conduit of a Verizon line. Later in the day two gentlemen in a Verizon truck informed us there was an outage in the area we were working and it was assumed that we had broken the line. The two gentlemen called a service crew in to look into it further.” Penndot is the project owner. An AVR was not filed as of 02/04/2026 and an AVR request was sent the same day. An AVR was submitted that states, “At approximately 9am we encountered and damaged the conduit of a Verizon line. Later in the day two gentlemen in a Verizon truck informed us there was an outage in the area we were working and it was assumed that we had broken the line. The two gentlemen called a service crew in to look into it further.” Ticket #20253252212 New – Excavation – Routine was entered for the excavation. Taylor Township Lawrence County did not respond to this ticket. Verizon, Columbia Gas, and Pennsylvania Power all responded “Clear”. No emergency ticket was entered for the damage, and no contact was documented by the excavator showing they contacted the facility owner about the damage. Images submitted show a damaged underground conduit that was repaired with zip ties. Additionally, as Verizon did not submit an AVR, as requested, no additional information on the incident is available and the owner of the line cannot be determined. Violations: Facility – Verizon: Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission’s enforcement authority under this act within thirty days of receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Excavator – A Liberoni, INC: Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Facility(other) - Taylor Township Lawrence County Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket #20253252212 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61539	Facility Owner: PENCOR Services/Blue Ridge Communications Contractor/Excavator: RLE Enterprises Project Owner: Pennsylvania American Water (PAWC)	<u>On 12/30/2025 12:30:00 PM at 51 Mountain Drive, COOLBAUGH TWP, MONROE</u> On 7/14/2026 the Damage Prevention Committee voted to accept the violations, penalties, and education as presented in the Investigation Report with the exception of raising Blue Ridge's 2(4) violation by \$250 from \$250 to \$500 as they did not attend the DPC meeting and were a disputing party. ***** Blue Ridge is disputing 2(4) due to not receiving emails of notification. Section 2(4) – Failed to respond to designer’s request for information within 10 business days. 20250521425 Section 2(4) – Failed to respond to designer’s request for information within 10 business days. 20250521424 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253001729 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253001728 **** Incident occurred on December 30th, 2025, at 12:30pm on 51 Mountain Drive, Coolbaugh Township, Monroe County. A telecom line was damaged. PENCOR Services/Blue Ridge Communications' Alleged Violation Report (AVR) states, "Underground cable hit while hand digging by contractor, cable was marked out properly. RLE Enterprises-contractor." RLE Enterprises' AVR states, "While digging for a new water service, our crew damaged a Blue Ridge Communications cable wire with a shovel for house #51 Mountain Drive. Blue Ridge Communications was notified about the damaged cable and arrived onsite to make repairs." PAWC's AVR states, "While digging for a new water service, RLE crew damaged a Blue Ridge Communications cable wire with a shovel for house #51 Mountain Drive. Blue Ridge Communications was notified about the damaged cable and arrived onsite to make repairs." Images show the damaged line. No mark out photos were provided. AVR request letter asked for photos. Blue Ridge/Pencore Services claims the line was marked, but they responded Clear to the following tickets: Design 20250521425, Design 2025021424, Complex Ticket 20252481241, Routine 20253001728,	PENCOR Services/Blue Ridge Communications: \$1,750.00 Section 2(4) 1st Offense \$500.00 Section 2(4) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		and Routine 20253001729. Blue Ridge Pencore does claim ownership of the line in the area of the valid tickets that were responded to as clear. Pencore also preemptively completed education for this case. Please see the results below: *****FYI **Case hasn't been submitted, but note that PENCOR already completed education-02/18/2026 Compliance Test - Facility Owner & Locator PENCOR Services/Blue Ridge Communications David Silliman 92 61542,61539** PENCOR Services/Blue Ridge Communications' AVR was due by 2/12/2026. A courtesy AVR was mailed and emailed on 2/9/26, and the AVR was submitted on 3/10/26. An emergency damage ticket was placed by the excavator that Blue Ridge Responded to with Do Not Dig. Violations: PENCOR Services/Blue Ridge Communications Section 2(4) – Failed to respond to designer’s request for information within 10 business days. 20250521425 Section 2(4) – Failed to respond to designer’s request for information within 10 business days. 20250521424 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253001729 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253001728 Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). 20252481241. (Copy paste error removed)	
61613	Contractor/Excavator: Bear Owen Paving Company Project Owner: Tractor Supply Other: ARCHBALD BOROUGH	On 1/7/2026 9:00:00 AM at 830 SCRANTON CARBONDALE HWY, ARCHBALD BORO, LACKAWANNA On 7/14/2026 the Damage Prevention Committee voted to accept the violations, penalties, and education as presented in the Investigation Report. ***** Bear Owen Paving is disputing. *** This non-damage incident occurred on January 7th, 2026, at 9am on 830 Scranton Carbondale Highway, Archbald Boro, Lackawanna County. 830 Scranton Carbondale Hwy, Archbald, PA 18403 Non-damage incident. Archbald Borough's Alleged Violation Report (AVR) states, "Bear Owen Paving Company digging in Tractor Supply parking lot with no PA One Call. This was reported to me, so I, as the borough manager, have to report to 811." PA1call commented, "No tickets found placed by contractor related to this alleged violation. Contractor has placed one calls in the past. Tom Owen, 326 Rear Hickory St Peckville PA 18452, bearpaving@aol.com."	Bear Owen Paving Company: \$1,000.00 Section 5(2.1) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Image that was submitted has the caption "Emergency Sewer Repairs" with an excavator digging. Email from Bear Owen Excavating states: • We did NOT do ANY excavation work. • We did NOT hit ANY utilities. • This is a fraudulent complaint. • We threw cold patch asphalt into a small hole. Bear Owen Excavating's AVR states, "One of the boss's kids misphrased the post. He brought the excavator to simply scratch the cold patch asphalt out of the truck. It was 10 Degrees that day. There was absolutely no excavation. On 01/07/2026, Bear Owen Paving Company, allegedly hit a utility owned by at 840 SCRANTON CARBONDALE HWY, ARCHBALD BORO, LACKAWANNA • We did NOT do ANY excavation work. • We did NOT hit ANY utilities. • This is a fraudulent complaint. • We threw cold patch asphalt into a small hole." Emergency ticket was placed by Archbald Borough. Please see the social media post, Bear Owen Paving FB Post, that shows the excavator breaking ground. No PA1 call ticket was located by PA1 call or provided by Bear Owen Paving Company. Recommended violations, penalties, and education: Bear Owen Paving Company Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
61653	Facility Owner: Peoples Gas Company Contractor/Excavator: KEITH MILLER SEWER AND SEPTIC SERVICE	On 1/7/2026 12:00:00 PM at 14 OAK GLEN DR, OAKMONT BORO, ALLEGHENY On 7/14/2026 the Damage Prevention Committee voted to accept the violations, penalties, and education as presented in the Investigation Report, and increase Keith Miller Sewer and Septic Service's 5(8) violation from \$1000 to \$1250 as they were a disputing party and did not attend the DPC meeting. **** Keith Miller Sewer and Septic Service's is disputing. *** Incident occurred on January 7th, 2026, at 12pm on 14 Oak Glen Drive, Oakmont Boro, Allegheny County. A gas line was damaged. Peoples Gas Company's Alleged Violation Report (AVR) states, "Keith Miller Sewer and Septic struck and damaged a mismarked Peoples Gas plastic service line. Peoples Gas marked via measurements due to no surface access to wire as permitted in 2 5 i." Keith Miller Sewer and Septic Service's AVR states, "We called PA One Call. They marked a straight line	Peoples Gas Company: \$1,000.00 Section 2(5)(i) 2nd Offense \$1,000.00 KEITH MILLER SEWER AND SEPTIC SERVICE: \$1,750.00 Section 5(8) 1st Offense \$1,250.00 Section 5(16) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		from the gas meter to the gas curb box at the street. They continued that same straight line across the street to where it meets the gas main. As it turns out the gas line curves under the street. It did not go straight as is normal. When we dug the hole for the sewer repair, it was with one of the last two or three bucketfuls of material that came out of the hole that the backhoe caught the 1" gas line for the residence we were working at. As soon as the line broke a valve in the system stopped the gas flow and we had a squeeze off tool that was also applied to the gas line. We notified One Call of the damaged gas line. The gas company came out and repaired it with 3 feet of 1" gas pipe and two stab fittings. It took the gas company about 15 minutes to make this repair. The gas was then turned back on, the customer's furnace and hot water heater were relit by the gas company and they left the scene. The picture I have submitted is a picture of one cone on the paint mark for the gas line and the other cone on top of the broken gas line set by the gas company employee. You can see in the picture it shows about 3 feet. We measured it at about 3'8". The hole in the street was 4' side and 8' long and about 7' deep. The project was a new sewer line for the house from the house sewer main to the sewer main in the middle of the street. Images show that the gas line was not marked within the tolerance zone. Keith Miller Sewer and Septic was sent an AVR courtesy letter on 2/27/26. AVR was submitted on 3/16/26. AVR's note that 911 was not notified. Recommended violations, penalties, and education: Peoples Gas Company Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Keith Miller Sewer and Septic Service Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Reduced by 50% from \$1,000 to \$500. PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
61749	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: Peoples Natural Gas Project Owner: Peoples Natural Gas - placeholder Other: GO4 HYDROVAC LLC	<u>On 1/7/2026 4:00:00 PM at 918 DELAWARE AVE, GLASSPORT BORO, ALLEGHENY</u> On 7/14/2026 the Damage Prevention Committee voted to remove Peoples Gas' violations. ***** Peoples Natural Gas - disputing - Used hydro truck to locate their line, then excavated prior to all mark outs being completed on the ticket and struck a water line. *****	Pennsylvania American Water (PAWC): \$2,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The incident occurred on 1/7/2026, at 4:00 PM, on 918 Delaware Ave, in Glassport Boro, Allegheny County. A water line owned by PA American Water was damaged. While hydroexcavating under Ticket # 20253642575, GO4 HYDROVAC LLC encountered a leaking gas line. Peoples Natural Gas was notified and entered an emergency ticket to excavate for the repair under Ticket # 20260072183. PA American Water did not respond to the ticket, and Peoples Natural Gas did not enter a renotify ticket prior to beginning excavation. A water line was then damaged while Peoples Natural Gas was excavating. PA American Water responded “Clear” to the excavation ticket on 1/8/2026, after damage already occurred. 18 customers were affected and at least one had damage to their basement and appliances (according to a report from Peoples Natural Gas). PA American Water is the facility owner. An Alleged Violation Report (AVR) was not filed as of 02/27/2026 and an AVR request was sent the same day. An AVR was submitted 55 days after the damage that states, “According to available information, multiple one calls were placed for this address, which were 20253642575 and 20260072066. The hydro vac company, while conducting potholing operations on behalf of Glassport Borough, detected and reported a damaged or leaking gas line, prompting Peoples to initiate an additional one call. Unfortunately, this third call 20260072183 was missed by our locator, who had previously marked this address on multiple occasions.” Peoples Natural Gas is an excavator and project owner. Their AVR states, “ON 1/7/26 PNG CREWS WORKING AT 918 DELAWARE AVE, GLASSPORT,REPAIRING MAINLINE LEAKAGE, STRUCK A MISMARKED PA AMERICAN WATER SERVICE LINE. MARKS WERE OFF BY 36 INCHES. THIS DAMAGE CAUSED AN 18 CUSTOMER OUTAGE. PNG RECEIVED A RESPONSE FROM PA AMERICAN WATER AS CLEAR. PNG NOTIFIED PA AMERICAN OF THE DAMAGE AND REPAIRS WERE MADE.” GO4 HYDROVAC LLC is an excavator, but was not involved in the damage to the water line. They submitted an AVR which states, “GO4 Hydovac marked and called in a PA One Call for 918 Delaware in Glassport for potholing to locate utilities. GO4 Hydovac saw cut to areas in the asphalt and removed the asphalt. We then hydro excavated down to the first gas line and Glenn Engineering marked the depth of the gas line. When hydro excavating down to the second gas line we found it was leaking. Once we found the leak we shut down the job, called PA One Call and 911 to report the leak. When the gas company got on site we went over what we were doing and the gas com[nay took over the job. NOTE: Leak is due to extremely rusty line.”	Section 2(10) 1st Offense \$1,000.00 Peoples Natural Gas: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ticket # 20260072183 was the emergency excavation ticket called in by Peoples Natural Gas to repair a leaking line. PA American Water did not respond until the following day, after excavation and damage occurred to a water line. No renotify was found for the excavation ticket prior to excavation commencing. Violations: Facility - PA American Water Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Excavator - Peoples Natural Gas: Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
61786	Facility Owner: Peoples Gas Project Owner: Pennsylvania American Water Other: ALEX E PARIS CONTRACTING COMPANY	<u>On 1/8/2026 12:35:00 PM at COLLINS AVE, UNION TWP, WASHINGTON</u> On 7/14/2026 the Damage Prevention Committee (DPC) voted to Remove the violation to Peoples Gas. Peoples Gas disagrees. PAWC disagreed and sent in documents. The 2 violations to PA American Water have been withdrawn. ***** The incident occurred on 1/08/2026 on Collins Ave in Union Township in Allegheny County. A plastic service line and an old gas steel service line owned by Peoples Gas were damaged. *Washington Co. is listed as the county in the ALEX E PARIS CONTRACTING AVR, and it is possible that this property is in both counties, but record on the internet show that the address of this location is located in Allegheny Co.	Peoples Gas: \$0.00 Pennsylvania American Water: \$0.00 ALEX E PARIS CONTRACTING COMPANY: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		ALEX E PARIS CONTRACTING COMPANY stated in their AVR that “Excavator was digging for water service replacement and struck old steel gas service line. While pulling up on the steel line the existing 1" plastic service line was damaged. The existing service was directly below the old service. The existing ran diagonally through the lay path and straightened out right on the outside of the tolerance zone. 911 was notified. Peoples Gas responded and made necessary repair”. They add that the line was marked incorrectly. 911 was notified. Pictures were provided. Project is listed as >\$400,000. They state that the line was not marked accurately. On 1/16/2026 DPI sent an email asking for more pictures of the marks. On 1/ 16/2026 an email was received that there are no additional photos and that “all preconstruction photos/videos were taken prior to main line installation in June/July of 2025. Yes, the site foreman is stating that the retired steel line was directly above the existing gas line for about 2-3’. No that we are aware of, we do not receive detailed drawings for service line replacements”. PUC compliance education has been recently completed. Pennsylvania American Water, the project owner was sent an AVR request letter on 1/15/2026. PENNSYLVANIA AMERICAN WATER stated in their AVR that “Paris was digging to install a water service and struck a old steel gas service. while pulling on the old steel line the existing 1" plastic service line was damaged. The new gas service was below the old service”. Pictures were provided. This project was >\$400,000. And 3500’. PEOPLES NATURAL GAS COMPANY LLC the facility owner stated in their AVR that “ON 1/8/26 ALEX E PARIS CONTRACTING WORKING FOR PA AMERICAN WATER AT 1206 COLLINS AVE, CLAIRTON STRUCK MARKED PNG MAIN TO CURB SERVICE LINE WITHIN 18 INCHES.. ALEX E PARIS CONTRACTING PULLED ON STEEL ABANDONED SERVICE AND STRUCK PLASTIC SERVICE BENEATH. ALEX E PARIS CONTRACTING NOTFIED 911 AND 811, PNG CREWS ARRIVED ONSITE AND MADE REPAIRS”. They state that the line was marked accurately. Pictures were provided. On 1/16/2026 DPI sent an email asking for more pictures of the marks. Peoples Gas responded with an email on 1/22/2026. They confirmed that they have no other pictures of the individual like that was damaged. Peoples added that “I will say when a facility is damaged by Alex Paris Contracting, and the facility is not marked or marked incorrectly, they make mention under remarks when notifying POCS. On this notification, this message was not conveyed. See the attached remarks section from 20260801917”. 911 was notified. VIOLATIONS PEOPLES NATURAL GAS COMPANY LLC is in violation of:	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a third time offense. Recommendation: The penalty is applied. PUC compliance education has been recently completed. ALEX E PARIS CONTRACTING COMPANY Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC compliance education has been recently completed. Pennsylvania American Water Section 4(4) – Failed to prepare construction drawings to avoid damage to and minimize interference with facilities in the construction area. Section 6.1(1) – Failed to utilize sufficient quality levels of subsurface utility engineering or other similar techniques to properly determine the existence and positions of underground facilities when designing known complex projects having an estimated cost of (\$400,000) or more. Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
61819	Facility Owner: Verizon Contractor/Excavator: UTILITY LINE SERVICES INC Project Owner: Aqua PA Designer: BRANDYWINE CAD DESIGN INC	<u>On 1/9/2026 12:30:00 PM at HIGHVIEW DR, UPPER MERION TWP, MONTGOMERY</u> On 7/14/2026 the Damage Prevention Committee (DPC) voted to Remove the violation of section 5(20) to Utility Line Services. Utility Line Services disagreed. On 6/05/2026 DPI Maki responded to an email from ULS and provided the link so that they can join online for the DPC meeting. DPI also explained to ULS that "Design ticket 20252752733 was submitted on 10/02/2025 and Verizon responded (late, but responded) Engineering completed. This verifies that the Verizon lines are there. Complex Project ticket 20253032607 Verizon responded with a conflict. Complex Project ticket 20253032606 Verizon responded with insufficient Info. Ticket 20253140315 Verizon responded with a conflict. Tickets 20253580090 and 20253580089 Verizon did not respond "Clear" until after the incident occurred on 1/23/2026. Incident occurred on 1/09/2026. Tickets 20260080109 and 20260080110 Verizon had no response. There was plenty of information to show that Verizon had lines there and a no response to a ticket should always have a renotification ticket naming the facility owner. Just 1 renotify ticket and if they do not show up within 3 hours, the excavator can dig prudently. This is the process that is in the ACT. We are aware that Verizon ignores many tickets and excavators are waiting on Verizon who may not show up, but by submitting a Renotify ticket and an Alleged Violation Report we can possibly help all excavators with this issue. It is also the process that ACT 127-2024 requires. AQUA disagreed. On 5/27/2026 DPI Maki withdrew the violations to Aqua based on the information provided. *****	Verizon: \$11,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(10) Subsequent \$2,500.00 Section 2(11) 1st Offense \$500.00 UTILITY LINE SERVICES INC: \$0.00 Aqua PA: \$0.00 BRANDYWINE CAD DESIGN INC: \$250.00 Section 4(3) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The incident occurred on 1/09/2026 on Highview Dr. in UPPER MERION TWP in Montgomery Co. A Communications line owned by Verizon was damaged. UTILITY LINE SERVICES stated in their Alleged Violation Report (AVR) that “While excavating in the area of 280 Highview Drive to install a water main, crew damaged an unmarked Verizon line”. Pictures were provided. AQUA PENNSYLVANIA INC stated in their AVR that “Aqua Contractor Utility Line Services, while excavating in the area of 280 Highview Drive to install a water main, crew damaged an unmarked Verizon line”. Verizon was sent an AVR request letter on 1/23/2026. On 1/28/2026 Verizon sent an email asking about the ticket. On 1/29/2026 DPI Maki responded with Ticket number is 20253140315 see attachment named "DPI to Verizon - ticket num". No other information nor AVR was received. BRANDYWINE CAD DESIGN INC was sent an AVR request letter on 2/02/2026. BRANDYWINE CAD DESIGN INC stated in their AVR that “AQUA CONTRACTOR UTILITY LINE SERVICES WHILE EXCAVATING IN THE AREA OF 280 HIGHVIEW DRIVE TO INSTALL A WATER MAIN, CREW DAMAGED AN UNMARKED VERIZON LINE” “BRANDYWINE answers questions”, BRANDYWINE responded to the questions about the above mentioned Violation Report: BCAD is designer. Aqua is the engineer. The estimated cost and length of this project was \$350,000; 1,250 LF. SUE Level C was performed in Design. SUE Level A was performed as the first phase of construction. SUE A. See attached test hole sheet Please provide the documents that show this damaged line was noted in the designs or needed to be located by the excavator. Gas main is shown on sheet 1 of 6 attached. Gas services are not depicted on design drawings due to lack of information from design PA One Call’s. Did the excavator request compensation for locating the facility lines that were not able to be located within 18” of the facility? Yes Please send in the Final Design cover page and the plan contract documents page, showing what the excavator is responsible for. See cover sheet of attached plans. Please submit the legend page for the design. See sheets 1 thru 5 of the attached plans. Photos are attached to the AVR. Proposed plan was provided. On 3/24/2026 DPI Maki sent an email to Brandywine CAD asking them to send the attachment with the test hole sheet. On 3/24/2026 Test Hole sheet was provided and added to the case. AVR's were also received from the stakeholders below: UPPER MERION SANITARY AND STORMWATER AUT stated in their AVR that “Not sure what took place but the ARV shows that telecom may have been hit.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Upper Merion Sanitary and Stormwater Authority only has sewer mains and stormwater infrastructure. Please explain why we're involved". Upper Merion Township stated in their AVR that "Not sure what took place but the ARV shows that telecom may have been hit. Upper Merion Sanitary and Stormwater Authority only has sewer mains and stormwater infrastructure. Please explain why we're involved". *Case is related by tickets to case 60896 and 61904. VIOLATIONS Verizon is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket 20253580090 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. This is a subsequent offense. Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket 20253580089 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. This is a subsequent offense. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Ticket 20253580090 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. Lines were not marked. This is a subsequent offense. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Ticket 20253580089 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. Lines were not marked. This is a subsequent offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. This is a subsequent offense. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission's enforcement authority under this act within thirty days of the receipt of the request. Questions in the AVR request letter were not answered. Recommendation: The penalties are applied. PUC compliance education has been recently completed. BRANDYWINE CAD DESIGN INC is in violation of: Section 4(3) – Designer's drawing does not show the position and type of each facility owner's line, and the name of the facility. Brandywine is named the designer	

Case Number	Stakeholders	Summary	Violations & Recommendation
		by Aqua PA. Please see attachment named "Aqua answers questions". Recommendation: The penalties are applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). AQUA PENNSYLVANIA INC is in violation of: Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed Section 6.1(3) – Released a project to bid or construction before final design was complete. Recommendation: The penalties are applied. PUC compliance education is required for the designer(s) who worked on this project or their replacement(s). PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement. UTILITY LINE SERVICES is in violation of: Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Ticket 20253580090 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. The incident occurred on 1/09/2026. Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Ticket 20253580089 was requested by UTILITY LINE SERVICES INC on 12/24/2025 with a response due by 12/29/2025. Verizon did not respond "Clear" until 1/23/2026. The incident occurred on 1/09/2026. Recommendation: The penalties are applied. PUC compliance education was recently completed.	
61859	Facility Owner: Verizon Contractor/Excavator: UTILITY LINE SERVICES Project Owner: PECO	<u>On 1/13/2026 8:20:00 AM at CURWEN CIR, LOWER MERION TWP, MONTGOMERY</u> On 7/14/2026 the Damage Prevention Committee voted to remove Utility Line Services' violation. ***** UTILITY LINE SERVICES disputing - no additional information provided. **** The incident occurred on 1/13/2026, at 8:20 AM, on Curwen Cir, in Lower Merion Twp, Montgomery County. A communication line owned by Verizon was damaged. An emergency ticket was entered for the damage indicating Verizon as the facility owner of the line. Verizon is the facility owner. An Alleged Violation Report (AVR) was not filed as of 03/02/2026 and an AVR request was sent the same day. No AVR was submitted as of 4/3/2026. Utility Line Services is the excavator. Their AVR states, "Crew was excavating in the area of 100 Curwen Circle to install a gas pipe. An unmarked Verizon conduit and	Verizon: \$6,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(v.1) 3rd Offense \$1,500.00 Section 2(5)(ix) 1st Offense \$1,000.00 Section 2(10) 2nd Offense \$1,500.00 Section 2(14) 1st Offense \$500.00 UTILITY LINE SERVICES: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		wire was damaged. Proper notifications were made.” Images submitted show the site, excavation, and damaged line. There are no marks in the area to indicate communication or electric lines. PECO is the project owner and designer. An AVR was not filed as of 03/02/2026 and an AVR request was sent the same day. No AVR was submitted as of 4/3/2026. Ticket # 20260051147 -000 was entered on 1-5-2026, with a response due date of 1-7-2026. A renotify was entered on 1-13-2026 at 8:57 AM (after the damage occurred) that states, “ATTN PECO AN EXELON COMPANY, YOU RESPONDED AS FIELD MARKED, BUT THE CALLER STATES THAT THERE ARE UNMARKED ELECTRIC LINES AT THE SITE. PLEASE RECHECK AND MARK OR REMARK THE LINES AS SOON AS POSSIBLE. THANK YOU. ATTN VERIZON, NO RESPONSE HAS BEEN MADE. THERE WAS A CONDUIT THAT WAS UNMARKED AT THE SITE.” Verizon’s only responses were “Conflict” which were entered on 1-29-2026 and 1-30-2026. Utility Line Services called in the renotify after the line was damaged. The ticket response section for the ticket showed the excavator that, upon arrival at the site, Verizon did not respond to the ticket. No renotify was found prior to the damage. There are no visible utilites poles, or utilites overhead in the area of the excavation. The excavator entered ticket #20260130520 for the damage on 1-13-2026 at 8:36 AM. The ticket included the note, “ATTENTION VERIZON THE CALLER STATES THE CREW ON SITE HIT AN UNMARKED LINE WHICH APPEARS A COMMUNICATIONS LINE.” Verizon responded “Conflict” on 1/15/2026 as their only response. Violations: Facility – Verizon: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket # 20260051147 -000 Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket #20260130520 Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. Ticket # 20260051147 -001 Section 2(5)(ix) – Facility owner failed to respond promptly to the site of an excavation where its underground line was damaged. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the	PECO: \$2,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 6.1(7) 2nd Offense \$1,500.00 Section 6.1(8) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of receipt of the request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Excavator - Utility Line Services: Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Project Owner and Facility Owner (Other) – PECO: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
61904	Facility Owner: Verizon Contractor/Excavator: UTILITY LINE SERVICES Project Owner: AQUA PENNSYLVANIA INC Designer: BRANDYWINE CAD DESIGN INC Other: UPPER MERION SAN AND STORMWATER AUTH Other: UPPER MERION TOWNSHIP	<u>On 1/14/2026 9:00:00 AM at HIGHVIEW DR, UPPER MERION TWP, MONTGOMERY</u> On 7/14/2026 the Damage Prevention Committee voted to remove Utility Line Services violation. ***** ULS is disputing. **** Incident occurred on January 14th, 2026, at 9am along Highview Drive, Upper Merion Township, Montgomery County. A telecom line was damaged. Case is related to 60896 & 61819. Utility Line Services' Alleged Violation Report (AVR) states, "The crew was excavating in the area of Woodland Drive and Highview Drive to perform a hydrant install. While excavating, an unmarked Verizon service line was damaged. Proper notification was made." Aqua's AVR states, "Aqua Contractor Utility Line Services, crew was excavating in the area of Woodland Dr and Highview Dr to perform a hydrant install. While excavating, an unmarked Verizon service line was damaged. Proper notification was made."	Verizon: \$8,500.00 Section 2(5)(i) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(5)(v) Subsequent \$2,000.00 Section 2(10) Subsequent \$2,500.00 UTILITY LINE SERVICES: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Upper Merion Township and Upper Merion Sanitary and Stormwater Authority submitted AVR's prior to the case being opened by the PUC. Upper Merion Township's AVR states, "Telecommunication lines have been struck again. Upper Merion Township did not incur any damage to the stormwater system. All of our facilities were marked." Upper Merion Sanitary and Stormwater Authority's AVR states, "It appears as though the incident occurred 1/14/2026, telecom was hit and none of the Authority's infrastructure was damaged or did the Authority cause damage to the telecom line. We would appreciate why the Authority must provide an AVR when someone else's infrastructure is damaged, our infrastructure was marked as requested." Verizon failed to respond to tickets 20260080110 & 20260080109. Utility Line Services failed to renotify despite telecom pedestals being present on the job site upon initial visit at the job site after tickets ending in 0110 & 0109 were placed for the initial excavation in this area. No other dig tickets were placed for this area prior. Designs also show Verizon lines are present. Images show the damaged line along with telecom pedestals. No AVR has been submitted by Verizon. Recommended violations, penalties, and education: Verizon Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20260080110 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260080110 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260080109 Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Utility Line Services Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. 20260080110. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	

Case Number	Stakeholders	Summary	Violations & Recommendation
62228	Facility Owner: COLUMBIA GAS OF PA INC Contractor/Excavator: MAWC placeholder Project Owner: Municipal Authority of Westmoreland County	<u>On 2/3/2026 12:05:00 AM at 11669 PARKWAY DR, NORTH HUNTINGDON TWP, WESTMORELAND</u> On 7/14/2026 the Damage Prevention Committee voted to remove Municipal Authority of Westmoreland County's violation. ***** MAWC is disputing. They claim the line was damaged by using hand tools and no mechanical power means. Columbia Gas claims the damage is consistent with mechanical means and MAWC's AVR listed mechanical equipment. **** Incident occurred on February 2nd, 2026, at 12:05pm along 11669 Parkway Drive, North Huntingdon Township, Westmoreland County. A gas line was damaged. Columbia Gas Company's Alleged Violation Report (AVR) states, "During excavation work, a crew from the Westmoreland County Municipal Authority accidentally struck an underground steel gas main, causing damage to the pipe's protective coating. After the strike occurred, the utility locator on site notified FOL , about the damage. Because the pipe itself was not reported as leaking or ruptured—only the coating was compromised—the situation did not require an immediate emergency shutdown. Instead, arrangements were made for a repair crew to return the following morning to properly wrap and recoat the exposed section of pipe. This wrapping typically involves applying an approved protective material to restore corrosion resistance and ensure the gas main remains compliant with safety standards." Municipal Authority of Westmoreland County's AVR states, "Project Owner and Excavator, Municipal Authority of Westmoreland County (MAWC) was digging to repair a water main break. MAWC crew removed some of the coating off of the Columbia gas 4" Steel gas main while exposing the facility. MAWC did not break the gas line, there was no escape of gas. After submitting a damage ticket Bob From Columbia Gas (1-724-317-3013) called MAWC and stated that they couldn't get a crew out and they were going to return at a later date and wrap the line and MAWC could backfill the hole." Images show that the line was marked accurately. Recommended violation, penalty, and education: MAWC Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 202603303073 -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	Municipal Authority of Westmoreland County: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
62401	Facility Owner: First Energy - Penelec Contractor/Excavator: KONZEL CONSTRUCTION Project Owner: ERIE-WESTERN PENNSYLVANIA PORT AUTHORITY Designer: PORTER CONSULTING ENGINEERS	<u>On 2/5/2026 7:00:00 AM at W BAYFRONT PKWY, ERIE CITY, ERIE</u> On 7/14/2026 the Damage Prevention Committee voted to remove First Energy – Penelec's violation. ***** First Energy is disputing that the Conduit mark out from 1/6/25 was accurate when a non-conduit line was damaged. **** Incident occurred on February 5th, 2026, at 7am along West Bayfront Parkway, Erie City, Erie County. An electric line was damaged. First Energy - Penelec's Alleged Violation Report (AVR) states, "On December 22, 2025, Konzel Construction, "Excavator," submitted POCS Routine Ticket 20253561650 to install a sanitary sewer on W. Bayfront Parkway, Erie City, Erie County, Pennsylvania. On February 5, 2026, Penelec was notified of an outage at this location. USIC, Penelec's Contract Locator, investigated and determined that the Excavator cut an accurately marked secondary electric line. The root cause of the damage was the Excavator failed to use prudent techniques in the tolerance zone." Konzel Construction's AVR states, "Hit electrical lines, miss Marked by 48 inches. Electrical lines were not in conduit, and there was not warning tape installed above the lines." Erie-Western Pennsylvania Port Authority's AVR states, "Contractor hit a secondary electrical line. This line was mismarked by approximately 48 inches. The facility owner (Penelec) made repairs same day." Porter Consulting Engineers AVR states, "Contractor hit a secondary electrical line mismarked by aproximately 48 inches. The power company repaired the damage that day." Images from USIC show the damage on 2/5/26 compared to a picture with markouts from 1/6/26 however another remark was done on pictures from USIC on 1/7/26 after the snow melted. Images from the excavator also show the markout from 1/6/26 taken on a Samsung device in the snow. Since the damage was done on 2/5/26 the more recent marks are from 1/7/26 which are located on page 10 of USIC's Damage Report and were not used as the comparison. The marks on 1/7/26 show the larger gate is open with the second smaller gate closed and the marks being placed at the first post from the larger gate post. The next mark out is in line with the second post just in the grass off the single paved lane, see page 10 of USIC damage report document. Page 9 of the same document shows another markout. Excavator's image 20260205 082415 taken from a Galaxy tab on 2/5/26	First Energy - Penelec: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		has a measurement of the damage to a mark out in line closer to the fence. Please see SidebySide 010726 & 020526 which shows both of these images next to one another. Violation: First Energy - Penelec Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62811	Facility Owner: Columbia Gas Contractor/Excavator: Lee's Plumbing and Excavating Project Owner: Pennsylvania American Water	<u>On 3/2/2026 9:29:00 AM at 229 W BERKELEY ST, UNIONTOWN CITY, FAYETTE</u> On 07/14/2026, The Damage Prevention Committee (DPC) voted to keep Pennsylvania American Water's violation and remove the penalty. ***** Pennsylvania American Water is disputing. ***** The incident occurred on March 2nd, 2026, at approximately 9:29 AM, at 229 West Berkeley Street, in Uniontown City, Fayette County. A gas line owned by Columbia Gas was damaged. 911 was called. Columbia Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Lees Plumbing was operating power excavation equipment, including a backhoe, in the vicinity of an accurately marked 4-inch plastic medium-pressure gas main. During their digging activities, the backhoe made direct contact with the main and tore off an existing service tap. This damage caused an uncontrolled release of gas from the medium-pressure system.” Photos were submitted. Lee's Plumbing and Excavating, the excavator, submitted an AVR. Their AVR states, “We were working on water tap for Pa American Water when we came across a plastic gas main. We were cleaned around the gas main when a old service saddle blew apart and started leaking. We did not damage the line. The saddle blew off when we removed the dirt from around the pipe.” Photos were submitted. Pennsylvania American Water, the project owner, submitted an AVR. Their AVR states, "Crew on site to replace a water service line and contractor hit gas line. I received a call from Joe Sanker (Uniontown Union employee) on site @ 9:12 am notifying of the gas line breach and blowing. I asked if 911 was called and answer was yes, I made a direct call to the FD being I didn't hear them dispatched yet. FD on scene was	Lee's Plumbing and Excavating: \$500.00 Section 5(4) 1st Offense \$500.00 Pennsylvania American Water: \$0.00 Section 2(5)(v) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		making an attempt to evacuate homes due to the amount of gas leaking from the 4" plastic line. Eric Yarbrough arrived on scene about 9:30 am and noticed the gas blowing and waited on Columbia Gas to arrive. At 9:58 am Columbia Gas arrived on scene, The scene was safe @ 10:30 am being they put a temporary sleeve on the pipe to stop the leak. After the scene was safe we approached the area and noticed a service saddle laying on the side walk. Doing a site investigation we asked why this saddle wasn't marked with no answer from Columbia Gas. Also asked questions to our crew on site and they stated they spotted the gas line approx 2' from where the damage occurred (but still in our work proposed work area) and our team was working to expose more of the gas line which was more in line with where our water service line was. Our operator (Tom Sholtis from Lee's Plumbing) stated he was cleaning off the pipe when this service saddle let loose without him hitting it. He stated he was at least 1 foot above the line, knowing the depth from previously spotting it. He also stated there was a open pocket on the side of the gas line, which he stated this saddle has been leaking prior to us digging in the area. Columbia Gas crew on site stated the saddle looks like it was not fully secured to the pipe properly." Photos were submitted. The damaged gas line can be seen in the submitted photos. The line was accurately marked, and the line was damaged within the tolerance zone (IMG_0379). In the submitted photo (TC_00898) to the left of the visible gas line, there appears to be teeth marks from an excavator. Routine ticket 20260563181 had a response due date of 02/27/2026. - Pa American Water did not respond to this ticket until 03/08/2026. Violations: Lee's Plumbing and Excavating- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s). Pennsylvania American Water- - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Routine ticket 20260563181. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). -- Penalty removed per DPC decision.	