

Damage Prevention Committee Meeting Case List August 11, 2026

Omnibus Session

Case Number	Stakeholders	Summary	Violations & Recommendation
62155	Facility Owner: COMCAST Contractor/Excavator: Lawrence Site Contractors	<u>On 12/5/2025 10:15:00 AM at 1629 HAGYS FORD RD, LOWER MERION TWP, MONTGOMERY</u> The incident occurred on December 5th, 2025, at 10:15 AM, at 1629 Hagys Ford Road, in Lower Merion Township, Montgomery County. A cable tv line owned by Comcast was damaged. There was not a Pa One Call ticket. Comcast, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Contractor planting trees cut underground fiber". Photos were submitted. Lawrence Site Contractors is the excavator. An AVR has not been filed as of 04/22/2026. An AVR request letter was sent 03/23/2026. The AVR requested information about the project owner. Pa One Call advised, "The company [Lawrence Site Contractors] has placed one call notifications in the past, but not at the location listed on the AVR." The submitted photos show the damaged cable line. Pa One Call did not find any tickets for this location. Act 127 of 2024- The Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. - To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - To comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of the receipt of the request. Violations: Lawrence Site Contractors-	Lawrence Site Contractors: \$2,750.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		- Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
61569	Facility Owner: PEOPLES NATURAL GAS COMPANY LLC Facility Owner: WEST PENN POWER - FIRSTENERGY Contractor/Excavator: J&A HEATING, COOLING, PLUMBING & ELECTRICAL Project Owner: HOMEOWNER / RESIDENT	<u>On 12/12/2025 6:20:00 PM at 929 LINDFIELD DR, SOUTH PARK TWP, ALLEGHENY</u> The incident occurred on Friday, December 12, 2025, at 929 Linfield Drive, in South Park Township, Allegheny County. An underground secondary electric line owned by West Penn Power/FirstEnergy (WPP) was damaged, and gas line owned by Peoples Natural Gas Company (PNG) was damaged. WPP reported an excavator issue as failing to protect and preserve the markings or contact One Call to request a remark. WPP stated in their AVR, “On December 9, 2025, J&A Heating, Cooling, Plumbing, & Electrical, Excavator, submitted PA One Call Routine Ticket 20253431915 to replace and reroute the water line at 929 Linfield Drive, South Park Township, Allegheny County, PA. On December 12, 2025, West Penn Power (WPP) was notified of an outage and located a damaged underground secondary electric line. WPP’s Contract Locator, USIC, investigated and determined the Excavator damaged an accurately marked WPP underground secondary facility. The root cause of the dig in was that the Excavator failed to dig prudently in the tolerance zone to expose marked facilities.” J & A Plumbing reported a Facility Owner issue as marked incorrectly. J & A Plumbing stated in their AVR, “duquense light service main on neighbors house was nicked while excavating a water service line for our homeowner”, and “gas service line marked but line made an offset by the road which was not indicated and ran back through our ditch where line was hit” PNG reported a facility owner issue as failed to locate point of connection to facility line. PNG stated in their Alleged Violation Report (AVR), “on 12/15/25 J and A South Park LLC working for homeowner at 929 Lindfield Dr, South Park struck an unmarked PNG main to curb service line. PNG marked curb to meter with understanding the water work was staying on the current side of the water line. PNG records showed a 22 foot curb to main which would have it going straight across	PEOPLES NATURAL GAS COMPANY LLC: \$750.00 Section 2(5)(i.1) 3rd Offense \$750.00 J&A HEATING, COOLING, PLUMBING & ELECTRICAL: \$1,000.00 Section 5(3) 1st Offense \$500.00 Section 5(16) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the street to the main away from the work area. J and A South Park LLC was digging near water stop and hit PNG service. PNG service came up 10 to 15 from gas curb box and then crosses the street to the main. J and A South Park LLC notified PNG and 911. PNG crews arrived onsite made safe and made repairs.” On Tuesday, 4/21/26 an email was sent to PNG requesting addition information and they replied with, “I spoke with the first responder and reviewed all the information from this damage. The damaged gas line served 929 Lindfield Dr. J and A Plumbing was not invoiced for this damage. J and A’s PA One Call was for 929 Lindfield, and the excavation protruded into the yard of 925 Lindfield Dr. The PNG gas service line did make a 90 and run along the curb prior to crossing the road. This offset was undocumented, and the measurement for the service line serving 929 Lindfield stated 22’ main to curb, indicating the line went straight across the road to the main. PNG feels we fulfilled our obligation under Act 127 by marking the facility by measurements in the area indicated on the PA One Call Ticket.” The Homeowner stated in an email, “2/27/2026 I received the attached letter from PAPUC and I am contacting J&A Heating, Cooling, Plumber & Electrical to ascertain if they forwarded a follow up report since on 12/12/2025 their excavator hit the electrical utility line of my neighbor’s residence (Paul Zoller, 925 Lindfield Dr, South Park Pa 15129). The J&A excavator notified West Penn Power and the fire department.” “I was unaware of the accident and only was told about it when I went out to check on J&A since it was at the end of the day, just before dark, It was then when the excavator told me he struck the neighbor’s electrical line and that he notified West Penn Power. The J&A excavator also stated that the utility ground flags did not Line up with the underground line. My neighbor arrived home about 7:30pm and the J&A escalator, with me present, advised him of the problem. I advised my neighbor that he was welcome to stay at my home to await West Penn Power technician to arrive and repair the line. My neighbor declined but asked that I call him when West Penn Power technician arrived. Since it was very cold I went back in the house. After sometime had past I noticed fire truck red lights outside at the work site so I went out and found that the fire department had responded and when I went out to check what was the problem the excavator told me he called the fire department. The West Penn Power technician arrived shortly after the fire department . The West Penn Power Technician, Fire Department truck charge person and the J&L excavator were together talking, but I was not involved in this conversation. After their discussion the responding Fire Department engine departed and the J&A excavator told me the line was being repaired. The West Penn Power technician repaired the line and electricity was restored at my neighbor’s residence about 11:30 PM (not sure of time but close). The West Penn	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Power technician departed and J&L insured the work area was taped off for safety.” On 3/3/2026 an email was sent to the Homeowner requesting additional information. The Homeowner replied to the email on the same day with a picture, and stated, “It is a picture of the work site after covered. J&A is suppose to return to level and fill in since the weather conditions and temperatures were not conducive to performing the work at the time. I wanted to send you the picture to show you that the utility surface flags were placed.” On 4/7/2026, an email was sent to the Homeowner requesting additional information, “In addition to the electric line damage, was there a Peoples Natural Gas line hit and damage on 12/12/2025, or on 12/15/2025?”, and the Homeowner replied stating, “As reported the electric line was the only damage and repaired that I am aware of.” On Monday, 2/23/2026 letters and an email were sent to J & A Plumbing and to the Homeowner requesting AVR’s. J & A Plumbing submitted their AVR on 3/2/2026, not within 30 days of the 12/12/2025 incident. The Homeowner provided a summary of the incident by email on 3/2/2026. On 3/3/2026, an email was sent to J & A Plumbing and to the Homeowner requesting additional information. The Homeowner replied to the email on the same day with a picture. As of 4/7/2026, J & A Plumbing did not reply to the email. On 4/7/2026, an email was sent to the Homeowner requesting additional information, “In addition to the electric line damage, was there a Peoples Natural Gas line hit and damage on 12/12/2025, or on 12/15/2025?”, and the Homeowner replied stating, “As reported the electric line was the only damage and repaired that I am aware of.” Violations: *J & A Plumbing is in violation of sections: 5(3) – Excavator failed to preserve mark-outs or request a remark. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. Their AVR was submitted on 3/2/2026, not within 30 days of the 12/12/2025 incident. Recommendation: Penalties applied with 50% reduction for 5(16) and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Peoples Natural Gas Company is in violation of section: 2(5)(i.1) – Failed to locate an actually known facility’s point of connection to its facilities. Recommendation: Penalty applied	
62016	Facility Owner: PECO AN EXELON COMPANY	On 1/7/2026 12:00:00 AM at <u>701 S BETHLEHEM PIKE, AMBLER BORO, MONTGOMERY</u> The incident occurred on Wednesday, January 7, 2026, at	BT HOME IMPROVEMENT LLC: \$2,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Contractor/Excavator: BT HOME IMPROVEMENT LLC Project Owner: PROPERTY OWNER	701 S. Bethlehem Pike, in Ambler Borough, Montgomery County. A gas line owned by PECO A Exelon Company was damaged. PECO reported an Excavator issue as failed to submit a locate request through the PA One Call System before excavating. PECO stated in their Alleged Violation Report (AVR), "BT Home Improvement was excavating to install water and sewer service ines when they struck a 1 inch plastic gas service using a mini excavator. BT home improvement failed to obtain a PA onecall locate request prior to excavating." Summary of the event from their investigation report, "On 01-07-2026 USIC was notified about a damage to a 1/2" plastic gas service at 701 S. Bethlehem Pike, Upper Darby, Montgomery County, PA. The investigation determined that the contractor, BT Home Improvement, was installing a water service, without a locate ticket, and struck a 1/2" plastic gas service. The gas service had been marked on 10-20-2025 for a different contractor, doing a different scope of work. Some of the marks were still visible and were within tolerance. The damage occurred within 5' of the gas riser/meter." On Monday, 3/30/2026, an email was sent to PECO requesting additional information, "Was there a gas leak, if so, was 911 called and by who? Also, provide any additional information that PECO believe is important for the PAPUC Damage Prevention to know." PECO replied on Friday, 4/3/2026, "Yes there was a gas leak. I don't know who called 911, maybe the homeowner or contractor. The damage investigator vaguely remembers 911 being onsite when they arrived." Also, on 3/30/2026, letters and an email were sent to the Excavator, BT Home Improvements LLC and to the Homeowner. There were no responses to the request and no AVR's were submitted. BT Home Improvements LLC did not submit an AVR within 30 days of the Wednesday, 1/7/2026 incident. The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, Responsibilities Of The Excavator, Section 5(16) states: To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. The report of an alleged violation shall be in a form and manner as required by the commission. The routine ticket, 20251200182, that was placed by BT Home Improvements was called in on 4/30/2025, type of work- "CAR POD, SIDEWALK, CONNECTING WATER LINE", and duration of 2 weeks. Violations:	Section 5(2.1) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		*BT Home Improvements LLC is in violation of sections: 5(2.1) – Excavator failed to submit a location request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. Recommendation: Penalties applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
62624	Facility Owner: First Energy - Penn Power Contractor/Excavator: RUDZIK EXCAVATING Project Owner: Sandy Lake Borough	<u>On 1/8/2026 10:53:00 AM at LAURA DRIVE, SANDY LAKE TWP, MERCER</u> Incident occurred on January 8th, 2026, at 10:53am along Laura Drive, Sandy Lake Township, Mercer County. An electric line was damaged. First Energy - Penn Power's Alleged Violation Report (AVR) states, "On December 29, 2025, Rudzik Excavating, Excavator, submitted PA One Call Routine Ticket 20253630441 to install a water line on Laura Drive, Sandy Lake Twp, Mercer County PA. On January 8, 2026, customers on Laura Drive reported no power. Penn Power (PP) investigated and located a damaged PP underground primary line. PP's Contract Locator, USIC, investigated and determined that the Excavator used excavating equipment within the tolerance zone and damaged the underground electric line. The root cause of the dig in was that the Excavator failed to expose PP's accurately marked underground facilities." Rudzik Excavating's AVR states, "Rudzik Excavating was installing a new water service at 39 Laura Drive Sandy Lake, PA 16145. During excavation, the wall of Rudzik's excavation collapsed. Within that wall was a buried electric cable that was more than 18 inches off the field marks. When the wall of the excavation fell, the electric line broke at a previously spliced together section from a break in the line sometime before Rudzik's project. All necessary precautions were taken by Rudzik to prevent this from happening. The trench was not deeper than 5 feet, the soil was just weak in this area." Sandy Lake Borough's AVR states, "Rudzik Excavating was replacing a water line for a water construction project for the Sandy Lake Borough and dirt fell onto the electrical line and broke it causing there to be a power outage on Laura Drive. " Locating Information: "I do not know if Penn Power requested payment. Supposedly Rudzik Excavating has filed the report because they were the contractor that hit the line. Sandy Lake Borough was not involved in doing the work they were the ones the work was being done for." No design tickets were located for Sandy Lake Borough's project. Images from the mark out on 1/6/2026 show the electric mark out bowing towards the fire hydrant and away from the street. Videos from the excavator after the damage	RUDZIK EXCAVATING: \$1,000.00 Section 5(6)(ii) 1st Offense \$500.00 Section 5(16) 1st Offense \$500.00 Sandy Lake Borough: \$1,000.00 Section 6.1(3) 1st Offense \$500.00 Section 6.1(7) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		show the preserved mark out flag placed near the orange telecom mark out which is further away from the red flag and marks on 1/6/2026. For a quick comparison see file Group Comparison.pdf. Sandy Lake Borough was mailed and emailed a request for an AVR on 4/1/26 asking if any design tickets were submitted prior to the project being released to bid/construction. Sandy Lake Borough did not provide any design documents, no design tickets were within the coordinate pa documents, and no design tickets were located during PA1calls review. Sandy Lake Borough's AVR was due within 30 days of the line strike which happened on 1/8/26. AVR courtesy letter was mailed on 4/1/26 and the AVR was submitted on 4/9/26. Rudzik Excavating's AVR was submitted on 2/24/26. Recommended violations, penalties, and education: Rudzik Excavating Section 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner’s lines at the construction work site. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. AVR penalty reduce by 50% from \$1,000 to \$500 for providing an AVR late. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. Sandy Lake Borough Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. AVR penalty reduce by 50% from \$1,000 to \$500 for providing AVR after request as a 1st offense. -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	
62424	Facility Owner: PENNSYLVANIA ELECTRIC CO Contractor/Excavator: FIVE FORTY BUILD Project Owner: WASHKCO KEYSTONE CROSSING LLC Other: Brightspeed Other: Comcast	<u>On 1/9/2026 5:31:00 PM at 15440 WEDGEWOOD DR, ANTRIM TWP, FRANKLIN</u> The incident occurred on 1/9/2026, at 5:31 PM, on 15440 Wedgewood Dr, in Antrim Twp, Franklin County. An electric line owned by Pennsylvania Electric Co was damaged. An emergency ticket was entered by the excavator for the damage. Pennsylvania Electric Co is the facility owner. Their Alleged Violation Report (AVR) states, “On November 9, 2025, Five Forty Build, “Excavator,” submitted PA One Call Routine Ticket 20253130226 to install a new water main at 15440 Wedgewood Drive, Antrim Township, Franklin County, Pennsylvania. On January 9, 2026, West Penn Power was notified of an outage at this location. USIC, West Penn Power’s Contract Locator, investigated and determined that the Excavator damaged an accurately marked secondary electric line.	FIVE FORTY BUILD: \$1,000.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$500.00 WASHKCO KEYSTONE CROSSING LLC: \$750.00 Section 6.1(7) 1st Offense \$500.00 Section 6.1(8) 1st Offense \$250.00 Brightspeed: \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The root cause of the damage was the Excavator failed to use prudent techniques within the tolerance zone.” Five Forty Build is the excavator. An AVR was not filed as of 03/20/2026 and an AVR request was sent the same day. An AVR was submitted 70 days after the incident that has no detailed information. They did indicate that the reason for the incident was that the excavator, “Failed to exercise due care and take all reasonable steps necessary to avoid injury to or interference with all lines”. Washkco Keystone Crossing Llc is the project owner. An AVR was not filed as of 03/20/2026 and an AVR request was sent the same day. No AVR or documentation was submitted. Ticket #20260092868 New – Damage – Emergency was entered on 1/9/26 at 5:42 PM. Comcast responded “Clear” on 1/12/2026, and Brightspeed’s only response was “Insufficient Information” on 1/9/2026 at 8:06 PM. Images provided show the site, marks when placed on 11/12/2025, damaged line on 1/9/2026, and excavation equipment. The dirt in the area has been disturbed. No red marks can be seen in the area where the damaged occurred, but there are faded red marks seen further back from the damage. Additionally, the damage is beside a utility cabinet and marks shown in the original mark out images. The excavation equipment is shown and the excavator was using mechanized equipment in the tolerance zone. Violations: Excavator - Five Forty Build: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. This violation is reduced from \$1000 to \$500 as a warning. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Project Owner - Washkco Keystone Crossing: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. This violation is reduced from \$500 to a warning of \$250. Facility (other)- Comcast:	Section 2(5)(vii) 1st Offense \$1,000.00 Comcast: \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other)- Brightspeed: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62301	Facility Owner: UGI UTILITIES INC Contractor/Excavator: RANCK PLUMBING HEATING AIR CONDITIONING & EXCAVATION Project Owner: Homeowner/Property Owner	<u>On 1/12/2026 8:00:00 AM at 237 LANCASTER AVE, LANCASTER CITY, LANCASTER</u> The incident occurred on Monday, January 12, 2026, at 237 Lancaster Avenue, in Lancaster City, Lancaster County. A gas line owned by UGI Utilities was damaged. UGI reported an Excavator issue as failing to use prudent techniques within the tolerance zone. UGI stated in their Alleged Violation Report (AVR), “Excavator utilizing mechanized equipment, struck a correctly marked gas service with mechanized equipment inside the tolerance zone.” The contractor, Ranck Plumbing Heating Air Conditioning and Excavation placed a routine ticket, 20260020905 and a damage emergency ticket, 20260120514. Information from the routine ticket: Method of Excavation--[POWER EQUIP], and Equip Type--[MINI EXCAVATOR] Remarks from the emergency ticket, “CREW IS ON SITE. CALLER STATED THEY NICKED AN UNMARKED GAS LINE, CALLER STATED THERE IS NOTHING LEAKING FROM THE LINE. THEY WERE CUTTING OUT A TREE ROOT AND THE GAS LINE WAS NICKED. THE GAS LINE MAY BE 1 1/4IN OR 1 1/2IN. ATTN UGI, PLEASE RESPOND TO THE SITE. FACILITY TYPE: NATURAL GAS-UGI. EXCAVATION EQUIPMENT: EXCAVATOR. HAZARDOUS RELEASE: NO” UGI provided pictures of the damaged gas line within the tolerance zone and tree roots are visible. On Tuesday, 4/7/2026, letters and an email were sent to Ranck Plumbing Heating Air Conditioning and Excavation, and to the Homeowner. There was no response from the contractor and no AVR was submitted. The Homeowner responded by calling and left a voice message saying they do not know anything and that the contractor took care of the situation, so they do not have information to provide. Ranck Plumbing Heating Air Conditioning and Excavation did not submit an AVR within 30 days of the Monday, 1/12/2026 incident.	RANCK PLUMBING HEATING AIR CONDITIONING & EXCAVATION: \$1,500.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, Responsibilities Of The Excavator, Section 5(16) states: To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. The report of an alleged violation shall be in a form and manner as required by the commission. Violations: *Ranck Plumbing Heating Air Conditioning and Excavation is in violation of sections: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. Recommendation: Penalties applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
62309	Facility Owner: AQUA PENNSYLVANIA INC Contractor/Excavator: DANELLA Project Owner: PECO Designer: PECO Placeholder Other: Verizon	<u>On 1/12/2026 11:00:00 AM at SHENTON RD, EAST BRADFORD TWP, CHESTER</u> Incident occurred on January 12th, 2026, at 11am at 815 Shenton Road, East Bradford Township, Chester County. A water line was damaged. Case is related to case 62192. Facility Owner: Aqua's Alleged Violation Report (AVR) states, "Excavator hit unmarked water service to 815 Shenton Rd." Excavator: Danella's AVR states, "While trenching to install 8 inch HDPE, the Danella crew performed prudent hand excavation within the tolerance zone, approximately 3–4 feet on either side of the marked water service, in accordance with standard excavation practices. While maintaining grade during trenching operations, Danella encountered an unmarked water service at a location approximately 13 feet from the nearest visible utility mark out. Work was immediately stopped, the water service was secured, and the Danella supervisor was notified. PA One Call was also notified. Aqua, the facility owner responsible for the water service mark outs, responded to the site with a supervisor and conducted a field review. During the investigation, it was determined that the associated valve box for the water service had not been marked. Aqua subsequently dispatched a repair crew to address the condition of the water service. Based on their on site review, Aqua verbally advised that Danella's excavation activities were not identified as a contributing factor to this incident." Files saved as Ron Myers photo 2 & 3 show that the line was not marked. Danella placed emergency damage ticket 20260121688 on 1/12/26 with Work For listed as PECO. PECO responded Field Marked to this ticket. No	AQUA PENNSYLVANIA INC: \$500.00 Section 2(5)(i.1) 2nd Offense \$500.00 PECO: \$2,000.00 Section 6.1(7) 2nd Offense \$1,500.00 Section 6.1(8) 1st Offense \$500.00 Verizon: \$2,000.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(viii) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		AVR has been submitted by PECO as of 3/31/26. A courtesy AVR letter was mailed and emailed to PECO on 4/1/26. PECO placed the final design ticket for this project which makes them the designer and project owner. Verizon failed to respond or attend the complex meeting ticket 20253103603 by the meeting date of 11/12/2025. Verizon failed to respond two routine tickets, 20260053647 & 20260072606. Recommended violations, penalties, and education: Aqua Section 2(5)(i.1) – Failed to locate an actually known facility’s point of connection to its facilities. 20260053647. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). PECO Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. 20260121688. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Verizon Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260053647 Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260072606 Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). 20253103603 -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
61893	Facility Owner: Pennsylvania American Water (PAWC) Facility Owner: Velocity Fiber Facility Owner: Verizon Contractor/Excavator: HENKELS AND MCCOY Project Owner: PECO Designer: HBK Engineering	<u>On 1/13/2026 9:00:00 AM at Line-600BA - Marshall Street job with WO# 19581034, NORRISTOWN BORO, MONTGOMERY</u> Velocity Accepted the following. Section 2(5)(viii) – \$500 Section 2(10) – (Reduced from \$1,000 to \$500.) Disputing Section 2(11) - Removed ***** This non-damage incident occurred on January 13th, 2026, at 9am along Marshall Street, Norristown Boro, Montgomery County. Companies failed to attend a complex project meeting.	Pennsylvania American Water (PAWC): \$500.00 Section 2(5)(viii) 1st Offense \$500.00 Velocity Fiber: \$1,000.00 Section 2(5)(viii) 1st Offense \$500.00 Section 2(10) 1st Offense \$500.00 Verizon: \$3,500.00 Section 2(5)(viii) 2nd Offense \$1,000.00 Section 2(10) 2nd Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
		Henkels and McCoy's Alleged Violation Report (AVR) states, "The following companies were not present on January 13, 2026, for a complex ticket meeting, Pennsylvania American Water, Velocity Fiber LLC and Verizon Pennsylvania LLC." PAWC, Velocity Fiber LLC, and Verizon were mailed a request for an AVR. PAWC's AVR states, "PAWC failed to attend the complex project meeting for 20260052034. The damage to the water line was on the customer side, not owed by PAWC. The locator marked clear, private utility on 01/13/2026." Complex Sign-in Sheet shows that Velocity Fiber and Verizon did not attend the meeting or respond clear. Verizon gave "no response" then responded "insufficient Info." Velocity Fiber responded "Will Attend Meeting" followed up with "Attended Meeting." No AVRs have been received from Velocity Fiber or Verizon within 30 days of the courtesy letter. Complex ticket 20260052034 Responses: 0 YI VERIZON PENNSYLVANIA LLC YI-NO RESPONSE 1/13/26, 12:04 AM Auto-KARL N/A 0 YI VERIZON PENNSYLVANIA LLC YI-INSUFF INFO. DO NOT DIG 1/26/26, 9:21 AM AAA-WEBSVC N/A 0 VEL VELOCITY FIBER LLC VEL-WILL ATTEND MEETING 1/5/26, 12:19 PM CLS-WEBSVC N/A 0 VEL VELOCITY FIBER LLC VEL-ATTENDED MEETING. REACHED AGREEMENT 1/13/26, 12:18 PM CLS-WEBSVC N/A 0 AP PENNSYLVANIA AMERICAN WATER AP-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED 1/13/26, 11:18 AM JCR-WEBSVC N/A 0 AP PENNSYLVANIA AMERICAN WATER AP-NO RESPONSE 1/13/26, 12:04 AM Auto-KARL N/A Recommended violations, penalties, and education: Velocity Fiber Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner's lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. (Reduced from \$1,000 to \$500.) Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission's enforcement authority under this act within thirty days of the receipt of the request. (Removed)	\$1,500.00 Section 2(11) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		-PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Verizon Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). 20260052034 Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. -PUC compliance education is required for the individual(s) responsible to respond to this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. PAWC Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). 20260052034	
61886	Facility Owner: Charter Communications/Spectrum Facility Owner: Verizon Contractor/Excavator: WILSON EXCAVATING - A LINDY GROUP COMPANY Project Owner: Aqua PA	<u>On 1/15/2026 7:00:00 AM at KENRAY DR, HERMITAGE CITY, MERCER</u> Spectrum Accepts *** Incident occurred on January 15th, 2026, at 10:50am along Kenray Drive, Hermitage City, Mercer County. A telecom line was damaged. Wilson Excavating's Alleged Violation Report (AVR) states, "Wilson Excavating was working at 1750 Kenray Drive to transfer an old water service line to a new mainline for Aqua. When digging to install the service, an unmarked Verizon line was struck with an excavator. Damage ticket was submitted." Aqua's AVR states, "Aqua Contractor Wilson Excavating was working at 1750 Kenray Drive to transfer an old water service line to a new mainline for Aqua. When digging to install the service, an unmarked Verizon line was struck with an excavator. Alleged Verizon telecom line damage that occurred during the installation of a water service line on Kenray Drive." Line belongs to Charter Communications DBA Spectrum and not Verizon. Verizon did not submit an AVR within 30 business days of the incident date. A courtesy AVR request asking for information was mailed and emailed on 3/2/2026. No AVR has been submitted as of 4/22/26. Verizon Fios	Charter Communications/Spectrum: \$1,500.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(10) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		website shows that fios is not offered on Kenray Drive. Charter Communications/Spectrum website shows that houses on Kenray Drive already have Spectrum service. Images show a telecom line running down the utility pole which continues underground. Images show the damaged line and no visible mark outs or flags. Charter Communications responded to the ticket, 20260121642, for this area as Clear no Facilities. Charter also responded clear on the complex ticket. Recommended violations, penalties, and education: Charter Communications DBA Spectrum Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20260121642. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	
62047	Facility Owner: PPL Electric Contractor/Excavator: E K SERVICES Project Owner: Swatara Township Authority	<u>On 1/22/2026 8:00:00 AM at FULCROFT AVE, SWATARA TWP, DAUPHIN</u> Incident occurred on January 22nd, 2026, at 8am along Fulcroft Avenue, Swatara Township, Dauphin County. An electric line was hit. PPL Electric's Alleged Violation Report (AVR) states, "On January 22nd, 2026, at 845 am E K Services was installing sewer lines when they hit an unmarked PPL electric primary line, no one was hurt or injured. PPL crew responded. No one lost power." E K Services' AVR states, "Crew was onsite to excavate for sewer line replacement. The previous day the crew had hydro vacuumed the area to locate marked utilities. Lines were spotted and crew began excavation using mechanical equipment. When approaching one of the marked areas the crew struck an unmarked line, which appears to be electric four foot away from the marked and located line. One call was notified by site supervisor; response was made by USIC who then called out PP&L to assess the damage. PP&L stated that no one was out of service, but the slack had to be pulled from somewhere. PP&L was onsite for approximately three hours and were able to pull the slack back to the pole that the line came from." No AVR has been received from Swatara Township Authority. Swatara Township responded field marked on emergency damage ticket 20260220329. A request was	PPL Electric: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Swatara Township Authority: \$500.00 Section 6.1(7) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		sent out for an AVR on 3/4/26 and submitted an AVR on 3/19/26. Swatara Township Authority's AVR states, "This is for AVR case number 62047. E.K. Services hit an unmarked electric line while digging for sewer main. They found two conduits on old faint marks on the curb the day prior potholing with the vac truck. Those marks were conduits and were 4' away from where they pulled out another electric line. They hand dug and found one more line right with the one that they pulled out. E.K. Services called 1CALL and USIC came out and sent PP&L out to examine the damage. They came up with nobody was out of service but E.K. had pulled slack from the line from somewhere. PP&L was there for approximately 2-3 hours with 3 trucks and 3 guys. PP&L pulled the slack back up a pole where the wire was run and that was it." Images show that the line was not marked within the tolerance zone. Recommended violations, penalties, and education: PPL Electric Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20260130239 -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Swatara Township Authority Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. 20260220329 -PUC compliance education is required for the person responsible for submitting AVR or their replacement. 1st offense for Swatara Township Authority - Reducing penalty by 50% from \$1,000 to \$500.	
62011	Facility Owner: Verizon Contractor/Excavator: Empire Boring Inc Project Owner: Verizon - Spacesaver Other: ALLEGHENY TOWNSHIP SOMERSET COUNTY	On 1/22/2026 1:00:00 PM at LINCOLN HWY, ALLEGHENY TWP, SOMERSET ALLEGHENY TOWNSHIP SOMERSET COUNTY disagreed. They state that "Allegheny Township is a very small municipality, population of 621 by 2020 census. Because of this we all only work part time or an 'as needed' basis. That being said notices, letters, emails may not be read for several days after they are delivered. Because of this recent incident, I have taken steps to improve future handling of tickets. I called our PA One Call liaison, Erika Dominick, and we set up an alert text message system to my cell phone so I will know right away when emergency tickets arise and can have a rapid response to them. Upon reviewing the ticket information, I also realized that the roads involved in this damage case were not township roads. All the roads on the map were either PennDOT (state) roads or private residential roads. Allegheny Township would be clear with no facilities there. My record for responding to tickets is consistently good and I feel this incident was very unfortunate. I am asking if the Damage Prevention Commission would	Verizon: \$6,750.00 Section 6.1(3) 1st Offense \$500.00 Section 2(5)(v) Subsequent \$1,000.00 Section 2(10) Subsequent \$2,500.00 Section 2(14) 1st Offense \$500.00 Section 9 1st Offense \$250.00 Section 2(5)(i) Subsequent \$2,000.00 ALLEGHENY TOWNSHIP

Case Number	Stakeholders	Summary	Violations & Recommendation
		please reconsider this first-time violation and penalty imposed upon the township. We would be very grateful and will truly respect the importance of responding to future tickets in an urgent and timely manner." DPI Maki reduced the \$1000. penalty to \$500. and maintained the education. On 6/04/2026 DPI Maki spoke with Nancy from Allegany Township Somerset Co. Nancy asked what she needs to do to accept the lowed penalty and not dispute. She also asked if she could use a personal check to pay, since she felt this was her fault and did not feel that the county should pay for her mistake. DPI Maki dropped the penalty to a warning and maintained the education. Nancy also has reached out to the PA OneCall liaisons as soon as she knew to do so and has facilitated changes in the way tickets are managed in this small office. On 6/04/2026 an email from Allegheny Township responded that they are accepting he no penalty for this violation and welcome taking the required education. ***** The incident occurred on 1/22/2026 on LINCOLN HWY in Allegheny Township in Somerset County. A communications line owned by Verizon was damaged. EMPIRE BORING INC stated in their Alleged Violation Report (AVR) that they were "Installing fiber conduit for Verizon. Verizon line was miss marked and line was damaged". Project is >\$400,000. Pictures were provided. Verizon, the project owner and facility owner was sent an AVR request letter on 1/27/2026. Due 2/28/2026. No AVR has been submitted as of 4/06/2026. VIOLATIONS Verizon is in violation of: Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. *Ticket 20260141645 was submitted by EMPIRE BORING INC on 1/14/226 with a response due by 1/16/2026. Verizon did not respond until 1/17/2026. This is a subsequent offense. Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. This is a subsequent offense. Section 2(14) - Failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of request. Section 9 When using trenchless technology, project owner failed to utilize the best practices published by the Common Ground Alliance (CGA 22) 2-13 Trenchless	SOMERSET COUNTY: \$0.00 Section 2(5)(vii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Excavation All stakeholders adhere to all best practices and the following general guidelines prior to, during and after any trenchless excavation (as applicable). The project owner and designer take prudent measures to make the determination to use trenchless excavation installation. The project owner and designer engineer coordinate with facility owners to design projects that maintain minimum radial clearances are equal to or greater than applicable standards. The project owner and designer engineer establish line and grade of the proposed excavation to maintain the established minimum clearances. Recommendation: The penalty is applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement. ALLEGHENY TOWNSHIP SOMERSET COUNTY is in violation of: Ticket 20260221301 was submitted by EMPIRE BORING INC on 1/22/2026 at 12:59, when a telecom Verizon line was damaged. ALLEGHENY TOWNSHIP SOMERSET COUNTY never responded. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62365	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: SNN Fiber Construction Technology Project Owner: Comcast Other: PPL Other: SERVICE ELECTRIC CABLEVISION INC - SVD	<u>On 1/22/2026 4:00:00 PM at BENTLEY DR, SCOTT TWP, COLUMBIA</u> PPL disputed. Upon additional review of the case, tickets involved, and the dispute, the violations and associated penalties for PPL have been withdrawn. Comcast accepts. ***** The incident occurred on January 22nd, 2026, at approximately 4:00 PM, on Bentley Drive, in Scott Township, Columbia County. A gas line owned by UGI Utilities, Inc. was damaged. The damage was not reported. 911 was not called. UGI Utilities, Inc., the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Fiber company struck and damaged a correctly marked gas service line when Horizontal Drilling. Contractor did not spot the marked facility before boring, and did not report the damage after the damage occurred. UGI responded to a gas odor, and that was how damage was found." Photos were submitted. Their AVR reported 911 was not called. SNN Fiber Construction Technology is the excavator. An AVR has not been filed as of 04/20/2026. An AVR request letter was sent 03/10/2026. Comcast is the project owner. An AVR has not been filed as of 04/20/2026. An AVR request letter was sent 03/10/2026.	SNN Fiber Construction Technology: \$4,000.00 Section 5(4) 1st Offense \$500.00 Section 5(7) 1st Offense \$1,000.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Comcast: \$2,000.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 2nd Offense \$1,000.00 PPL: \$0.00 SERVICE ELECTRIC CABLEVISION INC - SVD: \$500.00 Section 2(5)(v.1) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The submitted photos show the gas line was accurately marked using paint and flags. The gas line was damaged within the tolerance zone. Renotify ticket 20260054463 version 001 was requested 01/22/2026 at 8:59 AM. - Service Electric Cablevision Inc responded 01/16/2026. - PPL responded, "scheduled mark" and did not mark their line. Renotify ticket 20260054463 version 002 was requested 01/16/2026 at 11:52 AM. - PPL responded 01/17/2026. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To exercise due care and to take all reasonable steps necessary to avoid injury to or otherwise interfere with all lines where positions have been provided to the excavator by the facility owners pursuant to section 2 (5). Within the tolerance zone the excavator shall employ prudent techniques, which may include hand-dug test holes, vacuum excavation or similar devices to ascertain the precise position of such facilities. - To report immediately to the facility owner any break or leak on its lines, or any dent, gouge, groove or other damage to such lines or to their coating or cathodic protection, made or discovered in the course of the excavation or demolition work. - To immediately notify 911 and the facility owner if the damage results in the escape of any flammable, toxic or corrosive gas or liquid. The excavator shall take reasonable measures, based on its knowledge, training, resources, experience and understanding of the situation, to protect themselves and those in immediate danger, the general public, the property and the environment until the facility owner or emergency responders have arrived and completed their assessment and shall remain on the work site to convey any pertinent information to responders that may help them to safely mitigate the situation. - To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - To comply with all requests for information by the commission relating to the commission's enforcement authority under this act within thirty days of the receipt of the request. Violations: SNN Fiber Construction Technology- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		- Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. - Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. - Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s). Comcast- - Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. - Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalty is applied. Service Electric Cablevision Inc- - Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. Ticket 20260054463-001. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). PPL- - Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification. - Withdrawn Ticket 20260054463-001. - Section 2(5)(v.1) – Failed to communicate directly with excavator within 2 hours of renotification.- Withdrawn Ticket 20260054463-002. Recommendation: The penalty is applied.	
62135	Facility Owner: UGI Utilities Contractor/Excavator: Bi State Construction Inc. Project Owner: First Energy - Met-Ed	On 1/28/2026 12:45:00 PM at S 5TH ST, EASTON CITY, NORTHAMPTON First Energy Accepts. *** Incident occurred on January 28th, 2026, at 12:45pm along South 5th- Street, Easton City, Northampton County. A gas line was damaged. Facility Owner: UGI's Alleged Violation Report (AVR) states, "Bi-State Construction was digging and when doing so they struck a correctly marked gas service creating a damage. Digging in the tolerance zone." AVR notes 911 was notified.	Bi State Construction Inc.: \$1,500.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00 First Energy - Met-Ed: \$500.00 Section 6.1(3) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Project Owner: First Energy - Met-Ed's AVR states, "On January 5, 2026, BI State Construction Inc, "Excavator" submitted PA One Call Routine Ticket 20260053618 to dig a trench for underground electric on S 5th Street, Easton, Northampton County, PA working for Met-Ed ("ME"). On January 28, 2026, the Excavator submitted PA One Call Emergency ticket 20260281524, noting that there was damage to a gas line. ME policy requires its excavators to notify the company any time there is a dig-in, but BI State Construction did not notify ME operations when the dig-in occurred. ME is submitting this AVR in response to notice received from PA811 on February 12, 2026 indicating that ME may have potential involvement in the dig in." Excavator: Bi State Construction's AVR states references their document UGI Gas Line Struck.pdf. AVR also notes that 911 was notified. Was the AVR submitted after 30 days? Yes, the excavator also placed emergency damage ticket 20260281524 on 3/12/26. AVR courtesy letter was sent on 3/12/26 and the AVR was submitted on 3/18/26. Images show that the gas line was marked within the tolerance zone. No design tickets were located for this project by PA1call. Recommended violations, penalties, and education: Bi State Construction Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 20260053618 Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. 20260281524 -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. First Energy Met-Ed Section 6.1(3) – Released a project to bid or construction before final design was complete.	
62166	Contractor/Excavator: SWANK CONSTRUCTION Project Owner: PENNDOT Designer: PENNDOT - SPACE SAVER Other: FRANKLIN TOWNSHIP BEAVER COUNTY Other: K C I TECHNOLOGIES Other: McCormick Taylor	On 1/28/2026 1:00:00 PM at Country Club Bridge, NORTH SEWICKLEY TWP, BEAVER PennDOT disagreed. DPI sent an email on 6/02/2026+ asking PennDOT about the final designer and the revisions that were made on 10/15/2026. See attachments " Utility Relocation Plan" and DPI responds to PennDOT disagreement". Violation and penalty withdrawn. PennDOT's designer submitted a ticket. SL 6/4/2026 ***** The incident occurred on 1/28/2026 at Country Club Bridge in NORTH SEWICKLEY TWP in BEAVER Co.	PENNDOT: \$0.00 FRANKLIN TOWNSHIP BEAVER COUNTY: \$0.00 Section 2(5)(viii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		There was no damage reported for this incident. An Alleged Violation Report (AVR) was submitted naming facility owners who did not attend the Complex Project meeting which was held on 1/28/2026. The facility owners who were named in the AVR do not have underground lines in the excavation area and were not listed in any of the tickets, including the design tickets. PENNDOT stated in their Alleged Violation Report (AVR) that “Penn Power, PA American Water, Crown Castle, DQE Communications, and Armstrong did not attend the required pre-construction meeting for a complex project”. On 4/09/2026 DPI Maki sent an email asking about the facility owners who were not listed as notified on Complex Project Ticket 20260231754. On 4/10/2026 an email was received stating that, “The final design serial number is 20232491746. LSSE is the designer on the Utility Relocation Plan. The Contractor handles scheduling and submitting complex project utility coordination request in the PA One Call system. I was not aware of who all was invited or not invited, but I was disappointed that both WPP and PAWC did not attend the meeting or even state a reason why they were not attending as they are major players in this project. North Sewickley Water did attend the initial meeting, Columbia Gas joined the meeting late. Swank, our Contractor, has stated that they sent an additional meeting invite through Outlook/Teams to all parties involved which included Armstrong, DQE, and Crown Castle for the January 28th meeting. No additional ticket was submitted. We had to schedule a follow up field coordination meeting with PAWC to discuss coordination of work. As of a few days ago, WPP has still not started their work, and they were requesting a pre-construction coordination meeting for their portion of work. They state that they were never notified of the meeting we held late January. Lack of meeting attendance has been an ongoing issue for several of my projects over the past few years which is why this AVR was submitted. I don’t know what else to do, this is a major issue. I can’t be the only one this is happening to. WPP’s work was supposed to be completed by the end of January and now they are finally scheduled to start on April 20th. DPI Maki asked if the designer attended the Complex Project meeting. Penn DOT provided information on 4/22/2026 that neither designer attended the coordination meeting. He added that they, “ had our representatives from the Utility unit attend all related meetings.” Penn Power was sent an AVR request letter on 4/09/2026 asking why the facility owners were not at this Complex Project meeting, which was held on 1/28/2026 at 13:00. Penn Power Co. responded that they attended the meeting on 1/28/2026, but this contact was not during the meeting that was held. Penn DOT specifically stated that they were disappointed that Penn Power Co and PA American Water did not attend the meeting, but on 4/10/2026 an email was received stating	

Case Number	Stakeholders	Summary	Violations & Recommendation
		that PA American Water did attend the meeting. See attachment named “ Email Confirm PA American Water Attended Meeting”. Penn Power was also listed as an attendee for the follow-up meeting on the complex meeting attendee list. PA American Water, was sent an AVR request letter on 4/09/2026 asking why the facility owners were not at this Complex Project meeting, which was held on 1/28/2026 at 13:00. On 4/10/2026 an email was received stating that PA American Water did attend the meeting. See attachment named “ Email Confirm PA American Water Attended Meeting”. American Water and PENN POWER / FIRST ENERGY did not attend the meeting but were contacted with a follow up meeting. Then on 4/10/2026 an email was received stating that PA American Water did attend the meeting. See attachment named “ Email Con firm PA American Water Attended Meeting”. *Final Design ticket 20232491746 was submitted by KCI Technologies on 9/06/2023 with a response due by 9/20/2023. Verizon responded “clear” PA Power Co and PA American Water responded with Engineering completed. Crown Castle, DQE Communications, and Armstrong are not notified on the Final Design ticket because they do not have underground lines in the area which covers this excavation. *Final Design ticket 20252742979 by KCI Technologies on 10/01/2025 with a response due by 10/16/2025. Crown Castle, DQE Communications, and Armstrong are not listed as facility owners. *Complex Project Ticket 20260231754 was submitted on 1/23/2026 by Swank Construction for a Complex Project meeting to be held on 1/28/2026 at 13:00. The ticket response was due on 1/27/2026. PA American Water scheduled mark, North Sewickley Township, North Sewickley Township Water Authority and North Sewickley Township Sewer Authority have the same contact and responded that they will attend the meeting. This information was not updated to “attended meeting. Reached agreement”. Franklin Township Beaver County did not respond “Clear” until 1/28/2026. **Complex Project Attendees: Swank Construction, North Sewickley Water, Columbia Gas, Verizon, BT Group,. And Penn Dot. ***Crown Castle, DQE Communications, and Armstrong are not listed as facility owners on Complex Project Ticket 20260231754. They are also not listed on the Design tickets 20232491746 and 20252742979. None of the named companies own underground lines in the excavation area. ****Penn Power Co. responded that they attended the meeting on 1/28/2026, but this contact was not during the meeting that was held. Penn DOT specifically stated that they were disappointed that Penn Power Co and PA American Water did not attend the meeting, but on 4/10/2026 an email was received stating that PA American Water did attend the meeting. See attachment named “ Email Confirm PA American Water Attended	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Meeting”. Penn Power was also listed as an attendee for the follow-up meeting on the complex meeting attendee list. VIOLATIONS FRANKLIN TOWNSHIP BEAVER COUNTY is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex Project Ticket 20260231754 was submitted on 1/23/2026 for a Complex Project meeting to be held on 1/28/2026 at 13:00 with a response due by 1/27/2026. FRANKLIN TOWNSHIP BEAVER COUNTY DID NOT RESPOND “Clear” until 1/28/2026. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). This violation is reduced from \$500 to a warning of \$0 as they responded "Clear" but it was shortly after the meeting occurred. PENNDOT is in violation of section: Section 4(2.2) – Failed to submit a design notification through the One Call System when a design drawing is completed	
62270	Facility Owner: UGI UTILITIES INC Contractor/Excavator: PENNSYLVANIA AMERICAN WATER Project Owner: PENNSYLVANIA AMERICAN WATER Other: Comcast Other: Gigapower	<u>On 2/1/2026 12:20:00 PM at 315 GEORGE ST, THROOP BORO, LACKAWANNA</u> The incident occurred on Sunday, February 1, 2026, at 315 George Street, in Throop Borough, Lackawanna County. A gas line owned by UGI Utilities Inc was damaged. PA American Water Company (PAWC) reported a facility owner issue as marked incorrectly. PAWC stated in their Alleged Violation Report (AVR), "Crew responded to call to repair a curb valve for a leak on a service line causing damage. Crew arrive after ticket was clear and all responding facilities were marked. The marked location of the gas service was communicated by the facility owner to us and with the information relayed to us, the crew proceeded with caution carefully excavation to avoid mark. On the first scoop with the excavator bucket, the machine broke the mis-marked section of the gas service. The crew immediately stopped work, Called 911 and notified the Supervisor. I immediately notified PA-811 as well as UGI utilities and my senior leadership." UGI reported a facility owner issue as marked incorrectly. UGI stated in their AVR, “Excavator struck and damaged incorrectly marked gas facility.” 20260320073- Excavation Emergency ticket placed on 2/1/26 at 9:36am, by PAWC to repair a leaking water service. Late responses- Gigapower and Comcast on 2/2/2026. Violations:	UGI UTILITIES INC: \$500.00 Section 2(5)(i) 1st Offense \$500.00 Comcast: \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00 Gigapower: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		*UGI Utilities Inc is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty applied *Gigapower is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260320073 Recommendation: Penalty applied and PUC Online Compliance Training is required for the Individual(s) responsible to respond to locate for this ticket, or their replacement(s). *Comcast is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260320073 Recommendation: Penalty applied	
62179	Facility Owner: UGI Utilities, Inc. Contractor/Excavator: A-Z Fencing LLC Other: CITY OF LEBANON	On 2/2/2026 3:34:00 PM at 1255 Bittner Blvd, <u>LEBANON CITY, LEBANON</u> The incident occurred on February 2nd, 2026, at approximately 3:30 PM, at 1255 Bittner Blvd., in Lebanon City, Lebanon County. A gas line owned by UGI was damaged. 911 was called. UGI, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “A-Z Fencing LLC was using an auger to perform fencing work without a PA One Call Ticket behind 1255 Bittner Blvd in Lebanon, PA. As a result, they struck and damaged an unmarked gas main located on Unler St.” Photos were submitted. The AVR reported approximately 30 people were evacuated from a shelter due to the gas leak. A-Z Fencing LLC is the excavator. An AVR request letter was sent 3/27/2026. An AVR was submitted and states, “my guys were digging a hole when they struck a gas line”. The City of Lebanon submitted an AVR. Their AVR states, " No PA-1 call when initial work began. They struck a gas line. Residents of Homeless shelter evacuated due to gas line being struck”. Pa One Call reported no tickets found. No tickets placed by A-Z Fencing LLC related to this incident, but they have placed One Calls in the past. The submitted photos show a small excavator on site with an auger attachment. No utility mark outs are seen in the submitted photos. Photos did include an image of the damaged line. The excavator, A-Z Fencing LLC, did not have a Pa One Call ticket for this project. As a result of the damaged gas line, approximately 30 people were evacuated from a shelter. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth:	A-Z Fencing LLC: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		- To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. No work shall begin earlier than the lawful start date. - Plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. - To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Violations: A-Z Fencing LLC- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning. No penalty applied for this violation.) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
62245	Facility Owner: UGI Utilities, Inc Contractor/Excavator: Ernie Martin Excavating Project Owner: Berks Homes Other: MAIDENCREEK TOWNSHIP Other: MAIDENCREEK TOWNSHIP AUTHORITY	On 2/3/2026 8:43:00 AM at <u>AUSTRIAN DR, MAIDENCREEK TWP, BERKS</u> Maidencreek Township Authority is no longer disputing and has accepted. ***** The incident occurred on February 3rd, 2026, at approximately 8:43 AM, on Austrian Drive, located in Maidencreek Township, Berks County, Pennsylvania. A gas line owned by UGI Utilities was damaged. 911 was called. UGI Utilities, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “While excavating to install a sewer lateral, contractor struck a correctly marked gas main. The gas facilities had been marked with flags and paint. The flags were displaced with a skid loader when the contractor was removing snow. Ernie Martin acknowledged verbally to UGI personnel on site that he was aware of the gas main.” Photos and a video were submitted.	Ernie Martin Excavating: \$500.00 Section 5(3) 1st Offense \$500.00 Section 5(16) 1st Offense \$0.00 MAIDENCREEK TOWNSHIP: \$1,500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(vii) 1st Offense \$1,000.00 MAIDENCREEK TOWNSHIP AUTHORITY: \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Ernie Martin Excavating, the excavator submitted an email in response to the AVR request letter sent 03/27/2026. A summary of the incident was not included, but they did report the line was marked within the tolerance zone, 911 was notified, and all tickets were responded to timely. One photo was included. Berks Homes, the project owner, submitted an AVR. Their AVR states, " The excavator hit the gas line out by the curb". The video submitted by UGI was taken post locate. The video shows yellow flags and paint were used. In the submitted photos, displaced flags and snow can be seen. The flags were displaced due to the snow removal. A renotify should have been requested, as the flags were moved and may no longer be accurate. Due to the moved flags, it is unknown if the damaged gas line was accurately marked. Routine ticket 20260222075 had a response due date of 01/26/2026. - Maidencreek Township Authority responded 01/29/2026. - Maidencreek Township did not respond to this ticket. Emergency ticket 20260340410 was requested on 02/03/2026 at 8:21 AM and had a response due date of 02/03/2026. - Maidencreek Township did not respond to this ticket. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - After commencement of excavation or demolition work, the excavator shall be responsible for protecting and preserving the staking, marking or other designation until no longer required for proper and safe excavation or demolition work at or near the underground facility or by contacting the One Call System to request that the facilities be marked again in the event that the previous markings have been compromised or eliminated. - To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Violations: Ernie Martin Excavating- - Section 5(3) – Excavator failed to preserve mark-outs or request a remark. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been	

Case Number	Stakeholders	Summary	Violations & Recommendation
		committed in association with excavation or demolition work. (Warning) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s). Maidencreek Township- - Section 2(5)(v) – Failed to respond to a routine One Call ticket. Routine ticket 20260222075. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Emergency ticket 20260340410. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Maidencreek Township Authority- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20260222075. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62305	Contractor/Excavator: M AND B GROUP DUBROOK CONCRETE Project Owner: PENNDOT Designer: FISHER ASSOCIATES Other: FIRST ENERGY / PENELEC Other: M AND B SERVICES LLC	<u>On 2/3/2026 10:00:00 AM at SR 426, CORRY CITY, ERIE</u> The incident occurred on 2/03/2026 at SR 426 in Corry City in Erie County. Facility owners were named in an AVR as not attending a Complex Project meeting. The named facility owners did not have any underground lines in the area. M AND B SERVICES LLC, an excavator, submitted an Alleged Violation Report stating that FIRST ENERGY / PENELEC did not participate in a Complex project meeting and that their poles needed to be moved. FIRST ENERGY / PENELEC have no underground lines in this area, so are no considered a facility owner per the Underground Utility Line Protection law ACT 127-2024. A “Line” or “Facility” means an underground conductor, or underground pipe or structure used in providing electric or communication service. *No Damage M AND B SERVICES LLC stated in their AVR that “A complex meeting for a project starting in Corry PA (#13923257) was held on 2/3/2026 that all utilities were made aware of. The representative from PENELEC failed to attend and their participation is critical due to the need for poles to be relocated”. DPI Maki sent an email on 2/24/2026 asking how M AND B GROUP DUBROOK CONCRETE INC and M and B Services LLC are related. M&B Services responded with an email that “Our company is broken out into two different businesses ; M and B Services is the heavy highway construction division that will be working on the project in Corry, PA. On 2/11/2026 DPI Maki sent an email asking for the complex project sign in sheet from the CP meeting and if they know if Penelec has underground lines in this area.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		On 2/24/2026 DPI Maki returned a call to M&B Group, who stated that M&B Services LLC and M&B Concrete Construction are part of the same company named M&B Group. The companies provide different services. The Final design was completed by Fisher Associates and PennDOT. Bill from M&B Group also stated that this particular pole had only overhead wires, but Penelec is noted as having underground utilities for this project and completed engineering on Final Design ticket 200252251273. On 2/24/2026 an email was received stating that “As discussed, our company is broken out into two different businesses. 1- M and B Redi Mix- dba DuBrook Inc. 2- M and B Services LLC. M and B Services is the heavy highway construction division that will be working on the project in Corry, PA. We have updated the AVR with the requested information”. This is a 2 - year project. PENELEC was sent an AVR request letter on 2/11/2026. On 2/25/2026 an email was received stating that " Penelec has no underground facilities in the location of the ticket, on 2/27/2026 an email was received from Penelec stating that they will submit an AVR. Penelec stated in their AVR that , “Penelec submits this information requested by the DPI in response to an AVR filed in connection with a project on SR 426, Corry City, Erie. On January 23, 2026, M and B Group Dubrook Concrete, “Excavator,” submitted PA One Call Complex Project Ticket 20260230136 for an upcoming project in the area of Union Street, West Washington Street, State Route 426 (also noted as N Center St), and Center Street, Corry, Erie County, PA. On February 2, 2026, prior to the proposed meeting date, Penelec’s (“PN”) Contract Locator, USIC, responded with code 001 “Clear” to the ticket as noted in the KARL system. A more appropriate response by the USIC technician would have been code 091 “Clear – Will not attend meeting.” However, PN does not have underground facilities in the path of this project. See attached map of PN’s GIS system.” Report and GIS mapping provided. PENNDOT the project owner stated in their AVR that “ A complex meeting for a project starting in Corry PA (#13923257) was held on 2/3/26 that all utilities were aware of. The representative from PENELC failed to attend and their participation is critical due to the requirement for pole to be relocated. Project is >\$400,000. and >1 mile .On 2/24/2026 DPI sent an email to PennDOT asking to confirm the final designer for this area. An email response was received on 2/25 stating that Fisher Associates is the final designer for this area. Contact information was provided. FISHER ASSOCIATES the designer was sent an AVR request letter on 2/25/2026. No AVR or contact has been made as of 4/17/2026. Utility Clearance_109141 states that the project is scheduled for letting on 10/23/2025. Final Design ticket 200252251273 was submitted on 8/13/2025.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Findings: Complex ticket did not include Penelec due to them having no underground utility lines in the excavation zone. Act 127 has no control over overhead lines. No Violations.	
62371	Facility Owner: National Fuel Contractor/Excavator: PROPERTY OWNER	<u>On 2/3/2026 9:00:00 PM at 446 Smith Rd., PERRY TWP, MERCER</u> The incident occurred on 2/03/2026 at 446 Smith Rd. in PERRY TWP in Mercer County. A gas service line owned by National Fuel Gas was damaged. The excavator did not have a PA OneCall ticket. 911 was not notified. NATIONAL FUEL GAS stated in their Alleged Violation Report (AVR) that, "Homeowner struck a natural gas service line with mechanized equipment. Homeowner did not have a POCS ticket submission. Please see attachments." Compliance Research results state that, "No tickets found to be placed by Homeowner for this or any one call in the past." 911 was not notified. Pictures were provided. On 3/03/2026 DPI Maki sent an email to NFG asking for a complete address. The homeowner has an OH address. They are possibly building a house. On 3/05/2026 an email was received from NFG which included the contact address for the homeowner. Project owner, excavator and property owner, Monroe Shrock was sent an AVR request letter on 3/05/2026, with questions about 911 and if they own their excavation equipment and if he hired someone to do this work. No AVR or contact has been made as of 4/17/2026. VIOLATIONS Monroe Shrock is in violation of: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid.	PROPERTY OWNER: \$1,000.00 Section 5(2.1) 1st Offense \$0.00 Section 5(8) 1st Offense \$1,000.00
62368	Facility Owner: Philadelphia Gas Works Contractor/Excavator: ROTO ROOTER PLUMBING LLC Project Owner: Property Owner	<u>On 2/9/2026 12:02:00 PM at 3835 N 16TH ST, PHILADELPHIA CITY, PHILADELPHIA</u> PGW accepts. ***** The incident occurred on February 9th, 2026, at approximately 12:00 PM, at 3835 North 16th Street, in Philadelphia City, Philadelphia County. A gas line owned by Philadelphia Gas Works was damaged. 911 was called. Philadelphia Gas Works, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "ROTO ROOTER damaged 1" plastic gas line to 3835 N 16th ST".	Philadelphia Gas Works: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Roto Rooter Plumbing LLC., the excavator, submitted an AVR. Their AVR states, “attempted to perform excavating in street for water main for new water service. went to remove blacktop and concrete to expose soil...upon first attempt to remove soil, struck the gas service for property. Per Philadelphia Gaw Works, markings were marked incorrectly”. Photos were submitted. The submitted photos show the excavation area was marked out using white paint. The gas markings were inaccurate. The damage to the gas line occurred outside of the tolerance zone. Violations: Philadelphia Gas Works- - Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62413	Contractor/Excavator: KEYSTONE BASEMENT SYSTEMS Project Owner: Homeowner Other: PEOPLES NATURAL GAS COMPANY LLC	<u>On 2/10/2026 10:41:00 AM at 1028 OLD GATE RD, WILKINSBURG BORO, ALLEGHENY</u> Peoples Gas disagreed and provided documents. The 2 violations section 2(5)(i1) and section 2(5)(iii.1) have been withdrawn. ***** The incident occurred on 2/10/2026 at 1028 OLD GATE RD in WILKINSBURG BORO in Allegheny County. A gas service line was damaged. PEOPLES NATURAL GAS COMPANY LLC stated in their Alleged Violation Report (AVR) that, “On 2/10/2026, Keystone Basement Systems was digging for foundation work at 1028 Old Gate Road when they struck an unmarked PNG SL (curb to meter). The main to curb portion of PNG SL was marked, but the customer owned portion was unmarked due to no records and unlocatable.” Pictures were provided. Keystone Basement Systems were mailed and emailed an AVR request letter on 3/03/2026. KEYSTONE BASEMENT SYSTEMS stated in their AVR that “Operator was digging a trench for wall stabilization of foundation and hit the gas line. The gas line was not marked properly. There was no gravel or sand or marker tape around the gas line. Marking was approximately 3 feet away from the buried line. Pictures were provided. BARRY MCCRARY the project owner was mailed an AVR request letter on 3/03/2026. DEHAVILLAND MCCRARY CALLED TICKET 20260292690 IN FOR Keystone Basements. On 3/04/2026 DPI Maki returned a call to DEHAVILLAND MCCRARY who stated that	PEOPLES NATURAL GAS COMPANY LLC: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		she will send an email to damage prevention after she gets off of work. DeHavilland stated that she had called into 811 prior to the excavation but was told that this was the excavators' duty. She stated that Keystone Basement Systems called in their own ticket, before the excavation began. She explained that Keystone Basement Systems had hit the gas line and let her know immediately, they also notified 911 and the fire department got to the site quickly and she was evacuated from her home. She also stated that PECO got to the site and fixed what needed fixing. On 3/05/2026 an email was received from Homeowner Mrs. DeHavilland (Dee) McCrary which stated, "On Thursday January 29, 2026 @7:00 pm I placed a call to (811) Call before you Dig. I spoke to (Jason) I explained that Keystone Basement is scheduled to come out on Tuesday February 10, 2026; to reinforce my homes foundation it will require for them to dig in my front yard. Jason gave me this serial #20260292690 - Lawful Dates (February 10-12.) Jason asked for all my utility companies which I provided. Jason said, he will contact the companies they will mark my yard along with placing flags if needed the following companies will be notified per Jason; PEOPLES GAS, VERIZON, DUQUESNE LIGHT, COMCAST, WILKINSBURG BORO, WEST PENN-JOINT WATER COMPANY. On Tuesday February 10, 2026, Keystone Basement arrived at my home 1028 Old Gate Road Pittsburgh PA 15235 @8:00am. They began reinforcing my homes foundation from the inside. At approximately 9:50am they began digging in my front yard (view video.) Sometime later I noticed that the crew stopped working and I noticed a crew member on his cell phone. I then received a call from the crew member he said they nicked my gas line, and I have to evacuate the house immediately which I did. Minutes later the fire department arrived, Peoples Gas, and a plumber. I was displaced from my house until 9:00pm that evening. DPI Maki responded on 3/05/2026 by providing a shared folder and asked that the video be placed into this folder. We are not allowed to download any kind of files. After several attempts, no video was received. *Ticket 20260292690 was submitted by Homeowner DeHavilland McCrary on 1/29/2026 with a response due by 2/09/2026. *Ticket 20260332530 was submitted by Keystone Basement Systems on 2/02/2026 with a response due by 2/08/2026. VIOLATIONS PEOPLES NATURAL GAS COMPANY LLC is in violation of Section 2(5)(iii.1) – Facility owner failed to propose a mutually agreeable scheduling by which the excavator, facility owner or designer may locate the facilities. Section 2(5)(i.1) – Failed to locate an actually known facility's point of connection to its facilities.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC compliance education has been recently completed.	
62446	Facility Owner: Peoples Natural Gas Contractor/Excavator: Amarok Project Owner: Copart Project Owner: Storage Direct LLC	<u>On 2/10/2026 2:30:00 PM at 133 ASPAHLAT LANE, HEMPFIELD TWP, WESTMORELAND</u> The incident occurred on 2/10/2026, at 2:44 PM, on 133 Aspahlat Lane, in Hempfield Twp, Westmoreland County. A gas line owned by Peoples Natural Gas was damaged. 911 was not contacted by the excavator. An emergency ticket was entered for the damage after emergency services arrived at the site. Peoples Natural Gas is the facility owner. Their Alleged Violation Report (AVR) states, “Amarok was digging to install a fence at 133 asphalt lane Hempfield township when they struck a 6" medium pressure plastic main. Contractor did NOT place a one-call until after they hit the line. Amarok also did not call 911, they called COPART and they called 911. PNG crews arrived and replaced a section of pipe.” Amarok is the excavator. An AVR was not filed as of 03/23/2026 and an AVR request was sent the same day. An AVR was submitted that states, “Amarok was contracted to do additional work to the customer's site (Copart) in February 2026. 811 entered on February 10th for site. Customer requested we step in their electric fence in an area due to a large slope on the property. Crew began using machinery and hit a high pressure gas line in the area of the step in requested by the customer, crew and customer was evacuated from site by emergency services until safe to enter premises. Peoples Gas came to site on Feb 10th the evaluate and start repairs to line, but crew reported no high pressure gas poles/signage or markings present. on site in this area Line was repaired and crew finished job on Feb 26th.” Storage Direct LLC is the property owner, and Copart is listed as the project owner. An AVR was not filed as of 03/23/2026 by either stakeholder and an AVR request was sent to both of them the same day. No AVR was submitted as of 4/30/2026. Ticket #20260412673 New – Excavation – Routine which was called in after the damage occurred lists “Hand Tools” as excavation equipment. Image provided shows mechanized equipment at the site being used for excavation (drilling). Violations: Excavator – Amarok: Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(2.2) – Excavator failed to provide exact information to identify the worksite. They listed “Hand Tools” but were using mechanized equipment. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area.	Amarok: \$3,500.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(2.2) 1st Offense \$250.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(7) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$0.00 Section 5(8) 1st Offense \$1,000.00 Copart: \$1,000.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. This violation is reduced from \$1000 to a warning of \$0. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Copart - Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. This violation is being reduced from \$500 to a warning of \$0. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
63042	Facility Owner: COMCAST Contractor/Excavator: BERKEY EXCAVATING Project Owner: Penelec	<u>On 2/11/2026 9:30:00 AM at 140 JD LN, SOMERSET TWP, SOMERSET</u> The incident occurred on 2/11/2026, at 9:30 AM, on 140 Jd Ln, in Somerset Twp, Somerset County. A communication line owned by Comcast was damaged. Comcast is the facility owner. Their Alleged Violation Report (AVR) states, “Damaged an accurately marked lin”. Berkey Excavating is the excavator. An AVR was not filed as of 04/09/2026 and an AVR request was sent the same day. An AVR was submitted 71 days after the incident that states, “Comcast line was hit when installing a new electric service. called locator and comcast themselves and was told to NOT report a damage ticket, due to mother nature causing the ground to be Completely Frozen. Comcast was out to repair the day of damage and told myself and My helper that they are going to replace the line anyway so it was ok.” Penelec is the project owner. An AVR was not filed as of 04/09/2026. Images provided show the site, excavation, equipment, marks, and damaged line. The images show the orange	BERKEY EXCAVATING: \$500.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		marks on snow that cross the excavation path where the damage occurred. Violations: Excavator - Berkey Excavating: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. This violation is reduced from \$1000 to a warning of \$0. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement.	
62429	Facility Owner: Columbia Gas Contractor/Excavator: Mortimer's Excavating, Inc Project Owner: Pennsylvania American Water (PAWC) Other: UNION TOWNSHIP LAWRENCE COUNTY	On 2/12/2026 1:14:00 PM at <u>WALTER STREET, UNION TWP, LAWRENCE</u> Columbia Gas is disputed and submitted additional information including the date the line was installed (04/24/1978). Violation was withdrawn. ***** The incident occurred on February 12th, 2026, at approximately 1:14 PM, on Walter Street, in Union Township, Lawrence County. A gas line owned by Columbia Gas was damaged. 911 was called. Columbia Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Mortimer Excavating was removing millings from their ditch line for a water project on behalf of PA American Water when they struck and damaged an inaccurately marked 1" plastic service line. Mortimer immediately notified 911, 811, and Columbia Gas. A Columbia Gas crew responded promptly, secured the area, and completed the necessary repairs. During the onsite investigation into the inaccurate service line markings, it was determined that the locator was unable to identify any tracer wires at the curb box to follow the service to the main. Additionally, no tracer wire was present alongside the older orange plastic service line. The locator also attempted to trace the service from the main but was unsuccessful. Two tap cards were reviewed: Tap Card 1 indicated 15 feet of company-owned service, which the locator measured and marked out to the main. Tap Card 2 showed no recorded length of company-owned service. In reality, the service line ran at a slight angle that was not reflected on either tap card. Due to this unrecorded deviation, the service line was damaged approximately 3 feet outside the marked area.” Photos were submitted.	Columbia Gas: \$0.00 UNION TOWNSHIP LAWRENCE COUNTY: \$1,250.00 Section 2(4) 1st Offense \$250.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Mortimer's Excavating, Inc., the excavator, submitted an AVR. Their AVR did not include a summary of the incident. Photos were submitted. Pennsylvania American Water, the project owner, submitted an AVR. Their AVR states, "Contractor was using excavator to remove asphalt millings so vacuum truck could start pot holing gas and water service. Gas service for 2 Walter St was hit while removing millings. Gas service was mismarked by 3' and was roughly 11" deep." Photos were submitted. The submitted photos show the utility mark outs and damaged gas line from multiple different angles. The gas line was marked using yellow paint and flags. The gas mark outs were inaccurate, and the damage occurred outside of the tolerance zone. Final Design ticket 20252931017 had a response due date of 11/03/2025. - Union Township Lawrence County responded to this ticket on 01/20/2026. Emergency ticket 20260431917 was requested 02/12/2026 at 2:07 PM and the response due date of 02/12/2026. - Union Township Lawrence County responded to this ticket 02/13/2026 at 3:59 PM. (Over 24 hours later.) Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each facility owner: - To mark, stake, locate or otherwise provide the position of the facility owner's underground lines at the work site within eighteen inches horizontally from the outside wall of such line in a manner so as to enable the excavator, where appropriate, to employ prudent techniques. Facility owners shall make reasonable efforts during the excavation phase to locate or notify excavators of the existence of any known lines and abandoned lines. - Not more than ten business days after receipt of a request from a designer who identifies the work site of excavation or demolition work for which he is preparing a drawing, to initially respond to his request for information as to the position and type of the facility owner's lines at such work site based on the information currently in the facility owner's possession or to mark the plans which have been provided to it by the designer by field location or by another method agreed to by the designer, excavator and facility owner, or their agent. - To respond to emergency notifications as soon as practicable following receipt of notification of such emergency. Violations: Columbia Gas-	

Case Number	Stakeholders	Summary	Violations & Recommendation
		- Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Withdrawn. Union Township Lawrence County- - Section 2(4) – Failed to respond to designer’s request for information within 10 business days. Final Design ticket 20252931017. - Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Emergency ticket 20260431917. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62524	Facility Owner: Peoples Gas Project Owner: Pittsburgh Water Other: A FOLINO CONSTRUCTION	<u>On 2/13/2026 11:45:00 AM at 1413 SHEFFIELD ST, PITTSBURGH CITY, ALLEGHENY</u> Peoples Natural Gas (GNG) disagreed and provided more pictures and explanations. DPI responded with a picture from Google maps which matches 1413 Sheffield Ave and the picture that was provided by A Folino the damage nearby. Peoples asked that the marked up ticket be shown during the DPC meeting. There is a section in the middle that states that Peoples locator marked the 8" plastic mainline per measurements that were in the scope of work. No measurements on PNG mobile maps for the service line at 1412. Marked the service line from the curb box to the mainline that's in the scope of work. Please see attachment named "DPI showing the damage and 1413 building edge." On 6/12/2026 Peoples stated that, "A Folino painted out the work site with the blue asterisk/star to indicate the work site. When the locator was onsite, they should him the work area, the blue asterisk/star. The long-painted plastic gas service line closer to the blue marking was for 1412 Sheffield. 1410 Sheffield was well beyond the blue marking, located after 1412 Sheffield. This is why A Folino is not showing the total picture of the street' See attachment named "blue by Folino". On 6/15/2026 DPI Maki sent an email to A. Folino asking about the blue asterisk. A Folino responded that they have never seen that marking before. DPI Maki sent another email on 6/17/2026 asking if the crew might know something and described the incident. On 6/16/2026 an email was received from PBG Water stating that their crew uses that to mark where the water leak might be. DPI had DPS look at the pictures, and it was determined that the marks were correctly placed by the locator. Violations and Penalties to Peoples withdrawn by DPI June 22, 2026 ***** The incident occurred on 2/13/2026 on Sheffield St. in Pittsburgh City in Allegheny County. A gas service line owned by Peoples Gas was damaged. PEOPLES NATURAL GAS COMPANY LLC stated in their Alleged Violation Report (AVR) that, “A Folino working for Pittsburgh Water and Sewer struck and	Peoples Gas: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		damaged a Peoples Gas service line while using mechanized equipment. Peoples Gas responded to and marked out for an emergency request. The work area was marked in blue to the West of address 1412, a duplex. The Peoples Gas service to 1410, approximately 30' away from the blue mark was damaged. Peoples Gas marked within 25' of the work area, and the work area changed with no renotify request.” Pictures were provided. On 4/21/2026 Peoples sent an email confirming that they own the service to the curb in this area. A FOLINO CONSTRUCTION stated in their AVR that, “A. Folino Construction was digging on Sheffield St for an urgent water repair when we hit an unmarked gas service line. 911 was called and a damage ticket was made through 811. Peoples Gas responded and claimed the line as theirs. Peoples Gas had a crew come out and make the repairs”. 911 was notified. Pictures were provided. PITTSBURGH WATER & SEWER AUTHORITY THE stated in their AVR that, “A. Folino Construction was digging on Sheffield St for an urgent water repair when we hit an unmarked gas service line. 911 was called and a damage ticket was made through 811. Peoples Gas responded and claimed the line as theirs. Peoples Gas had a crew come out and make the repairs”. Project is listed to be <\$400,000. And the duration of time is expected to be a week. 911 was notified. Pictures were provided. Damage area and visible marks match up with 1413 Sheffield Ave see attachment named “1413 Sheffield St – Google” and attachment named “2-13-26_GL_1410 Sheffield St2”. VIOLATIONS Peoples Natural Gas LLC is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. This is a subsequent offense. Section 2(5)(i.1) – Failed to locate an actually known facility’s point of connection to its facilities. This is a third offense. Recommendation: The penalties are applied. PUC compliance education has been recently completed.	
62614	Facility Owner: PITTSBURGH WATER Contractor/Excavator: Duquesne Light Company Project Owner: Duquesne Light Placeholder	On 2/15/2026 7:00:00 AM at <u>PARSON ST, PITTSBURGH CITY, ALLEGHENY</u> Incident occurred on February 15th, 2026, at 7am, Parson Street, Pittsburgh City, Allegheny County. A sewer line was damaged. Pittsburgh Water's Alleged Violation Report states, "Notes: Flag and paint were present at the time of the damage. The original field mark was within 18” of the damage. Work also appears to have taken place outside the lawful start date."	Duquesne Light Company: \$1,000.00 Section 5(4) 2nd Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Duquesne Light Company's AVR states, "DUQUESNE LIGHT ENTERED TICKET 20260211764 FOR THE REPLACEMENT OF A POLE ON PARSON STREET; THE LAWFUL DIG DATES WERE 1/26/2026 – 2/4/2026. SUPPORT PERSONNEL FOR DLC MISTAKENLY THEN BEGAN ASSOCIATING TICKET 20260370521 (BROSVILLE STREET POLE REPLACEMENT) WITH THE PARSON STREET WORK. DLC CREWS THEN PROCEEDED TO REPLACE THE POLE AT PARSON UNDER THE IMPRESSION THAT THE BROSVILLE TICKET WAS THE CORRECT TICKET. UPON ARRIVAL AT THE SITE ON PARSON THERE WAS ONE GREEN FLAG MARKING THE SEWER LINE. DLC CREWS BEGAN DIGGING FOR THE POLE NEXT TO THE EXISTING POLE AND OVER 18 INCHES AWAY FROM THE FLAG ANTICIPATING THE SEWER LINE RUNNING PARALLEL TO THE ROAD AND THEN HIT THE SEWER LINE WHICH WAS GOING IN THE OPPOSITE DIRECTION." Routine ticket 20260211764 was placed on 1/21/26 with a legal start date of Lawful Start Dates--[26-Jan-26] thru [04-Feb-26] for Parson Street. Line was damaged on 499 Parson Street which is covered under ticket 20260211764. Images show that the line was marked going up the hill from the road and the line was damaged Capture_IMG_2026-1-22-07-36-22 shows the marks made for ticket 20260211764. Theses marks show the line going down the hill and to the roadway, but no perpendicular T. Damage photos show the damaged line at the bottom of the hole, but direction is not applicable from the image. The after-damage photos also show the damage is in line with the original mark outs under the snow from Capture_IMG_2026-1-22-07-36-22. Please see file Three Image Comparison.docx for a complete view of all three images. Recommended violation, penalty, and education: Duquesne Light Company Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 20260211764. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
62606	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: Danella Companies Project Owner: PECO Designer: CAMPOS EPC Other: VELOCITY FIBER LLC	On 2/17/2026 11:00:00 AM at W BROWN ST, NORRISTOWN BORO, MONTGOMERY The incident occurred on 2/17/2026, at 11:00 AM, on W Brown St, in Norristown Boro, Montgomery County. A water line owned by Pennsylvania American Water was damaged. An emergency ticket was entered for the damage. Pennsylvania American Water is the facility owner. Their Alleged Violation Report (AVR) states, "Excavation company installing new gas pipeline struck a repair clamp on a 6 inch main. main was mis-marked	Pennsylvania American Water (PAWC): \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		by 8 plus feet. Water company asset was marked according to records. There was no indication that the asset deviated from what records reflect.” Danella is the excavator. Their AVR states, “February 17th, 2026 at approximately 11:45 AM on 1604 Juniper St. in Norristown, PA - A Danella gas crew were trenching to install 8-inch plastic gas main. The crew had previously walked the job site and identified/exposed all marked utilities by hand digging. While hand digging to expand the tolerance zone, they discovered a mismarked leaking 6-inch water main with severely rusted bolts on the dresser. The water main was also 10" off the mark. Water pumps were used to keep the water contained within trench. The foreman called PA AMERICAN WATER, PECO, 811, his supervisor and the Danella Safety Team. PA AMERICAN WATER dispatched to repair the main. 5 of 6 Bolts on the dresser fitting were replaced.” PECO is the project owner and submitted the final design. An AVR was not filed as of 03/24/2026 and an AVR request was sent the same day. An AVR was submitted that states, “DANELLA WORKING FOR PECO STRUCK A MISMARKED WATER MAIN. ALL NOTIFICATION WERE MADE.” No documents or other information was provided. CAMPOS EPC also submitted designs on this project. An AVR was not filed as of 03/24/2026. VELOCITY FIBER LLC submitted an AVR that states, “MONTGOMERY COUNTY, NORRISTOWN BORO at W BROWN ST for the affected operation Water. Velocity Fiber was not involved or affected.” Danella called in 4 renotify versions of Ticket#20260340242. The final renotify states, “ATTN PENNSLVANIA AMERICAN WATER CALLER STATES THEY DID NOT FIND THE WATER SERVICE LINE FOR ADDRESS 224 W BROWN ST AFTER DIGGING 4FT DOWN AND 3FT WIDE ON BOTH SIDES OF THE MARKINGS. PLEASE CONTACT JOHN MCLAUGHLIN TO DISCUSS DETAILS AND LOCATE THE WATER SERVICE LINE.” Images submitted support the statements in the AVRs that the line was mismarked, and the damage did not occur within the tolerance zone of any blue mark. Violations: Facility - Pennsylvania American Water (PAWC): Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62707	Facility Owner: Verizon Contractor/Excavator:	On 2/17/2026 5:00:00 PM at <u>SIDNEY ST,</u> <u>SOUTHWEST GREENSBURG BORO,</u>	Verizon: \$4,500.00 Section 2(5)(i) Subsequent

Case Number	Stakeholders	Summary	Violations & Recommendation
	Shadco Inc Project Owner: PEOPLES NATURAL GAS COMPANY LLC Designer: PEOPLES GAS - SPACESAVER	<u>WESTMORELAND</u> The incident occurred on 2/17/2026 on Sydney St. in SOUTHWEST GREENSBURG BORO in Westmoreland Co. Communication lines owned by Verizon were damaged. Case is related by ticket to case 62730. PEOPLES NATURAL GAS COMPANY LLC stated in their Alleged Violation Report (AVR) that, “Shadco was digging to install new gas mains and services when they struck an unmarked Verizon lines and conduit. Multiple Verizon conduit unmarked in the ditch line. Contractor damaged the conduit”. Pictures were provided. SHADCO INC stated in their AVR that “ Shadco crew was directional boring gas main line in the street. Spot holes were hydro excavated prior to HDD operations started. While reaming bore path, the crew noticed the Verizon utility was wrapped around the reamer. The utility was struck outside of the spot hole without knowing and then pulled into the spot hole before noticing the strike. There weren't markings of additional underground utilities aside from what utilities were already spotted. Locater stated that they assumed the HDD was taking place on other side of street when responding to the ticket, therefore assumed there wouldn't be a conflict during operations. Ticket was interpreted incorrectly; therefore, the markings were not place. Shadco employees had no other indicating factors leading them to assume there would be a conflict on that utility in their bore path. 2-10 customers were affected. VERIZON PENNSYLVANIA LLC stated in their AVR that “An Alleged Violation Report (AVR) has been assigned for investigation by the PA PUC regarding WESTMORELAND COUNTY, SOUTHWEST GREENSBURG BORO at SIDNEY ST for the affected operation Telephone. Your company may be involved related to the incident on February 27, 2026. Serial Number(s): 20232832499, 20260200541, 20260341969, 20260483218. Comments were added that stated that,” Jim did respond to the Locate ticket of Sidney Street the day prior. No markings were made on Sidney street - marked all clear. According to Jim he was unsure if they were digging across south main street and that he felt the ticket was not clear enough, excavator was not clear with their markings on the street nor the ticket”. >51 customers were affected. On 4/21/2026 DPI Maki asked Verizon for confirmation of number of people who were affected by this damage. Verizon responded back on 4/21/2026, confirming that <50 people were affected. Ticket 20260341969 was submitted by Shadco Inc on 2/03/2026 with a response due by 2/05/2026. The area is not marked in white, and the space is not clearly described. The work is for directional drilling. Verizon did not respond “clear” until 2/6/2026. Emergency ticket 20260483218 was submitted by SHADCO INC on 2/17/2026 at 15:55. Verizon had no	\$2,000.00 Section 2(5)(i.2) 1st Offense \$250.00 Section 2(5)(v) 3rd offense \$750.00 Section 2(5)(v.2) Subsequent \$1,500.00 Shadco Inc: \$250.00 Section 5(11) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		response until 2/18/2026 at 9:52, when they responded with “Conflict” DCTF. VIOLATIONS SHADCO INC is in violation of: Section 5(11) – Excavator failed to use the color white to mark a proposed excavation work site when exact work site information cannot be provided. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. VERIZON PENNSYLVANIA LLC Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Ticket 20260341969 was submitted by Shadco Inc on 2/03/2026 with a response due by 2/05/2026. This is a third offense. Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. CGA Best Practices defines a positive response: Communication with the excavator prior to excavation to ensure that all contacted (Typically via the 811 center) owner/operators have located their underground facilities and have appropriately marked any potential conflicts with the areas of planned excavation. Verizon did not respond “clear” until 2/6/2026. This is a subsequent offense. Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Emergency ticket 20260483218 was submitted by SHADCO INC on 2/17/2026 at 15:55. Verizon had no response until 2/18/2026 at 9:52, when they responded with “Conflict” DCTF. The locator needed to reach out to the Shadco and be clear on what the area to mark is. This is a subsequent offense. Section 2(5)(i.2) – Failed to document Communications between a Facility Owner and Excavator to ensure the excavator is aware of a facility owner’s inability to locate its facilities. Recommendation: The penalties are applied. PUC compliance education has been recently completed.	
62549	Facility Owner: CRANBERRY TOWNSHIP BUTLER COUNTY Contractor/Excavator: AMERICAN BORING INC Other: NG GILBERT	<u>On 2/17/2026 7:11:00 PM at PARKWOOD DR, CRANBERRY TWP, BUTLER</u> The incident occurred on Tuesday, February 17, 2026, on Parkwood Drive, in Cranberry Township, Butler County. A sewer line owned by Cranberry Township Butler County was damaged Cranberry Township reported an excavator issue as, failed to exercise due care and take all reasonable steps to avoid interference with the facility. Cranberry Township stated in their Alleged Violation Report (AVR), “Sewer main was hit during boring. Sewer line was accurately marked. Bored through one side of pipe, repair still needed.” “USIC a third party line locator, did not mark the service line for 135 Parkwood, American Boring hit the service line. Cranberry Township repaired the service line.”	AMERICAN BORING INC: \$500.00 Section 5(11.2) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		American Boring Inc reported an excavation issue as failed to prudent techniques within the tolerance zone. American Boring stated in their AVR, "Directional drill was used to place 400' of dual 4" duct for First Energy project. Storm sewer line located using GPR at 14' and the strike was @ 17'6". Facility owners were notified and repair was made using pipe lining method by State Pipe Services." NG Gilbert stated in their AVR, "NG Gilbert has a contract to install underground powerlines in this area. Our Sub-Contractor charged with directional boring hit an unmarked utility (sewer) line. An AVR was not able to be sent for the employee that had the original one call listed is no longer with the company and by the time we were notified of a possible need for an AVR report to be filed the statute time frame had expired." Pictures provided shows sewer line bored through. Violation: *American Boring Inc is in violation of section: 5(11.2) – When using trenchless technology, Excavator failed to utilize at a minimum, the best practices published by the Common Ground Alliance. Recommendation: Penalty applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
62895	Facility Owner: Columbia Gas of PA Contractor/Excavator: Team Fishel Project Owner: Columbia Gas of PA (Placeholder)	<u>On 2/18/2026 10:05:00 AM at MAIN ST, WAMPUM BORO, LAWRENCE</u> Team Fishel disputed with additional details. Upon additional review of the documentation and photos, their violation was withdrawn. ***** The incident occurred on February 18th, 2026, at approximately 10:00 AM, on Main Street, in Wampum Borough, Lawrence County. A gas line owned by Columbia Gas of PA was damaged. 911 was called. Columbia Gas of PA, the facility and project owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Team Fishel, working on behalf of Columbia Gas, was saw cutting the road at full depth when the blade came in contact with the shallow service. The service line was located at an approximate depth of 10 inches. Upon discovering the damage, Team Fishel immediately notified 911, 811, and Columbia Gas. Columbia Gas responded to the site to secure the area, assess the situation, and complete all necessary repairs. A root cause analysis was conducted internally and in collaboration with Team Fishel. The review concluded that Team Fishel had followed all appropriate procedures, safety practices, and established processes at the time of the incident with sawing at full depth." Photos were submitted.	Team Fishel: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Team Fishel, the excavator, submitted an AVR. Their AVR states, "Team Fishel working on behalf of Columbia Gas, was digging to perform work when they saw cut and damaged an accurately marked 1 inch plastic insert service. The service was approximately 10 inches in depth. They notified 911, 811, and Columbia Gas when the damage occurred. Columbia Gas responded immediately to make the area safe and complete repairs. A root cause analysis was held internally and with Team Fishel - it was determined that Team Fishel was following all of the correct procedures and processes." Photos were submitted. The submitted photos show the gas line was accurately marked and damaged within the tolerance zone. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within the Commonwealth to exercise due care and to take all reasonable steps necessary to avoid injury to or otherwise interfere with all lines where positions have been provided to the excavator by the facility owners pursuant to section 2(5). Within the tolerance zone the excavator shall employ prudent techniques, which may include hand-dug test holes, vacuum excavation or similar devices to ascertain the precise position of such facilities. Violations: Team Fishel- - Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
63098	Facility Owner: Pennsylvania American Water (PAWC) Contractor/Excavator: DPS Project Owner: CITY OF PITTSBURGH	<u>On 2/18/2026 1:07:00 PM at 93 INDUSTRY ST, PITTSBURGH CITY, ALLEGHENY</u> DPS(Deller Professional Services) disputed late - reduced the violation for ticket20260492289 from \$500 to a warning of \$0. An AVR was entered after the case was submitted by DPS, "We received a request for an "Emergency Bid" from the City of Pittsburgh for Bid date of 2/18/2026. We had the asbestos survey's that all indicated the buildings were unsafe and therefore we bid the projects accordingly. We were awarded the projects, so I called immediately to place the PA1Call's because with Emergency Bids, time is of the essence. We received letters from the City of Pittsburgh also deeming the four residences "unsafe". It wasn't until a couple days later that the City called and the Contracts were not issued as Emergencies. I had already placed the PA1Call's as such because the advertisement stated they were Emergencies. It was miscommunication but ultimately, they deemed the projects not Emergencies. We are very proactive	DPS: \$1,000.00 Section 5(22) 1st Offense \$500.00 Section 5(22) 1st Offense \$500.00 Section 5(22) 1st Offense \$0.00 Section 5(22) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		with getting paperwork done and unfortunately this time it didn't work in our favor." ***** The incident occurred on 2/18/2026, at 1:07 PM, on 93 Industry St, in Pittsburgh City, Allegheny County. 4 emergency demolition tickets were entered on the same date/time for non-emergency demolition of 4 different properties. Images were submitted showing the buildings with no demolition occurring 8 days after the tickets were entered. Emergency is defined by Act 127 of 2024 and means a sudden or unforeseen occurrence involving a clear and immediate danger to life, property or the environment, including, but not limited to, serious breaks or defects in a facility owner's lines. Pennsylvania American Water is the facility owner. Their Alleged Violation Report (AVR) states, "20260492264 - 93 Industry St. 20260492289 - 720 Lillian St. 20260492314 - 85 Sylvania Ave. 20260492336 - 510 Curtin Ave. John Deller (DPS) placed the 4 emergency one calls listed above, these are in violation of the definition of an emergency. I called when they were placed, February 18th @ 1:27pm and received a text that said "please text me". I gave the person on the other end my phone and reason for my call and asked for a return call. I received a call later in the day from Traci and asked if all demo was occurring on the 20th and I was told "no", that 93 Industry would be the first and the remaining 3 would possibly be over the weekend or the following week. I explained how an emergency worked and she told me that she called the 1-call in to receive all involved utilities so that they could call for shut offs/disconnects. Traci also told me that they bid on these jobs in the morning of February 18th and were awarded the contracts in the afternoon. These blighted homes are a part of a project that the City of Pittsburgh announced on the news February 17th. The attached photos show that as of February 26th (time stamp in upper right corner of photos) 720 Lillian St., 85 Sylvania Ave. and 510 Curtin were still standing with no equipment on sight. 93 Industry was the only property with demolition in progress (did not attach photo)." DPS is the excavator. An AVR was not filed as of 04/16/2026. Violations: Excavator – DPS: Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Ticket# 20260492264 Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative	

Case Number	Stakeholders	Summary	Violations & Recommendation
		penalty imposed under section 7(10). Ticket# 20260492289 Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Ticket# 20260492314 Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Ticket# 20260492336 PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
62566	Facility Owner: Pittsburgh Water Contractor/Excavator: Peoples Natural Gas	<u>On 2/19/2026 7:31:00 AM at 1006 HANSEN, MILLVALE BORO, ALLEGHENY</u> The incident occurred on 2/19/2026, at 7:31 AM, on 1006 Hansen, in Millvale Boro, Allegheny County. A water line owned by Pittsburgh Water was damaged during an emergency gas repair. Pittsburgh Water is the facility owner. An Alleged Violation Report (AVR) was not filed as of 03/23/2026 and an AVR request was sent the same day. An AVR was submitted that states, “Peoples Gas was digging and hit an unmarked 3/4 copper service line. The 4" water main was marked along with other service lines. Peoples Gas placed this as an emergency ticket. This was not an emergency. Peoples Gas has been on this street for some period of time installing a new gas main. This curb box was painted/ visible and the service line marking were vanished. Careless digging with Peoples Gas and should have renotify 811 for remark.” Peoples Natural Gas is the excavator and project owner. Their AVR states, “On 2-19-2026, PNG crews were digging to rapir a gas leak on an emergency one call ticket when they struck an unmarked water SL. After hitting the water SL, the water filled up the ditch and ran into the leaking gas ML. Water in the gas SL resulted in the outage of 18 customers.” Images were provided that show the site, excavation, and damage. No marks out images were provided, and no marks are seen in the area of the damage. Ticket #20260492808 was the ticket entered by Peoples Natural Gas on 2/18/2026 to repair a gas line. All facilities responded to the ticket in the PA One Call System. Violations: Facility - Pittsburgh Water: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	Pittsburgh Water: \$500.00 Section 2(5)(i) 1st Offense \$500.00
62552	Facility Owner: UGI UTILITIES, INC.	<u>On 2/19/2026 9:00:00 AM at HOTEL ST, POTTSVILLE CITY, SCHUYLKILL</u> The incident	SCHUYLKILL COUNTY MUNICIPAL

Case Number	Stakeholders	Summary	Violations & Recommendation
	Contractor/Excavator: SCHUYLKILL COUNTY MUNICIPAL AUTHORITY Project Owner: SCHUYLKILL COUNTY MUNICIPAL AUTHORITY	occurred on Thursday, February 19, 2026, on Hotel Street, in Pottsville City, Schuylkill County. A gas line owned by UGI Utilities was damaged. Schuylkill County Municipal Authority (Schuylkill) reported an excavator issue as failed to use prudent techniques within the tolerance zone. Schuylkill stated in their Alleged Violation Report (AVR), “Schuylkill County Municipal crew was digging to expose the water service line to 381 Hotel Street in Pottsville. They were working at the curblin area when the operator struck (pulled) what appeared to be a 1/2-inch diameter plastic line. Once they seen the line they could hear gas leaking under the sidewalk area. They immediately stopped and notified their supervisor who called 911 to report the issue. The gas line service was less than 10 inches below the top of the concrete sidewalk.” UGI reported excavator issues as failed to use prudent techniques within the tolerance zone, and failed to immediately notify 911 and the facility owner. UGI stated in their AVR, “While digging to repair a water service, Schuylkill Co Municipal Authority struck and damaged a correctly mark gas service while digging in the tolerance zone.” Violation: Schuylkill County Municipal Authority is in violation of section: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Recommendation: Penalty applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	AUTHORITY: \$500.00 Section 5(4) 1st Offense \$500.00
63057	Facility Owner: UGI Utilities Inc Contractor/Excavator: Reading Area Water Authority (RAWA) Project Owner: Reading Area Water Authority (RAWA) (Placeholder)	On 2/19/2026 10:01:00 AM at 246 W Oley St, <u>READING CITY, BERKS</u> The incident occurred on February 19th, 2026, at approximately 10:00 AM, at 246 West Oley Street, located in Reading City, Berks County, Pennsylvania. A gas line owned by UGI was damaged. 911 was called. The excavator did not have a PA One Call ticket. UGI, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Excavator utilizing prudent techniques, struck an unmarked gas service while excavating without a valid PAOC. Contractor utilized a concrete saw to remove concrete.” Photos were submitted. Reading Area Water Authority (RAWA) is the excavator and project owner. An AVR request letter was sent 04/15/2026. An AVR was submitted 04/20/2026. Their AVR did not include a summary of the incident. A Pa One Call ticket was not requested by RAWA prior to excavating. Emergency ticket 20260501340 was placed on 02/19/2025 at 10:50 AM. This ticket was requested after the gas line was damaged.	Reading Area Water Authority (RAWA): \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The submitted photos show no utilities mark outs. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. No work shall begin earlier than the lawful start date which shall be on or after the third business day after notification. The lawful start date shall exclude the date upon which notification was received by the One Call System and notification received on a Saturday, Sunday or holiday, which shall be processed on the following business day. - Plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Excavation or demolition work which requires temporary or permanent interruption of a facility owner's service shall be coordinated with the affected facility owner in all cases. - To submit a report of an alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Violations: Reading Area Water Authority (RAWA)- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. - Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. (Warning. No penalty applied for this violation.) Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s)	
62905	Facility Owner: Verizon, PA LLC Contractor/Excavator: COLUMBIA GAS Project Owner: COLUMBIA GAS - placeholder Other: Findlay Township Municipal Authority	<u>On 2/20/2026 9:45:00 AM at 154 OLD RIDGE RD, FINDLAY TWP, ALLEGHENY</u> The incident occurred on 2/20/2026, at 9:45 AM, on 154 Old Ridge Rd, in Findlay Twp, Allegheny County. A communication line owned by Verizon was damaged. The facility was notified of the damage when the excavator entered a renotification to their routine ticket. Verizon is the facility owner. An Alleged Violation Report (AVR) was not filed as of 04/06/2026 and an	Verizon, PA LLC: \$1,500.00 Section 2(10) 2nd Offense \$1,500.00 COLUMBIA GAS: \$500.00 Section 5(4) 1st Offense \$500.00 Findlay Township

Case Number	Stakeholders	Summary	Violations & Recommendation
		AVR request was sent the same day. An AVR was submitted 52 days/36 business days after the incident that states, “Lines were marked properly and they still hit the drop, per on site excavator. 2/20/2026 11:55:56 AM: Responded DETAILS: #1 KARL - Cleared in field No Facilities: added by Kevin Datchuk, Locate Time: 2/20/2026 11:55:00 AM, Units of Work: 0.01 NOTE: Spoke with one call contact, lines was marked but damages during work, called Local Manager Steve F to see is we can have someone out to replace drop”. No images or documents were provided. Columbia Gas is the excavator and project owner. Their AVR states, “While removing a concrete driveway to repair a leak, a 1/4-inch Verizon cable was damaged. The cable had been tucked between the expansion joint and the concrete. As the concrete was being removed, a piece shifted and rolled, breaking the 1/4-inch cable. The line had not been marked prior to the start of work and was found to be only approximately 1/2 inch below the surface.” Images provided show orange marks indicating the line that was damaged. These images are time stamped at 10:00 AM which was 12 minutes after the renotify ticket was entered. Image “Marked line and damage” shows the mark is on the expansion joint indicated in Columbia Gas’ AVR and damage occurred within the tolerance zone of the marks. Ticket #20260480846 had a response due date of 2/19/2026. Findlay Township Municipal Authority responded “Field Marked” on 2/20/2026 at 8:23 AM. Verizon responded “Field Marked” on 2/19/2026 at 11:08 AM. Columbia Gas entered a renotify for this ticket on 2/20/26 at 9:48 AM that stated, “ATTN VERIZON YOU RESPONDED FIELD MARKED. CREW ON SITE CANNOT LOCATE MARKINGS. PLEASE RETURN TO SITE AND REMARK ASAP.” Verizon then responded “Clear” on 2/20/2026 at 11:50AM. The damage occurred prior to the renotify being entered. Section 2(5)(i) states, “After receipt of a timely request from an excavator or operator who identifies the work site of excavation or demolition work he intends to perform and not later than the business day prior to the lawful start date of excavation: To mark, stake, locate or otherwise provide the position of the facility owner's underground lines at the work site...”. Violations: Facility – Verizon: Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work.	Municipal Authority: \$0.00 Section 2(5)(i) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Excavator - Columbia Gas: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Facility – Other - Findlay Township Municipal Authority: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
62877	Facility Owner: Bucks County Water & Sewer Authority Contractor/Excavator: High Country Construction Project Owner: CABLEVISION LIGHTPATH LLC Designer: LUCK GROVE TELECOM Other: SOLARE FIBER CONSTRUCTION	On 2/28/2026 11:45:00 AM at N PINE ST, <u>LANGHORNE BORO, BUCKS</u> The incident occurred on 2/28/2026, at 11:45 AM, on N Pine St, in Langhorne Boro, Bucks County. A water line owned by Bucks County Water And Sewer Authority was damaged. No routine ticket was found for the excavator who caused damage at this location. The facility owner was not notified of the damage. An emergency ticket was entered for the damage after the facility was notified of the damage by a 3rd party of the damage. Bucks County Water And Sewer Authority is the facility owner. Their Alleged Violation Report (AVR) states, “On Saturday, 2/28 at about 11:45am, our assistant director of operations received a call from Senator Frank Farry's office about a possible water main break at Pine St & Winchester Ave. It was reported that mud and water were traveling down Pine Street where a contractor (High County Construction, who put in emergency ticket 20260590137) was directional drilling. BCWSA crews were dispatched. Once on site, we witnessed water surfacing from behind the curb at Winchester and Pine. Water then surfaced on Pine and compromised the roadway in multiple spots prompting an emergency road closure No One Call markings were visible at the site where drilling was conducted. During excavation we found our 8” main was struck by contractor’s directional drill leaving a 4” hole and breaking the pipe at the face of an 8” valve. The size of the hole created massive undermining in the surrounding area requiring additional excavation and back fill. The trench was 15x4x5 for our main repair, undermined area was an additional 20x5 and 24x20 area. Total time from call to completion was 20.5 hours. 10 men total to fix 13 feet of 8" C900, 1 8" valve, two 8" mega lug kits, 3 Romac XI Couplings, 24 tons of 2A stone, 10 tons of cold patch. It’s our opinion the main was compromised for some time prior to our notification, due to the extent of damage to the area by the time we arrived. Also, Frank's call came in at 11:45am while the emergency	High Country Construction: \$3,000.00 Section 5(23) 1st Offense \$500.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(3) 1st Offense \$250.00 Section 5(7) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$0.00 CABLEVISION LIGHTPATH LLC: \$1,000.00 Section 6.1(3) 1st Offense \$500.00 Section 6.1(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		ticket from High County wasn't entered until 12:11pm on 2/28. Lines were marked per the original tickets. By the time the digging occurred on 2/28, markings were no longer visible due to heavy snowfall and melt. Contractor told our crew they saw valves and thought the water main was located on the other side of the street. Contractor should have called for remarking before doing their work. Also, the contractor never soft-digged to verify the depth of the utilities.” High Country Construction is the excavator. An AVR was not filed as of 03/16/2026 and an AVR request was sent the same day. No AVR or information was provided 53 days after the incident, when this case was submitted. Light Path is the project owner. Their AVR states, “February 28, 20206, Water hit on N Pine St during HDD operations. Utility mismarked. Mismarked out of BPU standards, out of tolerance. 20260291669 is a routine ticket placed by Solare Fiber Construction 20260590137 and 20260590138 are emergency damage tickets by High Country Construction 20260590200, 20260590201 and 20260590278 are emergency excavation tickets by Bucks County Water and Sewer Authority.” The project covers multiple intersections, and more than 1000’, as shown on the Coordinate PA Project Report created by High Country Construction (Attachment - 13900936_report). No complex project ticket was located for this excavator, project owner, and location. There are preliminary design tickets for this project but no final designs were located for this project. Project owners are required to submit final designs prior to releasing a project to bid or construction. Additionally, they are required to participate in design and preconstruction meetings. Violations: Excavator - High Country Construction: Section 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Section 5(3) – Excavator failed to hold a preconstruction meeting prior to beginning a complex project. Section 5(7) – Failed to immediately report to the facility owner any break or leak in its lines, or any dent, gouge, groove, or other damage to such lines or to their coating or cathodic protection. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. This violation is reduced from \$500 to a warning of \$0. PUC online Compliance Training is required for the person responsible for submitting AVRs, or their replacement. Project Owner - CABLEVISION LIGHTPATH LLC: Section 6.1(3) – Released a project to bid or construction before final design was complete. Section 6.1(4) – Failed to participate in design and preconstruction meetings. PUC Online Compliance Training is required.	
63025	Facility Owner: UGI Utilities Contractor/Excavator: TWC Excavation and Outdoor Services LLC Project Owner: Project Owner	<u>On 3/2/2026 1:25:00 PM at 12 GETTYSBURG PIKE, UPPER ALLEN TWP, CUMBERLAND</u> Incident occurred on March 2nd, 2025, 1:25pm, 12 Gettysburg Pike, Upper Allen Township, Cumberland County. Alleged: Damaged gas line due to no PA1call. Alleged Violation Reports (AVR): Facility Owner: UGI's AVR states, "TWC Excavation & Outdoor Services LLC was performing demolition work at 12 Gettysburg Pike in Mechanicsburg. The excavator failed to notify PA-1 Call prior to performing demolition work. There was a live gas service still attached to the outside wall of the building. When excavator tore down outside wall, the riser pipe going to the gas meter was sheared off at ground level causing a release of gas. The damage ticket (S#20260613827) was called in by the property owner. Gas line was not marked and gas line was not disconnected as the excavator failed to place a demolition ticket with PA-1 Call prior to demolition work." AVR notes 911 was not notified. Excavator: TWC Excavations and Outdoor Services LLC's AVR states, "Did not submit an 811 service prior to starting project due to lack of understanding. Bricks from the project struck a UGI utility line. UGI was contacted and capped the line shortly after. No other incidents to report." AVR notes 911 was not notified. Alleged conclusion: No pa1call was made and a gas line was damaged. Recommended violations, penalties, and education: Excavator - TWC Excavations and Outdoor Services LLC Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the	TWC Excavation and Outdoor Services LLC: \$2,000.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(8) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		escape of any flammable, toxic or corrosive gas or liquid. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements.	
62833	Facility Owner: PECO Contractor/Excavator: BRUBACHER EXCAVATING INC Project Owner: Aqua America Designer: TOTAL ENGINEERING AND CONSULTING SERVICES LLC Other: BRANDYWINE CAD DESIGN INC	<u>On 3/4/2026 8:45:00 AM at WALNUT ST, UPPER PROVIDENCE TWP, MONTGOMERY</u> The incident occurred on 3/4/2026, at 8:45 AM, on Walnut St, in Upper Providence Twp, Montgomery County. A gas line owned by PECO was damaged. An emergency ticket was entered for the damage. PECO is the facility owner. An Alleged Violation Report (AVR) was not filed as of 04/01/2026 and an AVR request was sent the same day. An AVR was submitted that states, "Site was marked within tolerance. Marks are approximately 1 inch from damage location. Damage was due to contractor violating the tolerance zone of the marks." Brubacher Excavating is the excavator. Their AVR states, "While excavating the trench for new water main installation on Jacobs St Project, the crew encountered a marked gas line. A 1" diameter yellow conduit was found at 4' - 8" deep. The excavation was in the street at 133 Walnut St. The work was being performed for Aqua PA. Original Ticket #20260040148 and the damage ticket #20260631556. PECO and 911 were both contacted. There was also an issue at the start of the project regarding utility markings. On the first day, our onsite foremen identified that Grid Hawk, the contractor responsible for marking out PECO utilities in Montgomery County, incorrectly marked the water main and water services in yellow paint. Foremen immediately notified supervisor, and I contacted PECO to investigate. Upon further review, Grid Hawk returned and correctly remarked the gas main and gas services but refused to black out the original yellow markings that were incorrectly used for the water main and services. They informed foremen they could not remove or black out those markings. PECO subsequently responded and blacked out the incorrect yellow markings to eliminate confusion between active gas markings and mislabeled water utilities. We also advised PECO to review the remainder of the project to ensure there were no additional marking discrepancies." Aqua is the project owner. Their AVR states, "Aqua Contractor Brubacher Excavating, while excavating the trench for new water main installation on Jacobs St Project, the crew encountered a marked gas line. A 1" diameter yellow conduit was found at 4'-8" deep. The excavation was in the street at 133 Walnut St." Total Engineering And Consulting Services LLC is the designer. Their AVR states, "Aqua Contractor Brubacher Excavating, while excavating the trench for new water main installation on Jacobs St Project, the crew encountered a marked gas line. A 1" diameter	BRUBACHER EXCAVATING INC: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		yellow conduit was found at 4'-8" deep. The excavation was in the street at 133 Walnut St.” BRANDYWINE CAD DESIGN INC submitted an AVR that states, “THIS PROJECT WAS ASSIGNED TO BCAD FOR DESIGN IN AUGUST OF 2022. BCAD COMPLETED THEIR INITIAL SURVEY AND CREATED PA ONE CALL TICKETS FOR THE PROJECT. IN MARCH OF 2025 THE PROJECT WAS PULLED FROM BCAD AND REASSIGNED TO ANOTHER FIRM AS PART OF A LARGER PROJECT. BCAD HAD NO ROLE IN THE DESIGN OF THIS PROJECT, A DESIGN WAS NEVER SUBMITTED TO AQUA FOR THEIR REVIEW. ATTACHED IS THE FINAL PROPOSED DESIGN PLAN FROM TOTAL ENGINEERING.” Images provided show the site, marks, excavation, and damaged line. The line is within the tolerance zone of the marks. No supporting documentation was provided to support Brubacher’s statements on incorrect marks by PECO. Violations: Excavator - Brubacher Excavating: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
63142	Facility Owner: UGI UTILITIES INC Contractor/Excavator: SUNBURY MUNI AUTH OF THE CITY OF SEWER Project Owner: SUNBURY MUNI AUTH OF THE CITY OF SEWER - Placeholder	On 3/10/2026 9:30:00 AM at <u>AMERICUS ALY, SUNBURY CITY, NORTHUMBERLAND</u> The incident occurred on 3/10/2026, at 9:30 AM, on Americus Aly, in Sunbury City, Northumberland County. A gas line owned by UGI was damaged. UGI is the facility owner. Their Alleged Violation Report (AVR) states, “A correctly marked gas main was struck and damaged while excavating for storm sewer work.” Sunbury Muni Auth Of The City Of Sewer is the excavator and project owner. Their AVR states, “On Tuesday March 10,2026 ,the Sunbury Municipal Authority employees dug on Americus alley beside 100 Linden St (Americus hose company) to replace a catch basin and repair sewer line. We arrived at the job site around 8:30 am to set- up the work area and started to dig around 8:45 am. We started by removing the road surface and ground along the west side of the catch basin. The Foreman had the employee in the excavator remove the dirt from inside the box to try and work the basin loose. He took 2 scoops out then went to get the 3rd he put the bucket into the basin and curled it about 3” when the gas line popped. The foreman had the employee move the excavator back and then called the gas company emergency number and reported the leak at 9:30 am. The gas company dispatched a service man along with the fire department. The gas company arrived	SUNBURY MUNI AUTH OF THE CITY OF SEWER: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		around 10:00 am. At that time the gas company had the fire department evacuate the Americus. The gas was shut down around 10:15 am. The foreman was told that they had shut down about 15 properties. The gas company had Kiely come in to fix the leak. After moving the dirt away from the gas line, it was noticed that the gas line went through the catch basin and was on the inside of the catch basin. After the gas line was repaired the municipal authority employees were able to resume excavation and replacement of the catch basin around 2:00 pm. Gas line was accurately marked however it was installed within our catch basin that was being replaced”. Images submitted show the line was marked and within the tolerance zone of the marks. The excavator did not take all reasonable steps necessary to avoid injury to or otherwise interfere with all lines where positions have been provided to the excavator, as required by Act 127 of 2024. Violations: Excavator – Sunbury Muni Auth Of The City Of Sewer Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
63204	Facility Owner: Columbia Gas of Pa inc Contractor/Excavator: Masontown Borough Project Owner: Masontown Borough (Placeholder)	<u>On 3/10/2026 11:38:00 AM at 124 Debolt Avenue, MASONTOWN BORO, FAYETTE</u> The incident occurred on March 10th, 2026, at approximately 11:38 AM, at 124 Debolt Avenue, located in the Masontown Borough, Fayette County, Pennsylvania. A gas line owned by Columbia Gas was damaged. 911 was called. Excavator did not have a Pa One Call ticket. Columbia Gas, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, “Masontown Borough struck a 2' plastic gas main digging without a one call.” Photo submitted. Masontown Borough, the excavator and project owner, submitted an AVR. Their AVR states, “Started to find a leak on water main Masontown boro machine operator dug on opposite side of Line and scratched a hole in gas line” The submitted photo shows an active excavation site. A backhoe is on site. No utility mark outs are seen in the photo. A PA One Call ticket was not located for this location. PA One Call reported Masontown Borough/Masontown Municipal Authority has placed One Call notifications in the past. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To submit a locate request to identify the location and type of facility owner lines at each work site by	Masontown Borough: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. No work shall begin earlier than the lawful start date which shall be on or after the third business day after notification. The lawful start date shall exclude the date upon which notification was received by the One Call System and notification received on a Saturday, Sunday or holiday, which shall be processed on the following business day. - Plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Excavation or demolition work which requires temporary or permanent interruption of a facility owner's service shall be coordinated with the affected facility owner in all cases. Violations: Masontown Borough- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	
63345	Facility Owner: PECO AN EXELON COMPANY Contractor/Excavator: SEGOVIAS UNDERGROUND LLC Project Owner: SOLAR ENERGY WORLD Other: ABSOLUTE UNDERGROUND INC	<u>On 3/10/2026 2:30:00 PM at 505 KOLB RD, EAST VINCENT TWP, CHESTER</u> The Non-Damage violation occurred on Tuesday, March 10, 2026, at 505 Kolb Road, in East Vincent Township, Chester County. The non-damage violation was reported by PECO An Exelon Company. PECO reported an Excavator issues as providing a misrepresentation of an emergency excavation. PECO stated in their Alleged Violation Report (AVR), “submitted non-emergency ticket”. On Wednesday, 4/1/2026, an email and letter were sent requesting an AVR from Segovias Underground LLC. They submitted their AVR on 4/2/2026. Segovias Underground LLC stated in their AVR, “This is my first violation and I don't call ER tickets often so I felt this was considered an ER or else I would have done the tickets the way I normally do them. Crew had to install a new conduit to assist with getting new power for new solar power so the ticket was a ER so I called it in and worked when it was clear.” Excavation emergency ticket, 20260692302, placed on 3/10/2026, by Segovias Underground, type of work- install conduit, duration of 4 weeks.	SEGOVIAS UNDERGROUND LLC: \$500.00 Section 5(22) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, definition: "Emergency" means a sudden or unforeseen occurrence involving a clear and immediate danger to life, property and the environment, including, but not limited to, serious breaks or defects in a facility owner's lines. The tickets placed by Segovias Underground LLC are not considered emergencies, but excavation routine work which requires planning before the job. PA One Call Law, ACT 127, Responsibilities of the Excavator, Section 5(2.1) states: To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. No work shall begin earlier than the lawful start date which shall be on or after the third business day after notification. The lawful start date shall exclude the date upon which notification was received by the One Call System and notification received on a Saturday, Sunday or holiday, which shall be processed on the following business day. In the case of a complex project, notification shall not be less than ten business days in advance of the beginning of excavation or demolition work. Violation: Segovias Underground LLC is in violation of section: 5(22) – Excavator provided a misrepresentation of an emergency excavation Recommendation: Penalty applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
63212	Facility Owner: Uwchlan Township Contractor/Excavator: Delmont Utilities Project Owner: Aqua America Designer: BRANDYWINE CAD DESIGN INC	<u>On 3/13/2026 10:00:00 AM at CRUMP RD, UWCHLAN TWP, CHESTER</u> The incident occurred on 3/13/2026, at 11:15 AM, on Crump Rd, in Uwchlan Twp, Chester County. A sewer line owned by Uwchlan Township was damaged. An emergency ticket was entered for the damage. Uwchlan Township is the facility owner. Their Alleged Violation Report (AVR) states, "A six (6) inch stormwater drainpipe was damaged while excavating a pit for directional drilling. This utility was not marked due to not being marked on the Township GIS mapping system and our staff not being employed with the facility owner at the six (6) inch stormwater pipe was installed." Delmont Utilities Company is the excavator. Their AVR states, "WORKING IN FRONT OF 120 CRUMP RD DIGGING TO INSTALL WATER MAIN. WE HIT AN UNMARKED SEWER PIPE. IT WAS A 6" PVC DRAIN PIPE AT 1 FT 6INCHES DEEP. WE FIXED THE PIPE. THE TOWNSHIP CAME OUT AND INSPECTED THE FIX AND APPROVED."	Uwchlan Township: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Aqua is the project owner. Their AVR states, "Aqua Contractor Delmont Utilities working in front of 120 Crump Rd digging to install water main. Crew hit an unmarked sewer pipe. It was a 6" PVC drain at 1ft 6inches deep. Crew fixed the pipe. The township came out and inspected the fix and approved." Images submitted support the statements in the AVRs and show the site, excavation, and damage. There are no marks seen that indicate the line that was damaged. Violations: Facility - Uwchlan Township: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
63205	Facility Owner: Columbia Gas Contractor/Excavator: Desoto Line Service Other: EAST BETHLEHEM TOWNSHIP	<u>On 3/13/2026 10:15:00 AM at 72 SOKOLS HILL RD, EAST BETHLEHEM TWP, WASHINGTON</u> The incident occurred on 3/13/2026, at 10:15 AM, on 72 Sokols Hill Rd, in East Bethlehem Twp, Washington County. A gas line owned by Columbia Gas was damaged. Columbia Gas is the facility owner, project owner, and designer. Their Alleged Violation Report (AVR) states, "Desoto Line Services, working on behalf of Columbia Gas, on an infrastructure replacement project, struck an unmarked 1" plastic inserted service line feeding 72 Sokols Hill Rd while excavating to install mainline. Following this line strike, they contacted 911 & Columbia Gas who responded to the site. The fire department was dismissed once the gas was controlled via a squeeze off tool while the Columbia Gas Service Technician performed the necessary perimeter checks. It was decided that Desoto Line Services would install a new line to this residence to restore service rather than making a repair due to the facility being un-locatable. During the on-site investigation, it was found that during the initial locate of this portion of Sokols Hills Rd., the locator failed to identify this property, which sat back off the road approximately 100', due to the meter being behind a garbage can. This address was on the customer list however it was missed by both the locator and the foreman. A follow up discussion was had with Desoto Line Services leadership as well as the locator about the importance of reviewing all applicable records for addresses which are in conflict with their construction." Desoto Line Services is the excavator. Their AVR states, "We were working on behalf of Columbia Gas on an infrastructure replacement project when our crew struck an unmarked 1" plastic inserted service line feeding 72 Sokols Hill Rd during excavation for mainline installation. Following the line strike, we immediately contacted 911 and Columbia Gas. The fire department was released once gas was controlled using a squeeze-	Columbia Gas: \$500.00 Section 2(5)(i) 1st Offense \$500.00 EAST BETHLEHEM TOWNSHIP: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		off tool, and the Columbia Gas Service Technician completed all required perimeter checks. It was determined that installing a new service line to the residence was the safest and most efficient method to restore service, as the existing facility could not be located for repair. During the on-site investigation, it was identified that the service at this address—located approximately 100 feet off the roadway—was not marked during the initial locate. The meter was positioned behind a garbage can, which contributed to the locator missing the property. Although this address appeared on the customer list, it was overlooked by both the locator and our foreman during pre-construction review. A follow-up discussion was held with Columbia Gas leadership, the locator, and our team to reinforce the importance of thoroughly reviewing all available records and ensuring that all addresses in conflict with construction activities are properly identified and marked.” Ticket #20260442234 New – Excavation – Routine was entered on 2/13/26 at 2:30 PM and had a response due date of 2/18/2026. East Bethlehem Township responded on 2/20/2026. Images submitted show the site, excavation, and damage. There are no marks to indicate the line that was damaged. Violations: Facility – Columbia Gas: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) - East Bethlehem Township: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
63092	Facility Owner: National Fuel Contractor/Excavator: PENNDOT Project Owner: PENNDOT - Placeholder	On 3/13/2026 1:50:00 PM at <u>HOOVERTOWN RD, HUSTON TWP, CLEARFIELD</u> The incident occurred on 3/13/2026, at 1:50 PM, on Hoovertown Rd, in Huston Twp, Clearfield County. A gas line owned by National Fuel Gas was damaged. National Fuel Gas is the facility owner. Their Alleged Violation Report (AVR) states, “Excavator struck a properly marked natural gas distribution service line. Please see attachments.” PennDOT is the excavator and project owner. An AVR was submitted that states, “Gas line was hit, measured 3' from the yellow markings”. No images were provided by PennDOT.	PENNDOT: \$1,500.00 Section 5(4) 1st Offense \$500.00 Section 5(8) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Images submitted by National Fuel Gas show the site, marks, and damaged line. The line that was damaged was within the tolerance zone of the yellow marks. Violations: Excavator – PennDOT: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid which endangers life, health, or property. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements.	
63236	Other: Comcast Other: PENN TOWNSHIP SEWAGE AUTHORITY Other: Peoples Natural Gas	<u>On 3/14/2026 5:30:00 PM at 52 NANCY DR, PENN TWP, WESTMORELAND</u> The incident occurred on 3/14/2026, at 5:30 PM, on 52 Nancy Dr, in Penn Twp, Westmoreland County. A sewer line owned by Penn Township Sewage Authority was damaged. The facility was notified directly by the excavator. Penn Township Sewage Authority is the facility owner. Their Alleged Violation Report (AVR) states, “Emergency one call was placed at 15:12 Pm on 3/14/2026 PTSA responded at 15:38 pm as marked a Representative from Peoples gas contacted me at 15:40 to inform us that the sewer line had been struck with an excavator.” Peoples Natural Gas is the excavator and project owner. Their AVR states, “PNG was digging at 52 Nancy Dr when they hit a marked sewer lateral. Westmoreland County Municipal Authority came out to do the repairs at the time of damage.” Ticket #20260730399 New – Excavation– Emergency was entered on 3/14/26 at 3:12 PM to repair a gas line. Comcast responded on 3/15/2026 at 11:40 AM. Images submitted show the site, excavation, marks, and damaged line. The damaged sewer line is within the tolerance of the green marks. Violations: Excavator – Peoples Natural Gas: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Facility(other) – Comcast: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket #20260730399	Comcast: \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00 Peoples Natural Gas: \$500.00 Section 5(4) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
63419	Facility Owner: UGI Utilities Inc Contractor/Excavator: Fahnestock Excavating Inc Project Owner: Property Owner	<u>On 3/16/2026 9:30:00 AM at 2830 Kissel Hill Rd., WARWICK TWP, LANCASTER</u> The incident occurred on March 16th, 2026, at approximately 9:30 AM, at 2830 Kissel Hill Road, in Warwick Township, Lancaster County. A gas line owned by UGI Utilities Inc. was damaged. 911 was called. UGI Utilities Inc, the facility owner, submitted an Alleged Violation Report (AVR). Their AVR states, "Excavator utilizing mechanized equipment, struck an unmarked service while operating without a valid paoc." Photos were submitted. Fahnestock Excavating Inc., the excavator, submitted an AVR. Their AVR states, "Hit a gas line at 2830 Kissel Hill Rd , Lititz, Pa" The property owner was the project owner. The submitted photos show the damaged gas line. There are no visible utility mark outs in the photos. The excavator did not have a Pa One Call ticket. Pa One Call reported Fahnestock Excavating has placed PA One Calls in the past. Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. - Plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner's facilities in the construction area. Violations: Fahnestock Excavating Inc- - Section 5(2.1) – Excavator failed to submit a location request to One Call within the correct timeframe. - Section 5(6)(i) – Excavator failed to plan the excavation or demolition work to avoid damage to or minimize interference with a facility owner’s facilities in the construction area. Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s).	Fahnestock Excavating Inc: \$1,250.00 Section 5(2.1) 1st Offense \$1,000.00 Section 5(6)(i) 1st Offense \$250.00
63260	Facility Owner: UGI Contractor/Excavator: Kriger Pipeline Inc Designer: R K AND K ENGINEERS	<u>On 3/19/2026 12:30:00 PM at WYOMING AVE, KINGSTON BORO, LUZERNE</u> The incident occurred on 3/19/2026, at 12:30 PM, on Wyoming Ave, in Kingston Boro, Luzerne County.	UGI: \$250.00 Section 2(5)(i) 1st Offense \$0.00 Section 2(5)(v.2) 1st

Case Number	Stakeholders	Summary	Violations & Recommendation
	Other: Municipality of Kingston	A gas line owned by UGI was damaged. An emergency ticket was entered for the damage. UGI is the facility owner and project owner. Their Alleged Violation Report (AVR) states, “Excavator struck and damaged a gas facility while digging in the tolerance zone.” Kruger Pipeline Inc is the excavator. Their AVR states, “A Kruger Pipeline crew was excavating for the new installation of new gas main at the intersection of Wyoming ave. and Reynolds st. in Kingston pa. The crew struck what appeared to be an old purge or by pass . This facility was devoid of field marks.” R K And K Engineers is the designer. Their AVR states, “The first notification of an event was just received via email from today, April 15th, 2026, notifying RK&K of an alleged Violation Report being assigned for investigation by the PUC for the affected operation gas that happened on March 19th, 2026. RK&K was unaware of any situation prior that email and does not have any further information other than what was provided in the email received. RK&K was the design engineer firm of choice by UGI to only develop construction drawings and a highway occupancy permit for the project using a Quality Level C SUE. All pertinent construction aspects of the project such as, pre-bid meetings, contractor selection, contractor negotiation, Quality Level B and A SUE and construction inspection were not part of RK&K’s scope of work. Once our designs are complete and UGI internally approves the plans, our contract obligations are completed and no further communication regarding construction activities is ever communicated to RK&K.” Ticket #20260570379 New – Excavation – Routine had a response due date of 3/2/2026. UGI Electric entered “Field Marked” but UGI did not enter “Field Marked” for their gas service. Municipality of Kingston did not enter any response. Ticket # 20260782440 New – Damage – Emergency was entered on 3/19/26 at 1:10 PM. Municipality of Kingston did not enter a response to this ticket. Images submitted show the site, excavation, marks, and damaged line. A hit kit is used to show the damage distance from the marks and excavation occurred outside of the tolerance zone of those marks. No marks are visible to indicate the line that was damaged. Violations: Facility – UGI: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket #20260570379	Offense \$250.00 Municipality of Kingston: \$250.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(vii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s). Facility (other) - Municipality of Kingston: Section 2(5)(v) – Failed to respond to a routine One Call ticket. Ticket #20260570379 Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Ticket # 20260782440 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
63429	Facility Owner: Philadelphia Gas Works (PGW) Contractor/Excavator: Miller Brothers Electric Project Owner: PECO	<u>On 3/26/2026 10:00:00 AM at N 63RD ST, PHILADELPHIA CITY, PHILADELPHIA</u> The incident occurred on 3/26/2026, at 10:00 AM, on N 63Rd St, in Philadelphia City, Philadelphia County. A gas line owned by Philadelphia Gas Works was damaged. The excavator entered an emergency ticket for the damage. Philadelphia Gas Works is the facility owner. Their Alleged Violation Report (AVR) states, “917 N 63RD ST MILLER BROS DAMAGED GAS LINE TO 920 N 6RD ST”. No images or documentation was provided and a request for more information was sent on 4/15/2026. Miller Bros is the excavator. Their AVR states, “On Tuesday, March 26, 2026, a Miller Bros civil crew was trenching to install new PECO conduit on N 63rd St between Oxford St and Nassau Rd for the Overbrook Building Sub Retirement – Upland 164 Project. The crew had previously completed test holes for all marked facilities within the trench path. At approximately 0900, the bucket of the excavator made contact with an unmarked PGW gas service at approximately 25" of depth. The Miller Bros crew immediately stopped all work and cleared the area. The Miller Bros foreman called and notified 911, the PECO Construction manager, Miller Bros Management, and PA One Call. The Miller Bros Project Manager also called PGW directly to help expedite their response. PGW mobilized to the job site and completed repairs on the unmarked damaged service at 1500. Miller Bros had valid PA One Call 2026-0750025. Miller Bros received damage PA One Call number 2026-0851269.” No images or documentation was provided and a request for more information was sent on 4/15/2026 and no response was received. PECO is the project owner. An AVR was not filed as of 04/16/2026. Ticket 20260750025 had a response due date of 3/18/26. Philadelphia Gas Works responded “Field Marked” on 3/19/2026 at 2:12 PM. Section 2(5)(i) states, “After receipt of a timely request from an excavator or operator who identifies the work	Philadelphia Gas Works (PGW): \$750.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		site of excavation or demolition work he intends to perform and not later than the business day prior to the lawful start date of excavation: To mark, stake, locate or otherwise provide the position of the facility owner's underground lines at the work site...". Section 2(5)(v) states, "To respond to all notices through the One Call System, provided the request is made in the time frame set forth under this act. The response shall be made not later than the end of the second business day following receipt of the notification by the One Call System, excluding the business day upon which the notification is received, or not later than the day prior to the lawful start date of excavation if the excavator specifies a later date or, in the case of an emergency, to respond through the One Call System as soon as practicable following receipt of notification of the emergency by the One Call System." Images submitted do not show any marks in the area of the damage. Violations: Facility (other) - Philadelphia Gas Works: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	

Full Session

Case Number	Stakeholders	Summary	Violations & Recommendation
61351	Facility Owner: NATIONAL FUEL GAS DIST RC 350 Contractor/Excavator: BEN KOSIENSKI EXCAVATING	On 11/21/2025 10:30:00 AM at HOLMAN DR, GREENE TWP, ERIE On Tuesday, 8/11/2026 at the DPC Meeting, disputing was Ben Kosienski Excavating, and it was voted to Accept DPIs recommendations. ***** Disputing is Ben Kosienski Excavating (email sent Thursday, 6/18/26, at 3:47pm) stating, "Ben Kosienski and Tim Yapple are disputing case no. 061351. We hit a missed marked gas line and National fuel said so." ***** The incident occurred on Friday, November 21, 2025, on Holman Drive, Greene Township, Erie County. A gas line owned by National Fuel Gas (NFG) was damaged. NFG stated in their Alleged Violation Report (AVR), "Excavator struck a natural gas distribution main line." NFG provided no reason. On Monday, 2/2/2026, an email was sent to NFG requesting photos and additional information. NFG replied on 2/3/2026 with 2 photos of the damaged line.	BEN KOSIENSKI EXCAVATING: \$2,500.00 Section 5(8) 1st Offense \$1,000.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		On Tuesday, 2/3/2026, an email was sent to NFG, “How was NFG notified of the damage? Was there a gas leak? Was 911 called? Please provide any additional information not mentioned in the AVR that NFG believe is important for us to know. On Thursday, 2/5/2026 NFG replied, “The excavator contacted NFG directly to notify us of the gas leak, the was gas leaking, and to our knowledge 911 was not called.” On Wednesday, 3/11/2026, an email and letter were sent requesting an AVR from the Excavator, Ben Kosienski. On Wednesday, 3/25/2026, a call was returned to Ben Kosienski and he said, he was contracted by Tim Yaple and NFG line as mismarked. I told Ben submit an AVR, and he said he will. On Monday, 3/30/2026, a call was returned to Kim, calling on behalf of the Excavator. There was no answer, so a voice message was left with a return phone number. The photos from NFG show a clamped gas line. The photos do not show locate marks and no hit-kit. Violations: Ben Kosienski, the Excavator is in violation of sections: 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalties applied, and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
61283	Facility Owner: FC Meyer Packaging Contractor/Excavator: W.A. Petrakis Contracting LLC. Project Owner: Municipal Authority of Westmoreland County Designer: GIBSON THOMAS ENGINEERING CO INC Other: Columbia Gas Other: PEOPLES NATURAL GAS COMPANY LLC	<u>On 12/11/2025 9:13:00 AM at THOMAS STREET, HEMPFIELD TWP, WESTMORELAND</u> On 08/11/2026, The Damage Prevention Committee (DPC) voted to keep Columbia Gas' violations and remove the penalties. ***** Columbia Gas is disputing. ***** The incident occurred on December 11th, 2025, at approximately 9:13 AM, on Thomas Street, in Hempfield Township, Westmoreland County. A gas line owned by FC Meyer Packaging was damaged. 911 was called. FC Meyer Packaging is the facility owner. An Alleged Violation Report (AVR) has not been filed as of 04/15/2026. An AVR request letter was sent on 03/10/2026.	Columbia Gas: \$0.00 Section 2(5)(v) 1st Offense \$0.00 Section 2(5)(v) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		W.A. Petrakis Contracting LLC., the excavator, submitted an AVR. Their AVR states, "Crew was excavating between FC Meyer packaging facility and Brush Creek installing new sanitary gravity sewer when operator struck and damaged an unmarked 4" steel gas main. This was discovered to be the buried service supplying gas to the FC Meyer Packaging facility, however, the facility owner made no mention of the location of the line and did not mark it out between the meter set and building. It was unknown and not marked at the time of damage. Peoples gas owns the meter set along Thomas Avenue and shut off the meter. Crew foreman called 911 immediately and a repair crew was sent to fix the damaged section of pipe. Peoples O&M tested the service line and repair area before restoring gas service to the facility. Columbia gas main that parallels the creek bank was marked and found accurately." Photos were submitted. Municipal Authority of Westmoreland County, the project owner, submitted an AVR. Their AVR states, "Excavator W. A. Petrakis working for Project Owner, Municipal Authority of Westmoreland County, states" Crew was excavating between FC Meyer packaging facility and Brush Creek installing new sanitary gravity sewer when operator struck and damaged an unmarked 4" steel gas main. This was discovered to be the buried service supplying gas to the FC Meyer Packaging facility, however, the facility owner made no mention of the location of the line and did not mark it out between the meter set and building. It was unknown and not marked at the time of damage. Peoples gas owns the meter set along Thomas Avenue and shut off the meter. Crew foreman called 911 immediately and a repair crew was sent to fix the damaged section of pipe. Peoples O&M tested the service line and repair area before restoring gas service to the facility. Columbia gas main that parallels the creek bank was marked and found accurately." Photos were submitted. Gibson Thomas Engineering Co Inc., the designer, submitted an AVR. Their AVR states, "W.A. Petrakis crews were digging between FC Meyer Packaging Facility and Brush Creem installing new 15" sanitary sewer when the operator struck and damaged an unmarked 4" steel gas line. This 4" gas line was discovered to be the service line supplying gas to the FC Meyer Packaging Facility. The facility owner "FC Meyer" made no mention of the location of this gas service and did not mark it out between the meter and the building. Therefor this line was unknown and not marked at the time of the damage. Peoples Natural Gas owns and operates the gas main located on Thomas Ave where the service line originates. Peoples Natural Gas were called to the site to shut the service line off at the meter, 911 Emergency Crews were called immediately, and a repair crew was sent out to fix the damaged gas service line. Peoples Natural Gas O&M Crew tested the service line after the repair and gave approval before turning the service line back on restoring gas to the FC	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Meyer facility. Please note that the Columbia Gas Main was marked and found accurately nearby (shown in pictures attached).” Photos were submitted. Their AVR also states they represent Municipal Authority of Westmoreland County. Peoples Gas submitted an AVR. Their AVR states, "W A Petrakis Contracting was digging to install a new sewer line receptor when the struck a privately owned gas service to 2531 Thomas St Jeannette. The locator contacted the contractor on 12/4/2025 at 11:30am and told him that he could not locate the house line due to no trace with possible underground fitting. Contractor needed to spot lines before trenching. Contractor hit 4" steel private line. PNG customer service rep shut off gas at the meter. Privately owned line by the business. Dig site was over 200ft+ from the nearest PNG meter.” The submitted photos show the damaged gas. A gas mark out can be seen in photos and is a properly marked line owned by Columbia Gas. The damaged gas line is owned by FC Meyer Packaging, and the photos show it was not marked. FC Meyer Packaging is a large single building. They are not registered with Pa One Call and therefore would not have received a ticket requesting them to mark their lines. Peoples Gas noted in their AVR that the locator contacted the contractor on 12/4/2025 at 11:30am and advised they could not locate the line due to no trace with possible underground fitting and the contractor needed to spot lines before trenching. There was no documentation on the tickets to indicate that Peoples contacted the excavator. The complex project did not have any agreements listed. There is no information available to show the owner of the gas line was notified to mark their lines. Peoples advised they contacted the excavator regarding not being able to locate the line and advised to “spot lines” before excavating, however no written documentation was submitted to support the conversation. The line was not marked. Routine ticket 20253373560 had a response due date of 12/05/2025. - Columbia Gas responded to this ticket on 12/08/2025. Routine ticket 20253373561 had a response due date of 12/05/2025. - Columbia Gas responded to this ticket on 12/08/2025. Violations: Columbia Gas- - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20253373560. - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20253373561. Recommendation: The penalty is applied.	

Case Number	Stakeholders	Summary	Violations & Recommendation
61643	Facility Owner: UGI UTILITIES INC Contractor/Excavator: Prime Rental Solutions Project Owner: Homeowner	<u>On 12/19/2025 10:30:00 AM at 92 S BROOKLYNSIDE RD, LIBERTY TWP, MCKEAN</u> On Tuesday, 8/11/2026 at the DPC meeting, disputing was Prime Rental Solutions and it was voted to Accept DPIs recommendations. ***** Disputing is Prime Rental Solutions and they stated, "I am writing to inform you that I am rejecting the DPI report and request a hearing. Also, please direct any further information to my attorney..." ***** The incident occurred on Friday, December 19, 2025, at 92 S. Brooklynside Road, in Liberty Township, McKean County. A gas line owned by UGI Utilities was damaged. UGI reported Excavator issues as delegated the excavator's sole responsibility of submitting the locate request to the Homeowner, failed to use prudent techniques within the tolerance zone, and failed to call 911 when there was a gas leak. UGI stated in their Alleged Violation Report (AVR), "While excavating for water service repair, a contractor struck and damaged a correctly marked gas service line. Homeowner submitted PA One Call ticket, but did not make repairs himself. Kyle Bonneau, owner of Prime Rental Solutions, was operating a machine at the time of damage." UGI provided pictures showing the served gas line and the backhoe used within the tolerance zone. PA One Call compliance commented, "There are no records of Prime Rental Solutions placing One Calls in the past." On Thursday, 3/5/2026 letters and an email were sent to Mr. Kyle Bonneau of Prime Rental Solutions, and to the Homeowner, Mr. Brandon Maynard. There was no response from the Homeowner. On Monday, 3/16/2026, a call was returned to Mr. Bonneau and he said, he only rented the equipment. He contacted UGI and they have the correct person that was excavating. On 3/16/2026, an email was sent to UGI requesting additional information, (see UGI additional info1) "Prime Rental Solutions is listed as the excavator, but they only rented the equipment. Provide the actual Excavator, and their contact information. Also, provide any additional information that UGI Utilities believe is important for the PAPUC Damage Prevention to know." UGI replied on, Wednesday, 3/18/2026 stating, (see UGI additional info1) "Our field personnel had seen Kyle on the equipment upon UGI's arrival. PRS was listed as the excavator and when I did some digging, I discovered Kyle owns the company Prime Rental Solutions. This guy is very well known in the area due to owning some other businesses. Upon receiving your inquiry, I reached out to our local operations group and they again confirmed that Kyle Bonneau was the operator of the equipment. The homeowner, Brandon Maynard, made the one call for them. I am unable to get in contact with	Prime Rental Solutions: \$3,500.00 Section 5(4) 1st Offense \$500.00 Section 5(8) 1st Offense \$1,000.00 Section 5(23) 1st Offense \$500.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 Homeowner: \$0.00 Section 6.1(7) 1st Offense \$0.00 Section 6.1(8) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the homeowner, but he may be able to confirm who he hired to do this work. The homeowner's number is 814-655-6375 and email is b.l.maynard217@gmail.com. Kyle may have been doing the work on his own accord using equipment from his company, but all of the equipment on site belonged to PRS and Kyle is the owner of PRS. I think this effectively makes them the excavator in this case." On Wednesday, 3/25/2026, an email was sent to UGI requesting additional information, (see UGI additional info 2) "On 3/5/2026, a letter and an email was sent to the Homeowner requesting information; the Homeowner has not responded yet. Does UGI have any pictures of Kyle Bonneau on the equipment upon UGI's arrival at the worksite? Did UGI send Kyle Bonneau of Prime Rental Solutions an invoice for the damage? Also, provide any additional information that UGI Utilities believe is important for the PAPUC Damage Prevention to know." UGI replied on Thursday, 4/1/2026 stating, (see UGI additional info 2) "...email to the homeowner. In this email is our documented conversation with Kyle, where Kyle called and admitted to our claims person that he was operating the equipment when the line was struck. Mr. Bonneau stated to us that he doesn't feel he's responsible because he merely rented the equipment and was only operating it to help his rental customer. Kyle refused to accept the bill, and the homeowner agreed to pay the bill for Mr. Bonneau even though he was not the actual operator. Mr. Bonneau is well known in the area, it is a small town, and was readily recognized by our employees on site who spoke to him and documented his name." "Also, here is a text exchange with the homeowner, who says 'my operator' which indicated to me that he himself was not operating." (see UGI additional info 2) Violations: *Prime Rental Solutions is in violation of sections: 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. 5(8) – Excavator failed to immediately notify 911 and the facility owner when damage resulted in the escape of any flammable, toxic or corrosive gas or liquid. 5(23) – Excavator may not delegate their duty to submit a locate request to the One Call System to another person. The excavator shall have sole responsibility to submit each locate request to the One Call System. 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line. 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. Recommendation: Penalties Applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements. *Homeowner is in violation of sections:	

Case Number	Stakeholders	Summary	Violations & Recommendation
		6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: Zero Penalties but keep the violations with PUC Online Compliance Training is required for the Person responsible for submitting AVRs, or their replacement.	
61848	Facility Owner: AQUA PENNSYLVANIA INC. Contractor/Excavator: DEWITT CONCRETE AND MASONRY INC. Project Owner: BUILDERS Inc. Other: Montgomery County Other: Verizon	<u>On 1/12/2026 10:00:00 AM at 1520 ALAN WOOD RD, PLYMOUTH TWP, MONTGOMERY</u> On 8/11/2026 the DPC voted on Montgomery County's dispute: Motion by Ditty to: 2(5)(v)- Accept the DPI's recommendation and add additional \$250 penalty for not attending the DPC meeting. Education is required. Original \$500 penalty plus \$250 for not attending raises this penalty to \$750. 2(5)(vii)- Accept the DPI's recommendation. \$1,000. Montgomery County was not in attendance. *** Montgomery County is disputing. **** Aqua's violation, penalty, and education was removed after providing documents that show the excavator excavated outside the property and ticket. **** Incident occurred on January 12th, 2026, at 10am on 1520 Alan Wood Road, Plymouth Township, Montgomery County. A water line was damaged. Aqua's Alleged Violation Report (AVR) states, "Contractor hit water service at 826 W Ridge Pike. Their PA1 ticket was for 1520 Alan Wood Dr. Contractor was working outside of the area indicated on their PA1 ticket. When Locator arrived on site at report of a damage water service, Excavator was advised he needed to place a Damage PA1 ticket. His response was what is a damage ticket? Aqua has previously responded to the Excavators ticket 20260072867 and marked the water services at 1520 Alan Wood Rd. ALL MARKS WERE REMOVED FROM THE SITE, SERVICE WAS MARKED ON THE SIDEWALK AND GUARDRAIL BOTH WERE REMOVED." Images showing a mark out are from Alan Wood Road, but the damage pictures are from West Ridge Pike. No proof of prior mark out was provided for West Ridge Pike. Routine Ticket 20260072867 shows the site was not marked in white. Mapping Comparison shows that the damage site may have been covered, but the images of the damage that were taken on an iPad do not show location or date. The images do show a damaged line, but no mark outs to determine tolerance zone. Dewitt's	AQUA PENNSYLVANIA INC.: \$0.00 DEWITT CONCRETE AND MASONRY INC.: \$1,750.00 Section 5(11) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Section 5(17) 1st Offense \$500.00 BUILDERS Inc.: \$1,500.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00 Montgomery County: \$1,750.00 Section 2(5)(v) 1st Offense \$750.00 Section 2(5)(vii) 1st Offense \$1,000.00 Verizon: \$2,500.00 Section 2(5)(v) 3rd Offense \$1,500.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		routine ticket mapping and emergency ticket mapping are identical. Dewitt's emergency ticket does mention a damaged water line and that the work is for Builders Inc, but no AVR was submitted for either company. Courtesy AVR letters were sent to both companies on 3/2/26. Routine Ticket 20260072867: Work Site--[1520 ALAN WOOD RD] Nearest Intersection--[W RIDGE PIKE] Second Intersection--[] At Intersection--[N] Between Intersections--[N] Site Marked in White--[N] Subdivision--[] Location Information--[CONSHOHOCKEN, PA 19428.] Caller Lat/Lon--[] Mapped Type--[C] Mapped Lat/Lon--[] Attachments--[http://www.pa811.org/attachments/20260072867] Type of Work--[SITE WORK] Depth--[10] Extent of Excavation--[50] Method of Excavation--[POWER EQUIP] Equip Type--[HYDRAULIC EXCAVATOR] Street--[] Sidewalk--[] Pub Prop--[] Pvt Prop--[X] Other--[] Private Front--[X] Rear--[X] Left--[X] Right--[X] For Routine Ticket 20260072867 Montgomery County and Verizon provided "No Response" on 1/10/26 followed by "Clear" on 1/14/26. For Emergency Ticket 20260121533 Montgomery County provided "No Response" on 1/10/26 followed by "Clear" on 1/14/26 and Verizon responded a day late. For Emergency Ticket 20260121519 Montgomery County provided "No Response" on 1/10/26 followed by "Clear" on 1/14/26 and Verizon Did not respond. Recommended violations, penalties, and education: Aqua Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20260072867 Dewitt Concrete and Masonry Inc. Section 5(11) – Excavator failed to use the color white to mark a proposed excavation work site when exact work site information cannot be provided. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within thirty days of the receipt of the request. -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. -PUC compliance education is required for the person responsible for submitting AVR or their replacement.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		Builders Inc Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Verizon Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260072867. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260121519. - PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). Montgomery County Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20260072867. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260121519. - PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62303	Facility Owner: Bethlehem City Facility Owner: Homeowner Contractor/Excavator: Great Western Services Project Owner: UGI Utilities	<u>On 1/12/2026 10:09:00 AM at MECHANIC ST, BETHLEHEM CITY, NORTHAMPTON</u> On 8/11/2026 the Damage Prevention Committee voted on Bethlehem City's violations: 2(5)(i) T2026006535 - Apply violation and penalty 2(5)(i) T20260121361 - Apply violation and penalty 2(5)(v.2) Remove violation and penalty ***** Great Western Services disputing - no documentation that prudent techniques were used. Stated they knew line wasn't marked, attempted to locate around cleanouts. No documentation provided. Violation and Penalty removed SL 7/22/226 because there was no tolerance zone established. Bethlehem City disputing - No additional information provided. Please note they stated in their AVR, "...the City does not mark sewer lateral connections to city owned sewer mains." ***** The incident occurred on 1/12/2026, at 10:09 AM, on Mechanic St, in Bethlehem City, Northampton County. A sewer line was damaged. The Homeowner owns the line. An Alleged Violation Report (AVR) was not filed as of 03/19/2026 and an AVR request was sent the same day. The homeowner responded but did not have any additional information to provide to the investigation.	Bethlehem City: \$1,000.00 Section 2(5)(i) 1st Offense \$500.00 Section 2(5)(i) 1st Offense \$500.00 Great Western Services: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Great Western Services is the excavator. Their AVR states, "Sewer lateral was broken at some point while the crew was putting in the gas main. Sewer lateral was not marked. We were notified of the break after the homeowner had a back up and called in a company to snake the drain. Crew fixed sewer lateral." UGI is the project owner and designer. Their AVR states, "Contractor states 'Sewer lateral was broken at some point while the crew was putting in the gas main. Sewer lateral was not marked. We were notified of the break after the homeowner had a back up and called in a company to snake the drain. Crew fixed sewer lateral.'" An AVR request was sent to Bethlehem City for images of their mark outs on the routine and emergency tickets. Multiple contacts were made with Bethlehem City informing them of their responsibility to submit an AVR. They submitted an AVR over 30 days after the request and state "...the City does not mark sewer lateral connections to city owned sewer mains." No documents or images were provided that show the main, or the lateral connections to the main, were marked on any tickets for this incident. They responded "field marked" to ticket#20260060535 and 20260121361. Images provided show the damaged line, which is directly below the gas main. No information was provided that shows the excavator used prudent techniques to locate the sewer line prior to excavation. Ticket 20260332353 was an update ticket entered on 2/2/2026, which was after the incident - Bethlehem City's only response was "Conflict". Violations: Excavator - Great Western Services Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Facility Owner - Bethlehem City: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Ticket#20260060535 Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Ticket#20260121361 Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket#20260332353 PUC online Compliance Training is required for the individual(s) responsible to perform the locate for this ticket, or their replacement(s).	
61902	Facility Owner: First Energy - Met-Ed. Contractor/Excavator: BARRASSO	On 1/13/2026 11:09:00 AM at LINCOLN HWY, ABBOTTSTOWN BORO, ADAMS On 8/11/2026 the DPC voted on First Energy-Met Ed's dispute. Motion by Haupt to:	First Energy - Met-Ed.: \$500.00 Section 2(5)(i) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	EXCAVATION Project Owner: ABBOTTSTOWN PARADISE JOINT SEWER AUTH Designer: CS DAVIDSON INC Other: Abbottstown Borough Other: Adams Electric Co-op Other: York Water Company	2(5)(i)- accept the DPI's recommendation. 2(10)- remove the violation and penalty. 2(11)- remove the violation and penalty. Remove education. *** First Energy - Met-Ed is disputing. *** This non damage incident occurred on January 13th, 2026, at 11:09am along Lincoln Highway, Abbottstown Boro, Adams County. An unmarked electrical conduit was found. Case is related to 61391. Barrasso Excavating's Alleged Violation Report (AVR) states, "While installing a new proposed Sanitary force main we exposed screenings and red tape. I instructed my crew to hand dig and get a visual and found a 4" electrical conduit and 3 Primary lines underneath." Abbottstown Paradise Joint Sewer Authority's AVR has a blank summary and additional comment section. CS Davidson Inc's AVR states, "When installing a new sanitary sewer force main, screening and red tape were exposed. Hand digging till visual pipe was found. A 4" electrical conduit was found." First Energy's Met-Ed AVR was sent a request for an AVR on 3/3/26 that asked to provide pictures from the mark outs on tickets 20253521254 and 20253521255. No AVR or pictures were provided by First Energy's Met-Ed as of 4/22/26. Images from Barrasso Excavating are date and time stamped with 1/13/2026, at 11:23 am. The images show fresh red paint on top of disturbed soil. Tickets 20253521254 and 20253521255 were placed on 12/18/25 with a mark out due date the business day prior to the legal dig date which is 12/22/25. First Energy's Met-Ed responded Field Marked on 12/23/26. No renotify or other tickets were placed that would explain the red marks on top of the disturbed soil on the images from 1/13/26. A renotify was placed after the incident on 1/27/26. Light red tape and lighter gravel can be seen above the conduit. PA1call's website was utilized to pull up original tickets from 12/18/25. No comparison photos were provided by Met-ed to cross reference the original marks. Routine Tickets 20253521254 and 20253521255 had a due date of 12/22/25 for a legal dig date of 12/23/25: York Water Company - Late Response - Field Marked 12/23/25 Met-Ed - Late Field Marked 12/23/25 Adams Electric - Late Field Marked 12/23/25	Abbottstown Borough: \$500.00 Section 2(5)(v) 1st Offense \$500.00 Adams Electric Co-op: \$500.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$250.00 York Water Company: \$500.00 Section 2(5)(v) 1st Offense \$250.00 Section 2(5)(v) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Abbottstown Borough - No Response on 20253521255 only. Recommended violations, penalties, and education: First Energy's Met-Ed3521255 Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. 20253521255-00 Section 2(10) – Facility owner failed to submit an Alleged Violation Report through the One Call System within 30 business days after receipt of notice that the facility owner’s lines have been damaged by excavation or demolition work or if the facility owner believes a violation of this act has been committed in association with excavation or demolition work. Section 2(11) – Facility Owner failed to comply with all requests for information by the Commission relation to the Commission’s enforcement authority under this act within thirty days of the receipt of the request. -PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). -PUC compliance education is required for the person responsible for submitting AVR or their replacement. York Water Company Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20253521254-00 Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20253521255-00 Adams Electric Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20253521254-00 Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. 20253521255-00 Abbottstown Borough Section 2(5)(v) – Failed to respond to a routine One Call ticket. 20253521255-00	
62282	Facility Owner: UGI Utilities Contractor/Excavator: United Cable Services Project Owner: Loop Internet Other: Pennsylvania American Water (PAWC)	On 1/15/2026 2:50:00 PM at 180 Sutherland dr, FAIRVIEW TWP, LUZERNE On 8/11/2026 the DPC voted on United Cable Services dispute: Motion by Haupt to: 5(3)- remove the violation and penalty. 5(4)- Keep both the violation and penalty. 5(16)- Keep both the violation and penalty. **** Incident occurred on January 15th, 2026, at 2:50pm on 180 Sutherland Drive, Fairview Township, Luzerne County.	United Cable Services: \$1,000.00 Section 5(4) 1st Offense \$500.00 Section 5(16) 1st Offense \$500.00 Loop Internet: \$2,000.00 Section 4(2) 1st Offense \$500.00 Section 6.1(3) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		A gas line was damaged, and complex agreement was alleged to be violated. UGI's Alleged Violation Report (AVR) states, "Excavator struck and damaged a correctly marked gas facility while directional drilling. Excavator failed to spot the service prior to drilling." PAWC submitted an AVR as a locating party that states, "Complex ticket number 20253182865. One call ticket number 20253410245. Contractor not adhering to the agreement set forth at complex meeting. Excavator is calling in the entire job before actually working on the project." United Cable Services' AVR states, "GAS SERVICE LINE WAS HITTED DURING PULL BACK." AVR notes that 911 was notified. United Cable Services did not submit an AVR within 30 days of the line strike. A courtesy request for an AVR was sent on 3/31/26 and an AVR was submitted on 4/5/25. An AVR request was also sent to Loop Internet and not AVR was submitted with 30 days of the damage. Images show that the gas line was marked within the tolerance zone. Report document, 10947452_report.pdf shows that a large quantity of tickets were placed on 12/9/25 and 12/11/25. The image from the complex meeting notes is attached but contains half the page. Ticket 20253462504 has comment responses from two utilities: 1. Complex Meeting. 2. TICKETS CLOSED OUT ALEXANDRA TOLD MARIA FORGET ABOUT THEM AND SHE WAS GOING TO RECALL THEM. A preliminary design was submitted on 6/27/25 by Loop Internet. No final design ticket was submitted. Recommendation, violations, and education: United Cable Services Section 5(3) – Excavator failed to schedule work as agreed upon during a preconstruction meeting. Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or other violation. AVR penalty reduced by 50% from \$1,000 to \$500 for providing AVR after request as a 1st offense -PUC compliance education is required for the excavators working onsite of this excavation or their replacements. -PUC compliance education is required for the person responsible for submitting AVR or their replacement. Loop Internet Section 4(2) – Designer failed to request the line and facility information prescribed by section 2(4) from the One Call System not less than ten nor more than ninety	Section 6.1(7) 1st Offense \$1,000.00

[illegible]

Case Number	Stakeholders	Summary	Violations & Recommendation
		contractors' instruction, believing the designation was appropriate. There was no damage to any utility." Clearspan Contractors Inc stated in their AVR, "I submitted excavation tickets for the street restoration work on January 19, 2026. After submitting my tickets, I forwarded the information to Concrete Cutting Systems, Inc. so they would have the correct location details to submit their excavation tickets. For reasons unknown to us, Concrete Cutting Systems submitted Emergency Excavation tickets on January 19 and January 20, 2026 for several locations. They were not instructed by Clearspan Contractors to submit emergency tickets, as there was no emergency condition on any of the sites. Additionally, they listed themselves as working for Clearspan Contractors, which is incorrect. Concrete Cutting Systems is hired directly by CTX Infrastructure, the same company that hired Clearspan Contractors for the street restoration work. Both of our companies are subcontractors to CTX Infrastructure, and Concrete Cutting Systems is paid by CTX— not by Clearspan Contractors. They are used solely for concrete cutting on CTX street restoration projects. Under "Submitter Role," I am selecting Excavator, but please note that Clearspan Contractors is not the excavator associated with the emergency tickets that were submitted. We are only the excavator for the street restoration work assigned to us. PA1Call tickets Clearspan Contractors submitted on 1/19/2026: 20260191842, 20260191846, 20260191847, 20260191849, 20260191850, 20260191851, 20260191853, 20260191854, 20260191857 Concrete Cutting Systems PA1Call Ticket Numbers (as listed on violation): 20260191654, 20260191732, 20260191995, 20260192003, 20260192004, 20260192014, 20260192015, 20260192019, 20260192020, 20260192026, 20260192027, 20260192029, 20260192030, 20260192035, 20260200772, 20260200779, 20260200782 (I do not have actual locations nor the time of submittals for these tickets, as they were not submitted by Clearspan Contractors, Inc.)" The Underground Utility Line Protection Law (UULPL) aka PA One Call Law, ACT 127, definition: "Emergency" means a sudden or unforeseen occurrence involving a clear and immediate danger to life, property and the environment, including, but not limited to, serious breaks or defects in a facility owner's lines. PA One Call Law, ACT 127, Responsibilities of the Excavator, Section 5(2.1) states: To submit a locate request to identify the location and type of facility owner lines at each work site by notifying the facility owner through the One Call System. Notification shall be not less than three nor more than ten business days in advance of beginning excavation or demolition work. No work shall begin earlier than the lawful start date which shall be on or after the third business day after notification. The lawful start date shall exclude the date upon which notification was received by the One Call System and notification received on a Saturday, Sunday or holiday, which shall be processed on the following	

Case Number	Stakeholders	Summary	Violations & Recommendation
		business day. In the case of a complex project, notification shall not be less than ten business days in advance of the beginning of excavation or demolition work. Violations: *Concrete Cutting Systems is in violation of sections: Excavation Emergency Tickets Placed on 1/19/2026: 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260191654 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260191732 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260191995 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192003, 20260192004 (both N. 20th Street, Wards 17 and 10 at 8:39pm) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192014, 20260192015 (both W. 65th Street, Wards 17 and 10 at 8:47pm) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192019, 20260192020 (both Stenton Ave, Wards 17 and 10 at 8:51pm) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192026, 20260192027 (both N. 20th Street, Wards 17 and 10 at 8:56pm) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192029, 20260192030 (both Colonial Street, Wards 17 and 10 at 8:59pm) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260192035 Excavation Emergency Tickets Placed on 1/20/2026: 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260200772 (Chestnut Street at 9:57am) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260200779 (Chestnut Street at 9:58am) 5(22) – Excavator provided a misrepresentation of an emergency excavation 20260200782 (Chestnut Street at 9:59am) Recommendation: Penalties applied and PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
62113	Facility Owner: Peoples Natural Gas Contractor/Excavator: Pennsylvania American Water Project Owner: Pennsylvania American Water - Spacesaver Other: Ingram Borough	<u>On 1/27/2026 1:00:00 PM at 45 HODGSON AVE, INGRAM BORO, ALLEGHENY</u> On 8/11/2026 the Damage Prevention Committee (DPC) voted to remove the violation to PA American Water. **** PA American Water disagreed and sent in AVR2026FEB050013 version2 with another picture. An email received on 6/10/2026 stated that "Details of the photos submitted with the AVR: Photo 5 was taken from google maps and is dated 4/2025, it shows the long service is only 1' away from	Pennsylvania American Water: \$0.00 Ingram Borough: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		the short service, same as the locators one call photo taken 5 months later. Photo 2 is a pre-job photo showing what Peoples Gas marked. Their marks identify the main, a short service, and a long service. The long service (downhill) is approximately 5'-8' away from the short service (uphill). Photo 4 shows how the backhoe was sitting, which indicates that the digging was uphill and away from where the long service was marked and outside of the tolerance zone. This is practicing "due care". Lastly, we had a team call with Peoples Gas to review the damages they had billed us for. As a result of the evidence presented, they determined the damage had been marked incorrectly and have since dropped the charge". attachment named "45 Hodgson OneCall" was provided and is attached". Please see Peoples Gas response in the synopsis and attachment named "Peoples Gas explains why invoice was waived." Peoples Gas stated that, "In this case, Peoples Natural Gas agreed to waive the invoice while still maintaining PA American Water as the at-fault party, as they in turn may do with us at times. This reflects a long-standing, collaborative approach in which both entities evaluate each situation pragmatically, balancing accountability with practical resolution. This "give and take" process has been in place for years and has proven effective, with minimal issues. Ingram Borough disagreed and asked for lenience because the weather at that time was prohibitive. 1/27/2026 falls within the "snowday" lenience period. The violation is withdrawn. ***** The incident occurred on 1/27/2026 at 45 HODGSON AVE in INGRAM BORO in ALLEGHENY Co. A gas service owned by Peoples Gas was damaged. PEOPLES NATURAL GAS COMPANY LLC stated in their Alleged Violation Report (AVR) that "Penn American Water struck and damaged a properly marked Peoples Gas service while using mechanized equipment in the tolerance zone". On 4/09/2026 DPI Maki sent an email to Peoples Gas asking about the incident which occurred on 1/27/2026 at 45 HODGSON AVE in INGRAM BORO in ALLEGHENY Co. "Were there 2 service lines going into this property? Were both of these lines marked? Were both of the points of connection marked? Could you tell me if 911 was called or if the facility owner was not notified? PA American Water list who called 911 and there is an emergency ticket placed to notify Peoples Gas. Is there anything else I should know about this?" On 4/23/2026 Peoples responded "There was only 1 service line serving 46 Hodgson Ave. The 2nd marking you see in the locate pictures is the marking for the 4" plastic main line that crosses the road near the 1" plastic service line. Yes, as shown on the attached picture, both the main line and service line was marked. To PNG's information contained on the damage report, 911 was not called. Upon PNG's arrival, 911 was	

Case Number	Stakeholders	Summary	Violations & Recommendation
		not onsite. And there was no evidence of 911 being called. Gas was leaking upon the arrival of PNG's first responder, and if 911 was called, and gas was leaking, they would have stayed onsite until PNG relieved them by making the area safe. More pictures were provided. ON 6/11/2025 DPI maki reached out to Peoples Gas for more informaiton. Peoples Gas responded with an email on 6/11/2026 which stated that, "For this damage, Peoples Natural Gas elected to write off the invoice only. Although Peoples Natural Gas did not fully agree with the circumstances, specifically noting concerns that the line markings were inaccurate. Peoples Natural Gas and PA American Water meets quarterly to review damages and associated invoices impacting either party's facilities. These discussions are used to determine appropriate outcomes, including invoice reductions, payments, or waivers. In this case, Peoples Natural Gas agreed to waive the invoice while still maintaining PA American Water as the at-fault party, as they in turn may do with us at times. This reflects a long-standing, collaborative approach in which both entities evaluate each situation pragmatically, balancing accountability with practical resolution. This "give and take" process has been in place for years and has proven effective, with minimal issues. Efforts are ongoing to extend this same approach to other entities, with the goal of resolving matters efficiently and avoiding the need for legal involvement. This summarizes the process and rationale Peoples Natural Gas applied for case 62113." *Emergency Ticket 20260271095 states that 911 was notified. I attached locate pictures showing all the lines were marked. PA American Water failed to maintain markings on the first version of emergency one call ticket 2060270174 on 1/27/2026, so they placed a renotify (version 001) on 1/28/2026 for emergency ticket 20260270174 asking for remarks due to their excavation work removing the marks applied during the initial response to the emergency ticket. All facilities in the area described on the one call ticket was marked. PENNSYLVANIA AMERICAN WATER the project owner and the excavator was sent an AVR request letter on 1/30/2026. PA American crew digging to repair a water main leak hit and damaged an unmarked Peoples gas service line. The gas company marked their main and a short service at the address but failed to mark a long service that came through the excavation. 911 was notified. Photos were provided. On 6/10/2026 AVR2026FEB050013 was received. This AVR was received during the stakeholder review phase. Attachment named "45 Hodgson OneCall was provided" with AVR2026FEB050013 version 2. On 6/10/2026 DPI Maki sent an email to PA American Water asking about the AVR version.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		*Emergency Ticket 20260270174-000 was submitted on 1/27/2026 at 8:08, by PA American water, to fix an emergency water main line. *Emergency ticket 20260271095 was submitted by PA American Water for a gas line hit. *Emergency Ticket 20260270174-001 was submitted on 1/28/2026 at 8:54, by PA American water, to fix an emergency water main line. RNO REMARKS -- [ATTENTION PEOPLES NATURAL GAS COMPANY LLC YOU RESPONDED 003-FIELD MARKED 1/27/2026 9:00:44 AM. THE CALLER STATES THE MAIN LINE WORK YESTERDAY REMOVED THE GAS MARKINGS. THE CREW RETURNED TO THE SITE TODAY AND THEY NEED THE GAS LINE REMARKED ASAP. PLEASE CONTACT ANDREW HORVATH AT HIS CELL LISTED ABOVE WITH ANY QUESTIONS THANK YOU.] Note that this ticket was submitted after the incident occurred. Pictures show that both gas lines were marked. VIOLATIONS Pennsylvania American Water is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. This is a first offense. Recommendation: The penalty is applied. PUC compliance education was recently completed. Ingram Borough is in violation of: Section 2(5)(vii) – Failed to respond to emergency notification 20260270174 - 000 as soon as practicable following notification. Emergency Ticket 20260270174-000 was submitted on 1/27/2026 at 8:08, by PA American water, to fix an emergency water main line. Ingram Borough did not respond “clear” until 1/28/2026 at 10:12. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62192	Facility Owner: AQUA PENNSYLVANIA INC Facility Owner: PECO AN EXELON COMPANY Contractor/Excavator: Concrete Cutting Systems Project Owner: Danella Construction Designer: ENTRUST SOLUTIONS Other: West Chester Borough	On 2/2/2026 6:49:00 PM at N BRADFORD AVE, EAST BRADFORD TWP, CHESTER On 8/11/2026 the Damage Prevention Committee (DPC) voted to accept the violation and penalty for Section 5(16), Remove the violation and penalty for 5(17), and accept the violations, but remove the penalties for all of the section 5(22) violations, except for Emergency ticket 20260191752, which will retain the violation and the penalty. ***** Concrete Cutting Systems disagrees. On 6/16/2026 Concrete Cutting Systems sent an email with an updated policy and procedure for this company. They area also requesting that these citations be resolved through a warning or education rather than an administrative penalty. Please note that an AVR was not submitted, AVR request letter was mailed on 3/02/2026 specifically asking why emergency tickets were placed for this	Concrete Cutting Systems: \$1,500.00 Section 5(16) 1st Offense \$1,000.00 Section 5(22) 1st Offense \$0.00 Section 5(22) 1st Offense \$0.00 Section 5(22) 1st Offense \$0.00 Section 5(22) 1st Offense \$0.00 Section 5(22) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		project. Other questions that were asked were also not answered. Please also consider that the emergency tickets affected many facility owners. ***** The non-damage incidents occurred on 2/02/2026 on N Bradford Ave in Chester County. Multiple Emergency tickets were submitted by Concrete Cutting Systems for non-emergency work. Concrete Cutting systems was hired by Danella. *Case is related by tickets to case 62309. AQUA PENNSYLVANIA INC the facility owner, stated in their Alleged Violation Report (AVR) that, "Excavator submitted 6 emergency tickets for concrete cutting. Believe these are non-emergency tickets that are related to CPA # 13843311." They added that this excavator Failed to create a complex project ticket or take reasonable steps to work with facility owners when working at multiple work sites over a large area". Reports were provided. AQUA PENNSYLVANIA INC provided another AVR which stated that," Excavator submitted 2 emergency tickets. Believe these are non-emergency tickets that should have been a Complex Project". PECO AN EXELON COMPANY stated in their AVR that," SIX NON-EMERGENCY TICKETS." Report was provided. PECO hired Danella to install gas service lines. ENTRUST SOLUTIONS the designer stated in their AVR that," ENTRUST is an EOC related to a one call ticket pulled in this area. We are not involved in the incident and we are only submitting an AVR as requested. The information on this AVR may not be accurate due to ENTRUST not being involved in the incident". ENTRUST SOLUTIONS submitted another AVR which stated that, "ENTRUST is a designer that is tied to one of the PA One Call ticket numbers in relation to this incident. We are unaware if our design is involved in the incident. We have no involvement in the incident other than being copied on the AVR notification. The information provided below may not be accurate since ENTRUST was not involved." Concrete Cutting Systems the excavator was mailed and emailed an AVR request letter on 3/02/2026. Questions about the emergency ticket and updated contact information were asked. No AVR was submitted and no response to the questions asked was received as of 4/16/2026. Danella was mailed and emailed an AVR request letter on 3/02/2026. Question about the emergency ticket submission was asked. No AVR was submitted and no	\$0.00 Section 5(22) 1st Offense \$500.00 Danella Construction: \$1,500.00 Section 6.1(7) 1st Offense \$1,000.00 Section 6.1(8) 1st Offense \$500.00 West Chester Borough: \$1,500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00 Section 2(5)(v) 1st Offense \$500.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		response to the questions asked was received as of 4/16/2026. Ticket 20260301450-000 was submitted by Danella Construction on 1/30/2026 with a response due by 2/03/2026. Ticket 20260301450-001 was submitted by Danella Construction on 2/12/2026 at 09:47 asking PECO to come out and relocate the gas main because Danella cannot locate it. Ticket 20260301450-002 was submitted by Danella Construction 2/12/2026 at 10:59 asking Aqua to come to the site and mark their lines. They add that the crew is on site and the line is mismarked. West Chester Borough never responded. Ticket 20260301449-000 was submitted by Danella on 1/30/2026 with a response due by 2/03/2026. Ticket 20260301449-001 was submitted by Danella on 2/12/2026 at 9:47 asking PECO to relocate their lines. PECO marked the line, but Danella is not able to locate the line. Ticket 20260301449-002 was submitted by Danella on 2/12/2026 at 10:59 asking Aqua to remark their lines and stating that the lines are mismarked. VIOLATIONS Concrete Cutting Systems is in violation of: Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or damaging a facility owner’s line during excavation or demolition or if the excavator believes a violation of this act has been committed in Section 5(17) – Excavator failed to comply with all requests for information from PUC staff within 30 days of the receipt of the request. association with excavation or demolition work. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). Emergency ticket 20260333083 was submitted on 2/02/2026 by Concrete Cutting Systems asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). 20260333089 was submitted by Concrete Cutting Systems on 2/02/2026 asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). 20260333095 was submitted by Concrete Cutting Systems on 2/02/2026 asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). 20260333084 was submitted by Concrete Cutting Systems on 2/02/2026	

Case Number	Stakeholders	Summary	Violations & Recommendation
		asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). 20260333096 was submitted by Concrete Cutting Systems on 2/02/2026 asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10). 20260191752 was submitted by Concrete Cutting Systems on 1/19/2026 asking to mark all sides of the street. There is no emergency noted. Work is being done for Danella. Recommendation: The penalties are applied. Danella is in violation of: Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike or damaging a facility owner’s line during excavation or demolition work activities or if a project owner believes a violation of this act has been committed in association or demolition. Section 6.1(8) - Project Owner failed to comply with all requests for information by the commission relating to the commission's enforcement authority under this act within 30 days of receipt of written request. Recommendation: The penalties are applied. PUC project owner compliance education is required for the person responsible for submitting AVR or their replacement. West Chester Borough is in violation of: Section 2(5)(v) – Failed to respond to a routine One Call Ticket 20260301450-000. West Chester Borough never responded. Section 2(5)(v) – Failed to respond to a routine One Call Ticket 20260301450-001. West Chester Borough never responded. Section 2(5)(v) – Failed to respond to a routine One Call Ticket 20260301450-002. West Chester Borough never responded. Recommendation: The penalties are applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
62389	Facility Owner: PEOPLES NATURAL GAS COMPANY LLC Contractor/Excavator: BAUER EXCAVATING INC Project Owner: PENNSYLVANIA AMERICAN WATER	On 2/10/2026 10:22:00 AM at 113 LYN DALE DRIVE, CENTER TWP, BUTLER On Tuesday, 8/11/2026 at the DPC meeting, Bauer Excavating was disputing and it was voted to Remove the Penalty, but keep the violation and education. ***** Disputing- BAUER EXCAVATING INC is disputing the violation and penalty. ***** The incident occurred on Tuesday, February 10, 2026, at 113 Lyn Dale Drive, in Center Township, Butler County. A gas line was damaged. Pictures were provided of the damage gas line.	BAUER EXCAVATING INC: \$0.00 Section 5(6)(ii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Peoples Natural Gas Company (PNG) reported an Excavator issue as failed to exercise due care and take all reasonable steps necessary to avoid interference with the gas line. PNG stated in their Alleged Violation Report (AVR), “On 2/10/2026, Bauer Excavating Inc. was digging for a sewer repair. Bauer had a PNG SL exposed and while they were lowering the trench box into the ditch, they struck the exposed SL. Bauer failed to protect PNG facility after exposing. PNG crews were called and repairs were made.” PA American Water Company (PAWC), the project owner reported an Excavator issue as failed to use prudent techniques within the tolerance zone. PAWC stated in their AVR, “Bauer Excavating uncovered marked gas line, then dug down to broken 12' sewer main, hole was not stable, so they were inserting a road plate in addition to shoring to prevent dirt from falling into hole. During installation the road plate grazed a repair coupler that came apart, crew put line back into coupler. No gas was leaking, called peoples to let them know. Peoples requested Bauer to replace the customer side line which they did the next day.” Bauer Excavating Inc, stated in their AVR, “On Tuesday February 10, 2026 Bauer Excavating Incorporated started 1 of 3 spot repairs for PA American Waste Water. We started at our shop at 705 Herman Road, butler, PA 16002 at 6:30 am. I Lucas Bauer (Project manager) went over project details with four of our employees. We discussed the project details and all the equipment and materials we were going to need for the next couple of days. Excavator, ditch boxes, road plates, pipe and fittings, etc. They started on site at about 7:30 am at 113 Lyn Dale Drive Butler, PA 1600. First thing was to expose the gas service line to the house to determine how big a hole we could make to get down to the sewer line because it was 12 feet deep. Finding the gas service went very smooth and was exposed with care. Next step was to dig down to find the sewer line that was broken. We dug down and found the sewer line. We placed our ditch boxes into the hole because of the depth. The ground wasn’t very nice, so we decided to put a road plate over the end of the ditch box to keep dirt from falling into the end of the box. While sticking the plate into the hole the steel plate bumped into the gas line. Right where we had the gas line exposed there was a fitting there that was previously repaired by the gas company in 2024. It was a very shabby connection. The gas line coming from the main was not inserted into the connection completely one when we bumped it, it came apart. It was 1 inch plastic, and we just stuck it back into the coupler to prevent the smell of gas. After it was put back into the makeshift coupler the gas smell stopped. We were not very comfortable leaving a gas line like this, so I made several calls to Peoples Gas to get someone out to look at the situation. After about 2 ½ hours the gas company said that we must replace the service line. I asked them what we could do to keep the	

Case Number	Stakeholders	Summary	Violations & Recommendation
		property owners house supplied with gas because they were going to shut their gas off completely and it was cold and snowy that day. They said they could run a temporary line, and it was going to cost \$300.00 I asked them if I could pay for it and they said that it would be on the homeowner's bill. I wrote a check to the homeowner for \$300.00 while this was all going on, the homeowner was not home. The neighbor was out so I asked him for their phone number so I could let them know what was going on. Finally, I talked to the homeowner, and she was very nice and understanding. This was all on the same day. I told her she would not be without gas overnight, which is why I gave her \$300.00 for the temporary line. She just had to call the number on the door tag that the gas company had left. She called that number several times that night. Unfortunately, when we came back the next morning to install the new line to her house there was no temporary line. I didn't even knock on the door and she came out. I got to meet the husband as well, they were freezing. I felt terrible. I made several calls to Peoples Gas employees that were to be there the day before to let them know we didn't get the temporary line that we paid for. After I talked to a guy from the field crew, they got a temporary line hooked up. While that was going on we got the new service line in and a pressure test put on it. Our certified inspector came to take a look and mount the wall bracket, so the riser and the meter were perfect to make it easy to hook up. After he inspected, we were then able to backfill. The gas line was eventually turned back on February 16th. We will be going back up in the spring to seed and mulch the disturbed lawn from running the new gas line." Violation: *Bauer Excavating is in violation of section: 5(6)(ii) – Excavator failed to provide support and mechanical protection for known facility owner's lines at the construction work site. Recommendation: Penalty applied, with a fine factor of .3 because service was interrupted for a duration of 12 - < 24 hours; without heat, which is a threat to public safety and an inconvenience. PUC Online Compliance Training is required for the Excavator(s) working onsite at this excavation, or their replacements.	
62430	Facility Owner: West Penn Power/FirstEnergy Contractor/Excavator: WESTMORELAND COUNTY MUNICIPAL AUTHORITY Project Owner: WESTMORELAND COUNTY MUNICIPAL AUTHORITY Other: Comcast Other: Franklin Township Muni Sanitary Auth Other: Murrysville	On 2/11/2026 9:10:00 AM at 3903 GLENSHIRE CT, MURRYSVILLE MUNIC, WESTMORELAND On Tuesday, 8/11/2026 at the DPC meeting, disputing was West Penn Power/First Energy and it was voted to Accept DPIs recommendations. ***** Disputing is FirstEnergy West Penn, see attached letter, "West Penn's Contract Locator, USIC, investigated and determined the lines were marked within the tolerance zone. See Attachment A for the USIC damage investigation report. In the picture dated February 11 on page 8, there were two markings for the electric lines. The damage occurred within the tolerance zone of the electric markings on the left side of the picture."	West Penn Power/FirstEnergy: \$1,500.00 Section 2(5)(i) 3rd Offense \$1,500.00 Comcast: \$2,500.00 Section 2(5)(vii) Subsequent \$2,500.00 Franklin Township Muni Sanitary Auth: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	Municipality Other: PEOPLES NATURAL GAS	***** The incident occurred on Wednesday, February 11, 2026, at 3903 Glenshire Ct, in Murrys ville Municipal, Westmoreland County. An underground electrical line owned by West Penn Power/FirstEnergy (WPP) was damaged. The provide photos show the mismarked electrical lines. Westmoreland County Municipal Authority (MAWC) reported a facility owner issue as marked incorrectly. MAWC stated in their AVR, “Project Owner and Excavator Municipal Authority of Westmoreland County (MAWC) was excavating to repair a leaking 6" water main, MAWC hit 2 mismarked buried power lines that were approximately 4 ff from the West Penn Power marks. Upon striking the power lines, a blue and red flame released along with a loud pop. Crew called 911, notified 811, and notified West Penn Power. The job was shut down until West Penn Power was able to make the area safe and repair its lines. MAWC then proceeded to repair its leaking water main. Note: at the time of this incident MAWC suspected that it may have hit a gas line. MAWC placed damage ticket 20260420663 stating suspected damage to natural gas. Upon further investigation MAWC confirmed that there was no damage to a gas line. MAWC contacted Peoples Gas to communicate this. MAWC then placed damage ticket 20260420774 to report the strike of the mismarked West Penn Power facilities” WPP reported an excavation issue as failed to use prudent techniques within the tolerance zone. WPP stated in their AVR, “On February 11, 2026, Westmoreland County Municipal Authority, “Excavator,” submitted PA One Call Emergency Ticket 20260420005 to repair a water main break at 3903 Glenshire Court, Murrys ville, Westmoreland County, Pennsylvania. On February 11, 2026, West Penn Power was notified of an outage at this location. USIC, West Penn Power’s Contract Locator, investigated and determined that the Excavator damaged an accurately marked single phase electric primary. The root cause of the damage was the Excavator failed to use prudent techniques within the tolerance zone.” The provide photos show the mismarked electrical lines. *20260420005- Excavation Emergency placed on 2/11/26 at 1:06am, by MAWC to repair water main break. *20260420005-001- Renotify Excavation Emergency placed on 2/11/2026 at 3:17am. Remarks--[SPECIAL ATTN COMCAST, FRANKLIN TOWNSHIP MUNI SANITARY AUTH AND MURRYSVILLE MUNI, YOU HAVE NOT RESPONDED. PLEASE RESPOND IF INVOLVED OR CLEAR ASAP AS CREW IS ON SITE WAITING TO BEGIN WORK. CALLER ALSO STATES THAT COMCAST IS INVOLVED AT THIS AREA. PLEASE COME OUT ASAP. THANK YOU.]	Murrys ville Municipality: \$2,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Responses: *Franklin Township Muni Sanitary Auth- responded as Field Marked on 2/11/2026 at 6:20am *Murrysville Municipality- responded as Clear No Facilities on 2/16/2026 at 3:56pm *Comcast- responded as Field Marked on 2/11/2026 at 1:30pm Violations: *West Penn Power/FirstEnergy is in violation of section: 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: Penalty applied *Franklin Township Muni Sanitary Auth is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260420005 Recommendation: Penalty applied and PUC Online Compliance Training is required for the Individual(s) responsible to respond to locate for this ticket, or their replacement(s). *Murrysville Municipality is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260420005 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260420005-001 Recommendation: Penalties applied and PUC Online Compliance Training is required for the Individual(s) responsible to respond to locate for this ticket, or their replacement(s). *Comcast is in violation of section: 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. 20260420005 Recommendation: Penalty applied	
62863	Facility Owner: Service Electric Cable TV Inc Contractor/Excavator: High Tech Underground Project Owner: Verizon, PA LLC Other: LEHIGH COUNTY AUTHORITY	On 2/12/2026 12:00:00 PM at 5767 FRESH MEADOW DR, LOWER MACUNGIE TWP, LEHIGH On 8/11/2026 the Damage Prevention Committee voted to remove the violation and penalty for Service Electric Cable TV. ***** Service Electric Cable TV Inc disputing section 9 violation - marks were sprayed onto snow as the only marking. No marks remain in the excavation area to indicate communication lines. After damage occurred Service Electric placed a flag to indicate the damage. CGA 4.8 Temporary Facility Markings states, "Facility locators match markings to the existing and expected surface conditions. Markings may include one or any combination of the following: paint, chalk, flags, stakes, whiskers, or offsets. All marks extend a reasonable distance beyond the bounds of the requested area. Proper	Service Electric Cable TV Inc: \$0.00 High Tech Underground: \$1,750.00 Section 5(3) 1st Offense \$500.00 Section 5(6)(i) 1st Offense \$250.00 Section 5(16) 1st Offense \$1,000.00 Verizon, PA LLC: \$500.00 Section 6.1(1) 1st Offense

Case Number	Stakeholders	Summary	Violations & Recommendation
		training for all facility locators includes properly identifying the varying surface and environmental conditions that exist in the field and what marking methods should be used. Conditions that may affect markings are rain, snow, vegetation, high traffic, construction, etc." ***** The incident occurred on 2/12/2026, at 12:00 AM, on Fresh Meadow Dr, in Lower Macungie Twp, Lehigh County. A communication line owned by Service Electric Cable Tv Inc was damaged. The facility was not notified that their line was damaged. Excavation was with a boring missile. Service Electric Cable Tv Inc is the facility owner. Their Alleged Violation Report (AVR) states, "On 02/12/2026, High Tech Underground, while working for Verizon, damaged accurately marked Service Electric Cable TV Inc facilities near 5767 Fresh Meadow Dr, Macungie, PA 18062. High Tech Underground did not place an emergency ticket or alert our company. We were alerted due to multiple customers in the area losing service and calling in to our customer service department. Ongoing issue with Verizon's subcontractors. On Friday, 2/13, the township met with Verizon on site and shut this project down until spring." On 4/1/2026 an email was sent to SECTV asking for images of the damaged line, and repair, and if the excavator was contacted about the damage. Additional information was provided, "There are no photos of the damage. The excavator covered up the damage and left the site without notifying our company. Our technician responded to the site after a customer called in with a service outage. He scoped the line, found an open near 5767 Fresh Meadow Dr, and placed a red flag where the open was located. High Tech Underground was notified & invoiced for the damages. They accepted liability and paid our invoice in a timely manner." Verification of the paid invoice was provided. High Tech Underground is the excavator. An AVR was not filed as of 04/01/2026 and an AVR request was sent the same day. An AVR was submitted 56 days after the damage that states, "regarding this damage our crew didnt saw any cutted cable the day when they perform work on that address, we work on that address 5767 fresh meadow dr 02-05-26 knows about about this until reseive a invoice from service electric and they say its or fault with some pictures --our crew expose al the utilities where the marks were". No documentation was provided with their AVR. The check they submitted to Service Electric for payment on this damage was dated 3/11/2026. Verizon is the project owner. An AVR was not filed as of 04/01/2026 and an AVR request was sent the same day. An AVR was submitted that states, "On 02/12/2026, High Tech Underground, allegedly hit a utility owned by Service Electric Cable TV Inc at 5767	\$500.00 Section 6.1(7) 1st Offense \$0.00 LEHIGH COUNTY AUTHORITY: \$250.00 Section 2(5)(v.2) 1st Offense \$250.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		FRESH MEADOW DR, LOWER MACUNGIE TWP, LEHIGH.” No documentation was provided with their AVR. Design documents were included on the Coordinate PA document. No SUE information, or design tickets were included for this project. Ticket 20260301601 - LEHIGH COUNTY AUTHORITY’s only response was “REQUESTS MEETING. DIRECT CONTACT TO FOLLOW BY FACILITY OWNER.” Images submitted show the communication markings were done in paint on snow on 2-3-2026. Images and video show the marks are not visible in the damage images taken on 2-13-2026 10 days after the mark out images. Violations: Facility – Service Electric Cable Tv Inc: Section 9 – CGA 4.8 Facilities are adequately marked for conditions. Excavator – High Tech Underground: Section 5(3) – Excavator failed to preserve mark-outs or request a remark. Section 5(6) – Excavator failed to inform each operator employed by the excavator at the work site of the information obtained. Section 5(16) – Excavator Failed to submit an Alleged Violation Report within 30 days of striking a line or if the excavator believes a violation of this act has been committed in association with excavation or demolition work. PUC online Compliance Training is required for the excavator(s) working onsite at this excavation, or their replacements. Project Owner – Verizon: Section 6.1(1) – Failed to utilize sufficient quality levels of subsurface utility engineering or other similar techniques to properly determine the existence and positions of underground facilities when designing known complex projects having an estimated cost of (\$400,000) or more. Section 6.1(7) – Project Owner failed to submit an Alleged Violation Report within 30 Days of a line strike. This violation is being reduced from \$1000 to a warning of \$0. PUC online Compliance Training is required for the designer(s) who worked on this project, or their replacement(s). Facility- Other - LEHIGH COUNTY AUTHORITY: Section 2(5)(v.2) – Failed to timely enter a final response to all locate requests. Ticket 20260301601	
62659	Contractor/Excavator: Everlasting Fence Company Other: AQUA	<u>On 2/25/2026 11:24:00 AM at 38 SOUTH MERION AVE, LOWER MERION TWP, MONTGOMERY</u> On 08/11/2026, The Damage Prevention Committee (DPC) voted to keep the violation and education requirement and remove the penalty.	Everlasting Fence Company: \$0.00 Section 5(22) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
	PENNSYLVANIA INC Other: Verizon	**** Everlasting Fence Company sent email on 7/16/2026 stating they disputed previously on 6/8/2026. There is no record of their dispute on 6/8/2026. They provided vague dispute information and did not specify why they needed to enter an emergency ticket to install a fence. ***** The incident occurred on 02/25/2026, at approximately 11:24 AM, at 38 South Merion Avenue, located in Lower Merion Township, Montgomery County, Pennsylvania. Non-damage event. Everlasting Fence Company, the excavator, submitted an Alleged Violation Report (AVR). Their AVR states, "Fence Installation that was unable to be done due to severe weather over the winter- Not deemed as an emergency. Understood." Aqua Pennsylvania, a facility owner, submitted an AVR. Their AVR states, "Misrepresenting an emergency ticket to install a fence in the backyard". Emergency ticket 20260561762 was placed on 02/04/2026. The type of work listed on the ticket was "fence installation". This does not meet the definition of an emergency as defined by Act 127 of 2024. A previous ticket was requested for this work, using a routine ticket but per the emergency ticket notes, "work has been postponed multiple times due to weather". Act 127 of 2024, also known as the Underground Utility Line Protection Law states it shall be the duty of each excavator who intends to perform excavation or demolition work within this Commonwealth: - To not provide a misrepresentation of an emergency excavation. Act 127 of 2024 defines "Emergency" as a sudden or unforeseen occurrence involving a clear and immediate danger to life, property or the environment, including, but not limited to, serious breaks or defects in a facility owner's lines. Routine ticket 20260351982 had a response due date of 02/18/2026. - Verizon responded 02/20/2026. Violations: Everlasting Fence Company – - Section 5(22) – Excavator provided a misrepresentation of an emergency excavation, subject to an administrative penalty imposed under section 7(10).	Verizon: \$750.00 Section 2(5)(v) 3rd offense \$750.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		Recommendation: The penalty is applied. PUC online Compliance Training is required for the individual(s) responsible, or their replacement(s). Verizon - - Section 2(5)(v) – Failed to respond to a routine One Call ticket within the required amount of time. Routine ticket 20260351982. Recommendation: The penalty is applied.	
63765	Facility Owner: Tidioute Boro/Southwest Warren County Municipal Authority Contractor/Excavator: PENNSYLVANIA ELEC CO / FIRST ENERGY Project Owner: PENNSYLVANIA ELEC CO / FIRST ENERGY Other: TATONKA OIL COMPANY LLC	On 3/16/2026 11:27:00 AM at GRANT ST, TIDIOUTE BORO, WARREN On 8/11/2026 The Damage Prevention Committee (DPC) voted to remove the violation and penalty for both section5(20) and 5(4). **** PENELEC CO/FIRSTENERGY disagreed. See attachment named "FE PA One Call Penalty PN Case 63765- Dispute Penalty--SUBMITTED 6.17.26." ***** The incident occurred on Monday, 3/16/2026, on Grant Street, in Tidioute Borough, Warren County. PENELEC CO/FIRSTENERGY damaged the water main owned by TIDIOUTE BOROUGHSSOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY while fixing their damaged pole. TIDIOUTE BOROUGHSSOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY stated in their Alleged Violation Report (AVR) that, "This statement is provided on behalf of Southwest Warren County Municipal Authority regarding an incident involving damage to a water line. On March 16, 2026, Pennsylvania Electric Company (Penelec) was performing work to replace a utility pole on Grant Street. An emergency PA One Call was placed at 9:39 a.m. It was later determined that excavation activities had begun prior to 11:27 a.m.) At approximately 11:27 a.m., I received a call from a Penelec employee notifying me that the main water line had been struck during the excavation process. The employee did not provide their name during this communication. At 11:28 a.m., I contacted our maintenance department and informed Trevis Reese of the incident involving the main water line. At 11:30 a.m., I also contacted Tyler from the maintenance department to assist with response efforts. At 11:31 a.m., I notified our Chairman, Steve Morrison, of the situation. At 11:41 a.m., I contacted Rachel Swanson, the contact listed on the PA One Call, at 814-726-5023 regarding the incident. Ms. Swanson stated that the work had been designated as an emergency and that the ticket had been incorrectly entered with a 12:00 p.m. start time. She advised that a claim would need to be filed with Penelec for the damages. The water authority did not respond to the PA One Call prior to excavation, as the line was damaged before there was an opportunity to respond to the notification. Please note, I did not have any direct communication with Kelly McGraw at the scene, and, to my knowledge, he did not communicate with the maintenance crew on site. Kelly McGraw was listed on the onsite contact. The water	Tidioute Boro/Southwest Warren County Municipal Authority: \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 PENNSYLVANIA ELEC CO / FIRST ENERGY: \$0.00 TATONKA OIL COMPANY LLC: \$2,000.00 Section 2(5)(vii) 1st Offense \$1,000.00 Section 2(5)(vii) 1st Offense \$1,000.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		authority shut off water service at approximately 11:43 a.m. to facilitate repairs to the damaged main line. The total cost of damages incurred by the water authority was \$1,982.00. Following the incident, I spoke with Kirk Kirkpatrick on April 7, 2026. He advised that I should respond to the PA One Call and include documentation explaining that the water line had already been damaged prior to our ability to respond.” They added that ,” Southwest Warren County Municipal Authority was unable to mark the water line prior to the start of the work. Pennsylvania Electric Company began excavation at approximately 11:27 a.m., although the work had been scheduled for a 12:00 p.m. start time.” Pictures were provided. PENNSYLVANIA ELEC CO / FIRST ENERGY stated in their AVR that, “On March 16, 2026, Penelec, “Excavator,” submitted POCS Emergency Ticket 20260751117 to replace a utility pole on Grant Street, Tidioute Borough, Warren County, Pennsylvania. Prior to excavating, Penelec’s lead drove to the Tidioute Borough building and requested that they mark their line, but he was advised that they had 24 hours to respond. While excavating, Penelec hit and damaged the unmarked water line. The root cause of the damage was that Tidioute Borough failed to respond to the emergency request and locate its facilities.” They added that, “Failed to prioritize response to an Emergency consistent with the nature of the Emergency.” Pictures were provided. *Excavation Emergency ticket 20260751117 was submitted by PENNSYLVANIA ELEC CO on 3/16/2026 at 9:39 a.m. to replace a utility pole with a broken top. The scheduled excavation is for 3/16/2026 at 12:00. Work is expected to take 6 hours. Remarks state that “GAS LINE VERY CLOSE PER LINE CREW ON SITE, NEEDS MARKED.” PENNSYLVANIA ELEC CO / FIRST ENERGY did not wait until 12:00 for responses as stated in ticket 20260751117. They also did not submit a renotify ticket before beginning to excavate prudently. TATONKA OIL COMPANY LLC never responded. *Excavation Emergency ticket 20260752356 was submitted by TIDIOUTE BOROUGH/SOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY on 3/16/2026 at 12:32. TATONKA OIL COMPANY LLC never responded. TIDIOUTE BOROUGH SWCMASOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY did not respond to the ticket until 4/07/2026, but on this same day Ticket 20260752356 was submitted by TIDIOUTE BOROUGH/SOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY on 3/16/2026 at 12:32 stating that they needed to replace a damaged water main. In AVR2026APR090010 that was submitted by TB / SWCMA it states that up to 50 customers are out of water.	

Case Number	Stakeholders	Summary	Violations & Recommendation
		VIOLATIONS: PENNSYLVANIA ELEC CO / FIRST ENERGY is in violation of: Section 5(4) – Excavator failed to exercise due care and employ prudent excavation techniques. Section 5(20) – Excavator failed to renotify One Call of an unmarked or incorrectly marked facility upon arrival at a work site. Recommendation: The penalty is applied. PUC compliance education is required for the excavators working onsite of this excavation or their replacements. TIDIOUTE BOROUGH / SOUTHWEST WARREN COUNTY MUNICIPAL AUTHORITY is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). TATONKA OIL COMPANY LLC is in violation of: Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Section 2(5)(vii) – Failed to respond to an emergency notification as soon as practicable following notification. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	
63799	Facility Owner: Pennsylvania American Water Contractor/Excavator: NORTHERN PIPELINE CONSTRUCTION Project Owner: Columbia Gas of PA - South Other: BOLDYN NETWORKS US LLC Other: BREEZELINE Other: OMNI FIBER LLC Other: VERIZON Other: WEST PENN POWER / FIRST ENERGY	<u>On 4/7/2026 1:16:00 PM at W KERR ST, NORTH UNION TWP, FAYETTE</u> On 8/11/2026 the Damage Prevention Committee (DPC) voted to remove the penalty and education, but to keep the violation to West Penn Power. ***** West Penn Power respectfully disputes the alleged violation of Section (5)(viii) concerning the failure to participate in a pre-construction meeting for a complex project. Please see attachment "FE PA One Call Penalty WP Case 63799 -- Dispute Penalty--SUBMITTED 6.17.26". On 6/22/2026 DPI sent an email asking if USIC set up a mutual agreement to respond late for FE and Breezeline. On 6/23/2026 an email was received from NORTHERN PIPELINE CONSTRUCTION stating that they did not receive any emails from USIC. Breezeline disagreed. On 6/17/2026 an email was received from Breezeline stating that they responded prior to the meeting time. Please see "Breezeline additional information" in the attachments. DPI reduced this violation to a warning and maintained the education. See email named "Breezeline violation." On 7/28/2026 Breezeline accepted this offer. ***** The incident occurred on Tuesday, 4/07/2026, on W. Kerr Street, in North Union Twp, Fayette County.	Pennsylvania American Water: \$500.00 Section 2(5)(i) 1st Offense \$500.00 BOLDYN NETWORKS US LLC: \$750.00 Section 2(5)(viii) 1st Offense \$500.00 Section 2(2) 1st Offense \$250.00 BREEZELINE: \$0.00 Section 2(5)(viii) 1st Offense \$0.00 OMNI FIBER LLC: \$500.00 Section 2(5)(viii) 1st Offense \$500.00 VERIZON: \$2,000.00 Section 2(5)(viii) Subsequent \$2,000.00 WEST PENN POWER / FIRST ENERGY: \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		A copper service line owned by PENNSYLVANIA AMERICAN WATER was damaged. PENNSYLVANIA AMERICAN WATER stated in their Alleged Violation Report (AVR), "1:16pm Line Locator Called And Stated NPL Hit A Service Line And It Was Filling Up The Ditch Roughly 1:25 I Arrived On Scene And Seen The Water At That Time The NPL Foreman Showed Me Where It Was Hit. 1:30pm-1:45pm Line Locator Arrived And We Searched For Records And Couldn't Find Anything. We Traced The Service Line And Found A Curb Box Under The Soil And It Was In The Off Position. 1:50pm- Crew Truck Arrived And Had The Repair Fixed Within A Half Hour. Pa American Line Locator Found What He Thought Per Maps And Drawings The Last Service On The Street The Building That Was Hit Does Not Even Have A Premise Number." NORTHERN PIPELINE CONSTRUCTION stated in their AVR, "While digging for 2 inch mainline on behalf of Columbia Gas, the crew made contact with an unmarked 3/4 in copper service line causing a release of product. Work was stopped and the area was made safe. The crew contacted the utility owner, PA American water who responded and repaired the broken section of line. The water line was then marked from the main to the curb by PA American Water." Columbia Gas of PA – South, the designer and project owner, stated in their AVR, "Northern Pipeline Construction, working on behalf of Columbia Gas, on an infrastructure replacement project, struck an unmarked 3/4" copper water service causing a release. Upon striking this facility, work was stopped and PA American Water was contacted by NPL. PA American Water responded promptly, made the necessary repairs to the facility and restored service to the curb valve. After the repairs were made, PA American Water fully marked out this service line." Project cost is listed as >\$400,000. The length is listed at 9,352' and the Subsurface Utility Engineering Level is Above Ground Survey. *Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. BOLDYN NETWORKS US LLC did not respond "clear" until 12/29/2025. OMNI FIBER LLC did not respond "clear" until 12/29/2025. WEST PENN POWER did not respond "clear" until 12/29/2025. VERIZON PENNSYLVANIA LLC did not respond "clear" until 12/29/2025. BREEZELINE did not respond "clear" until 12/29/2025. VIOLATIONS:	Section 2(5)(viii) 1st Offense \$0.00

Case Number	Stakeholders	Summary	Violations & Recommendation
		PENNSYLVANIA AMERICAN WATER is in violation of: Section 2(5)(i) – Failed to locate underground lines within 18 inches horizontally of the outside wall of line. Recommendation: The penalty is applied. PUC compliance education has been recently completed. BOLDYN NETWORKS US LLC is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. BOLDYN NETWORKS US LLC did not respond “clear” until 12/29/2025. Section 2(2) To provide the OneCall System, within 5 business days, with any revised information required under this section. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). OMNI FIBER LLC is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. OMNI FIBER LLC did not respond “clear” until 12/29/2025. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). WEST PENN POWER is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. WEST PENN POWER did not respond “clear” until 12/29/2025. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). VERIZON PENNSYLVANIA LLC is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. VERIZON PENNSYLVANIA LLC did not	

Case Number	Stakeholders	Summary	Violations & Recommendation
		respond “clear” until 12/29/2025. This is a subsequent offense. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s). BREEZELINE is in violation of: Section 2(5)(viii) – Failed to participate in preconstruction meetings for a complex project or as described in Section 5(3). Complex project ticket 20253531423 was submitted on 12/19/2025 by NORTHERN PIPELINE CONSTRUCTION for a meeting on 12/29/2025 and a response due by 12/28/2025. BREEZELINE did not respond “clear” until 12/29/2025. Recommendation: The penalty is applied. PUC compliance education is required for the individual(s) responsible to perform the locate for this ticket or their replacement(s).	