

COMMONWEALTH OF PENNSYLVANIA

PUBLIC UTILITY COMMISSION

----- X
Wilbert Thomas v. Metropolitan : Docket No.
Edison Company. Reliability, : C-2010-2163584
Safety or Quality Dispute. :
:

Initial Telephonic Hearing. :
----- X

Pages 1 through 40 Hearing Room 2
Keystone Office Building
Harrisburg, Pennsylvania

Monday, April 25, 2011

Met, pursuant to notice, at 10:00 a.m.

BEFORE:

DAVID A. SALAPA, Administrative Law Judge

APPEARANCES:

WILBERT THOMAS
P. O. Box 524
Red Lion, Pennsylvania 17356
(Pro se.)

BRIDGET M. GOOD, Esquire
Buchanan, Ingersol & Rooney, PC
1150 Berkshire Boulevard
Wyomissing, Pennsylvania 19601
Larry R. Crayne, PC
(For Metropolitan Edison Co.)

Commonwealth Reporting Company, Inc.
700 Lisburn Road
Camp Hill, Pennsylvania 17011

(717) 761-7150

1-800-334-1063

SECRETARY'S BUREAU
PA PUC

2011 MAY -3 PM 12:30

RECEIVED

WITNESS INDEX

WITNESSES

DIRECT CROSS REDIRECT RECROSS

(None.)

-0-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

EXHIBIT INDEX

NUMBER

FOR IDENTIFICATION IN EVIDENCE

(None.)

-0-

Any reproduction of this transcript is prohibited without authorization by the certifying reporter.

**NO SCANNED IMAGES ARE
AVAILABLE**

**COMPLETE TRANSCRIPT
AND/OR EXHIBIT(S)
MAY BE VIEWED IN THE
COMMISSION'S
FILE ROOM**