

RECEIVED

NOV 28 2011

Public Utility Commission
Philadelphia Office
Administrative Law Judge

Mary F. Kingscade
5538 Warrington Ave
Philadelphia PA 19143
267-670-3845

November 21, 2011

RECEIVED

Administrative Law
Judge Eranda Vero
Pennsylvania Public Utility Commission
801 Market Street
Suite 4063
Philadelphia PA 19107

Public Utility Commission
Philadelphia Office
Administrative Law Judge

RECEIVED

APR 19 2012

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

RE: Mary F. Kingscade v. PGW - Docket No. C-2009 213 4662
C-2010 2778954

Dear Judge Vero:

At the Hearing on October 19, 2011 the defendant, PGW was given thirty days (30) by the court to submit correspondence to justify allegedly violating the PA One Call System Law and the Underground Utility Line Protection Law.

The defendant, PGW, was given to the date of November 18, 2011 being the deadline date of (30) thirty days. The defendant did not comply with the court order.

Complainant is requesting that the defendant PGW be charged with constructive contempt of court for failure to comply with a court order.

CC: PGW
Laureta Farinas Esq.

Respectfully,
Mary F. Kingscade, Prose
Mary F. Kingscade

COMMONWEALTH OF PENNSYLVANIA

PENNSYLVANIA PUBLIC UTILITY COMMISSION

MARY F. KINGLADE, CLAIMANT

C-2009-2134662

C-2010-2778854

VS.

PHILADELPHIA GAS WORKS, DEFENDENT

ATTORNEY, LAURETO FARINAS, Esquire

I, MARY F. KINGLADE, is requesting from the PENNSYLVANIA PUBLIC UTILITY COMMISSION, Administrative LAW JUDGE ERANDA VERO that the DEFENDENT PGW, PHILADELPHIA GAS WORKS, be charged and sanctioned for constructive contempt of court for failure to comply with the court order issued on October 19, 2011.

NOVEMBER 21, 2011