

February 28, 2013

**Via Electronic Filing**

Ms. Rosemary Chiavetta, Esquire  
Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
P.O. Box 3265  
Harrisburg, PA 17105

**Re: Docket No. A-2013-\_\_\_\_\_**  
**Fairview Road at Grade Crossing**  
**Application of PECO to Replace/Upgrade Gas Facilities**

Dear Secretary Chiavetta:


Enclosed for filing is the original Application of PECO Energy Company ("PECO") to replace/upgrade its gas facilities in the at-grade crossing at Fairview Road, Ridley Township, Delaware County.

As indicated on the Certificate of Service, a copy of PECO's Application has been provided to the Service List in the manner indicated.

If there are any questions, please do not hesitate to contact me.

Very truly yours,

Reger Rizzo & Darnall LLP



Margaret A. Morris, Esquire

MAM/jmm

Enclosure


cc: Service List  
Ward Smith, Esq., PECO

**Re: Docket No. A-2013-\_\_\_\_\_**  
**Fairview Road at Grade Crossing**  
**Application of PECO to Replace/Upgrade Gas Facilities**

**CERTIFICATE OF SERVICE**

I hereby certify that a true and correct copy of the foregoing document has been served upon the following person on the attached service list, *via* 1<sup>st</sup> Class Mail, in accordance with the requirements of §1.54 (relating to service by a participant).

Dated: February 28, 2013

  
Margaret A. Morris, Esq.

**Re: Docket No. A-2013-\_\_\_\_\_**  
**Fairview Road at Grade Crossing**  
**Application of PECO to Replace/Upgrade Gas Facilities**  
**Service List**

MARK CHAPPELL, PE CHIEF  
ROW & UTILITY DIVISION  
PENNDOT BUREAU OF DESIGN  
PO BOX 3362  
HARRISBURG, PA 17105-3362

GINA M. D'ALFONSO ATTORNEY  
DEPARTMENT OF TRANSPORTATION  
OFFICE OF CHIEF COUNSEL 9<sup>TH</sup> FLOOR  
PO BOX 8212  
HARRISBURG, PA 17105-8212

LESTER C TOASO  
PENNDOT DISTRICT 6-0  
ATTN: SONNY BOCCHINFUSO  
7000 GEERDES BOULEVARD  
KING OF PRUSSIA, PA 19406

MELANIE PEREA  
CSX TRANSPORTATION, INC.  
6737 SOUTHPOINT DR. SOUTH, J-180  
JACKSONVILLE, FL 32216

BENJAMIN DUNLAP, ESQ.  
NAUMAN SMITH  
200 N. 3<sup>RD</sup> STREET, 18<sup>TH</sup> FLOOR  
HARRISBURG, PA 17101

JOHN E. PICKETT  
DELAWARE CO PLANNING COMMISSION  
COURT HOUSE/GOVERNMENT CENTER  
201 W. FRONT STREET  
MEDIA, PA 19063

DEAN BOYERS  
WORLD/COM/MCI TELECOMMUNICATIONS GROUP  
2400 NORTH GLENVILLE DRIVE  
RICHARDSON, TX 75082 -4354

FRANCES P ORTH, ESQUIRE  
AQUA PENNSYLVANIA INC  
762 WEST LANCASTER AVENUE  
BRYN MAWR, PA 19010-3489

STEVE ALTOBELLI  
AT&T LOCAL SERVICES  
c/o TREC GROUP, INC  
536 BALTIMORE PIKE  
SPRINGFIELD, PA 19064

MICHAEL STOCKER, PROJECT MGR  
COMCAST CABLE COMMUNICATIONS  
190 SHOEMAKER ROAD  
POTTSTOWN, PA 19464

CHARLES J. CATONIA, SR.,  
P.E. ENGINEERS  
CATONIA ENGINEERING ASSOCIATES, INC.  
520 W. MACDADE BLVD.  
MILMONT PARK, PA 19033

THOMAS C. STORTZ  
VICE PRESIDENT & GENERAL COUNSEL  
LEVEL 3 COMMUNICATIONS, INC.  
1025 ELDORADO BLVD.  
BROOMFIELD, CO 80021

ROBERT J. WILLERT, PRESIDENT  
BOARD OF COMMISSIONERS  
RIDLEY TOWNSHIP  
1312 SIXTH AVENUE  
WOODLYN, PA 19094

WILLIAM ZAHN, HIGHWAY LIAISON  
AQUA PENNSYLVANIA, INC.  
762 LANCASTER AVENUE  
BRYN MAWR, PA 19101

DEIRDRE A. JOHNS, SPECIALIST  
VERIZON PENNSYLVANIA, INC.  
180 SHEREE BLVD., SUITE 2100  
KENNETT SQUARE, PA 19348

LEE MCGARRITY, CONSTRUCTION MGR.  
COMCAST CABLE COMMUNICATIONS  
1004 CORNERSTONE BLVD.  
DOWNTOWN, PA 19335-5366

BILL HENSIL, PROGRAM MANAGER  
PECO ENERGY COMPANY  
050 WEST SWEDES FORD ROAD  
BERWYN, PA 19312

**BEFORE THE**  
**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Application of PECO Energy Company for the :  
Approval to Alter of the Public At-Grade Crossing :  
So as to Replace the Gas Main Located on Fairview :  
Road between Sherman and Haverford Avenue : Docket No. A-2013-\_\_\_\_\_  
Crossing a Single Track of CSX Transportation, Inc.:  
(DOT# 140654T) in Ridley Township, Delaware :  
County. :

**APPLICATION OF PECO ENERGY COMPANY TO ALTER AT-GRADE**  
**CROSSING AT FAIRVIEW ROAD, DELAWARE COUNTY**

To Pennsylvania Public Utility Commission:

1. The name and address of the Applicant is PECO Energy Company, 2301 Market Street, Philadelphia, PA 19101-8699.
2. The Applicant is a public utility incorporated under Delaware Law and is a subsidiary corporation of the Exelon Corporation. The Applicant, *inter alia*, provides gas service in Pennsylvania as well as other states in the eastern portion of the United States.
3. PECO is represented by the following counsels:

Margaret A. Morris, Esquire (authorized to receive service)  
Reger Rizzo & Darnall LLP  
Cira Centre, 13<sup>th</sup> Floor  
2929 Arch Street  
Philadelphia, PA 19104  
(215) 495-6524 (voice)  
(215) 495-6600 (fax)  
[mmorris@regerlaw.com](mailto:mmorris@regerlaw.com)

Ward L. Smith, Esquire  
Exelon Business Services Group


2301 Market Street  
P.O. Box 8699  
Philadelphia, PA 19101-8699  
(215) 841-6863 (voice)  
(215) 568-3389 (fax)  
[ward.smith@exeloncorp.com](mailto:ward.smith@exeloncorp.com)

4. The Applicant desires to replace 1174' of the 4" cast iron gas main and upgrade all services involved in the scope of the project within the public right of way of Fairview Road which crosses the tracks of CSX Transportation Inc. ("the Railroad") in Ridley Township, Delaware County Pennsylvania as shown on plan and profile attached hereto as Exhibit A.
5. The other agencies and public utilities with an interest in the proposed project are set forth on Exhibit B.
6. Applicant agrees to bear all the costs incurred in furnishing material and performing the work necessary to complete the installation of the replacement gas main to serve its customers.
7. Applicant avers it is necessary and proper for the accommodation, convenience and service of the public that Applicant be authorized by the Commission to construct and maintain its facilities as proposed.
8. Applicant requests that a field conference be held as soon as practicable in this matter.
9. Applicant does not request a hearing prior to issuance of an order approving the application. Any hearing required to determine the final allocation of costs can be held after issuance of an order approving the project at the parties' initial cost and after completion of the work.

**WHEREFORE**, PECO Energy Company, requests that its Application to alter the at-grade crossing so as to replace an existing gas main and to upgrade all services involved in the scope of the project where Fairview Road crosses the tracks of CSX Transportation, Inc. be granted.

Respectfully submitted,

Dated: February 28, 2013



Margaret A. Morris, Esquire  
Attorney I.D. # 75048  
Cira Centre, 13<sup>th</sup> Floor  
2929 Arch Street  
Philadelphia, PA 19104  
(215) 495-6524 (voice)  
(215) 495-6600 (fax)  
[mmorris@regerlaw.com](mailto:mmorris@regerlaw.com)

Ward L. Smith, Esquire  
Attorney I.D. # 47670  
Exelon Business Services Group  
2301 Market Street  
P.O. Box 8699  
Philadelphia, PA 19101-8699  
(215) 841-6863 (voice)  
(215) 568-3389 (fax)  
[ward.smith@exeloncorp.com](mailto:ward.smith@exeloncorp.com)

Counsel for PECO Energy Company

**VERIFICATION**

I, Rodney Stark, of PECO Energy Company, hereby state that the facts in the foregoing document(s) are true and correct to the best of my knowledge, information and belief. I understand that false statements therein are made subject to the penalties of 18 Pa. C.S. § 4904, relating to unsworn falsifications to authorities.

Dated: 2/28/13


Rodney Stark  
Rodney Stark,  
Manager  
Real Estate Department,  
PECO Energy Company

# **Exhibit A**

## **PECO Energy Company's Plan and Profile**

### **Gas Main Replacement at Fairview Road**

#### **Ridley Township, Delaware County**






STATE & LOCAL PERMIT REQUIRED  
 ABANDON MAIN TEST REQUIRED  
 PROCEDURE REQUIRED  
 EFV'S REQUIRED  
 M & O REQUIRED

6S MAIN IN 12S SLEEVE UNDER RAILROAD TRACKS TO BE CONVENTIONAL DRILLED  
 DIRECTIONAL DRILL METHOD TO BE UTILIZED WHERE APPLICABLE  
 REPLACE VALVES 56D-MP-282/56D-MP-28/56D-MP-287  
 CATHODIC CONTACT RANDY RISSEL 610-832-6516  
 REFER TO STANDARDS G-1115/G-1220/G-2405  
 PROCEDURE G0-PE-315 FOR R.R. TRACK CROSSING








**CONSTRUCTION NOTES**

- 1 INSTALL APPROX. 1100 FT. OF 6IN. M.P. PLASTIC MAIN ON FAIRVIEW RD. WITH 6S MAIN INSIDE 12S SLEEVE AT R.R. CROSSING R.O.W. WITH 6P VALVE TO REPLACE (56D-MP-282). INSTALL (2) 6P IN-LINE TEES & 4IN. LATERAL VALVES AT EMLÉN & WORRALL STS.
- 2 TIE-IN 6IN. M.P. PLASTIC TO EXISTING 6IN. M.P. PLASTIC. TASK # 2
- 3 TIE-IN 6IN. M.P. PLASTIC TO EXISTING 1.25IN. MP PLASTIC USING REDUCERS. TASK # 3
- 4 TIE-IN 6IN. M.P. PLASTIC TO EXISTING 1.25IN. MP PLASTIC USING REDUCERS. 1-WAY FEED BYPASS REQUIRED - SIZE BYPASS FOR 500 CFH IN WINTER AND SUMMER-FAIRVIEW @ EMLÉN. TASK # 4
- 5 RENEW SERVICES (2) TO M.P.O.D. STANDARDS & TRANSFER TO 6IN. M.P. PLASTIC FAIRVIEW RD. TASK # 5
- 6 RELOCATE SERVICES (7) TO M.P.O.D. STANDARDS & TRANSFER TO 6IN. M.P. PLASTIC FAIRVIEW RD. TASK # 5
- 7 TRANSFER SERVICES (5) TO 6IN. M.P. PLASTIC - FAIRVIEW RD. TASK # 5
- 8 TIE-IN 6IN. M.P. PLASTIC TO EXISTING 6IN. M.P. PLASTIC. 2-WAY FEED NO BYPASS REQUIRED FAIRVIEW N/O R.R. TRACKS - RETIRING 4CI MAIN. TASK # 6
- 9 NO GAS OR MAY NOT BE INVOLVED (4).



CSX Steel Bridge Engineering  
 By: [Signature]  
 Date: 03/12/2010

1100' OF  
 6IN MP PLASTIC



MAP NUMBER: 300771  
 EC NUMBER: 00000800  
 PROJECT NUMBER: 10000000  
 ELECTRIC DWD: 58523  
 KEY: MP, 56D  
 GAS DWD: 6436-5875034  
 PDES: RECD.  
 PRINTED: STATE & LOCAL  
 W.A.P. STATE FIGURE: PATA-10A & 10B  
 PECO STANDARD: G-9032  
 PROJECT ENGINEER: FRANK DIMENTO  
 610-832-6528  
 PROJECT ENGINEER: JOE FAILANCE  
 215-941-8771  
 PDES 1-800-242-1776  
 PRESSURE: 20# M.P.  
 SCALE: 1" = 50 FT

**CONSTRUCTION COPY**

PECO ENERGY SERVICES  
 10000000  
 FAIRVIEW RD.  
 SHERMAN & HAVERFORD  
 RIDLEY  
 ESTIMATOR-DESIGNER: DATE: 4/22/11  
 WIRE MENSURER: ELECTRIC NO: W/A  
 812-837-8544 FAX NO: 07137081

THIS PLAN SHALL BE USED BY THE SERVICE CONTRACTOR TO INSTALL THE SERVICE LINE TO BE INSTALLED ON RECORD AND NOT BE INTERFERED WITH BY ANY OTHER SERVICE LINE. ALL UTILITIES SHALL BE LOCATED AND MARKED PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES.

NOTE: THE FRONT OF THE PIPE SHALL BE PROVIDED WITH MECHANICAL ARRANGEMENTS OR DEVICES THAT WILL POSITIVELY PREVENT THE AGENCY FROM LEAVING THE PIPE SO THAT NO UNSUPPORTED EXCAVATION IS AHEAD OF THE PIPE.



# **Exhibit B**

**Gas Main Replacement at Fairview Road**

**Ridley Township, Delaware County**

The public utilities, municipalities, counties, corporations, and property owners concerned in, or affected by, the proposed crossing alterations are:

William Zahn, Highway Liaison  
Aqua Pennsylvania, Inc.  
762 Lancaster Ave.  
Bryn Mawr, PA 19010

Lee McGarrity, Construction Manager  
Comcast Cable Communications  
1004 Cornerstone Blvd.  
Downington, PA 19335-5366

Robert J. Willert, President  
Board of Commissioners, Ridley Twp.  
1312 Sixth Avenue  
Woodlyn, PA 19094

Bill Hensil, Program Manager  
PECO Energy Company  
050 West Swedesford Road  
Berwyn, PA 19312

Deirdre A. Johns, Specialist  
Verizon Pennsylvania Inc.  
180 Sheree Blvd., Suite 2100  
Kennett Square, PA 19348

John E. Pickett  
Delaware Co. Planning Commission  
Court House/Government Center  
201 W. Front Street  
Media, PA 19063

Sonny Bocchinfuso  
District 6-0 Grade Crossing Coordinator  
7000 Geerdes Blvd.  
King of Prussia, PA 19406

Charles J. Catonia, Sr., P.E. Engineer  
Catonia Engineering Associates, Inc.  
520 MacDade Boulevard  
Milmont Park, PA 19033

Gina D'Alfonso, Assistant Counsel-in-Charge  
PennDOT Office of Chief Counsel  
Keystone Bldg. – 9<sup>th</sup> floor  
P.O. Box 8212  
Harrisburg, PA 17105-8212

Mark Chappel, Chief  
PennDOT Bureau of Design Utilities Section  
Keystone Bldg. – 7<sup>th</sup> floor  
P.O. Box 3362  
Harrisburg, PA 17105-3362

Dean Boyers  
WorldCom/MCI Telecommunications  
2400 North Glenville Drive  
Richardson, TX 75082

Frances P Orth, Esquire  
Aqua Pennsylvania, Inc.  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010-3489

Steve Altobelli  
AT&T Local Services  
c/o TREC Group, Inc.  
536 Baltimore Pike  
Springfield, PA 19064

Michael Stocker, Project Mgr.  
Comcast Cable Communications  
190 Shoemaker Road  
Pottstown, PA 19464

Thomas C. Stortz  
Vice President & General Counsel  
Level 3 Communications, Inc.  
1025 Eldorado Blvd.  
Broomfield, CO 80021

Melanie Perea  
CSX Transportation, Inc.  
6737 Southpoint Dr. South, J-180  
Jacksonville, FL 32216

Benjamin Dunlap, Esq.  
Nauman Smith  
200 N. 3<sup>rd</sup> Street, 18<sup>th</sup> Floor  
Harrisburg, PA 17101