

# SALTZ MATKOV PC

---

GARY L. BAILEY  
ATTORNEY AT LAW

998 OLD EAGLE SCHOOL ROAD  
SUITE 1206  
WAYNE, PA 19087  
VOICE (484)318-7225 EXT. 113  
FACSIMILE (484)318-7248  
GBAILEY@SALTZMATKOV.COM

May 7, 2014

Via Federal Express  
Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
2<sup>nd</sup> Floor  
400 North Street  
Harrisburg, PA 17120

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU


**Re: Insurance Company of Greater New York a/s/o Quail Run  
Real Estate L.P. d/b/a Quail Run Apartments v.  
United Water Company – No.: C-2013-2393832**

Dear Ms. Chiavetta:

Enclosed please find an original and one copy of an Amended Complaint on behalf of Complainant Insurance Company of Greater New York, a/s/o Quail Run Real Estate L.P. d/b/a Quail Run Apartments with regard to the above-referenced matter. Kindly file the original of record and return a time-stamped copy to my attention via the self-addressed stamped envelope provided.

Thank you for your attention to this matter. Should you have any questions, please contact me.

Very truly yours,

  
Gary L. Bailey

GLB/gml

Enclosures

cc: All counsel listed on Certificate of Service (via email) (w/enc.)

**SALTZ MATKOV P.C.**

By: Matthew D. Matkov, Esquire  
Gary L. Bailey, Esquire  
Attorney ID Nos.: 93661/312015  
998 Old Eagle School Road  
Suite 1206  
Wayne, PA 19087  
(484) 318-7225

Attorneys for Complainants  
Insurance Company of  
Greater New York, a/s/o  
Quail Run Real Estate L.P.  
d/b/a Quail Run Apartments

---

BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION

INSURANCE COMPANY OF GREATER :  
NEW YORK, a/s/o QUAIL RUN REAL ESTATE :  
L.P d/b/a QUAIL RUN APARTMENTS :  
200 Madison Avenue :  
New York, NY 10016, :

Complainant,

v.

UNITED WATER COMPANY :  
211 East Park Circle :  
P.O. Box 4151 :  
Harrisburg, PA 17111, :

Defendant.

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

NO.: C-2013-2393832

---

**AMENDED COMPLAINT**

Complainant Insurance Company of Greater New York, a/s/o Quail Run Real Estate L.P. d/b/a as Quail Run Apartments (hereinafter "INSCO"), by its counsel, hereby file this formal Amended Complaint against United Water Company pursuant to 66 Pa. Cons. Stat. § 1501, upon the following cause of action and pursuant to the order of the United States District Court for the Middle District of Pennsylvania entered on July 17, 2013 and docketed at No. 11-545, attached hereto and marked Exhibit "A".

## FACTUAL ALLEGATIONS

1. At all times material hereto, on or before June 11, 2010, Complainant's subrogor owned the real property and improvements known as Quail Run Apartments located at 4001 Rawleigh Road, Lower Paxton, Pennsylvania 17109 (hereinafter "Quail Run").

2. At all times material hereto, Tina Jefferson (hereinafter "Jefferson"), leased and occupied Apartment 4065 Rawleigh Street in Quail Run ("Unit 4065") pursuant to a lease executed May 4, 2007 and renewed June 1, 2010.

3. Upon information and belief, Jefferson allowed her children Andre Drayton and Symone Scott to occupy Unit 4065 unsupervised at all times material hereto.

4. At all times material hereto Defendant United Water Company (hereinafter "United Water") provided domestic water services to Quail Run, a fire hydrant located in the courtyard adjacent to Quail Run and several other fire hydrants in the immediate area.

5. On June 11, 2010, a fire originated in Unit 4065, due to, under information and belief, careless smoking and improperly discarding smoking byproducts when same ignited combustible materials and then spread throughout the apartment.

6. The Colonial Park Fire Department responded to the emergency at 4:58 AM, arrived on scene at 5:05 AM and attempted to use hydrants in the vicinity of Quail Run to suppress the fire. However, United Water failed to provide enough water pressure to allow for a sufficient amount of water to extinguish the above-referenced fire. A true and complete copy of the Colonial Park Fire Company Report is attached hereto as Exhibit "C".

7. Specifically, during the fire, the Colonial Park Fire Department could not obtain adequate water volume specifically from either of the two (2) hydrants available in the area despite twice requesting that United Water increase the water pressure serving the fire scene. *Id.*

8. There was a fire hydrant in the courtyard of Quail Run, immediately behind the burning building. The firefighters began to use this hydrant and encountered difficulties with low water pressure which caused a delay while they waited for their line to be charged. *Id.*

9. To supplement their efforts, another hose was deployed to a second hydrant approximately 1100 feet away at Locust Lane and Willow Street. Persistent lack of water volume and low pressure led the firefighters to twice request Quail Run to increase the pressure at the scene and prolonged the fire. *Id. See also, A true and correct copy of Tenant, Firefighters Burned in Morning Blaze, WGAL.com, June 11, 2010, available at <http://www.wgal.com/r/23867473/detail.html> is attached hereto as Exhibit "D".*

10. United Water was well aware of the lack of sufficient and proper water pressure in the Lower Paxton Township area and failed to rectify the same.

11. Upon review of the local media files, United Water press releases, P.U.C. filings, Dauphin County and Lower Paxton Township meeting minutes it is clear that the area had shown significant growth in population and the commercial as well as residential structure.

12. Records show that the quantity of water necessary to support that growth in Lower Paxton Township has not always been available or ahead of that growth to safely support it.

13. Examples of the shortfall beyond that of the instant case include a 2006 United Water press release indicating rate increases are to be used, in part, to increase water pressure.

14. Further, United Water was previously notified of insufficient water volumes as a nearby bowling alley serviced by them collapsed during a fire on April 4, 2007, where sufficient volumes of water were unavailable through hydrants, requiring the fire department to resort to shuttling water to the scene in tanker trucks. A true and complete copy of Carrie Cassidy,

*Manager Injured in Bowling Alley Blaze OK*, The Patriot-News, April 4, 2007 is attached hereto as Exhibit "E".

15. United Water's behavior, pattern and practice of failing to supply adequate water pressure to Quail Run and its surrounding areas was wanton, wilful, and reckless.

16. As a direct and proximate result of United Water's acts and/or omissions, the fire destroyed Unit 4065, caused significant property damage to the apartment building located at 4060 Rawleigh Street and generally throughout Quail Run.

17. At the time of the fire, INSCO provided insurance to Quail Run.

18. Pursuant to the policy of insurance between INSCO and Quail Run, INSCO has made payments to Quail Run for the damage and destruction caused by the fire.

19. To the extent of the aforesaid payments by INSCO to Quail Run, INSCO is subrogated to Quail Run's rights against the Defendants herein.

#### **PROCEDURAL BACKGROUND**

20. On March 23, 2011, the Complainant filed a complaint in the United States District Court for the Middle District of Pennsylvania (hereinafter "Middle District of Pennsylvania") naming United Water as a Defendant, along with several other Defendants, seeking damages specifically from United Water for their negligent distribution/delivery of water pressure to specific hydrants at Quail Run during a fire on June 11, 2010.

21. In the Complaint, the Complainant set forth a single civil claim against United Water, namely, in Count II, Complainant asserted a cause of action claiming that United Water was negligent when it failed to:

- (a) Failing to provide sufficient water volume to Quail Run to allow the Colonial Park Fire Department to properly fight the fire;

- (b) Failing to provide increased water volume to Quail Run after Colonial Park specifically requested increased water volume to fight the fire;
- (c) Causing and/or allowing the fire to spread due to a lack of appropriate water volume at Quail Run;
- (d) Failing to notice, observe, understand, discern and/or perceive the dangerous condition caused by failing to provide adequate water volume to Quail Run at the time of the fire;
- (e) Failing to act in a reasonable prudent manner in disregard of the safety of Quail Run in general; and
- (f) Failing to comply with applicable fire codes.

A true and correct copy of the Complaint filed in the Middle District of Pennsylvania is attached hereto as Exhibit "B".

22. On June 14, 2011, United Water filed a Motion to Dismiss or to Bifurcate and Stay which generally asserted that due to United Water's status as a public utility, subject matter jurisdiction was vested, solely, in the Pennsylvania Public Utility Commission and not the Middle District of Pennsylvania or alternatively the Court should bifurcate the case based upon the complex nature of the claim which required special competency beyond its ability.

23. On July 17, 2013, the Honorable Lawrence F. Stengel of the Middle District of Pennsylvania issued an Order granting United Water's Motion to Bifurcate and Stay and transferring the matter to the Pennsylvania Public Utility Commission consistent with his Order in State Farm Fire & Casualty Company, et al. v. Tina Jefferson, et al., 12-cv-1107 (M.D. Pa. filed June, 2012). A true and correct copy of Judge Stengel's Order is attached hereto as Exhibit "A".


**The Issue of Law and Factual Determination submitted to the Pennsylvania Public Utility Commission for determination is as follows:**

24. The issue of law to be determined is whether, in violation of 66 Pa. Cons. Stat. § 1501, United Water failed to furnish and maintain adequate, efficient, safe and reasonable water service and facilities necessary or proper for the accommodation and safety of the public continuously and without unreasonable interruptions or delay to Quail Run during a fire on June 11, 2010.

25. Further, Complainant requests that the PUC determine whether United Water's behavior, pattern and practice of failing to supply adequate water pressure to Quail Run and its surrounding areas was wanton, wilful, and reckless.

**WHEREFORE**, the Complainant respectfully requests that, pursuant to the Order of Honorable Lawrence F. Stengel of the Middle District of Pennsylvania entered on July 17, 2013, that the PUC determines liability in this case and that the PUC also award interest, delay damages, costs and any other relief that the Court deems appropriate.

**SALTZ MATKOV P.C.**


  
\_\_\_\_\_  
Matthew D. Matkov, Esquire  
Gary L. Bailey Esquire  
Attorney ID Nos.: 93661/312015  
998 Old Eagle School Road  
Suite 1206  
Wayne, PA 19087  
Telephone: (484) 318-7225  
Fax: (484) 318-7248

Attorneys for Complainant

**VERIFICATION**

I, Gary L. Bailey, Esquire, hereby state and verify that I am the attorney for Complainant Insurance Company of Greater New York, a/s/o Quail Run Real Estate L.P. d/b/a as Quail Run Apartments; that I am authorized to make this Verification on behalf of Complainant Insurance Company of Greater New York, a/s/o Quail Run Real Estate L.P. d/b/a as Quail Run Apartments, because the verification of a representative with sufficient knowledge or information cannot be obtained within the time allowed for filing this Amended pleading; and that the statements made in the foregoing Complaint are true and correct to the best of my knowledge, information and belief. I understand that the statements therein are made subject to the penalties of 18 Pa. C.S. §4904 relating to unsworn falsification to authorities.

Dated: 5/7/14

  
\_\_\_\_\_  
Gary L. Bailey

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

# EXHIBIT "A"

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

IN THE UNITED STATES DISTRICT COURT  
FOR THE MIDDLE DISTRICT OF PENNSYLVANIA

INSURANCE COMPANY OF  
GREATER NEW YORK,  
Plaintiff

CIVIL ACTION

vs.

NO. 11-545

TINA JEFFERSON, et al.,  
Defendants

RECEIVED

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

ORDER

AND NOW, this 17th day of July, 2013, upon consideration of Defendant United Water Company's motion to dismiss, or to bifurcate and stay (Document #7), the plaintiff's response thereto (Document #10), and Defendant United Water Company's reply (Document #14), IT IS HEREBY ORDERED that:

1. The motion to dismiss is DENIED;
2. The motion to bifurcate and stay is GRANTED as follows:

(a) This matter is transferred to the Pennsylvania Public Utility Commission consistent with my Memorandum and Order in State Farm Fire & Casualty Company, et al. v. Tina Jefferson, et al., 12-cv-1107 (M.D. Pa. filed June 11, 2012).

(b) The Clerk of Court shall mark this matter CLOSED for statistical purposes and place it in the civil suspense file pending receipt of the findings and conclusions of the Pennsylvania Public Utility Commission.

(c) Counsel are directed to submit to the court a brief status report every ninety days and upon completion of their proceedings before the Pennsylvania Public Utility Commission.<sup>1</sup>

BY THE COURT:

/s/ Lawrence F. Stengel  
LAWRENCE F. STENGEL, J.

<sup>1</sup> The Pennsylvania Public Utility Commission is advised that I am contemporaneously transferring the separate but factually identical matter of State Farm Fire & Casualty Company, et al. v. Tina Jefferson, et al., 12-cv-1107 (M.D. Pa. filed June 11, 2012).

# EXHIBIT "B"

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

IN THE UNITED STATES DISTRICT COURT  
FOR THE MIDDLE DISTRICT OF PENNSYLVANIA

RECEIVED

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

INSURANCE COMPANY OF GREATER NEW  
YORK A/S/O QUAIL RUN REAL ESTATE L.P.  
D/B/A QUAIL RUN APARTMENTS  
200 Madison Avenue  
New York, New York 10016

Plaintiff,

v.

CIVIL ACTION NO.:

TINA JEFFERSON  
4065 Rawleigh Street  
Harrisburg, PA 17109

And

ANDRE DRAYTON  
4065 Rawleigh Street  
Harrisburg, PA 17109

And

SYMONE SCOTT  
4065 Rawleigh Street  
Harrisburg, PA 17109

And

UNITED WATER COMPANY  
211 East Park Circle  
P.O. Box 4151  
Harrisburg, PA 17111

Defendants.

JURY TRIAL DEMANDED

COMPLAINT

Plaintiff, Insurance Company of Greater New York, as subrogee of Quail Run Real Estate L.P. doing business as Quail Run Apartments, by its counsel, states in its Complaint against Tina Jefferson, Andre Drayton, Symone Scott and United Water Company, the following:

## PARTIES

1. Plaintiff Insurance Company of Greater New York ("INSCO"), a/s/o Quail Run Real Estate L.P. d/b/a Quail Run Apartments ("Quail Run")(hereinafter collectively "INSCO") is a corporation organized and existing under the laws of the state of New York with its principal place of business located at 200 Madison Avenue, New York, New York 10016, which at all times material hereto regularly conducted its insurance business in and about this judicial district.

2. Defendant, Tina Jefferson ("Jefferson") is, under information and belief, an adult individual with a last known address of 4065 Rawleigh Street, Harrisburg, Pennsylvania 17109.

3. Defendant, Andre Drayton ("Drayton") is, under information and belief, an adult individual with a last known address of 4065 Rawleigh Street, Harrisburg, Pennsylvania 17109.

4. Defendant, Symon Scott ("Scott") is, under information and belief, an adult individual with a last known address of 4065 Rawleigh Street, Harrisburg, Pennsylvania 17109.

5. Defendant, United Water Company ("United Water") is, under information and belief, a for-profit water company providing water utility services to the Quail Run Apartment Complex and the Quail Run fire hydrants and has a last known business address of 211 East Park Circle, Harrisburg, Pennsylvania 17111.

## JURISDICTION AND VENUE

6. This Court has diversity jurisdiction pursuant to 28 U.S.C. §1332.

7. Venue is properly laid in this judicial district pursuant to 28 U.S.C. §1391 because a substantial part of the events and omissions giving rise to the claim occurred in

this judicial district and the property which is the subject of this action is situated in this judicial district.

**FACTUAL ALLEGATIONS**

8. At all times material hereto, on or before June 11, 2010, Plaintiff's subrogor owned the real property and improvements known as Quail Run Apartments located at 4001 Rawleigh Road, Lower Paxton, Pennsylvania 17109.

9. At all times material hereto, Defendant Jefferson leased and occupied Apartment 4065 Rawleigh Street in Quail Run ("Unit 4065") pursuant to a lease executed May 4, 2007 and renewed June 1, 2010. A true and correct copy of the Lease Agreement ("Lease") is attached hereto as Exhibit "A".

10. Upon information and belief, Defendant Jefferson allowed her children, Defendants Drayton and Scott, to occupy Unit 4065 unsupervised at all times material hereto.

11. At all times material hereto Defendant United Water provided domestic water services to the Quail Run Apartment complex, the fire hydrant located in the courtyard adjacent to Quail Run and several other fire hydrants in the immediate area.

12. On June 11, 2010, a fire originated in Unit 4065, due to, under information and belief, careless smoking and improperly discarding smoking byproducts when same ignited combustible materials and then spread throughout the apartment.

13. Defendant United Water failed to provide enough water pressure to allow for a sufficient amount of water to extinguish the above-referenced fire.

14. As a direct and proximate result of Defendant's acts and/or omissions, the fire destroyed Unit 4065, caused significant property damage to the apartment building

located at 4060 Rawleigh Street and generally throughout the Quail Run Apartment Complex.

15. At the time of the fire, GNY provided insurance to Quail Run.

16. Pursuant to the policy of insurance between INSCO and Quail Run, INSCO has made payments to Quail Run for the damage and destruction caused by the fire.

17. To the extent of the aforesaid payments by INSCO to Quail Run, INSCO is subrogated to Quail Run's rights against the Defendants herein.

**COUNT I  
NEGLIGENCE  
INSCO V. JEFFERSON, DRAYTON AND SCOTT**

18. Plaintiff incorporates by reference the allegations in Paragraphs 1 through 17 above as though fully set forth herein at length.

19. Defendants Jefferson, Drayton and Scott owed a duty to Quail Run to use reasonable care to maintain Apartment Unit 4065 in good condition and to not cause any damage therein or to other apartment units, buildings or common elements at Quail Run.

20. The aforesaid fire was the direct and proximate result of the negligence and carelessness of the Defendants herein, including but not limited to:

- (a) Allowing Drayton and Scott to be present in the apartment unsupervised while utilizing and improperly discarding smoking materials;
- (b) Lighting and improperly discarding smoking materials and allowing such smoking material to contact combustible materials;
- (c) Failing to monitor lit or smoldering smoking materials;

- (d) Causing and/or allowing a fire to start from inappropriate usage of smoking materials;
- (e) Failing to extinguish said fire after ignition;
- (f) Careless use of an open flame near combustible materials;
- (g) Failing to notice, observe, understand, discern and/or perceive the dangerous condition caused by allowing lit smoking material to contact combustible materials;
- (h) Failing to act in a reasonable prudent manner in disregard of the safety of themselves, their apartment, others in the Quail Run apartment complex and Quail Run in general;
- (i) Failing to comply with applicable fire codes; and
- (j) Otherwise failing to exercise reasonable care under the circumstances.

21. The aforesaid acts and omissions of the Defendants Jefferson, Drayton and Scott proximately caused and directly resulted in the fire that occurred on June 11, 2010 for which Defendants Jefferson, Drayton and Scott are liable to INSCO.

22. As a result of said negligence, INSCO suffered damages in an amount in excess of \$1,000,000.00.

**COUNT II  
NEGLIGENCE  
INSCO V. UNITED WATER**

23. Plaintiff incorporates by reference the allegations in Paragraphs 1 through 22 above as though fully set forth herein at length.

24. Defendant United Water owed a duty to Quail Run to provide adequate and sufficient quantities of water for firefighting purposes at the Quail Run Apartment Complex.

25. During the June 11, 2010 fire event, the Colonial Park Fire Department could not obtain adequate water volume from either of the two (2) hydrants available in the area despite twice requesting that United Water increase the water pressure serving the fire scene.

26. The spread of the June 11, 2010 fire was the direct and proximate result of the negligence and carelessness of Defendants United Water, including but not limited to:

- (a) Failing to provide sufficient water volume to Quail Run to allow the Colonial Park Fire Department to properly fight the fire;
- (b) Failing to provide increased water volume to Quail Run after Colonial Park specifically requested increased water volume to fight the fire;
- (c) Causing and/or allowing the fire to spread due to a lack of appropriate water volume at Quail Run;
- (d) Failing to notice, observe, understand, discern and/or perceive the dangerous condition caused by failing to provide adequate water volume to Quail Run at the time of the fire;
- (e) Failing to act in a reasonable prudent manner in disregard of the safety of Quail Run in general;
- (f) Failing to comply with applicable fire codes; and

27. The aforesaid acts and omissions of Defendant United Water proximately caused and directly increased the damages that occurred during the June 11, 2010 fire that occurred at Quail Run for which Defendant Unit Water is liable to INSCO.

28. As a result of said negligence, INSCO suffered damages in an amount in excess of \$1,000,000.00.

**COUNT III  
BREACH OF CONTRACT  
INSCO V. JEFFERSON**

29. Plaintiff incorporates by reference the allegations in Paragraphs 1 through 28 above as though fully set forth herein at length.

30. At all times material hereto, Defendant Jefferson and the Plaintiff herein were bound by the terms of the Quail Run Lease (the "Lease") originally executed on or about May 4, 2007 and renewed on February 22, 2010 which was in full force and effect at the time of the June 11, 2010 fire. True and correct copies of the Lease and Renewal are collectively attached hereto as Exhibit "A".

31. The Lease executed by Defendant Jefferson contains, *inter alia*, the following relevant provision:

- (a) Section 6 of the Lease states "Leave the apartment in good condition when you move out, damage free and in good clean condition."

32. Defendant Jefferson breached the above Lease provision in the following manner, including but not limited to:

- (a) Allowing a fire to be started in the apartment unit;
- (b) Allowing her children to improperly discard smoking materials or byproducts of smoking materials in the apartment;
- (c) Failing to extinguish the fire after ignition;
- (d) Conducting activities in the apartment unit which damaged the property
- (e) Failing to maintain the apartment unit in violation of the lease;
- (f) Failing to pay the cost of repairs caused by the fire;
- (g) Failing to return the apartment unit in the same condition in which is was obtained; and
- (h) Generally failing to follow the Lease to ensure the safety of the apartment unit specifically or Quail Run in general.

33. Defendant Jefferson's breach of contract as described above was the direct and proximate cause of the damages sustained by INSCO.

34. As a direct and proximate result of the fire and resulting damages, INSCO suffered damages in an amount in excess of \$1,000,000.00.

**WHEREFORE**, Plaintiff demands judgment against the Defendants herein, jointly and severally, as follows:

- (a) Consequential damages in a sum in excess of \$1,000,000.00;
- (b) Compensatory damages including, but not limited to, loss of rental income and/or loss of use;
- (c) An award of pre-judgment and post-judgment interest;
- (d) An award of costs and attorneys' fees;

(e) Any such other and further relief as the Court deems just and proper.

s/Albert M. Saltz  
Albert M. Saltz, Esquire  
Matthew D. Matkov, Esquire  
Attorney ID Nos.: 51497/93661  
Saltz Matkov P.C.  
1171 Lancaster Avenue; Suite 101  
Berwyn, PA 19312  
(610) 964-3336

Attorneys for Plaintiff Insurance  
Company of Greater New York, as  
subrogee of Quail Run Real Estate,  
L.P. d/b/a Quail Run Apartments

Dated: March 22, 2011

# EXHIBIT "C"

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

Delete  
 Change  
 No Activity

22033 PA MM 06 DD 11 YYYY 2010 033 10-0005563 -1 000

Station Incident Number Exposure

**Location \***  
 Street address  
 Intersection  
 In front of  
 Rear of  
 Adjacent to  
 Directions

4065 Raleigh  
 11111 Harrisonburg  
 22033  
 17109

**Incident Type \***  
 1 Building fire

**E1 Date & Times**  
 Month Day Year Hr Min Sec  
 Alarm \* 06 11 2010 04:58:10  
 Arrival \* 06 11 2010 05:05:52  
 Cleared 06 11 2010 16:27:34

**E2 Shift**  
 1 Local C  
 Shift or Rotation  
 Special ID#

**Aid Given or Received \***  
 Mutual aid received  
 Automatic aid received  
 Mutual aid given  
 Automatic aid given  
 Other aid given  
 None

**Actions Taken \***  
 11 Extinguishment by fire  
 12 Salvage & overhaul  
 20 Search & rescue, Other

**G1 Resources \***  
 Check this box and skip this section if an apparatus or personnel form is used.  
 Apparatus Personnel  
 Suppression 0005 0060  
 EMS  
 Other

**G2 Estimated Dollar Losses**  
 LOSSES: Required for all fires of exp.  
 Property \$ 001 500  
 Contents \$ 500  
 PRE-INCIDENT VALUE: optional  
 Property \$ 001 500  
 Contents \$ 500

**Completed Modules**  
 Fire-2  
 Structure-3  
 Civil. Firm Cas.-4  
 Fire Serv. Cas.-5  
 EMS-6  
 HazMat-7  
 Wildland Fire-8  
 Apparatus-9  
 Personnel-10  
 Arson-11

**H1 \* Casualties**  
 None  
 Deaths Injuries  
 Fire 000  
 Service 000  
 Civilian 002

**H2 Detector**  
 1  Detector alerted occupants  
 2  Detector did not alert them  
 U  Unknown

**H3 Hazardous Materials Release**  
 None  
 1 Natural Gas  
 2 Propane Gas  
 3 Gasoline  
 4 Kerosene  
 5 Diesel fuel/fuel oil  
 6 Household solvents  
 7 Motor oil  
 8 Paint  
 9 Other

**I Mixed Use**  
 Non-Mixer  
 Assembly  
 Educational  
 Medical  
 Residential  
 Row of 5  
 Enclosed  
 Bus. & M.  
 Office w/  
 Industrial  
 Military  
 Farm Use  
 Other M.

**Property Use \*** Structures

31  Church, place of worship  
 61  Restaurant or cafeteria  
 62  Bar/Tavern or nightclub  
 13  Elementary school or kindergarten  
 15  High school or junior high  
 41  College, adult education  
 11  Care facility for the aged  
 31  Hospital

341  Clinic, clinic type infirmary  
 342  Doctor/dentist office  
 361  Prison or jail, not juvenile  
 419  1-or 2-family dwelling  
 429  Multi-family dwelling  
 439  Rooming/boarding house  
 449  Commercial hotel or motel  
 459  Residential, board and care  
 464  Dormitory/barracks  
 519  Food and beverage sales

936  Vacant lot  
 938  Graded/care for plot of land  
 945  Lake, river, stream  
 951  Railroad right of way  
 960  Other street  
 961  Highway/divided highway  
 962  Residential street/driveway

539  Household goods, sales  
 579  Motor vehicle/boat sale  
 571  Gas or service station  
 599  Business office  
 615  Electric generating pl  
 629  Laboratory/science lab  
 700  Manufacturing plant  
 819  Livestock/poultry grow.  
 882  Non-residential parking  
 891  Warehouse

981  Construction site  
 984  Industrial plant yard

Property use 429  
 Multi-family dwelling

RECEIVED

MAY - 7 2014

**Person/Entity Involved** Quail Run Apartments 717 - 652 - 544  
 Local Option Business Name (if applicable) Area Code Phone Number

Tina M Zerby  
 Mr./Ms./Mrs. First Name Initial Last Name

4001  
 Number Prefix Street or Highway Street Type

Harrisburg  
 Post Office Box Apt./Suite/Room City

PA 17109  
 State Zip Code

More people involved? Check this box and attach Supplemental Forms (NFIRS-1S) as necessary

**Owner**  Some or person involved. Then check this box and skip the rest of this section. Park Run Management Company 610 - 797 - 161  
 Local Option Business Name (if applicable) Area Code Phone Number

Ajay M   
 Mr./Ms./Mrs. First Name Initial Last Name

Harrisburg  
 Number Prefix Street or Highway Street Type

PA 17109  
 Post Office Box Apt./Suite/Room City  
 State Zip Code

**Remarks**  
Local Option

0458 hours DCSEMA dispatched a structure fire at 4065 Rawleigh Street Quail Run Apartments, while responding DCSEMA reported working fire with reports of entrapment. I requested first alarm while still responding. Upon arrival I reported heavy fire showing de C from the 3rd and 2nd floor of a 3 Story Garden Apartment 36 x 40 and confirmed by papped on Division 3. Upon arrival PD reported one person still might be on division 3 was going to enter the building PD stated everyone was now to be out. At this time I observed a black male that was now seated thrashing around in my vehicle. I observed to his back, arms and head area.

The scene was very hectic, civilians screaming and yelling several PD units attempted to cure the scene for fire units to work safely. I tried several time to calm the male and at some point the male fell out of my vehicle to the ground. EMS arrived to began to

Engine 33 arrived and assumed first due engine company responsibilities on side A. Engine 31 arrived 2nd and assumed second due engine company responsibilities. Engine 32 driver/extrator hand stretched 300' of supply line to complete the lay to a hydrant which was located in the court yard and gave a Side Charlie report to command. Truck 33 went in service at the A / D corner at this time DO Pramnik was struck in the nose by a FF removed ladders. FF Pramnik was transported to CCHH for medical treatment and released with a broken nose.

The Engine 32 crew ran a line to Division 3 while Engine 33 was operating on Division 3 the initial line. Crews were not by heavy fire but began to make a knock and conduct searches, when a partial collapse of the 3rd Division occurred. Lt. Lawrence and FF Wil

**Authorization**

3323 Swank, Thomas I C 06 13  
 Officer ID Signature Position or Rank Assignment Month Day

3323 Swank, Thomas I C 06 13  
 Check box if driver/extrator Number Making Available Signature Position or Rank Assignment Month Day

Brandywine

FAX NO. : 6107910642

Jun. 28 2010 01:01PM P47

22033	PA	MM	DD	YYYY	033	10-0005563	000	Complete Narrative
FDISD *	STATE *	Township	DATE *	2010	Station	Incident Number *	Expense *	

**Narrative:**  
 0455 hours DCEMA dispatched a structure fire at 4065 Rawleigh Street Quail Run Apartment building responding DCEMA reported working fire with reports of entrapment. I requested fire alarm while still responding. Upon arrival I reported heavy fire showing side C from 2nd and 2nd floor of a 3 Story Garden Apartment 36 x 40 and confirmed people trapped on Division 3. Upon arrival PD reported one person still might be on division 3, as I was going to a building PD stated everyone was now to be out. At this time I confront a black male now seated thrashing around in my vehicle. I observed burns to his back, arms and legs.

The scene was very chaotic, civilians screaming and yelling several PD units attempted to clear the scene for fire units to work safely. I tried several time to calm the male down at some point the male fell out of my vehicle to the ground. EMS arrived to begin P/

Engine 32 arrived and assumed first due engine company responsibilities on side A. Engine 31 arrived 2nd and assumed second due engine company responsibilities. Engine 32 drove tractor hand stretched 300' of supply line to complete the lay to a hydrant which was located in the south yard and gave a side Charlie report to command. Truck 33 went in voice at the A & D corner at this time DO Frank was struck in the nose by a FF removed and ledgers. FF Frank was transported to GCOH for medical treatment and released with a broken nose.

The Engine 32 crew ran a line to Division 3 while Engine 33 was operating on Division 2 on the initial lane. Crews were met by heavy fire but began to make a knock and conduct pre-arches, when a partial collapse of the 3rd Division occurred. Lt. Lawrence and FF Wilk were on the 3rd division with members from 33, 34, and Engine 32-1's crew when this occurred 2 FF's from Progress Fire Co received burns while exiting the building via the 1st aircase.

On the outside all FF's checked on each other and made sure all FF's were accounted after initial reports of a FF down. The A&E team was told to stand down. All FF's were accounted for and the fire went into defensive the Truck Companies from 33 and 35 put multiple master streams in service and the fire was knocked down. Engine 32 was also dispatched and as 1st due engine company responsibilities and laid a second supply in from a hydrant on Division 3 to the scene due to poor water pressure. I requested twice that Unated water boost pressure to the area. At this time I requested a more thoroughly search be completed, search was negative.

FF Tanisha BAILEY reporting that her black vehicle was damaged while parked on the lot I requested Invest NEEDHAM from LPPD and Det WOODRING from Dauphin County CED handle photo and measurements taken clearing C/F/C from damaging the vehicle from Truck 33. Unk person searched her vehicle. BAILEY may be contacted at 717-506-6884.

THIS IS ALL THE INFORMATION

418 TIME

0504 hours Engine 32-1 was dispatched to the above address as part of the 1st alarm assignment for a reported building fire with entrapment. Engine 32-1 went enroute and advised command way on Ops 3. Engine 32-1 was given the assignment from Chief 33 (Swan)

22033	PA	MMI	DD	YYYY	033	10-0005563	000	Compla Narrate
STATION	STATION	INCIDENT DATE	STATION	STATION	STATION	INCIDENT NUMBER	EXPENSES	

narrative:

to side A and go to work. Crew proceeded to the command buggy on side A while the  
 ver assisted with establishing a water supply. Command requested we split crews and  
 catch a 2nd line to the 3rd division and start primary searches. While the line was b  
 ratched and crews were preparing to enter, Lt. Lawrence threw a 16 foot straight ladd  
 Truck 33 to side A Division 2 window and used the ladder tip to clear the window. Th  
 we entered together and began searching the 2nd and 3rd division. The line crew wait  
 a stairway a couple extra seconds until their line was charged which was delayed due  
 a water pressure in the complex. The line crew and search team made the 3rd division  
 countered heavy fire above them. Open forcing the 1st apartment door, there was heavy  
 out to back of that apartment. The nozzle man held the doorway so the search crew cov  
 eck the other 3 apartments on the 3rd division. The 2nd, 3rd, and 4th Apartment doors  
 cked in and again all were fully involved and it was determined that there was no lit  
 able if someone was in those apartments. At that point Lt. Lawrence and Fogg convers  
 was decided that crews were going to back out and defensive operations were the best  
 this point. At the same time Command was having county communications hit the EVAC  
 ews proceeded to exit via the side A and side C stairway. Lt. Lawrence, FF Willcox ar  
 nt down the side C stairway, at the same time the roof began to come in on them and  
 ight their way out of the building. At no point were they considered trapped. Once on  
 ide C the crew found the Lt. Lawrence and Willcox received burns to the neck area. All  
 mbers regrouped on Side A and made sure all members were accounted for and no one el  
 received injuries. Lt. Lawrence and Willcox were seen by the EMS crew and had their b  
 eaned out. Engine 32 arrived on scene as an additional engine to assist with the sup  
 ine from locust in and laid 1100 feet of 5 in. The 2 engine crew remained on scene so  
 vore and assisted with overhaul of the building once the Truck companies knocked the  
 ie fire. Lt. Lawrence and FF Willcox went in the Duty Buggy to Hershey Medical center  
 eated for 2nd degree burns and were released 2 hours later.  
 Flat head axe was lost off of Engine 32-1 during the collapse of the roof and evasue  
 r's from the building. Overall very good job by the crews on scene.

8

oposer B was checked for extension and to see if the fire wall was still intact. A  
 epection hole was placed in Division 2 A / B corner, inspection produced negative r  
 ews also performed salvage an overhaul on division 1 and division 2. LPPD fire  
 uestigator, Dauphin County FM and PSP FM were on scene see their reports for further  
 nformation.

n 17 June 2010 attempted to contact AJAY the property owner for Quad 1 Sun Apartments  
 obtain insurance information. He provided a phone number to Greater New York Mutual  
 10-945-1039 or contact Rick Brown adjuster at 856-775-7222. Left message for someone  
 ck with pre incident value and fire loss. BROWN advised the property is insured at \$  
 ,471,360.00 for all eight units and he will be showing the loss for the fire building  
 ound 1.5 million roughly 12,000 square feet at the re build cost of \$125.00 square

MM: 06 DD: 11 YYYY: 2010 Station: 033 Incident Number: 10-0005563 Exposure: 000

22033 PA 06 11 2010 033 10-0005563 000

FDID \* STATE \* Incident Date \* Station \* Incident Number \* Exposure \*

Delete  
 Change  
 No Activity

**Property Details**

0038  Not Residential  
Estimated Number of residential living units (or building of origin whether or not all units became involved)

011  Buildings not involved  
Number of buildings involved

Acres burned (outside fires)  None  Less than one acre

**C On-Site Materials or Products**  None  
Enter up to three codes. Check one or more boxes (use each code entered).

NNN None  
On-site material (1)

On-site material (2)

On-site material (3)

On-site material (4)

1  Bulk storage or warehouse  
2  Processing or manufacture  
3  Packaged goods for sale  
4  Repair or service

1  Bulk storage or warehouse  
2  Processing or manufacture  
3  Packaged goods for sale  
4  Repair or service

1  Bulk storage or warehouse  
2  Processing or manufacture  
3  Packaged goods for sale  
4  Repair or service

**Ignition**

72  External fire balcony  
Area of fire origin \*

60  Heat from other open  
Heat source \*

21  Upholstered sofa  
From fires ignited \*  Other heat source spread from confined to object of origin

UU  Undetermined  
(Type of material ignited) (Material only if item listed ignited code is 00 of 47c)

**E1 Cause of Ignition**  
 Check box if this is an exposure report; skip to section 9

1  Intentional  
2  Unintentional  
3  Failure of equipment or heat source  
4  Act of nature  
5  Cause under investigation  
U  Cause undetermined after investigation

**E2 Factors Contributing To Ignition**

None  
factor contributing to ignition (1)

factor contributing to ignition (2)

**E3 Human Factors Contributing To Ig**  
Check all applicable to

1  Asleep  
2  Possibly impaired alcohol or drug  
3  Unattended person  
4  Reasonably mental  
5  Physically Disabled  
6  Multiple persons  
7  Age was a factor

Estimated age of person involved

1  Male 2

**Equipment Involved In Ignition**

None if equipment was not involved. Skip to section 9

Equipment involved

nd

ca

10

**F2 Equipment Power**

Equipment Power Source

**F3 Equipment Portability**

1  Portable  
2  Stationary

Possible equipment normally can be moved by one person, is designed to be use in multiple locations, and requires no tools to install

**G Fire Suppression Factor**  
Enter up to three codes.

000 Fire suppression  
Fire suppression factor (1)

Fire suppression factor (2)

Fire suppression factor (3)

**Mobile Property Involved**

None

Not involved in ignition, but burned  
 Involved in ignition, but did not burn  
 Involved in ignition and burned

Mobile property make

Year

Business State Number State VIN Number

**H2 Mobile Property Type & Make**

Mobile property type

Mobile property make

Year

**Local Use**

Pre-Fire Plan used some of the information provided in this report may be used from other Agencies

Aeron report attached  
 Police report attached  
 Coroner report attached  
 Other reports attached

**Structure Type \***  
 If fire was in enclosed building or a portable/mobile structure complete the rest of this form

Enclosed Building  
 Portable/mobile structure  
 Open structure  
 Air supported structure  
 Tent  
 Open platform  
 Underground structure (w/ or w/o access)  
 Connective structure (e.g. bridge)  
 Other type of structure

**I2 Building Status \***

1  Under construction  
 2  Occupied & operating  
 3  Idle, not routinely used  
 4  Under major renovation  
 5  Vacant and secured  
 6  Vacant and unsecured  
 7  Being demolished  
 8  Other  
 9  Undetermined

**I3 Building Height \***  
 Count the roof as part of the highest story

Total number of stories as of above grade: 003  
 Total number of stories below grade: \_\_\_\_\_

**I4 Main Floor Size \***

Total square feet: 003 , 840  
 OR  
 Length in feet: 026 BY Width in feet: \_\_\_\_\_

**Fire Origin \***  
002 Below grade story of fire origin

**Fire Spread \***

Confined to object of origin  
 Confined to room of origin  
 Confined to floor of origin  
 Confined to building of origin  
 Beyond building of origin

**J2 Number of Stories Damaged By Flame \***  
 Count the roof as part of the highest story

Number of stories w/ minor damage (1 to 24 flame damage): \_\_\_\_\_  
 Number of stories w/ significant damage (25 to 49 flame damage): 001  
 Number of stories w/ heavy damage (50 to 74 flame damage): 001  
 Number of stories w/ extreme damage (75 to 100 flame damage): 002

**K Material Contributing Most To Flame Spread \***  
 Check if no flame spread OR same as material first listed  
 Skip item contributing most to flame spread

**K1** UU Undetermined  
**K2** UU Undetermined

**Presence of Detectors \***  
 (In area of the fire)

N  None Present  
 1  Present  
 U  Undetermined

**Detector Type**

Smoke  
 Heat  
 Combination smoke - heat  
 Sprinkler, water flow detection  
 More than 1 type present  
 Other  
 Undetermined

**L3 Detector Power Supply \***

1  Battery only  
 2  Hardwire only  
 3  Plug in  
 4  Hardwire with battery  
 5  Plug in with battery  
 6  Mechanical  
 7  Multiple detectors & power supplies  
 8  Other  
 U  Undetermined

**L4 Detector Operation \***

1  Fire too small to activate  
 2  Operated (Complete Section L5)  
 3  Failed to operate (Complete Section L6)  
 U  Undetermined

**L5 Detector Effectiveness \***  
 Required if detector operated

1  Alerted occupants, occupants responded  
 2  Occupants failed to respond  
 3  There were no occupants  
 4  Failed to alert occupants  
 U  Undetermined

**L6 Detector Failure Reason \***  
 Required if detector failed to operate

1  Power failure, shutoff or disconn  
 2  Improper installation or placement  
 3  Defective  
 4  Lack of maintenance, including m  
 5  Battery missing or disconnected  
 6  Battery discharged or dead  
 7  Other  
 U  Undetermined

**M1 Presence of Automatic Extinguishment System \***

N  None Present  
 1  Present

**2 Type of Automatic Extinguishment System \***  
 Required if fire was within designed range of AEC

1  Wet pipe sprinkler  
 2  Dry pipe sprinkler  
 3  Other sprinkler system  
 4  Dry chemical system  
 5  Foam system  
 6  Halogen type system  
 7  Carbon dioxide (CO2) system  
 8  Other special hazard system  
 U  Undetermined

**M2 Automatic Extinguishment System Operation \***  
 Required if fire was within designed range

1  Operated & effective (Go to M4)  
 2  Operated & not effective (Go to M4)  
 3  Fire too small to activate  
 4  Failed to operate (Go to M5)  
 5  Other  
 U  Undetermined

**M4 Number of Sprinkler Heads Operating \***  
 Required if system operated

Number of sprinkler heads operating: \_\_\_\_\_

**M5 Automatic Extinguishment System Failure Reason \***  
 Required if system failed

1  System shut off  
 2  Not enough agent disp  
 3  Agent discharged but not reach fire  
 4  Wrong type of system  
 5  Fire not in area pro  
 6  System components de  
 7  Lack of maintenance  
 8  Manual intervention  
 9  Other  
 U  Undetermined

Brandywine

FAX NO. :6107910642

Jun. 28 2010 01:02PM

PE/

22033

PA

6

11

2010

033

10-0005553

000

Delete  
 Change

Civil  
Ce

Injured Person

\* 1  Male 2  Female

C Casual  
Nur

First Name  
Aundrea

Last Name  
Drayton

Age or date of birth

**E1 Race**  
1  White  
2  Black  
3  Am. Indian, Eskimo  
4  Asian  
5  Other, multi-racial  
6  Undetermined

**F Affiliation**  
1  Civilian  
2  EMS, not fire department  
3  Police  
4  Other

**H Severity**

1  Minor  
2  Moderate  
3  Severe  
4  Life threatening  
5  Death

24 Months (for infants)

OR

2/9/1986  
Month Day Year

**E2 Ethnicity**  
 Hispanic

**G Date & Time of Injury**  
6/11/2010 04:58:00  
Month Day Year Hour Minute

**Cause of Injury**

- Exposed to fire products including flame heat, smoke, & gas
- Exposed to toxic fumes other than smoke
- Jumped in escape attempt
- Fell, slipped or tripped
- Caught or trapped
- Structural collapse
- Struck by/or contact with object
- Overexertion
- Multiple causes
- Other
- Undetermined

**J Human Factors Contributing to Injury**

- None
- Check all applicable boxes
- 1  Asleep
- 2  Unconscious
- 3  Possibly impaired by alcohol
- 4  Possibly impaired by other drug
- 5  Possibly mentally disabled
- 6  Physically disabled
- 7  Physically restrained
- 8  Unattended person

**K Factors Contributing to Injury**

- None
- Enter up to three contributing factors
- 91 Clothing burned

**Activity When Injured**

- Escaping
- Rescue attempt
- Fire control
- Return to fire before control
- Return to fire after control
- Sleeping
- Unable to act
- Irrational act
- Other
- Undetermined

**M1 Location at Time of Incident**

- 1  In area of origin and not involved
- 2  Not in area of origin & not involved
- 3  Not in area of origin, but involved
- 4  In area of origin and involved
- 5  Undetermined

**M2 General Location at Time of Injury**  
Check ONE box. If undetermined, leave blank and skip to Section K.

- 1  In area of fire origin **Skip to Section K**
- 2  In building, but not in area
- 3  Outside, but not in area **Skip to Section M5**

**M3 Story at Time of Incident**  
Complete ONLY if injury occurred

Story at START of incident 2

**M4 Story where Injury Occurred**

Story where injury occurred, if different from M3 2

**M5 Specific Location at Time of Injury**  
Complete ONLY if casualty NOT in area of origin

70 Structural area, Other specific location at time of injury

**Primary Apparent Symptom**

- 01  Smoke only, asphyxiation
- 11  Burns & smoke inhalation
- 12  Burns only
- 21  Cut, laceration
- 33  Strain or sprain
- 66  Shock
- 98  Pain only

**O Primary Area of Body Injured**

- 1  Head
- 2  Neck & shoulder
- 3  Thorax
- 4  Abdomen
- 5  Spine
- 6  Upper extremities
- 7  Lower extremities
- 8  Internal
- 9  Multiple body parts

**P Disposition**

Transported to emergency care

Remarks: Local station

Brandywine

FRX NO. 16107910642

Jun. 28 2010 01:03PM PG 1

22033 PA 6 11 2010 033 10-0005563 000  
 Station Incidents Number \* Industry \*  
 Delete  Change Civilian Case

injured Person \* 1  Male 2  Female C Casualty

State Florida MI Last Name Beatty Suffix

**E1** Race  
 White  
 Black  
 Am. Indian, Eskimo  
 Asian  
 Other, multi-racial  
 Undetermined

**E2** Ethnicity  
 Hispanic

**F** Affiliation  
 1  Civilian  
 2  EMS, not fire department  
 3  Police  
 4  Other

**H** Severity  
 1  Minor  
 2  Moderate  
 3  Severe  
 4  Life threat  
 5  Death

**G** Date & Time of Injury  
 6 11 2010  
 Month Day Year

**I** Cause of Injury  
 Exposed to fire products including flame heat, smoke, & gas  
 Exposed to toxic fumes other than smoke  
 Jumped in escape attempt  
 Fell, slipped or tripped  
 Caught or trapped  
 Structural collapse  
 Struck by/ or contact with object  
 Overexertion  
 Multiple causes  
 Other  
 Undetermined

**J** Human Factors Contributing to Injury  
 None  
 Check all applicable boxes  
 1  Asleep  
 2  Unconscious  
 3  Possibly impaired by alcohol  
 4  Possibly impaired by other drug  
 5  Possibly mentally disabled  
 6  Physically disabled  
 7  Physically restrained  
 8  Unattended person

**K** Factors Contributing to Injury  
 None  
 Enter up to three contributing factors  
 92  Overexertion  
 Contributing factor (1)  
 Contributing factor (2)  
 Contributing factor (3)

**L** Activity When Injured  
 1  Escaping  
 2  Escape attempt  
 3  Fire control  
 4  Return to fire before control  
 5  Return to fire after control  
 6  Sleeping  
 7  Unable to act  
 8  Irrational act  
 9  Other  
 0  Undetermined

**M1** Location at Time of Incident  
 1  In area of origin and not involved  
 2  Not in area of origin & not involved  
 3  Not in area of origin, but involved  
 4  In area of origin and involved  
 5  Undetermined

**M2** General Location at Time of Injury  
 Check ONE box. If undetermined, leave blank and skip to Section N.  
 1  In area of fire origin  
 2  In building, but not in area  
 3  Outside, but not in area

**M3** Story at Time of Incident  
 Complete ONLY if injury occurred  
 story at start of incident 3  No

**M4** Story where Injury Occurred  
 story where injury occurred, if different from M3 3  No

**M5** Specific Location at Time  
 Complete ONLY if casualty NOT in area of  
 03  Interior stairway or  
 Specific location at time of injury

**O1** Primary Apparent Symptom  
 01  Smoke only, asphyxiation  
 11  Suxna & smoke inhalation  
 12  Burns only  
 21  Cut, laceration  
 33  Strain or sprain  
 96  Shock  
 98  Pain only  
 Check up code only, if the symptom is NOT found (above)

**O** Primary Area of Body Injured  
 1  Head  
 2  Neck & shoulder  
 3  Thorax  
 4  Abdomen  
 5  Spine  
 6  Upper extremities  
 7  Lower extremities  
 8  Internal  
 9  Multiple body parts

**P** Disposition  
 Transported to emergency care  
 Remarks Local option

Brandywine

FAX NO. : 6107910642

Jun. 28 2010 01:03PM P10

22033  PA  6  11  2010  033  10-0005563  000  Delete  Change  
 Incident # Exposure #

**Injured Person** Identification Number:  1 Male  1 Career  2 Female  2 Volunteer  C Casualty No.

First Name: Timothy W Last Name: Frank Suffix:

**Age or Date of Birth \*** Age: 58 OR Date of Birth: 9/14/1951 **E Date & Time of Injury** Date of Injury: 6/11/2010 Time of Injury: 05:16:00 **F Respor**

**Usual Assignment**

Suppression  
 EMS  
 Prevention  
 Training  
 Maintenance  
 Communications  
 Administration  
 Fire investigation  
 Other

**G2 Physical Condition Just Prior To Injury**

1 Rested  0 Other  
 2 Fatigued  U Undetermined  
 4 Ill or Injured

**G3 Severity**

1 Report only, including exposure  
 2 First aid only  
 3 Treated by physician (no lost time)  
 4 Moderate (lost time)  
 5 Severe (lost time)  
 6 Life threatening (lost time)  
 7 Death

**G4 Taken To**

1 Hospital  
 4 Doctor's office  
 5 Morgue/funeral home  
 6 Residence  
 7 Station or quarters  
 8 Other  
 9 Not transported

**G5 Activity at Time of**

22 Operating aerial lift  
 activity at time of injury

**I Primary Apparent Symptom**

32 Fracture  
 Primary apparent symptom

**I1 Cause of Firefighter Injury**

5 Struck or assaulted by  
 Cause of injury

**I3 Object Involved in Injury**

None

**Primary Area of Body Injured**

13 Nose  
 Primary injured body part or area

**I2 Factor Contributing to Injury**

00 Contributing factor  
 Contributing factor

**I4 Ladder**

22 Ladder  
 Object involved in injury

**I Where Injury Occurred**

Enroute to FD location  
 At FD location  
 Enroute to incident scene  
 Enroute to medical facility  
 At scene in structure  
 At scene outside  
 At medical facility  
 Returning from incident  
 Returning from med facility  
 Other

**J3 Specific Location**

05 In aircraft  
 06 In boat or ship or barge  
 07 In rail vehicle  
 08 In motor vehicle  
 09 In sewer  
 10 In tunnel  
 11 In structure  
 12 In attic  
 13 In water  
 14 In well  
 15 In ravine  
 16 In quarry or mine  
 17 In ditch or trench  
 18 In open pit  
 19 On steep grade  
 20 On fire escape/outside stairs  
 21 On vertical surface or ledge  
 22 On ground ladder  
 23 On aerial ladder or in basket  
 24 On roof  
 25 Outside at grade  
 26 Other

**J4 Vehicle Type**

1 Suppression vehicle  
 2 EMS vehicle  
 3 Other FD vehicle  
 4 Non-FD vehicle

**Remarks**

If applicable, equipment failure and other factors in this injury, please complete the other side of this form.

**K Story Where Injury Occurred**

Check this box and enter the story if the injury occurred inside or on a structure  
 Below grade  
 Story of injury  
 Enclosed in roadway

Brandywine

FAX NO. : 6107910642

Jun: 26 2010 01:04PM P11

22033 PA 6 11 2010 033 10-0005563 0000

Station Incident Number Exposure

Police  Fire  Change  Call

Injured Person 194-56-7262 Identification Number

1  Male \* 1  Career  
2  Female 2  Volunteer

C CASUS Numk

Michael Lawrence Suffix

MI SUFFIX

Age or Date of Birth \* Date & Time of Injury

24 OR 1 14 1986 6 11 2010 05:18:00

in years Month Day Year Month Day Year HOUR MINUTES

Number of calls during past 24

Usual Assignment

Suppression  
 EMS  
 Prevention  
 Training  
 Maintenance  
 Communications  
 Administration  
 Fire Investigation  
 Other

G2 Physical Condition Just Prior To Injury

1  Rested 0  Other  
2  Fatigued U  Undetermined  
4  Ill or Injured

G3 Severity

1  Report only, including exposure  
2  First aid only  
3  Treated by physician (no lost time)  
4  Moderate (lost time)  
5  Severe (lost time)  
6  Life threatening (lost time)  
7  Death

G4 Taken To

1  Hospital  
4  Doctor's office  
5  Morgue/ funeral home  
6  Residence  
7  Station or quarters  
0  Other  
N  Not transported

G5 Activity at Time of Injury

30 Extinguishing

Activity at time of injury

Primary Apparent Symptom

12 Burns only: thermal

Primary apparent symptom

I1 Cause of Firefighter Injury

4 Exposure to hazard

Cause of injury

I3 Object Involved in Injury

None

Primary Area of Body Injured

21 Neck

Primary injured body part or area

I2 Factor Contributing to Injury

11 Roof collapse

Contributing factor

Object involved in injury

92 Property

Object involved in injury

1 Where Injury Occurred

Enroute to FD location  
 At FD location  
 Enroute to incident scene  
 Enroute to medical facility  
 At scene in structure  
 At scene outside  
 At medical facility  
 Returning from incident  
 Returning from medical facility  
 Other

J3 Specific Location Complete as Applicable

65  In aircraft  
64  In boat or ship or barge  
63  In rail vehicle  
62  In motor vehicle  
61  In sewer  
60  In tunnel  
59  In structure  
58  In attic  
57  In water  
56  In wall  
55  In ravine  
54  In quarry or mine  
53  In ditch or trench  
52  In open pit  
51  On steep grade  
50  On fire escape/outside stairs  
49  On vertical surface or ledge  
48  On ground ladder  
47  On aerial ladder or in basket  
46  On roof  
45  Outside at grade  
44  Other

J4 Vehicle Type Complete as Applicable

1  Suppression vehicle  
2  EMS vehicle  
3  Other FD vehicle  
4  Non-FD vehicle

2 Story Where Injury Occurred

Check this box and enter the story of the injury occurred inside or on a structure

3  Below grade  
 Injury occurred outside

Remarks

Progress Fire Company firefighter 32-

If protective equipment failed and was a factor in this injury, please complete the other side of this form.

WJMS-5 Revised

Injured Person: 172-72-4556 Identification Number  
 1  Male \* 1  Career  
 2  Female 2  Volunteer  
 C Case Num

First Name: Nicholas Last Name: Willcox

Age or Date of Birth \*  
 Age: 19 OR Date of Birth: 09/12/1990  
 Date of Injury: 06/11/2010 Time of Injury: 05:18:00  
 Number of PPEs during past 24

**G2 Physical Condition Just Prior to Injury**  
 1  Rested 0  Other  
 2  Fatigued U  Undetermined  
 4  Ill or Injured

**G3 Severity**  
 1  Report only, including exposure  
 2  First aid only  
 3  Treated by physician (no lost time)  
 4  Moderate (lost time)  
 5  Severe (lost time)  
 6  Life threatening (lost time)  
 7  Death

**G4 Taken To**  
 1  Hospital  
 4  Doctor's office  
 5  Morgue/funeral home  
 6  Residence  
 7  Station or quarters  
 0  Other  
 N  Not transported

**G5 Activity at Time of**  
 30  Extinguishing  
 Activity at time of Injury

**I1 Cause of Firefighter Injury**  
 12  Burns only: Thermal  
 Cause of Injury: 4  Exposure to hazard

**I2 Wadex Contributing to Injury**  
 11  Roof collapse  
 Contributing Factor

**I3 Object Involved in Injury**  
 None  
 02  Property  
 Object involved in injury

**J3 Specific Location** Complete as applicable  
 65  In aircraft  
 64  In boat or ship or barge  
 63  In rail vehicle  
 61  In motor vehicle  
 54  In sewer  
 53  In tunnel  
 49  In structure  
 45  In attic  
 36  In water  
 35  In well  
 34  In ravine  
 33  In quarry or mine  
 32  In ditch or trench  
 31  In open pit  
 29  On steep grade  
 27  On fire escape/outside stairs  
 26  On vertical surface or ledge  
 25  On ground ladder  
 24  On aerial ladder or in basket  
 23  On hook  
 22  Outside at grade  
 00  Other

**J4 Vehicle Type** Complete as applicable  
 1  Suppression vehicle  
 2  EMS vehicle  
 3  Other FD vehicle  
 4  Non-FD vehicle

**Where Injury Occurred**  
 Enroute to FD Location  
 At FD Location  
 Enroute to incident scene  
 Enroute to medical facility  
 At scene in structure  
 At scene outside  
 At medical facility  
 Returning from incident  
 Returning from medical facility  
 Other

**Story Where Injury Occurred**  
 Check this box and enter the story if the injury occurred inside or on a structure  
 Above grade  
 Below grade

Remarks:  
 Progress Fire Company Firefighter 32-2:  
 If protective equipment failed and was a factor in how injury please complete the other side of this form.  
 NFIRS-5 Revision



MM DD YYYY  
 22033 PA 6 11 2010 033 10-0005563 000  Delivered  NFIR Suppl  
 \* State \* Incident Date \* Station Incident Number \* Exposure \*  Delivered  NFIR Suppl

Person/Entity Involved

Business name if applicable \_\_\_\_\_ Phone Number \_\_\_\_\_

Check this box if name address is incident location. Then skip the three duplicate address lines.

Mr./Ms./Mrs.: First Name MI Last Name  
 Charles Powell  
 4062 Raleigh ST  
 Prefix Street or Highway  
 Post office box Apt./Suite/Room Harrisburg  
 City  
 PA 17109  
 State Zip Code

Person/Entity Involved

Business name if applicable \_\_\_\_\_ Phone Number \_\_\_\_\_

Check this box if name address is incident location. Then skip the three duplicate address lines.

Mr./Ms./Mrs.: First Name MI Last Name  
 Kathleen Powell  
 4062 Raleigh ST  
 Prefix Street or Highway  
 Post office box Apt./Suite/Room Harrisburg  
 City  
 PA 17109  
 State Zip Code

Person/Entity Involved

Business name if applicable \_\_\_\_\_ Phone Number \_\_\_\_\_

Check this box if name address is incident location. Then skip the three duplicate address lines.

Mr./Ms./Mrs.: First Name MI Last Name  
 Donna Coleman  
 4063 Raleigh ST  
 Prefix Street or Highway  
 Post office box Apt./Suite/Room Harrisburg  
 City  
 PA 17109  
 State Zip Code

Person/Entity Involved

Business name if applicable \_\_\_\_\_ Phone Number \_\_\_\_\_

Check this box if name address is incident location. Then skip the three duplicate address lines.

Mr./Ms./Mrs.: First Name MI Last Name  
 Kai Wilson  
 4063 Raleigh ST  
 Prefix Street or Highway  
 Post office box Apt./Suite/Room Harrisburg  
 City  
 PA 17109  
 State Zip Code

Person/Entity Involved

Business name if applicable \_\_\_\_\_ Phone Number \_\_\_\_\_

Check this box if name address is incident location. Then skip the three duplicate address lines.

Mr./Ms./Mrs.: First Name MI Last Name  
 Kathleen Wilson  
 4063 Raleigh ST  
 Prefix Street or Highway  
 Post office box Apt./Suite/Room Harrisburg  
 City  
 PA 17109  
 State Zip Code



Brandwines  
When skip the above  
addresses address  
lines.

FAX NO. : 6107910642

Jun. 28 2010 01:05PM P16

Number \_\_\_\_\_  
Prefix \_\_\_\_\_ Street or Highway \_\_\_\_\_  
Post Office Box \_\_\_\_\_ Apt./Suite/Room \_\_\_\_\_  
City Harrisburg  
State PA Zip Code 17109

Person/Entity Involved

Business Name if applicable \_\_\_\_\_

Phone Number \_\_\_\_\_

Check this box if  
same address as  
accident location.  
Then skip the above  
duplicate address  
lines.

Mr./Ms./Mrs. First Name Moehna Last Name Hughes  
Number 4066 Prefix Rawleigh Street or Highway \_\_\_\_\_  
City Harrisburg State PA Zip Code 17109

Person/Entity Involved

Business Name if applicable \_\_\_\_\_

Phone Number \_\_\_\_\_

Check this box if  
same address as  
accident location.  
Then skip the above  
duplicate address  
lines.

Mr./Ms./Mrs. First Name Tyranah Last Name Hughes  
Number 4066 Prefix Rawleigh Street or Highway \_\_\_\_\_  
City Harrisburg State PA Zip Code 17109

Person/Entity Involved

Business Name if applicable \_\_\_\_\_

Phone Number \_\_\_\_\_

Check this box if  
same address as  
accident location.  
Then skip the above  
duplicate address  
lines.

Mr./Ms./Mrs. First Name Ma. Mae Last Name Hughes  
Number 4066 Prefix Rawleigh Street or Highway \_\_\_\_\_  
City Harrisburg State PA Zip Code 17109

Person/Entity Involved

Business Name if applicable \_\_\_\_\_

Phone Number \_\_\_\_\_

Check this box if  
same address as  
accident location.  
Then skip the above  
duplicate address  
lines.

Mr./Ms./Mrs. First Name Ma. Zyre Last Name Hughes  
Number 4066 Prefix Rawleigh Street or Highway \_\_\_\_\_  
City Harrisburg State PA Zip Code 17109

NFIRS-11 Revision

22033 PA MM 06 11 2010 033 10-0005563 000  Delete  Change  NFIR Suppl

Person/Entity Involved  
 Business Name (if applicable) \_\_\_\_\_ Phone Number \_\_\_\_\_  
 Na Quayen Hughes  
 Mr./Ms./Mrs. First Name MI Last Name  
 4066 4066  
 Number Prefix Street or Highway Street Type  
 \_\_\_\_\_  
 Post Office Box Apt./Suite/Room City  
 PA 17109  
 State Zip Code

Person/Entity Involved  
 Business Name (if applicable) \_\_\_\_\_ Phone Number \_\_\_\_\_  
 MORGANA Hughes  
 Mr./Ms./Mrs. First Name MI Last Name  
 4066 4066  
 Number Prefix Street or Highway Street Type  
 \_\_\_\_\_  
 Post Office Box Apt./Suite/Room City  
 PA 17109  
 State Zip Code

Person/Entity Involved  
 Business Name (if applicable) \_\_\_\_\_ Phone Number \_\_\_\_\_  
 WILLIAMSON Robinson  
 Mr./Ms./Mrs. First Name MI Last Name  
 4066 4066  
 Number Prefix Street or Highway Street Type  
 \_\_\_\_\_  
 Post Office Box Apt./Suite/Room City  
 PA 17109  
 State Zip Code

Person/Entity Involved  
 Business Name (if applicable) \_\_\_\_\_ Phone Number \_\_\_\_\_  
 Anthony CUMBERTSON  
 Mr./Ms./Mrs. First Name MI Last Name  
 4066 4066  
 Number Prefix Street or Highway Street Type  
 \_\_\_\_\_  
 Post Office Box Apt./Suite/Room City  
 PA 17109  
 State Zip Code

Person/Entity Involved  
 Business Name (if applicable) \_\_\_\_\_ Phone Number \_\_\_\_\_  
 Tomaka ARISE  
 Mr./Ms./Mrs. First Name MI Last Name  
 4066 4066  
 Number Prefix Street or Highway Street Type  
 \_\_\_\_\_  
 Post Office Box Apt./Suite/Room City  
 PA 17109  
 State Zip Code

NFIR 11 Rowan

Brandywine

FAX NO. : 6107910642

Jun. 29 2010 01:06PM P18

22033  
\* FDID \*

PA  
\* State \*

MM DD  
6 11  
\* Incident Date \*

2010  
\* YYYY \*

033  
\* Station \*

10-0005563  
\* Incident Number \*

000  
\* Exposure \*

Delay  
 Change

NFIR  
Suppl

Person/Entity Involved

Business name, if applicable:

Phone Number

2010-06-29 01:06

[Redacted]

Audre

[Redacted]

[Redacted]

Drayton

[Redacted]

[Redacted]

22033 PA 6 11 2010 033 10-0005563 000  Delete  Change  MTR  Suppl

Person/Entity Involved

Check this box if name address as listed on incident report. They skip the check and skip the check and skip the check and skip the check.

Business name if applicable: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Mr./Ms./Mrs. First Name: AMY MI Last Name: HUBLEY

Number: 4069 Prefix: \_\_\_\_\_ Street or Highway: Rawleigh Street Type: ST

Post Office Box: \_\_\_\_\_ Apt./Suite/Room: \_\_\_\_\_ City: Harrisburg

State: PA Zip Code: 17109

Person/Entity Involved

Check this box if name address as listed on incident report. They skip the check and skip the check and skip the check and skip the check.

Business name if applicable: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Mr./Ms./Mrs. First Name: MASINE MI Last Name: HUBLEY

Number: 4069 Prefix: \_\_\_\_\_ Street or Highway: Rawleigh Street Type: ST

Post Office Box: \_\_\_\_\_ Apt./Suite/Room: \_\_\_\_\_ City: Harrisburg

State: PA Zip Code: 17109

Person/Entity Involved

Check this box if name address as listed on incident report. They skip the check and skip the check and skip the check and skip the check.

Business name if applicable: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Mr./Ms./Mrs. First Name: CHRISHVA MI Last Name: RAIM

Number: 4062 Prefix: \_\_\_\_\_ Street or Highway: Rawleigh Street Type: ST

Post Office Box: \_\_\_\_\_ Apt./Suite/Room: \_\_\_\_\_ City: Harrisburg

State: PA Zip Code: 17109

Person/Entity Involved

Check this box if name address as listed on incident report. They skip the check and skip the check and skip the check and skip the check.

Business name if applicable: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Mr./Ms./Mrs. First Name: \_\_\_\_\_ MI Last Name: \_\_\_\_\_

Number: \_\_\_\_\_ Prefix: \_\_\_\_\_ Street or Highway: \_\_\_\_\_ Street Type: \_\_\_\_\_

Post Office Box: \_\_\_\_\_ Apt./Suite/Room: \_\_\_\_\_ City: \_\_\_\_\_

State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Person/Entity Involved

Check this box if name address as listed on incident report. They skip the check and skip the check and skip the check and skip the check.

Business name if applicable: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Mr./Ms./Mrs. First Name: \_\_\_\_\_ MI Last Name: \_\_\_\_\_

Number: \_\_\_\_\_ Prefix: \_\_\_\_\_ Street or Highway: \_\_\_\_\_ Street Type: \_\_\_\_\_

Post Office Box: \_\_\_\_\_ Apt./Suite/Room: \_\_\_\_\_ City: \_\_\_\_\_

State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

STATION INCIDENT DATE STATION INCIDENT NUMBER SUBJECT

Delete  Change

Estimated Dollar Loss & Value

	Pre-Incident Value	Estimated Loss	Insured Amount	Settlement A
Buildings	\$1,500,000.00	\$1,500,000.00	\$6,471,360.00	\$
Vehicles	\$0.00	\$0.00	\$0.00	\$
Contents	\$500,000.00	\$500,000.00	\$0.00	\$

Insurance Company

INSURER NAME IS APPLICABLE CONTACT NAME

POST OFFICE BOX CITY

-  -

STATE ZIP CODE PHONE NUMBER

Buildings  Vehicles  Contents

POLICY NUMBER POLICY COVERAGE

# EXHIBIT "D"

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

**WGAL.com**

**Tenant, Firefighters Burned In Morning Blaze**

**12 Apartments Destroyed At Quail Run Complex**

POSTED: 6:40 am EDT June 11, 2010  
UPDATED: 11:22 am EDT June 11, 2010

**LOWER PAXTON TOWNSHIP, Pa.** -- Fire destroyed 12 apartments in Dauphin County early Friday morning, leaving 22 adults and 17 children homeless.

**IMAGES: Fire Destroys 11 Apartments**

It happened at the Quail Run apartments on Rawleigh Street in Lower Paxton Township. The fire started in the back of the building on the second or third floor around 5 a.m.

"Everything in the back is just demolished, like the patios fell over and everybody's stuff is just like wet over there," said witness Jacquise Navedo.

State and local fire officials are investigating the cause. The police chief said one tenant who was severely burned told officers, "Someone is out to get me." Police said they don't know what to make of the statement yet.

Two firefighters were hospitalized for burns to their necks. Two tenants were also hospitalized.

The fire chief said the fire could have been put out faster, but they had to call United Water twice to increase pressure in the hydrants.

*Copyright 2010 by WGAL.com. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.*

Related To Story



**Images: IMAGES: Fire Destroys 12 Apartments**

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

# EXHIBIT "E"

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

**pennlive.com** | **edigital** | **HP Pavilion dv6t Notebook** | **hp** | **int'l** | **STORAGE**

Sign In | Register for free | Site Search | Search Local Business Listings | Search for keywords, people, locations, obituaries, Web ID and more. Submit C | Brought to you by: **KEYSTONE**

Home News Opinion Sports Entertainment Living Interact Jobs Autos Real Estate Rentals Classified Ads Shop

Top Stories



Viral video: Pint-sized 'Thriller' dancer



Look at the year ahead in Harrisburg schools



Photos: Hundreds audition for 'Millionaire'

Home > Old breaking news with The Patriot-News > Breaking News

# Manager injured in bowling alley blaze OK

Published: Wednesday, April 04, 2007, 3:00 PM Updated: Wednesday, April 04, 2007, 7:39 PM

By Carrie Cassidy  
Follow

Recommend Sign up to see what your friends recommend.

Share  
Email  
Print  
submit

Gary Weldner, manager of ABC East Lanes, is in good condition in Penn State Milton S. Hershey Medical-Center after police ordered him out of the Swatara Twp., Dauphin County, bowling alley where a two-alarm fire broke out shortly before noon today.

Police said Weldner was suffering from smoke inhalation.

Cpt. Vito Damone of Swatara Twp. police said Weldner was trying to retrieve money from cash registers when firefighters started to attack the fire, which reportedly started about 11:47 a.m. in the bowling alley at 1101 Eisenhower Blvd.

"I grabbed his arm and told him we have to leave now," Damone said. "I don't think he actually believed the fire was this bad."

Damone said he could hear part of the roof collapsing as they left the building, and he could see flames shooting up 5 to 6 feet high from lanes one through five of the 32-lane bowling alley. By the time they were out of the building, smoke had engulfed the front counter area, he said.


The bowling alley, which was built in 1958, was destroyed. Dismay was written all over Gary Bower's face.

Bower is president of ABC Inc., which operates the bowling alley along with ABC West in Silver Spring Twp. and ABC North in Lower Paxton Twp.

He said the was discovered by two employees, Ron Espenshade and Victor Vogel, in a storage room at the back of the building.

Vogel said he was just coming back inside after dumping some trash when Espenshade told him they had a fire. "...And I didn't believe him. Then I saw the flames and I was shocked," Vogel said.

When light bulbs started to pop, both men realized there was nothing they could do. "I knew I



Michael Fernandez

Smoke is visible for miles from the fire at ABC East Lanes on Eisenhower Boulevard, east of Harrisburg. The fire, which broke out around noon, destroyed the bowling alley, officials said.

RECEIVED

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

wasn't going to be able to do it with a fire extinguisher," Vogel said. "Then all hell broke loose."

Craig Powers, Swatara Twp.'s deputy emergency management coordinator, said firefighters wound up shuttling water to the scene in tanker trucks to get the volume of water they needed to battle the blaze.

"We needed more water than what (the hydrants) could pump out," Powers said. Powers said United Water Co. did what it could to boost the water flow, which ended up causing problems for some businesses near the scene.

The roof of the half-barrel-shaped building collapsed. During a 3 p.m. press briefing, Powers said fire was still burning beneath it. "As you can see, the fire is still not under control," Powers said.

Fire officials finally declared the blaze under control at 3:39 p.m., Powers said. Powers said the building is a total loss, but had no damage estimate.

A track hoe was being brought to the scene from Cleveland Brothers Equipment Co. Inc. to pull back to the front of the building so firefighters could get access to the flames, Powers said.

"We're going to be here probably most of the night," Powers said.

Powers estimated that between 100 and 125 firefighters from Dauphin and Cumberland counties were at the scene. Units from Lebanon, Lancaster and Perry counties were called in to stand by at various Dauphin County stations. No firefighters were hurt, he said.

Powers said the cause is under investigation.

Two state police deputy fire marshals, as well as fire investigator Dennis A. Woodring from the Dauphin County district attorney's office, were at the scene.

Espenshade said there were three workers in the building, two male bowlers and two women keggers who had just arrived for their 12:30 p.m. league play.

Elizabeth Conrad and Sarah Long, both of Rutherford Heights in Swatara Twp., said they saw smoke coming from the pin area of Lane 1 as they walked out of the bathroom.

Conrad and Long, who play with the The Wednesday Afternoon Nuts, grabbed their coats and bowling bags and ran out. "I said, 'Hurry up, Sarah. Let's get out of here,'" Conrad said.

Heavy smoke poured from the building for hours. Flames started to shoot out of the building about 12:30 p.m., after a central section of the roof collapsed. Burning pieces of the roof mixed with the smoke and dropped into a wooded field behind the bowling alley.

For most of the day, Eisenhower Boulevard was lined with fire trucks from more than a dozen fire departments. Crews could be seen wetting down the woods behind the building to keep embers from starting fires nearby.

Soon after the fire started, authorities shut down Eisenhower Boulevard and several other roads.

During the height of the fire, Eisenhower Boulevard was closed from Lindle Road to Quarry Road, and Highland Street was closed from Eisenhower Boulevard to the Oberlin square. Authorities will likely keep the roads closed until well after rush hour, an emergency dispatcher said.

While there has been no official word on the cause of the fire, although a longtime mechanic for the bowling alley said he thinks the fire was caused by an electrical problem.

"I think it probably started out as an electrical fire; it had to be electrical to spread that fast," said mechanic Jake Russ of Harrisburg, who has worked 22 years at ABC East, ABC West and ABC North. "Looks to me there's not going to be much left but a shell," Russ said.

Bowlers were heartbroken.

While George Turnbull of New Cumberland rolls most of his games on the West Shore, he knows Gary Bower and has competed in many tournaments at ABC East. When he heard about the fire, he drove to the scene.

"They made it family-oriented for everybody and something like this happens," Turnbull said, "Unbelievable."

For more on this story, see tomorrow's editions of *The Patriot-News*.

**Related topics:** [ABC East Lanes](#), [Eisenhower Boulevard](#), [fire](#), [Swatara Twp.](#)

Inappropriate post? [Alert us.](#)

#### Sponsored Links

##### Litigation

Free consultation & low cost legal services. Call now 1-800-221-6507  
[www.legalresource.com](http://www.legalresource.com)

##### Escape to Topsail Island

You deserve a quiet family vacation on Topsail Island NC this year.  
[www.wardroby.com](http://www.wardroby.com)

##### Litigation or

Law Enforcement & Criminal Justice Degrees Online.; Request Info NOW!  
[www.dedp.org/info](http://www.dedp.org/info)

**CERTIFICATE OF SERVICE**

I, Gary L. Bailey, Esquire, hereby certify that a true and correct copy of *Complainant's Amended Complaint* was served via electronic mail on this 7 day of May, 2014 upon the following:

Thomas T. Niesen, Esquire  
Charles E. Thomas, III, Esquire  
Thomas, Long, Niesen & Kennard  
212 Locust Street, Suite 500  
P.O. Box 9500  
Harrisburg, PA 17108-9500

Brooks R. Foland, Esquire  
Thomas, Thomas & Hafer, LLP  
305 North Front Street, 6<sup>th</sup> Floor  
P.O. Box 999  
Harrisburg, PA 17108-0999


James M. Terranova, Esquire  
United Water  
200 Old Hook Road  
Harrington Park, NJ 07640-1799

Cyndi Meacham  
United Water Pennsylvania Inc.  
8189 Adams Drive  
Hummelstown, PA 17036

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

  
\_\_\_\_\_  
Gary L. Bailey, Esquire

From (484) 318-7225  
Gary L. Bailey  
Seltz Matkov P.C.  
998 Old Eagle School Road  
Suite 1206  
Wayne, PA 19087

Origin ID: WAYA



Ship Date 07MAY14  
ActWgt: 0.2 LB  
CAD 1022218900NET3490

Delivery Address Bar Code




SHIP TO: (717) 787-8089  
BILL SENDER  
Rosemary Chiavetta  
PA Public Utility Commission  
400 North Street, 2nd Floor  
Commonwealth Keystone Bldg  
HARRISBURG, PA 17120

Ref # GNY/Cuml Run 0360  
Invoice #  
PO #  
Dept #

THU - 08 MAY AA  
STANDARD OVERNIGHT

TRK# 7987 7749 0475  
0201



EN MDTA

17120  
PA-US  
MDT



5220142094220

**After printing this label:**

1. Use the "Print" button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

**RECEIVED**

MAY - 7 2014

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU