

BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION

ANN H. SWARTZ

v.

DOCKET NO. C-2017-2626756

METROPOLITAN EDISON COMPANY

NOTICE TO PLEAD

RECEIVED
2017 NOV - 7 AM 10:27
PA PUC
SECRETARY'S BUREAU

TO: Ann H. Swartz

Pursuant to 52 Pa. Code § 5.63, you are hereby notified that, if you do not file a written response denying or correcting the enclosed Answer and New Matter of Metropolitan Edison Company to the Formal Complaint of Ann H. Swartz within **twenty (20)** days from service of this Notice, the facts set forth by Metropolitan Edison Company in the Answer and New Matter may be deemed to be true, thereby requiring no other proof. All pleadings, such as a Reply to New Matter, must be filed with the Secretary of the Pennsylvania Public Utility Commission, with a copy served to counsel for Metropolitan Edison Company, and where applicable, the Administrative Law Judge presiding over the case.


File with:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
P.O. Box 3265
Harrisburg, PA 17105-3265

With a copy to:

Lauren M. Lepkoski
Tori L. Giesler
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001

Dated: October 18, 2017



Lauren M. Lepkoski, Esquire
Tori L. Giesler, Esquire

No, these are not the facts - No appointment was ever made to install meter, nor did anyone ever come here to install meter. Many facts have been excluded - I have not yet received any answers to my questions concerning meter safety from the manufacturer, independent safety studies - none.

Penn H. Swartz
532 Fourth Lane
York, Pa 17406

HARRISBURG PA 171

06 NOV 2017 PM 4 L



Rosemary Chiavetta, Secretary
PA PUC
Commonwealth Keystone Bldg.
P.O. Box 3265
Harrisburg, PA 17105-3265