

Lauren M. Lepkoski, Esq.
(610) 921-6203
(330) 315-9263 (Fax)

610-929-3601

November 16, 2017

VIA E-FILING

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120


Re: Wes Good and Tabitha Good v. Metropolitan Edison Company
Docket No. C-2017-2631009

Dear Secretary Chiavetta:

Attached please find the Preliminary Objections of Metropolitan Edison Company in the above-referenced matter. This document has been served on the Complainants as shown in the Certificate of Service.

Please contact me if you have any questions.

Very truly yours,


Lauren M. Lepkoski

krak
Enclosures

c: As per Certificate of Service

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

**WES GOOD AND
TABITHA GOOD**

v.

METROPOLITAN EDISON COMPANY

:
:
:
:
:
:

Docket No. C-2017-2631009

NOTICE TO PLEAD

TO: Wes Good and Tabitha Good

Pursuant to 52 Pa. Code § 5.101 you are hereby notified that if you do not file a reply to the enclosed Preliminary Objections of Metropolitan Edison Company within ten (10) days from service of this notice, the facts set forth by Metropolitan Edison Company in the Preliminary Objections may be deemed to be admitted, thereby requiring no other proof. All pleadings, such as a Reply to Objection, must be filed with the Secretary of the Pennsylvania Public Utility Commission, with a copy service to counsel for Metropolitan Edison Company, and where applicable, the Administrative Law Judge presiding over the case.


File with:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

With a copy to:

Lauren M. Lepkoski
Tori L. Giesler
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001

Date: November 16, 2017



Lauren M. Lepkoski, Esquire
Tori L. Giesler, Esquire

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

WES GOOD AND TABITHA GOOD	:	
	:	
v.	:	Docket No. C-2017-2631009
	:	
METROPOLITAN EDISON COMPANY	:	

**PRELIMINARY OBJECTION TO THE FORMAL COMPLAINT OF
WES GOOD AND TABITHA GOOD**

TO THE PENNSYLVANIA PUBLIC UTILITY COMMISSION:

AND NOW, Metropolitan Edison Company ("Met-Ed" or the "Company"), by and through its counsel, Lauren M. Lepkoski and Tori L. Giesler, files this Preliminary Objection pursuant to Section 5.101(a) of Pennsylvania Public Utility Commission ("Commission") regulations, 52 Pa. Code § 5.101(a)(1), and in support thereof, avers as follows:

I. Introduction

1. In their recently filed Formal Complaint, Wes Good and Tabitha Good ("Complainants"), who reside at 50 Frystown Road, Myerstown, Pennsylvania 17067 ("Service Location") allege that they do not want a smart meter installed at the Service Location. (Formal Complaint ¶¶ 4, 5.) The Complainants state as requested relief:

We want to continue to use our current analog meter without threat of electric shut off or concern that we will come home one day to find the meter replaced. We want our home to continue to be a place of refuse without worry as to which rooms of our home should be avoided due to radiation emitting form the electric meter. We want to enjoy our home without the emotional distress* a "smart" meter will produce. We don't want to have to try to figure out how to retrofit our home to shield our family from the radiation. All these issues are non-existent with our analog meter.

*and physical hazard

(Formal Complaint ¶ 5.)

2. The Company is in the process of deploying smart meters in its service territory in accordance with Act 129 of 2008 (“Act 129”).¹

3. On September 11, 2017, the Company sent correspondence to the Complainant for the Service Location regarding the installation of a smart meter at the Service Location. On September 26, 2017, a Company representative spoke with Mrs. Good who stated that she was refusing the installation of a smart meter at the Service Location. On September 28, 2017, the Company received notification from Wellington Energy, a contractor for the Company, that the Complainant was refusing installation of the smart meter. On October 10, 2017, a pre-disconnection warning letter was sent to the Complainant pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81 and Rules 9 and 20 of the Company’s Commission-approved Tariff.² On October 10, 2017, the Company attempted to contact the Complainants at the telephone numbers on the Account, but the cell phone number was no longer in service and the home phone number did not allow the Company representative to leave a message. On October 20, 2017, a service termination notice was issued to the Complainants due to their refusal to allow access to install the Company’s smart meter. On October 23, 2017, Mrs. Good contacted the Company to again refuse installation of the smart meter. The Company representative explained that installation could not be delayed and the electric service would be terminated. Dispute rights were provided to Mrs. Good as she indicated that she was not satisfied with the results of her telephone call. On October 27, 2017, the instant Formal Complaint was served on the Company and termination efforts ceased.

¹ 66 Pa.C.S. § 2806.1 *et seq.* Among other things, Act 129 specifically directed that electric distribution companies with at least 100,000 customers file a smart meter technology procurement and installation plan with the Commission for approval. 66 Pa.C.S. § 2807(f)(1) and (2).

² *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, 55, issued May 1, 2015, effective May 3, 2015.

4. As explained in greater detail below, even if all of the facts in the Formal Complaint are accepted as true, they do not constitute a violation of any law which the Commission has jurisdiction to administer, or of any regulation or order of the Commission, such that relief can be granted. *See* 66 Pa.C.S. § 701.

5. As a result, the Company requests that this Preliminary Objection be granted and that the Commission: (1) strike the Complainants' request for an exemption from the installation of a smart meter; (2) dismiss the Formal Complaint in its entirety with prejudice; and (3) grant the Company such other relief as may be just and reasonable under the circumstances.

II. Background

6. Met-Ed is an electric distribution company that is certificated as a public utility in Pennsylvania.

7. On September 11, 2017, the Company sent correspondence to the Complainant for the Service Location regarding the installation of a smart meter at the Service Location. On September 26, 2017, a Company representative spoke with Mrs. Good who stated that she was refusing the installation of a smart meter at the Service Location. On September 28, 2017, the Company received notification from Wellington Energy, a contractor for the Company, that the Complainant was refusing installation of the smart meter. On October 10, 2017, a pre-disconnection warning letter was sent to the Complainant pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81 and Rules 9 and 20 of the Company's Commission-approved Tariff.³ On October 10, 2017, the Company attempted to contact the Complainants at the telephone numbers on the Account, but the cell phone number was no longer in service and the home phone number did not allow the Company representative to leave a message. On October 20, 2017, a service termination

³ *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, 55, issued May 1, 2015, effective May 3, 2015.

notice was issued to the Complainants due to their refusal to allow access to install the Company's smart meter. On October 23, 2017, Mrs. Good contacted the Company to again refuse installation of the smart meter. The Company representative explained that installation could not be delayed and the electric service would be terminated. Dispute rights were provided to Mrs. Good as she indicated that she was not satisfied with the results of her telephone call.

8. On October 24, 2017, the Complainants filed a Formal Complaint with the Commission against Met-Ed at the above-captioned docket. The Company was electronically served with the Formal Complaint on October 27, 2017.

9. Met-Ed is timely filing its Answer and New Matter contemporaneously with this Preliminary Objection, which Answer and New Matter is incorporated into this Preliminary Objection as if fully set forth herein.

III. Argument

10. The Commission's Rules of Practice and Procedure permit parties to file preliminary objections. The grounds for preliminary objections are limited to those set forth in 52 Pa. Code § 5.101(a) as follows:

- (1) Lack of Commission jurisdiction or improper service of the pleading initiating the proceeding.
- (2) Failure of a pleading to conform to this chapter or the inclusion of scandalous or impertinent matter.
- (3) Insufficient specificity of a pleading.
- (4) Legal insufficiency of a pleading.
- (5) Lack of capacity to sue, nonjoinder of a necessary party or misjoinder of a cause of action.
- (6) Pendency of a prior proceeding or agreement for alternative dispute resolution.
- (7) Standing of a party to participate in the proceeding.

11 The Commission's procedure regarding the disposition of preliminary objections is similar to that utilized in Pennsylvania civil practice. *Equitable Small Transportation Intervenors v. Equitable Gas Company*, Docket No. C-00935435 (Opinion and Order entered July 18, 1994).

12. A preliminary objection in civil practice seeking dismissal of a pleading will be granted only where relief is clearly warranted and free from doubt. *Interstate Traveler Services, Inc. v. Pa. Dept. of Environmental Resources*, 406 A.2d 1020 (Pa. 1979); *Rivera v. Philadelphia Theological Seminary of St. Charles Borromeo, Inc.*, 595 A.2d 172 (Pa. Super. 1991). The Commission has adopted this standard. *Montague v. Philadelphia Electric Company*, 66 Pa. PUC 24 (1988).

13. In accordance with Section 701 of the Code, 66 Pa.C.S. § 701, a person may file a complaint which sets forth "any act or thing done or omitted to be done by any public utility in violation, or claimed violation, of any law which the commission has jurisdiction to administer, or of any regulation or order of the commission." As explained below, the Company has not violated the Public Utility Code or the orders or regulations of the Commission.⁴ In fact, the Company's action have been in compliance with Act 129 and the June 5 Order.

14. The moving party may not rely on its own factual assertions, but must accept for the purposes of disposition of the preliminary objection, all well-pleaded, material facts of the other party, as well as every inference fairly deducible from those facts. *County of Allegheny v. Commw. of Pa.*, 490 A.2d 402 (Pa. 1985). Therefore, in ruling on a preliminary objection, the Commission must assume, for decisional purposes only, that the factual allegations of the Formal Complaint are true. *Id.*

⁴ 66 Pa.C.S. § 701.

15. Met-Ed's smart meter deployment plan was approved by the Commission at Docket No. M-2013-2341990 by Order entered June 5, 2014. In accordance with the June 5 Order, the Company filed its final Smart Meter Deployment Plan ("SMP") on June 16, 2014. The SMP was approved by the Commission on June 20, 2014. The Complainants challenge no aspect of the Company's provision of electric service other than the installation of a smart meter at the Service Location, as required by Act 129 and the Company's SMP.

16. Commission precedent is uniform that it cannot grant exceptions to the statutory directive that smart meters be installed by allowing customers to opt out.⁵

17. Assuming the facts pleaded in the Formal Complaint are true, as the Commission must for the purposes of ruling on a preliminary objection, the Complainants have failed to allege that Met-Ed has committed or omitted an act in violation of a Commission statute, regulation, order, or Met-Ed's tariff, a finding of which must be made in order to sustain a formal complaint. *See* 66 Pa.C.S. § 701; *County of Allegheny, supra*. (Compl. ¶ 4).

18. Because Act 129 and the Commission's orders not only authorize but require the Company to develop and implement a smart meter procurement and installation plan, and do not allow a customer to opt out of having a smart meter installed, this Complaint must be dismissed. As a matter of law, the Company is required to install a smart meter at the Service Location. As

⁵ *Negley v. Metropolitan Edison Company*, Docket No. C-2010-2205305 (Initial Decision dated January 3, 2011 became final without Commission action closed March 3, 2011); *Lutherschmidt v. Metropolitan Edison Company*, Docket No. C-2010-2200353 (Final Order entered March 25, 2011). The Commission has continued to uphold installation of smart meters by dismissing complaints opposing installation of smart meters on the basis of legal insufficiency. *Corbett v. Pennsylvania Power Company*, Docket No. C-2011-2219898 (Final Order entered May 27, 2011); *Jones v. Metropolitan Edison Company*, Docket No. C-2011-2224380 (Final Order entered June 28, 2011); *Griffin v. Metropolitan Edison Company*, Docket No. C-2012-2300172 (Final Order entered November 16, 2012); *Brake v. Met-Ed Company*, Docket No. C-2013-2367308 (Final Order entered November 14, 2013); *Drake v. Metropolitan Edison Company*, Docket No. C-2014-2413771 (Final Order entered June 12, 2014); *Efaw v. Met-Ed Company*, Docket No. C-2014-2413744 (Final Order entered June 12, 2014). *See also*, the Initial Decision of ALJ Susan D. Colwell in *Dennis McElwain v. Pennsylvania Power Company*, Docket No. C-2014-2451478 issued December 3, 2015.

such, the Commission cannot find the Company to be in violation for having attempted to follow the law as it has done here.

19. Therefore, the Formal Complaint is legally insufficient because it fails to state a claim upon which the Commission can grant relief. *See* 52 Pa. Code § 5.101(a)(4).

20. The Commission may dismiss a complaint without hearing if a hearing is not necessary in the public interest. 66 Pa.C.S. § 703(b); 52 Pa. Code § 5.21 (d).

21. Recently, the Commission set for hearing two cases in which the complainant was opposed to the installation of a smart meter at their premises.⁶ These cases represent a departure from past Commission practice of dismissing such complaints on Preliminary Objections. The Commission stated that where a complainant has presented specific factual averments regarding the health or other effects that they have experienced after a smart meter was installed at their home, the Commission has overruled Preliminary Objections and allowed a case to proceed. Specifically, in *Kreider*, the complainant alleged specific deleterious health effects after installation of a smart meter affecting her specific medical condition. Further, in *Van Schoyck*, the complainants alleged potential health risks due to constant ringing noise in their home and their inability to sleep since the time the smart meter was installed.⁷ In contrast, in the instant case, the Complainants have made no specific factual averments regarding health or other effects experienced which began *after* a smart meter was installed. In fact, the Complainants only alleges generic concerns, and as relief they want the Commission to bar the Company from installing a smart meter. The Commission has not recognized a general assertion of health or safety concerns

⁶ *Susan Kreider v. PECO Energy Company*, Docket No. C-2015-2469655 (Order on Reconsideration entered January 28, 2016); *Stephen and Diane Van Schoyck v. PECO Energy Company*, Docket No. C-2015-2478239 (Opinion and Order entered February 25, 2016).

⁷ *Id.*

as sufficient to overcome Preliminary Objections.⁸ Therefore, the Company respectfully submits that the matters plead in the subject Formal Complaint do not meet the standards set in the *Kreider* and *Van Schoyck* cases such that this matter can survive dismissal on preliminary objections.

22. Further, the Commission has upheld decisions granting preliminary objections and dismissing complaints for legal insufficiency opposing smart meter installation. In *Richard Negley v. Metropolitan Edison Company*, Docket No. C-2010-2205305 (Initial Decision issued January 3, 2011), ALJ Susan D. Colwell dismissed a complaint opposing installation of smart meters for legal insufficiency. ALJ Colwell concluded that Act 129 of 2008 authorized the installation of smart meters by EDCs. ALJ Colwell held that the Commission's orders approving the EDC's smart meter plans did not exempt any customers from the smart meter plans. By Commission final order entered March 3, 2011, ALJ Colwell's Initial Decision became final without further Commission action.

IV. Conclusion


WHEREFORE, for the foregoing reasons, Metropolitan Edison Company respectfully requests that the Commission: (1) grant its Preliminary Objections and strike the Complainants'

⁸ *Richard and Marie Fugo in care of Fugo Eye Institute v. PECO Energy Company*, Docket Nos. C-2015-2519763 and C-2015-2519770 (Order entered April 6, 2016).

request for an exemption from the installation of a smart meter; (2) dismiss the Formal Complaint in its entirety with prejudice; and (3) grant the Company such other relief as may be just and reasonable under the circumstances.

Respectfully submitted,

Dated: November 16, 2017



Lauren M. Lepkoski
Attorney No. 94800
Tori L. Giesler
Attorney No. 207742
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001
(610) 921-6203
(610) 921-6658
llepkoski@firstenergycorp.com
tgiesler@firstenergycorp.com

Counsel for Metropolitan Edison Company

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

WES GOOD AND TABITHA GOOD	:	
	:	
v.	:	Docket No. C-2017-2631009
	:	
METROPOLITAN EDISON COMPANY	:	


CERTIFICATE OF SERVICE

I hereby certify that I have this day served a true copy of the Preliminary Objections of Metropolitan Edison Company to the Formal Complaint of Wes Good and Tabitha Good upon the individuals listed below, in accordance with the requirements of 52 Pa. Code § 1.54 (relating to service by a participant).

Service by First Class Mail, postage prepaid, as follows:

Wes Good and Tabitha Good
50 Frystown Road
Myerstown, PA 17067

Dated: November 16, 2017



Lauren M. Lepkoski
Tori L. Giesler
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001
(610) 921-6203
(610) 921-6658
llepkoski@firstenergycorp.com
tgiesler@firstenergycorp.com