



April 12, 2018

**By FedEx**

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

RECEIVED

APR 20 2018

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

Re: Aggressive Energy LLC

A-2016-2557226

Load Serving Entity Compliance (Docket M-2010-2157431)

Dear Ms. Chiavetta:

Pursuant to Docket M-2010-2157431, enclosed please find the Load Serving Entity Compliance Form and related attachments for Aggressive Energy LLC.

Please contact me at the number below should you have questions or require further information.

Best regards,

Michael Crane

Controller

Enclosure

## LOAD SERVING ENTITY COMPLIANCE REQUIREMENT FORM

On an annual basis, EGSs providing retail electric supply service (i.e. take title to electricity) must file with the Commission this Load Serving Entity (LSE) Compliance Requirement Form. EGSs are directed to attach to this form documentation which provides the following:

- Proof of registration as a PJM LSE, or
- Proof of a contractual arrangement with a registered PJM LSE that facilitates the retail electricity services of the EGS.

Examples of sufficient documentation to satisfy this compliance requirement include, but may not be limited to:

- A screen print showing that the EGS is listed as a Party to an effective version of the PJM Reliability Assurance Agreement (RAA), located at Schedule 17 of the RAA.
- Correspondence, such as an e-mail screen print or regular mail scan, from PJM verifying membership as an LSE.
- Documentation of an effective contract between the EGS and another party that serves as the LSE on behalf of the EGS. In such a case, the documentation must also include proof that the party fulfilling the LSE role is indeed registered with the PJM as an LSE

EGSs may mark all or portions of their filing confidential.

EGSs which do not provide retail electric supply service, such as brokers, are not required to file an LSE Compliance Requirement Form.

---

The EGS provides retail electric supply service and has attached compliance with the LSE requirement hereto.

*Description of attachment (provide a brief description of the attachment below):*

The attachments include an email confirmation from PJM and a screen shot of the PJM Member List which names Aggressive Energy LLC as a voting member.

RECEIVED

APR 20 2018

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU



[Home](#) [About PJM](#) [Member Services](#) [Member List](#)

## Member List

PJM Membership as of April 11, 2018

1026 PJM Members

0 Ex Officio

Total = 1026

Current Members		Pending Members	
Company	Parent Company	Sector	Member Type
<input type="text" value="Aggressive"/>	<input type="text" value="Search"/>	<input type="text" value="All"/> ▼	<input type="text" value="All"/> ▼
Aggressive Energy LLC	Not applicable	Other Supplier	Voting Member

Total: 1

## Mike Crane

---

**From:** Egan, Amanda <Amanda.Egan@pjm.com>  
**Sent:** Thursday, April 12, 2018 9:13 AM  
**To:** Mike Crane  
**Cc:** Niemeyer, Jay; Dan Messina; Gresh, Leslie  
**Subject:** Aggressive Energy LLC

To whom it may concern,

Aggressive Energy LLC is a load serving entity and signed the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region on April 7, 2014.

Please contact me with any further questions.

Thank you,

Amanda Egan  
Sr. Stakeholder Process Specialist, Stakeholder Relations

Hotline: (866) 400-8980 | (610) 666-4605 | [Amanda.Egan@pjm.com](mailto:Amanda.Egan@pjm.com)  
PJM Interconnection | 2750 Monroe Blvd. | Audubon, PA 19403

ORIGIN ID:EGXA (718) 836-9222  
MICHAEL CRANE  
AGGRESSIVE ENERGY LLC  
78 RAPELYE STREET

BROOKLYN, NY 11231  
UNITED STATES US

SHIP DATE: 20APR18  
ACTWGT: 1.00 LB  
CAD: 105443269/NET3980

BILL SENDER

TO ROSEMARY CHIAVETTA, SECRETARY  
PENNSYLVANIA PUBLIC UTILITY COMMISS  
COMMONWEALTH KEYSTONE BUILDING  
400 NORTH STREET  
HARRISBURG PA 17120

562,119,132,DC,45


(718) 836-9222

REF:

INV.

DEPT:

PO:




MON - 23 APR 3:00P  
STANDARD OVERNIGHT

TRK# 7720 4999 0778  
0201

SH MDTA

17120  
PA-US MDT



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, mis-delivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.