

Tori L. Giesler, Esq.
(610) 921-6658
(330) 315-9263 (Fax)

July 22, 2019

VIA ELECTRONIC-FILING

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

Re: Charles and Sylvia Bolte v. Metropolitan Edison Company
Docket No. C-2019-3011287

Dear Secretary Chiavetta:

Attached please find the Preliminary Objections of Metropolitan Edison Company in the above-referenced matter. This document has been served on the Complainants as shown in the Certificate of Service.

Please contact me if you have any questions.

Very truly yours,



Tori L. Giesler

krak
Enclosures

c: As per Certificate of Service

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

CHARLES AND SYLVIA BOLTE

v.

METROPOLITAN EDISON COMPANY

:
:
:
:
:

Docket No. C-2019-3011287

NOTICE TO PLEAD

TO: Charles and Sylvia Bolte

Pursuant to 52 Pa. Code § 5.101 you are hereby notified that if you do not file a reply to the enclosed Preliminary Objections of Metropolitan Edison Company within ten (10) days from service of this notice, the facts set forth by Metropolitan Edison Company in the Preliminary Objections may be deemed to be admitted, thereby requiring no other proof. All pleadings, such as a Reply to Objection, must be filed with the Secretary of the Pennsylvania Public Utility Commission, with a copy service to counsel for Metropolitan Edison Company, and where applicable, the Administrative Law Judge presiding over the case.

File with:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

With a copy to:

Lauren M. Lepkoski
Tori L. Giesler
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001

Date: July 22, 2019



Lauren M. Lepkoski, Esquire
Tori L. Giesler, Esquire

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

CHARLES AND SYLVIA BOLTE	:	
	:	
v.	:	Docket No. C-2019-3011287
	:	
METROPOLITAN EDISON COMPANY	:	

**PRELIMINARY OBJECTION TO THE FORMAL COMPLAINT OF
CHARLES AND SYLVIA BOLTE**

TO THE PENNSYLVANIA PUBLIC UTILITY COMMISSION:

AND NOW, Metropolitan Edison Company (“Met-Ed” or the “Company”), by and through its counsel, Lauren M. Lepkoski and Tori L. Giesler, files this Preliminary Objection pursuant to Section 5.101(a) of Pennsylvania Public Utility Commission (“Commission”) regulations, 52 Pa. Code § 5.101(a)(1), and in support thereof, avers as follows:

I. Introduction

1. In their recently filed Formal Complaint, Charles and Sylvia Bolte (“Complainants”) alleges that they do not want a smart meter installed at 108 Pinebrook Road, Milford, Pennsylvania 18337 (“Service Location”). (Formal Complaint ¶ 5.) The Complainants state as requested relief:

I am asking that Met-Ed not shut off the power and not install a smart meter on my house. I make this request due to the electro-hypersensitivity I experience. This sensitivity confines me to my home because I am very reactive to electromagnetic radiation that is more prevalent in our environment due to the extensive use of wireless technology. I do not use Wi-Fi or wireless devices in my home. I don't have a cell phone because I have negative reactions when I am exposed to even one device. I experience many symptoms some of which are shaking, vibrating, dizziness, throbbing, digestive disturbance, pain in many areas of the body, disorientation, numbness of the head and face, ears ringing, eye disturbances, weakness, heaviness, fatigue, unsteady standing and walking, a drugged feeling making it hard to think clearly. The longer I am exposed the more cumulative the effects and debilitation. In addition I have also been experiencing postmenopausal

bleeding which makes me feel even more vulnerable at this time. I am presently and have been on the Pennsylvania Department of Agriculture hypersensitivity registry for many years because of multiple chemical sensitivity. I have been seeing a neurologist and have enclosed a statement from the doctor. Many articles have been published about the health threats of this type of radiation. I ask that you take this matter into careful consideration being that having a smart meter installed would be a terrible threat to my health and well-being.

(Formal Complaint ¶ 5.)

2. The Company is in the process of deploying smart meters in its service territory in accordance with Act 129 of 2008 (“Act 129”).¹

3. On September 1, 2017, Mrs. Bolte contacted the Company to dispute the smart meter installation. On August 22, 2018, Mrs. Bolte contacted the Company a second time to dispute the smart meter installation. On June 9, 2019, the Company sent correspondence to Mr. Bolte, the customer of record (“Customer”), in an attempt to schedule installation of a smart meter at the Service Location. On June 19, 2019, a pre-disconnection warning letter was issued to the Customer pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81, and Rules 9 and 20 of the Company’s Commission-approved tariff.² On June 28, 2019, Mrs. Bolte contacted the Company regarding the installation of a smart meter at the Service Location and reiterated her refusal. On June 29, 2019, the Complainants filed the Formal Complaint with the Commission. On June 30, 2019, a service termination notice was issued to the Customer pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81, and Rules 9 and 20 of the Company’s Commission-approved tariff.³ On July 2, 2019, the Formal Complaint was electronically served on the Company and all termination efforts ceased.

¹ 66 Pa.C.S. § 2806.1 *et seq.* Among other things, Act 129 specifically directed that electric distribution companies with at least 100,000 customers file a smart meter technology procurement and installation plan with the Commission for approval. 66 Pa.C.S. § 2807(f)(1) and (2).

² 66 Pa.C.S. § 1406(a)(4); 52 Pa. Code § 56.81(3); *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, 55, issued May 1, 2015, effective May 2, 2015.

³ *Id.*

4. As explained in greater detail below, even if all of the facts in the Formal Complaint are accepted as true, they do not constitute a violation of any law which the Commission has jurisdiction to administer, or of any regulation or order of the Commission, such that relief can be granted.⁴

5. As a result, the Company requests that this Preliminary Objection be granted and that the Commission: (1) strike the Complainants' request for an exemption from the installation of a smart meter; (2) dismiss the Formal Complaint in its entirety with prejudice; and (3) grant the Company such other relief as may be just and reasonable under the circumstances.

II. Background

6. Met-Ed is an electric distribution company that is certificated as a public utility in Pennsylvania.

7. On September 1, 2017, Mrs. Bolte contacted the Company to dispute the smart meter installation. On August 22, 2018, Mrs. Bolte contacted the Company a second time to dispute the smart meter installation. On June 9, 2019, the Company sent correspondence to the Customer in an attempt to schedule installation of a smart meter at the Service Location. On June 19, 2019, a pre-disconnection warning letter was issued to the Customer pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81, and Rules 9 and 20 of the Company's Commission-approved tariff.⁵ On June 28, 2019, Mrs. Bolte contacted the Company regarding the installation of a smart meter at the Service Location and reiterated her refusal. On June 30, 2019, a service termination notice was issued to the Customer pursuant to 66 Pa.C.S. § 1406, 52 Pa. Code § 56.81, and Rules 9 and 20 of the Company's Commission-approved tariff.⁶

⁴ See 66 Pa.C.S. § 701.

⁵ 66 Pa.C.S. § 1406(a)(4); 52 Pa. Code § 56.81(3); *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, 55, issued May 1, 2015, effective May 2, 2015.

⁶ *Id.*

8. On June 29, 2019, the Complainants filed a Formal Complaint with the Commission against the Company at the above-captioned docket. On July 2, 2019, the Company was electronically served with the Formal Complaint and termination efforts ceased.

9. The Company is timely filing its Answer and New Matter contemporaneously with this Preliminary Objection, which Answer and New Matter is incorporated into this Preliminary Objection as if fully set forth herein.

III. Argument

10. The Commission's Rules of Practice and Procedure permit parties to file preliminary objections. The grounds for preliminary objections are limited to those set forth in 52 Pa. Code § 5.101(a) as follows:

- (1) Lack of Commission jurisdiction or improper service of the pleading initiating the proceeding.
- (2) Failure of a pleading to conform to this chapter or the inclusion of scandalous or impertinent matter.
- (3) Insufficient specificity of a pleading.
- (4) Legal insufficiency of a pleading.
- (5) Lack of capacity to sue, nonjoinder of a necessary party or misjoinder of a cause of action.
- (6) Pendency of a prior proceeding or agreement for alternative dispute resolution.
- (7) Standing of a party to participate in the proceeding.

11. The Commission's procedure regarding the disposition of preliminary objections is similar to that utilized in Pennsylvania civil practice.⁷

⁷ *Equitable Small Transportation Intervenors v. Equitable Gas Company*, Docket No. C-00935435 (Opinion and Order entered August 158, 1994).

12. A preliminary objection in civil practice seeking dismissal of a pleading will be granted only where relief is clearly warranted and free from doubt.⁸ The Commission has adopted this standard.⁹

13. In accordance with Section 701 of the Code¹⁰ a person may file a complaint which sets forth “any act or thing done or omitted to be done by any public utility in violation, or claimed violation, of any law which the commission has jurisdiction to administer, or of any regulation or order of the commission.” As explained below, the Company has not violated the Public Utility Code or the orders or regulations of the Commission.¹¹ In fact, the Company’s actions have been in compliance with Act 129 and the June 5 Order. Further, the Company may, in its sole and exclusive discretion, install such meters and related equipment it deems reasonable and appropriate to provide service to its customers.¹²

14. The moving party may not rely on its own factual assertions but must accept for the purposes of disposition of the preliminary objection, all well-pleaded, material facts of the other party, as well as every inference fairly deducible from those facts.¹³ Therefore, in ruling on a preliminary objection, the Commission must assume, for decisional purposes only, that the factual allegations of the Formal Complaint are true.¹⁴

15. Met-Ed’s smart meter deployment plan was approved by the Commission at Docket No. M-2013-2341990 by Order entered June 5, 2014. In accordance with the June 5 Order, the Company filed its final Smart Meter Deployment Plan (“SMP”) on June 16, 2014. The SMP was

⁸ *Interstate Traveler Services, Inc. v. Pa. Dept. of Environmental Resources*, 406 A.2d 1020 (Pa. 1979); *Rivera v. Philadelphia Theological Seminary of St. Charles Borromeo, Inc.*, 595 A.2d 172 (Pa. Super. 1991).

⁹ *Montague v. Philadelphia Electric Company*, 66 Pa. PUC 24 (1988).

¹⁰ 66 Pa.C.S. § 701.

¹¹ *Id.*

¹² *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, issued May 1, 2015, effective August 15, 2015.

¹³ *County of Allegheny v. Commw. of Pa.*, 490 A.2d 402 (Pa. 1985).

¹⁴ *Id.*

approved by the Commission on June 20, 2014. The Complainants challenge no aspect of the Company's provision of electric service other than the installation of a smart meter at the Service Location, as required by Act 129 and the Company's SMP.

16. Commission precedent is uniform that it cannot grant exceptions to the statutory directive that smart meters be installed by allowing customers to opt out.¹⁵

17. Assuming the facts pleaded in the Formal Complaint are true, as the Commission must for the purposes of ruling on a preliminary objection, the Complainants have failed to allege that Met-Ed has committed or omitted an act in violation of a Commission statute, regulation, order, or Met-Ed's tariff, a finding of which must be made in order to sustain a formal complaint.¹⁶

18. Because Act 129 and the Commission's orders not only authorize but require the Company to develop and implement a smart meter procurement and installation plan, and do not allow a customer to opt out of having a smart meter installed, this Formal Complaint must be dismissed. As a matter of law, the Company is required to install a smart meter at the Service Location. As such, the Commission cannot find the Company to be in violation for having attempted to follow the law as it has done here.

19. Therefore, the Formal Complaint is legally insufficient because it fails to state a claim upon which the Commission can grant relief.¹⁷

¹⁵ *Negley v. Metropolitan Edison Company*, Docket No. C-2010-2205305 (Final Order entered March 3, 2011); *Luthersmidt v. Metropolitan Edison Company*, Docket No. C-2010-2200353 (Final Order entered March 25, 2011). The Commission has continued to uphold installation of smart meters and imposition of smart meter charges on customers' bills by dismissing complaints opposing installation of smart meters and imposition of smart meter charges on the basis of legal insufficiency. *Corbett v. Pennsylvania Power Company*, Docket No. C-2011-2219898 (Final Order entered May 27, 2011); *Jones v. Metropolitan Edison Company*, Docket No. C-2011-2224380 (Final Order entered June 28, 2011); *Griffin v. Metropolitan Edison Company*, Docket No. C-2012-2300172 (Final Order entered July 31, 2012); *Brake v. West Penn Power Company*, Docket No. C-2013-2367308 (Opinion and Order entered November 14, 2013); *Drake v. Pennsylvania Electric Company*, Docket No. C-2014-2413771 (Final Order entered June 12, 2014); *Efaw v West Penn Power Company*, Docket No. C-2014-2413744 (Final Order entered June 12, 2014). See also, the Initial Decision of ALJ Susan D. Colwell in *Dennis McElwain v. Pennsylvania Power Company*, Docket No. C-2014-2451478 issued December 16, 2015.

¹⁶ See 66 Pa.C.S. § 701; *County of Allegheny, supra*.

¹⁷ See 52 Pa. Code § 5.101(a)(4).

20. The Commission may dismiss a complaint without hearing if a hearing is not necessary in the public interest.¹⁸

21. Recently, the Commission set for hearing two cases in which the complainant was opposed to the installation of a smart meter at their premises.¹⁹ These cases represent a departure from past Commission practice of dismissing such complaints on Preliminary Objections. The Commission stated that where a complainant has presented specific factual averments regarding the health or other effects that they have experienced after a smart meter was installed at their home, the Commission has overruled Preliminary Objections and allowed a case to proceed. Specifically, in *Kreider*, the complainant alleged specific deleterious health effects after installation of a smart meter affecting her specific medical condition. Further, in *Van Schoyck*, the complainants alleged potential health risks due to constant ringing noise in their home and their inability to sleep since the time the smart meter was installed.²⁰ In contrast, in the instant case, the Complainants have made no specific factual averments regarding any health effects experienced *after* a smart meter has been installed. Specifically, the Complainants are refusing smart meter installation at the Service Location due to health concerns.²¹ The Commission has not recognized a customer's lack of consent to install a smart meter as sufficient to overcome preliminary objections.²² Further, the Commission has upheld decisions finding that a utility has the ability to terminate the service of a customer who refuses installation of a smart meter.²³ Therefore, the

¹⁸ 66 Pa.C.S. § 703(b); 52 Pa. Code § 5.21 (d).

¹⁹ *Susan Kreider v. PECO Energy Company*, Docket No. C-2015-2469655 (Order on Reconsideration entered January 28, 2016); *Stephen and Diane Van Schoyck v. PECO Energy Company*, Docket No. C-2015-2478239 (Opinion and Order entered February 26, 2016).

²⁰ *Id.*

²¹ Formal Complaint ¶ 5.

²² *Richard and Marie Fugo in care of Fugo Eye Institute v. PECO Energy Company*, Docket Nos. C-2015-2519763 and C-2015-2519770 (Order entered April 6, 2016).

²³ *Art Larson v. PECO Energy Company*, Docket No. C-2014-2451754 (Opinion and Order entered June 11, 2015). See also, *Catherine J. Frompovitch v. PECO Energy Company*, Docket No. C-2015-2474592 (Opinion and Order entered May 3, 2018).

Company respectfully submits that the matters plead in the subject Formal Complaint do not meet the standards set in the *Kreider* and *Van Schoyck* cases such that this matter can survive dismissal on preliminary objections.

22. In *Charles F. Jackson v. Pennsylvania Electric Company*, Docket No. C-2017-2600495 (Order Entered August 31, 2017), the Commission approved the Initial Decision of ALJ David A. Salapa, dated June 26, 2017, which granted the preliminary objections of Pennsylvania Electric Company and dismissed the formal complaint of Mr. Jackson (who was disputing the installation of a smart meter), finding that the formal complaint was legally insufficient, pursuant to 52 Pa. Code § 5.101(a)(4), in that the complaint failed to allege that the utility violated the Public Utility Code, Commission regulations or orders or the utility's tariff provisions. The respondent was found to be authorized to install smart meters and impose a charge on its customers to develop and implement a smart meter procurement and installation plan that will lead to the installation of smart meters throughout its service territory. ALJ Salapa further found that the respondent was authorized to terminate the Mr. Jackson's service if he refused to provide the respondent with access to its meter and equipment to install the smart meter.

This Commission decision was entered after *Kreider*. The Formal Complaint is similar to the alleged averments in the formal complaint at Docket No. C-2017-2600495, in that the Complainants have only alleged that she does not want a smart meter installed at the Service Location. The Complainants have not set forth in their complaint that any act done by the Company violates a Commission regulation, statute or order.

23. Therefore, the Company respectfully submits that the matters plead in the Formal Complaint do not meet the standards set in the *Kreider* and *Van Schoyck* cases such that this matter can survive dismissal on preliminary objections.

24. Further, the Commission has upheld decisions granting preliminary objections and dismissing complaints for legal insufficiency opposing smart meter installation. In *Negley*, ALJ Susan D. Colwell dismissed a complaint opposing installation of smart meters for legal insufficiency. ALJ Colwell concluded that Act 129 of 2008 authorized the installation of smart meters by EDCs. ALJ Colwell held that the Commission's orders approving EDCs smart meter plans did not exempt any customers from the smart meter plans. By Commission final order entered March 3, 2011, ALJ Colwell's Initial Decision became final without further Commission action.

25. Rule 9 of the Company's Commission-approved tariff²⁴ allows the Company to have access to its customers' premises for any and all purposes relating to the supply of electric energy which includes the exchange of meters. The Complainants' refusal to allow the Company access to its own meter is a violation of Rules 9 and 20 of the Company's Commission-approved tariff²⁵ and is grounds for termination of service in accordance with 66 Pa.C.S. § 1406(a)(4) and 52 Pa. Code § 56.81(3). The Commission has also upheld decisions finding that a utility has the ability to terminate the service of a customer who refuses installation of a smart meter.²⁶

26. Because Act 129 of 2008 and the Commission's orders authorize the Company to develop and implement a smart meter procurement and installation plan, the Complainants have not set forth in their complaint any act done by the Company that violates a Commission regulation, statute or order.

²⁴ *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, issued May 1, 2015, effective August 15, 2015.

²⁵ *Metropolitan Edison Company Retail Electric Service Tariff*, Electric Pa. PUC No. 52, pp. 40, 55, issued May 1, 2015, effective August 15, 2015.

²⁶ *Art Larson v. PECO Energy Company*, Docket No. C-2014-2451754 (Opinion and Order entered June 11, 2015). See also, *Catherine J. Frompovitch v. PECO Energy Company*, Docket No. C-2015-2474592 (Opinion and Order entered May 3, 2018).

IV. Conclusion

WHEREFORE, for the foregoing reasons, Metropolitan Edison Company respectfully requests that the Commission: (1) grant its Preliminary Objections and strike the Complainants' request for an exemption from the installation of a smart meter; (2) dismiss the Formal Complaint in its entirety with prejudice; and (3) grant the Company such other relief as may be just and reasonable under the circumstances.

Respectfully submitted,

Dated: July 22, 2019



Lauren M. Lepkoski
Attorney No. 94800
Tori L. Giesler
Attorney No. 207742
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001
(610) 921-6203
(610) 921-6658
llepkoski@firstenergycorp.com
tgiesler@firstenergycorp.com

Counsel for Metropolitan Edison Company

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

CHARLES AND SYLVIA BOLTE :
 :
 v. : **Docket No. C-2019-3011287**
 :
METROPOLITAN EDISON COMPANY :


CERTIFICATE OF SERVICE

I hereby certify that I have this day served a true copy of the Preliminary Objections of Metropolitan Edison Company to the Formal Complaint of Charles and Sylvia Bolte upon the individuals listed below, in accordance with the requirements of 52 Pa. Code § 1.54 (relating to service by a participant).

Service by electronic and First Class Mail, postage prepaid, as follows:

Charles and Sylvia Bolte
108 Pinebrook Road
Milford, PA 18337
forestnyc@hotmail.com

Dated: July 22, 2019



Lauren M. Lepkoski
Tori L. Giesler
FirstEnergy Service Company
2800 Pottsville Pike
P.O. Box 16001
Reading, Pennsylvania 19612-6001
(610) 921-6203
(610) 921-6658
llepkoski@firstenergycorp.com
tgiesler@firstenergycorp.com