

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

LIPSOSS CORP CONSTRUCTORS

Complainant,

Vs

No. C-2019-3012350

DUQUESNE LIGHT COMPANY

Respondent

RECEIVED

SEP 27 2019

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

**REBUTTAL ANSWERS TO RESPONDENT  
ANSWER AND NEW MATTER TO FORMAL  
COMPLAINT**

Complainant Lipsoss Corp and Anastasios Smalis files its Rebuttal Answers to Respondents Answer and new Matter to Formal Complaint are as folow.

1. Answer as to No.4 the complaint filed in the Allegheny County Court of Common Pleas Docketed at GD-19-009684 has been withdrawn without prejudice and moved to the United States District Court for the Western District of Pennsylvania No. 19-1066 due to new U. S. Supreme Court Knick v. Scott township which the court ruled on the taking clause under the 5<sup>th</sup> Amendment Knick can proceed to federal Court at any time instead going through the state court. Claimant believe case against City of Pittsburgh is a mirror to the U. S. Supreme Court Ruling. The proceeding in federal court has been dismissed until complainant pays the filling fee.

It is the intention of Complainant to withdraw Duquesne Light and OSHA from the federal Complaint No. 19-1006 without prejudice so that complaint filed with the PA PUC against Duquesne Light Company can proceed properly.

RECEIVED

SEP 27 2019

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

47

At present complainant counsel Shaheen Wallace has not answered emails for the representation of complainant. Complainant request permission to retain counsel and allow 30 days period to obtain proper counsel for representation of Lipsoss Corp Constructors.

As to respondents claim of 15 Pa. C. S. A. 1511, Complainant is within their right to file this formal complaint with the PA PUC due to respondent never obtained an easement of aerial rights to place less than 7 feet on top of claimants roof as submitted photos as "Exhibits." Respondent never obtained a condemnation of complainant's property from complainant to place aerial high-tension bare wires of 23,000 volts as information provided by the safety supervisor of DLC. The PA PUC regulation provides that utility company must obtain lease or easement to go over private property which amounts to trespass under Pa law.

Respondent has always maintained that they were here first and refer to City of Pittsburgh Right-Away department which advised claimant that claimant does not own the aerial rights to my building and property. This scenario between the respondent and Pittsburgh Right-Away Department has been going for 10 years without claimant rights to repair its property in the back of the building and roof in a manner consistent to no access due to High-Tension wires over the roof in violation of OSHA regulation enacted 1996. Respondent in an egregious manner denied claimant to repair its property in a safe manner due to high-tension wires over the roof has left the property to be condemned by the City of Pittsburgh Building inspection in 2017.

Due to damage obtain from the constant rain pouring into the back of the building of over 10 years caused the main center beam on the top floor to collapse over 1 foot which would collapse the back of the building unless emergency repairs to back of building. Proper professional engineering is required to place steel supports from the first, second and third floor to place 50 ton jacks to support and lift 6 heavy timber beams and roof to upright of 1 foot to its proper place. Without this procedure the property is worthless.

Attach for purpose of correcting respondent that they were here first as "Exhibit A & B" property titles pertaining to claimants complaint dating back to 1880 which reflects nowhere is Duquesne Light Company or its predecessor have any conveyed rights given to them as required by PA law and the PA PUC.

As to respondents claim that they meet all requirements to 52 Pa. Code 57.194. Distribution systems reliability, complainant believes respondent has violated section (a) An EDC shall furnish and maintain adequate, efficient, safe and reasonable service and facilities, and shall make repairs, changes, alterations, substitutions, extensions and improvements in or to the service and facilities necessary or proper for the accommodation, convenience and safety of its patrons, employees and the public. The service shall be reasonably continuous and without unreasonable interruptions or delay.

Claimant believes respondent did violate Pa 52 Pa Code.194 as to the safety of the public, patrons and especially the owners of property due to the erection of high-tension wires over the roof of claimant.

As to answers to No. 5 claimant is within their right and the PUC should reject their objections due to violation of PUC regulations and PA codes as described above.

As to answers to 6. Claimant believes respondent abused claimant in directing them that they were here "first" which amounts to fraud information and abuse of regulation provided by the PA PUC which are governed by the U S Department of energy.

As to respondents No.8 Claimant has spoken with counsel for respondent and counsel will be provided for complainant within 30 days.

#### **CLAIMANTS RESPONSE TO RESPONDENTS NEW MATTER**

10. No answer is required
11. No answer is required
12. No answer is required
13. Complainant agrees and counsel will be provided by claimant within 30 days

14. Complaint agrees and counsel will be provided within 30 days.
15. Complainant agrees and counsel will be provide within 30 days.
16. Complainant will provide counsel within 30 days or by the hearing date.
17. Complainant information was given to him by the supervisor of safety for respondent.
18. the pole is located in a municipal right away but the arm and high-tension bare wires are over complainant roof less than 7 feet in violation of federal law and Pa PUC regulation for failure to obtain condemnation of property or easement to enter over private property.
19. The distribution line over complainant roof is in violation of 52 Pa. Code 57.194

WHEREFORE Complaint Lipsoss Corp Constructors and Anastasios Smalis respectfully request that the Pennsylvania Public Utility Commission deny respondents answers and new matters. Complainant respectfully request proper hearing before the Pennsylvania Public Utility Commission.

Respectfully Submitted

*Anastasios Smalis Lipsoss Corp Constructors*

LIPSOSS CORP CONSTRUCTORS

ANASTASIOS SMALIS

6652 Northumberland St

Pittsburgh PA 15217

412 303 5564

Email:smalisanastasios18@gmail.com

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

**LIPSOSS CORP CONSTRUCTORS**

Complainant,

Vs


No. C-2019-3012350

**DUQUESNE LIGHT COMPANY**

Respondent

**VERIFICATION**

I, Anastasiosn Smalis, hereby state that the facts above set forth are true and correct (or are true and correct to the best of my knowledge, information and belief) and that I expect to be able to prove the same at a hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S.4904 (relating to unsworn falsification to authorities).

  
Anastasios Smalis · *Lipsooss Corp Const*  
Lipsooss Corp Constructors

Dated:9/18/2019

**RECEIVED**

SEP 27 2019

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

51

IN THE UNITED STATES DISTRICT COURT FOR THE WESTERN DISTRICT OF  
PENNSYLVANIA

ANASTASIOS ERNEST SMALIS  
LIPSOSS CORP CONSTRUCTORS

NO. 19- 1066

**FILED**

SEP 19 2019

Plaintiff,

CLERK U.S. DISTRICT COURT  
WEST. DIST. OF PENNSYLVANIA


CITY OF PITTSBURGH: DEPT OF  
BUILDING INSPECTIONS; DEPT OF  
PUBLIC WORKS; AND DUQUESNE DLC

MOTION FOR PERMISSION  
TO REMOVE CIVIL ACTION  
NO. GD-19-9684 FROM STATE  
COURT TO US FEDERAL COURT

Defendants.

Filed PRO-SE  
ANASTASIOS ERNEST SMALIS,  
LIPSOSS CORP CONSTRUCTORS  
6652 Northumberland St.  
Pittsburgh PA 15217  
412 303 5564  
Email:smalisanastasios18@gmail.com

MOTION FOR PERMISSION TO WITHDRAW COMPLAINT AGAINST DEFENDANTS  
DUQUESNE LIGHT COMPANY AND US OCCUPATION SAFETY/HEALTH (OSHA) AS  
AN ADDITIONAL DEFENDANTS WITHOUT PREJUDICE




53

AND NOW comes plaintiff's to request from this Honorable Court for permission to withdraw complaint without prejudice as to defendants Duquesne Light Company and U S Occupation Safety / Health (OSHA)

Dated: September 18, 2019

Respectfully Submitted

  
Anastasios Smalis  
Lipsoss Corp Constructors  
6652 Northumberland St  
Pittsburgh Pa 15217  
412 303 5564  
Email:smalisanastasios18@gmail.com

54

IN THE UNITED STATES DISTRICT COURT FOR THE WESTERN DISTRICT OF  
PENNSYLVANIA

ANASTASIOS ERNEST SMALIS  
LIPSOSS CORP CONSTRUCTORS

NO. 19- 1066

Plaintiff,

CITY OF PITTSBURGH: DEPT OF  
BUILDING INSPECTIONS; DEPT OF  
PUBLIC WORKS; AND DUQUESNE DLC

MOTION FOR PERMISSION  
TO REMOVE CIVIL ACTION  
NO. GD-19-9684 FROM STATE  
COURT TO US FEDERAL COURT

Defendants.

Filed PRO-SE  
ANASTASIOS ERNEST SMALIS,  
LIPSOSS CORP CONSTRUCTORS  
6652 Northumberland St.  
Pittsburgh PA 15217  
412 303 5564  
Email:smalisanastasios18@gmail.com

ORDER OF COURT

AND NOW, UPON CONSIDERATION OF PLAINTIFF'S MOTION FOR PERMISSION TO  
WITHDRAW COMPLAINT AGAINST DEFENDANTS DUQUESNE LIGHT COMPANY  
AND US OCCUPATION SAFETY/HEALTH (OSHA) AS AN ADDITIONAL DEFENDANTS  
WITHOUT PREJUDICE IT IS THE OPINION OF THIS COURT THE MOTION IS  
GRANTED.

Dated: \_\_\_\_\_

\_\_\_\_\_  
Maureen P. Kelly  
United State District Court Judge

55

CERTIFICATE OF SERVICE

I plaintiffs Anastasios Smalis and Lipsoss Corp constructors served a true and correct copy of Motion for permission to withdraw defendants Duquesne Light Company and OSHA complaint without prejudice to the following individuals.  
On 9/18/2019

In person:


Michael Kennedy, Esq. Associate City Sol;icitor  
City of Pittsburgh Law Department  
313 City County Building 414 Grant Street  
Pittsburgh Pa 15219 412 255 2015

In person: Cousel for Defendant City of Pittsburgh building inspection and City of Pittsburgh Public works department.  
313 City County Building 414 Grant St  
Pittsburgh Pa 15219

By mail.

Duquesne Light Company DLC  
411 7th Avenue Pittsburgh Pa 15222

Anastasios Ernest Smalis, Lipsoss Corp Constructors

  
6652 Northumberland St  
Pittsburgh PA 15217  
412 303 5564

Email:smalisanastasios18@gmail.com

56

September 8, 2010

Anastasios Ernest Smalis & Despina Smalis  
18 Timberline Court

Pittsburgh, Pa 15217

Phone 412-422-2998 (work for Despina Smalis)  
412-477-4263 Ernest

Duquesne Light Company-

411 Seventh Avenue - 16th floor

Pittsburgh, Pa 15219

Phone - 412-393-1541

Fax - 412-393-1418

Re- 4073 Liberty Avenue  
7 Lots next to Ball fields  
on Ewing St.

To whom it may concern:

after numerous telephone calls to your Department Duquesne Light Company in reference to our Property's, on the Reference at Rear of 4073 Liberty Avenue are Electrical Lines Too close to the Rear of Building and I believe wires are over the Roof which Prevents Rooper to Repair Roof and Bricks. workers refuse to put ladder behind Building. Property to left and right of Building are Private Property also on the 7 Lots next to Baseball field on Ewing St Duquesne Light Company has 2 ~~poles~~ Electrical Poles on our Property and the overhead lines are on our Land. City of Pittsburgh has instructed me that City of Pittsburgh has never you Duquesne Light Company first away Permit and should speak to your office. I did and your office has instructed me the Right away was granted long before me. I don't think so. Please Respond. Thank you.

Anastasios Ernest Smalis

EXHIBIT  
A-3

EXHIBIT  
25

57

For everyone's safety, clearance is required from our primary and secondary power lines, poles and transformers.

If you are planning on doing work at a location that is at or near Duquesne Light Company (DLC) energized electric lines, there are certain risks attendant to the performance of your work. Your work must conform to the Occupational Safety and Health Administration (OSHA) standards, including those concerning work near all energized electric lines. There are a variety of different OSHA standards that could apply to your specific work location depending on the scope of your work and the equipment being used.

For example:

- **29 CFR 1910 Subpart S** – Electrical – Outlines requirements for work that is performed near overhead lines and minimum approach distances from energized power lines for qualified and non-qualified workers.

**29 CFR 1926 Subpart L** – Scaffolds – Outlines requirements for working on scaffolding near energized power lines.

**29 CFR 1926 Subpart O** – Motor Vehicles, Mechanized Equipment, and Marine Operations – Outlines requirements for working with equipment in the vicinity of power lines.

**29 CFR 1926 Subpart CC** – Cranes and Derricks in Construction – Outlines requirements for working, moving or assembling cranes in the vicinity of power lines.


For more information, including specific regulations, log on to the Occupational Safety and Health Administration website at [www.osha.gov](http://www.osha.gov).

In the future, if you have work in an area where you or your employees will be working near DLC lines, or where your equipment may come into contact with DLC facilities, please notify your DLC Account Manager or call us at 412-393-7100 and a Company representative will be sent to the job site to assist you.

DLC is providing this information to assist your company in maintaining safe working conditions for your employees. DLC, however, does not assume any responsibility or obligation with regard to your employees or to your company's compliance with OSHA standards. Compliance with all OSHA standards, including, but not limited to those identified above is solely the responsibility of your company.




58



PENGAD 800-631-6989  
EXHIBIT  
23

PENGAD 800-631-6989  
EXHIBIT  
A-6



PENGAD 800-631-6889  
EXHIBIT  
24

PENGAD 800-631-6889  
EXHIBIT  
A-7

60

**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

LIPSOSS CORP CONSTRUCTORS

Complainant,

Vs

No. C-2019-3012350

DUQUESNE LIGHT COMPANY

Respondent

**REBUTTAL ANSWERS TO RESPONDENT  
ANSWER AND NEW MATTER TO FORMAL  
COMPLAINT AND COMPLAINANTS NEW  
MATTER OF FRAUD AND ABUSE OF  
COMMISSIONS REGULATIONS**

Filed on behalf of Complainant Lipsoss  
Corp and Anastasios Smalis pro-se

6652 Northumberland St  
Pittsburgh PA 15217  
412 303 5564

email: [smalisanastasios18@gmail.com](mailto:smalisanastasios18@gmail.com)

61

**BUTTAL ANSWERS TO RESPONDENT  
ANSWER AND NEW MATTER TO FORMAL  
COMPLAINT  
AND COMPLAINANTS NEW MATTER OF FRAUD AND ABUSE OF COMMISIIONS  
REGULATION**

Complainant Lipsoss Corp and Anastasios Smalis files its Rebuttal Answers to Respondents Answer and new Matter to Formal Complaint are as folow.

1. Answer as to No.4 the complaint filed in the Allegheny County Court of Common Pleas Docketed at GD-19-009684 has been withdrawn without prejudice and moved to the United States District Court for the Western District of Pennsylvania No. 19-1066 due to new U. S. Supreme Court Knick v. Scott township which the court ruled on the taking clause under the 5<sup>th</sup> Amendment Knick can proceed to federal Court at any time instead going through the state court. Claimant believe case against City of Pittsburgh is a mirror to the U. S. Supreme Court Ruling.

Complainant as to Duquesne Light Company and (OSHA) has been withdrawn without prejudice from the federal Complaint No. 19-1066 on September 19, 2019 as in complainants "Exhibit A-2" so that complaint filed with the PA PUC against Duquesne Light Company can proceed properly.

At present complainant counsel Shaheen Wallace has not answered emails for the representation of complainant. Complainant request permission to retain counsel and allow 30 days period to obtain proper counsel for representation of Lipsoss Corp Constructors.

As to respondents claim of 15 Pa. C. S. A. 1511, Complainant is within their right to file this formal complaint with the PA PUC due to respondent never obtained an easement of aerial rights to place less than 7 feet on top of claimants roof as submitted photos as "Exhibits." Respondent never obtained Eminent Domain as require by 052. Pa. Code 57.91 for public purpose electricity as require by the commission. Property was condemned by the City of Pittsburgh Building inspection due to respondent misled complainant that "we were here first" after letter dated September 8, 2010 as submitted as "Exhibit 25" in the formal complaint to the commission and now submitted as "Exhibit A-3 clearly misled and defrauded complainant in refusing to remove High-Tension bare wire over complainants roof which amounts to trespass. The commission's regulations have been violated by respondent. Supervisor of safety informed complainant the bare wires are 23.000 volts. The PA PUC regulation provides that utility company must obtain lease or easement to go over private property which amounts to trespass under Pa law.

Respondent has always maintained that they were here first and refer to City of Pittsburgh Right-Away department which advised claimant that complainant does not own the aerial rights to my building and property. This scenario between the respondent and Pittsburgh Right-Away Department has been going for 10 years without complainant rights to access to the back of building in a safe manner to comply with the federal regulations 29-CFR 1926 Subpart L enacted November 29, 1996 which states (any worker working near HIGH VOLTAGE WIRES must be at least 10 feet away.) Scaffolds-Outlined requirements for working near energized power lines. The energized power lines were over complainant's roof less than 7 feet over the roof and Duquesne Light Company refusal to remove power lines away from over complainant's roof amounts to negligence and fraud on complainant inability to install scaffolding to comply with the federal law of OSHA 29-CFR 1926 Subpart L enacted 1996. Due to negligence and fraud by DLC the building is condemned and the commissions Eminent Domain regulations should have been exercised by respondent.

Respondent knew of this law and they placed it their web-site as submitted in complainants complaint to the PUC "Exhibit A-1" and now resubmitted as complainants "Exhibit-A-4

Due to damage obtain from the constant rain pouring into the back of the building of over 10 years caused the main center beam on the top floor to collapse over 1 foot which would collapse the back of the building unless emergency repairs to back of building. Proper professional engineering is required to place steel supports from the first, second and third floor to place 50 ton jacks to support and lift 6 heavy timber beams and roof to upright of 1 foot to its proper place. Without this procedure the property is worthless.

Attach for purpose of correcting respondent that they were here first as "Exhibit A 5" pages 1-22 copy of complainant's deeds to 48-R-283 & 285 for 4073 Liberty Pittsburgh PA15224 dating back as to 1890 clearly dictates nowhere did respondent have any conveyance granted to them for any aerial rights.

Attached for purpose of correcting respondents that they were here first as "Exhibit A-6 pages 1-23" of 7 lots deeds to 49-R-351-353-355-356-357-358-359 dating back to 1890 clearly dictates nowhere did respondent have any conveyance granted to them for any aerial right and also on private. Complainant submitted in the formal complaint "Exhibits A-23 and A-24" and resubmits "Exhibits A-6 & A-7. The 7 lots and 2 electrical poles and HIGH-VOLTAGE wires over complainants property. Complainant property rights is own to the curb of Ewing St. Respondent clearly misled complainant which amounts to fraud and abuse of consumer and violated commissions regulations.

As to respondents claim that they meet all requirements to 52 Pa. Code 57.194. Distribution systems reliability, complainant believes respondent has violated section (a) An EDC shall furnish and maintain adequate, efficient, safe and reasonable service and facilities, and shall make repairs, changes, alterations, substitutions, extensions and improvements in or to the service and facilities necessary or proper for the accommodation, convenience

and safety of its patrons, employees and the public. The service shall be reasonably continuous and without unreasonable interruptions or delay.

Claimant believes respondent did violate Pa 52 Pa Code.194 as to the safety of the public, patrons and especially the owners of property due to the erection of high-tension wires over the roof of claimant.

As to answers to No. 5 complainant is within their right and the PUC should reject their objections due to violation of PUC regulations and PA codes as described above.

As to answers to 6. Claimant believes respondent abused claimant in directing them that they were here "first" which amounts to fraud information and abuse of regulation provided by the PA PUC which are governed by the U S Department of energy.

As to respondents No.8 Claimant has spoken with counsel for respondent and counsel will be provided for complainant within 30 days.

#### **CLAIMANTS RESPONSE TO RESPONDENTS NEW MATTER**

10. No answer is required
11. No answer is required
12. No answer is required
13. Complainant agrees and counsel will be provided by claimant within 30 days
14. Complaint agrees and counsel will be provided within 30 days.
15. Complainant agrees and counsel will be provide within 30 days.
16. Complainant will provide counsel within 30 days or by the hearing date.
17. Complainant information was given to him by the supervisor of safety for respondent.
18. the pole is located in a municipal right away but the arm and high-tension bare wires are over complainant roof less than 7 feet in violation of

65

federal law and Pa PUC regulation for failure to obtain condemnation of property or easement to enter over private property.

19. The distribution line over complainant roof is in violation of 52 Pa. Code 57.194

HEREFORE Complainant Lipsoss Corp Constructors and Anastasios Smalis respectfully request at the Pennsylvania Public Utility Commission deny respondents answers and new matters. Complainant respectfully request proper hearing before the Pennsylvania Public utility Commission.

Respectfully Submitted

*Anastasios Smalis Lipsoss Corp Constructors*

LIPSOSS CORP CONSTRUCTORS

ANASTASIOS SMALIS

6652 Northumberland St

Pittsburgh PA 15217

412 303 5564

Email:smalisanastasios18@gmail.com

9/18/2019

66

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

LIPSOSS CORP CONSTRUCTORS

Complainant,

Vs


No. C-2019-3012350

DUQUESNE LIGHT COMPANY

Respondent

**VERIFICATION**

I, Anastasiosn Smalis, hereby state that the facts above set forth are true and correct (or are true and correct to the best of my knowledge, information and belief) and that I expect to be able to prove the same at a hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S.4904 (relating to unsworn falsification to authorities).

A handwritten signature in black ink, appearing to read "Lipso Corp Constructors" on the top line and "Anastasios Smalis" on the bottom line, with a horizontal line under the name.

Anastasios Smalis

Lipso Corp Constructors

Dated:9/18/2019

PENNSYLVANIA PUBLIC UTILITY COMMISSION

LIPSOSS CORP CONSTRUCTORS

Complainant,

Vs

No. C-2019-3012350

DUQUESNE LIGHT COMPANY

Respondent

CERTIFICATE OF SERVICE

I Anastasios Smalis and Lipsoss Corp constructors certify that a true and correct copy of the foregoing documents was sent to the following individuals by first class mail

Emily M. Farah  
Counsel for respondent  
411 Seventh Avenue  
Mail drop 15-7  
Pittsburgh Pa 15219

*Lipsoss Corp Constructors  
Anastasios Smalis*

*9/18/2019*

*9/18/2019*

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

**LIPSOSS CORP CONSTRUCTORS**

Complainant,

Vs

No. C-2019-3012350

**DUQUESNE LIGHT COMPANY**

Respondent

**CERTIFICATE OF SERVICE**

I Anastasios Smalis and Lipsoss Corp constructors certify that a true and correct copy of the foregoing documents was sent to the following individuals by first class mail

Emily M. Farah  
Counsel for respondent  
411 Seventh Avenue  
Mail drop 15-7  
Pittsburgh Pa 15219

*Anastasios Smalis  
Lipsoss Corp Const  
9/18/2019*

*52*

To reuse, cover or mark through any previous shipping information.

ORIGIN ID:AGCA (412) 303-5564  
SMALIS ANASTATSIOS  
LIPSOS CORP CONSTRUCTORS  
6652 NORTHUMBERLAND ST

SHIP DATE: 27SEP19  
ACTWGT: 0.40 LB  
CAD: 006986772/SSF02021

PITTSBURGH, PA 15217  
UNITED STATES US

BILL CREDIT CARD

TO **SECRETARY**  
**PA PUBLIC UTILITY COMMISSION**  
**400 NORTH STREET**

**HARRISBURG PA 17120**


(717) 772-7777

REF:

INU:

DEPT:

PG:



**FedEx**  
Express



At 10:11:00AM 11/20/17

RT **205** 1 **B**  
FZ 10:30 1060  
09:30


**Reusable**

TAK# 7801 0508 1060  
0201

**MON - 30 SEP 10:30A**  
**PRIORITY OVERNIGHT**

**SH MDTA**

**17120**  
**PA-US MDT**



**CMPC**

**To: PUC MASTER**

Agency: PUC

Floor:

External Carrier: FEDEX

9/30/2019 10:02:32 AM



780105081060

Part # 156297-233-RRR081 EXP 09/19