

NOTICE: This answer and new matter was not received until November 22, 2019

Response to MET ED

Answer and New Matter to the complainant Deborah Engisch-Platt and Kim Platt

- 1) Admitted
- 2) Admitted
- 3) Admitted
- 4) Admitted I am having a reliability, safety or quality problem with my utility service.
There is a plethora of scientific and medical evidence documenting health damage, fire hazards and privacy issues with smart meters.

RECEIVED
2019 DEC 19 AM 9:56
PA.P.U.C.
SECRETARY'S BUREAU

My husband is 63 years old and has an irregular heartrate, which is compounded by his electromagnetic hypersensitivity. Our daughter also has a sensory disorder affected by high pitched electrical humming sounds and pulsations.

The World Health Organization, physicians for safe technology, the American Pediatric Society, U.S. Medical Journal, and John Opeschek Ph D. of Harvard University have documented 20,000 (Twenty thousand) studies confirming the damages of smart meters and electromagnetic Class 2B Carcinogens, including but not limited to heart damage, endanger to young people per the American Pediatric Society.

Last paragraph of page 2 and 1st paragraph of page 3

Objection. Conversely the company's acting via misinterpretation of Act 129, which was designed as an OPT-IN measure. Furthermore, the company is in violation of PA. Title 66/1501, which states that utility services must be safe and reasonable. Since smart meters have known health hazards the company's actions are neither safe or reasonable. Since smart meters are inherently unsafe.

Second paragraph -- Page 3

Denied in part, admitted in part.

There was no attempt to contact Deborah Engisch-Platt on October 9th, 2019.

First sentence -- Page 4

Objection. Ungrammatical syntax as the present participle is not applicable.

Objection. It is illegal for a utility company to install a communication device, at a service location without the express permission of the customer. As already stated, ACT 129 has been mis-interpreted by the company and the commission since it was designed as an OPT-IN measure.

Furthermore, the fact that the commission has upheld decisions terminating the service of a customer is a violation of the Americans with Disabilities Act, The Energy Policy Act of 2005, Section 1252 and Title 66/1501.

5) Objection. See previous responses.

6) Not Applicable N/A

7) Admitted

7A) Admitted

7B) Admitted in part. Denied in part (See response to number 4)

7C) No Answer N/A

8) N/A

9) N/A

10) N/A

11) N/A

12) Denied In Part / Admitted in Part – (See response to number 4)

13) Objection. As the company is out of compliance with the original intent of Act 129, which was an OPT-IN measure

14) This assumes a conclusion of law to which no response is required.

15) Objection and Denied. The SMP purposely keep this information under wraps, because of knowledge of the inherent dangers of smart meters. They do not advertise their venal implementation plans.

16) Denied. The SMP and the company as well as the solipsistic reciprocity of the commission all bastardize the original intent of ACT 129.

17) Objection and Denied. The company and the commission are in violation of the public welfare by by smart meters as evidenced by 20,000 (Twenty Thousand) Scientific and Medical studies documenting deleterious health effects. The violation of ACT 129's intent has already been discussed.

18) Denied. As ACT 129 was an OPT-IN measure. This is an example of scurrilous ethics between the commission and the company.

WE DEMAND AN IN-PERSON HEARING

VERIFICATION:

I, Deborah Engisch-Platt and Kim Platt hereby state that the facts set forth above are true and correct to the best of our knowledge, information and belief. We expect the same at a hearing held in this matter. We understand that the statements made herein are made subject to the penalties of 18 Pa.C.S. 4904.

12/04/2019

Date


Deborah Engisch-Platt


Kim Platt

PA P.U.C.
SECRETARY'S BUREAU

2019 DEC 19 AM 9:56

RECEIVED

Deborah Elysh Platt

Kira Platt

P.O. Box #175

#1 Bridge Two Lane

Point Pleasant, Pa.

18950-0175

NOV 20 10 58 AM '19

NOV 20 10 58 AM '19

NOV 20 10 58 AM '19

NOV 20 10 58 AM '19



02 1P \$ 000.550
0004733769 DEC 05 2019
MAILED FROM ZIP CODE 18950

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
P.O. Box 3265
Harrisburg, Pa. 17105-3265

171053265

