

RECEIVED

2020 DEC 22 AM 8:19

PA PUC
SECRETARY'S BUREAU

CITY OF PHILADELPHIA

DEPARTMENT OF STREETS

DRAWINGS FOR

CONSTRUCTION

OF

MONTGOMERY AVENUE

OVER

AMTRAK AND CONRAIL

IN THE

32ND WARD

FROM STA. 1+00.00 TO STA. 9+50.00 - LENGTH 850.00 FT., 0.161 MI.

DISTRICT	COUNTY	TOWNSHIP	CITY	ROUTE	SECTION	TOTAL SHEETS
6-0	PHILADELPHIA		PHILADELPHIA	7301	185	17

ECMS No: 57276

ALSO INCLUDED:


TRAFFIC CONTROL PLAN	2 SHEETS
SIGNING AND PAVEMENT MARKING PLAN	3 SHEETS
EROSION AND SEDIMENT POLLUTION CONTROL PLAN	4 SHEETS
SEWER LINING AND INLET REPLACEMENT PROJECT	4 SHEETS
LIGHTING PLAN	2 SHEETS
STRUCTURE PLAN, L-201	62 SHEETS
EXISTING STRUCTURE PLANS 9677	1 SHEET
9736	1 SHEET
9678	1 SHEET
3036	1 SHEET
9847	1 SHEET
9680	1 SHEET

MONTGOMERY AVENUE OVER AMTRAK AND CONRAIL ELECTRIFICATION MODIFICATION* 31 SHEETS

*(FOR INFORMATION ONLY)

CERTIFIED CORRECT PLANS
[Signature] P.E.
 Approved by Bureau of Technical Utility Services
 PA PUBLIC UTILITY COMMISSION
 ATTEST *[Signature]*
 Secretary

P.U.C. APPLICATION DOCKET NO. A-2016-2540105



DESIGN DESIGNATION	
CLASS OF HIGHWAY - URBAN COLLECTOR	A.D.T. (2018) - 5796
DESIGN SPEED - 25 M.P.H	A.D.T. (2038) - 7073
PAVEMENT WIDTH - 34'-0" CURB TO CURB	D.H.V. (2018) - 580
SHOULDER WIDTH - N/A	D.H.V. (2038) - 707
MEDIAN WIDTH - NONE	D. (2038) - 50%
SECTION WIDTH - 60.09'	T. (2038) - 5%



PREPARED BY:
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

CITY OF PHILADELPHIA		PENNSYLVANIA DEPARTMENT OF TRANSPORTATION	
APPROVED _____	STREETS COMMISSIONER	DATE	RECOMMENDED _____
APPROVED <i>[Signature]</i>	CHIEF ENGINEER & SURVEYOR	DATE 11/06/2020	DISTRICT EXECUTIVE
APPROVED <i>[Signature]</i>	CHIEF DESIGN ENGINEER	DATE 11.04.20	DATE

A-2016-2540105

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	2 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	

INDEX	
DESCRIPTION	SHEET
TITLE SHEET	1
INDEX SHEET	2
LOCATION MAP SHEET	3
SIDEWALK SECTIONS	4
ROADWAY SECTIONS AND ELEVATIONS	5 TO 8
CURB RAMP DETAILS	9 TO 11
SUMMARY SHEET	12 TO 13
TABULATION SHEETS	14 & 15
PLAN	16
PROFILE	17

PROPERTY OWNERS	
PARCEL	OWNERS
1	GROSSO CONSTRUCTION INC.
2	JOSEPH WILLIAMS
3	UNLIMITED HOLDINGS LLC
4	AMTRAK
5	CONRAIL LEASED
6	DOUGLAS C. PAYNE
7	EAST PARK CONGREGATION OF JEHOVAH'S WITNESS
8	OLIVER STONER & EUGENE PORTER
9	GEORGE HUTT
10	WILLIAM A. FRANKLIN JR. & ALICE BEATRICE
11	SECRETARY OF HOUSING & URBAN DEVELOPMENT
12	CRUDE LLC
13	FREDA BERGMAN & JACK WEINSTEIN
14	CITY OF PHILADELPHIA
15	PHILADELPHIA REDEVELOPMENT
16	REDEVELOPMENT AUTHORITY OF PHILA
17	ESTER KEAN



RECORD OF EXISTING ROAD TYPE	
STATIONS	ROAD TYPE
LIMIT OF WORK ADJACENT TO STA. 1+00.00	34.05' BITUMINOUS SURFACE COURSE ON 34.05' PL. CEM. CONC. BASE COURSE 12" ± DP.
STA. 2+17.80 TO STA. 4+42.95	34.08' BRICK
STA. 4+42.95 TO STA. 6+59.92	EXISTING BRIDGE
STA. 6+59.92 TO STA. 8+68.02	34.08' BRICK
LIMIT OF WORK ADJACENT TO STA. 9+50.00	34.05' BITUMINOUS SURFACE COURSE ON 34.05' PL. CEM. CONC. BASE COURSE 12" ± DP.

NOTE: THE DEPTHS OF MATERIAL SHOWN ARE FOR DESIGN PURPOSES ONLY. ANY RISK OF UNANTICIPATED COSTS ASSOCIATED WITH DIFFERENCES BETWEEN THE LISTED DEPTHS AND THE ACTUAL DEPTHS SHALL BE ACCEPTED BY THE CONTRACTOR.



LEGEND

- PLAN
- PROFILE
- △ PROPERTY OWNER - NO TAKE



PUBLIC UTILITIES

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	3 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	

DEPARTMENT OF WATER SEWER AND WATER ARAMARK TOWER 2ND FLOOR 1101 MARKET STREET PHILADELPHIA, PENNSYLVANIA 19107 ATTN: MR. VINU VARGHESE STAFF ENGINEER 215-685-6332	AMTRAK MAINTENANCE OF WAY AND STRUCTURES NATIONAL RAILROAD PASSENGER CORP. 30TH STREET STATION 3RD FLOOR, SOUTH TOWER PHILADELPHIA, PENNSYLVANIA 19104 ATTN: MR. IFRAN OMEU ASSISTANT CHIEF ENGINEER, STRUCTURES 215-557-1125
PHILADELPHIA GAS WORKS 800 WEST MONTGOMERY AVENUE PHILADELPHIA, PENNSYLVANIA 19122 ATTN: MR. MIKE PARZANESE STAFF ENGINEER 215-684-6082	SEPTA 1234 MARKET STREET PHILADELPHIA, PENNSYLVANIA 19107 ATTN: MRS. LYDIA GROSE STAFF ENGINEER 215-580-8255
AT&T COMMUNICATIONS 50 PATRICIA DRIVE FLANDERS, NJ 07836 ATTN: MR. JAY EVERLY PA CABLE ENGINEER 610-328-6465	CONRAIL 1000 HOWARD BLVD. MOUNT LAUREL, NJ 08054 ATTN: JACOB FENNO PROJECT ENGINEER 856-231-2031
MCI WORLDCOM 630 CLARK AVENUE KING OF PRUSSIA, PENNSYLVANIA 19406 ATTN: JOHN ALESSANDRINI RIGHT OF WAY SPECIALIST 610-517-8456	DEPARTMENT OF STREETS MUNICIPAL SERVICES BUILDING 1401 JOHN F. KENNEDY BLVD. 7TH FLOOR PHILADELPHIA, PENNSYLVANIA 19102 ATTN: MR. CARLTON WILLIAMS COMMISSIONER 215-686-5460
CENTURY LINK 2011 HARTEL STREET LEVITTOWN, PA. 19057 ATTN: MARK HARLEY SENIOR ENGINEER 610-613-0979	PA ONE CALL 1-800-242-1776 SERIAL NUMBER: 20142370542 WARD 32
PECO ENERGY 830 SOUTH SCHUYLKILL AVENUE PHILADELPHIA, PENNSYLVANIA 19146 ATTN: MR. LOUIS ROBINSON 215-731-3283	

TABULATION OF OVERALL AND CONSTRUCTION LENGTHS

	ROUTE	STATION TO STATION	L.F.	MI.
OVERALL LENGTH	MONTGOMERY AVE.	STA. 1+00.00 TO STA. 9+50.00	850.00	0.161
CONSTRUCTION LENGTH	MONTGOMERY AVE.	STA. 1+50.00 TO STA. 9+05.00	755.00	0.143

STATION EQUALITIES - MONTGOMERY STA. 1+79.09 = SEDGLEY STA. 30+06.00
 MONTGOMERY STA. 3+64.18 = CLIFFORD STA. 20+00.00

CONSTRUCTION DETAILS, OTHER THAN THOSE INDICATED, ARE ON THE FOLLOWING STANDARD DRAWINGS:

STATE STANDARDS


- RC-10M JUN. 01, 2010
- RC-11M JUN. 01, 2010
- RC-12M SEPT. 15, 2016
- RC-13M JUN. 01, 2010
- RC-20M SEPT. 15, 2016
- RC-23M JUN. 01, 2010
- RC-27M JUN. 01, 2010
- RC-40M JUN. 01, 2010
- RC-45M SEPT. 15, 2016
- RC-46M SEPT. 15, 2016
- RC-60M JUN. 01, 2010
- RC-64M JUN. 01, 2010
- RC-67M JUN. 01, 2013
- RC-70M SEPT. 15, 2016
- RC-72M AUG. 04, 2017
- BC-732M SEPT. 30, 2016
- BC-734M AUG. 04, 2017
- BC-735M SEPT. 30, 2016
- BC-736M SEPT. 30, 2016
- BC-751M SEPT. 30, 2016
- BC-752M SEPT. 30, 2016
- BC-753M SEPT. 30, 2016
- BC-754M SEPT. 30, 2016
- BC-755M SEPT. 30, 2016
- BC-766M SEPT. 30, 2016
- TC-8600 JUN. 13, 2013
- TC-8702 JUN. 13, 2013
- TC-8718 JUN. 13, 2013

CITY OF PHILADELPHIA STANDARDS

- IT-1 NOV. 19, 2002
- IT-2 NOV. 19, 2002

CITY OF PHILA. - WATER DEPARTMENT

STD. DETAILS & STD. SPECIFICATIONS
 FOR SEWERS 1985



LOCATION MAP
 SCALE: 1" = 1000'

SUMMARY OF PROJECT COORDINATES
 SURVEY BASED ON STATE PLANE COORDINATES

RTE.	STATION	POINT	COORDINATES		BEARING
			NORTH	EAST	
MONTGOMERY AVENUE (CONSTR. C)	2+00.00	POT	247344.1054	2687400.4349	E 82°14'38" S
	3+64.18	POT	247321.9487	2687563.1130	
	9+00.00	POT	247249.6341	2688094.0307	

ONLY AND DO NOT IMPLY PRECISION BEYOND TWO (2) PLACES

OTHER CONSTRUCTION CONTACTS

TRAFFIC ENGINEERING DIVISION MUNICIPAL SERVICES BUILDING 1401 JOHN F. KENNEDY BLVD. 9TH FLOOR PHILADELPHIA, PENNSYLVANIA 19102 ATTN: MR. KASIM ALI CHIEF TRAFFIC ENGINEER 215-686-5572	STREET LIGHTING DIVISION MUNICIPAL SERVICES BUILDING 1401 JOHN F. KENNEDY BLVD. 9TH FLOOR PHILADELPHIA, PENNSYLVANIA 19102 ATTN: MS. KRISTIN DEL ROSS STREET LIGHTING 215-686-5534
NINETH SURVEY DISTRICT 4000 NORTH AMERICAN STREET PHILADELPHIA, PENNSYLVANIA 19140 ATTN: MR. JOHN PARKINSON SURVEYOR & REGULATORY 215-685-3050	THIRD HIGHWAY DISTRICT 990 SPRING GARDEN STREET PHILADELPHIA, PENNSYLVANIA 19123 ATTN: MR. WILLIAM WHITE HIGHWAY DISTRICT ENGINEER 215-685-2192


EARTHWORK SUMMARY ENTIRE PROJECT

THE INFORMATION ON ESTIMATED AMOUNTS OF EARTHWORK HAS BEEN USED IN THE PRELIMINARY ESTIMATE. DO NOT USE AS A WAIVER OF ANY PROVISIONS OF THE SPECIFICATIONS AND CONTRACTS.




CU. YDS. OF EXCAVATION						CUBIC YARDS OF COMPLETED EMBANKMENT **	CUBIC YARDS OF BORROW EXCAVATION	CUBIC YARDS OF SELECTED BORROW EXC. S.B.	CUBIC YARDS OF WASTE
CLASS 1	CLASS 1A	CLASS 1B	CLASS 2	CLASS 3 *	CLASS 4				
452	--	9	--	7238	--	958	--	1084	6280

EARTHWORK NOTES:


- *7033 C.Y. PART OF LUMP SUM STRUCTURE ITEM
- **INCLUDES ALL BORROW ITEMS





DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	4 OF 17
PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



SOUTH SIDEWALK SECTIONS




CURB DETAIL
SCALE: 1"=1'








NOTES:
• FOR ABBREVIATION TABLE, SEE ROADWAY SHEET 6

BAR SCALE KEY





DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	5 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



MONTGOMERY AVENUE ROADWAY SECTIONS
SCALE: 1" = 5'

PAVEMENT NOTES:



- ① SUPERPAVE ASPHALT MIXTURE DESIGN, ASPHALT WEARING COURSE, PG 64-22, < 0.3 MILLION ESALS, 9.5 MM MIX, 1 1/2" DEPTH, SRL-H
- ② BITUMINOUS TACK COAT
- ③ EXISTING PAVEMENT
- ④ PLAIN CEMENT CONCRETE PAVEMENT, 8" DEPTH
- ⑤ SUBBASE 6" DEPTH (NO. 2A)
- ⑥ 4" BRICK COURSE
- ⑦ 3/4" SETTING BED (93% SAND AND 7% MOTAR)
- ⑧ SUPERPAVE ASPHALT MIXTURE DESIGN, ASPHALT BINDER COURSE, PG 64-22, < 0.3 MILLION ESALS, 19.0 MM MIX, 2 1/2" DEPTH




NOTES:

- FOR ABBREVIATION TABLE, SEE ROADWAY SHEET 14
- SEE ROADWAY SHEET 4 FOR SIDEWALK TYPICAL SECTIONS
- BRICK TO BE LAID IN A RUNNING BOND PATTERN SEE ROADWAY SHEET 6


BAR SCALE KEY




DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	6 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	




BRICK PAVED SECTIONS
STA 3+61.48 TO STA 3+65.68




BRICK PAVED SECTIONS
STA 3+65.68 TO STA 3+79.86




BRICK PAVED SECTIONS
STA 3+94.04 TO STA 4+00.00



BRICK PAVED SECTIONS
STA 4+00.00 TO STA 4+10.10




BRICK PAVED SECTIONS
STA 4+10.10 TO STA 4+28.85



MONTGOMERY AVENUE ROADWAY SECTIONS
SCALE: 1" = 5'


PAVEMENT NOTES:

- ① SUPERPAVE ASPHALT MIXTURE DESIGN, ASPHALT WEARING COURSE, PG 64-22, < 0.3 MILLION ESALS, 19.0 MM MIX, 1 1/2" DEPTH
- ② BITUMINOUS TACK COAT
- ③ EXISTING PAVEMENT
- ④ PLAIN CEMENT CONCRETE PAVEMENT, 8" DEPTH
- ⑤ SUBBASE 6" DEPTH (NO. 2A)
- ⑥ 4" BRICK COURSE
- ⑦ 3/4" SETTING BED (93% SAND AND 7% MOTAR)



DETAIL A
BRICK LAYOUT AT CENTERLINE OF ROADWAY

SCALE: 1" = 1'





DETAIL B
BRICK LAYOUT AT SHOULDER LINE (TYPICAL)

SCALE: 1" = 1'








NOTES:

- FOR ABBREVIATION TABLE, SEE ROADWAY SHEET 14
- SEE ROADWAY SHEET 4 FOR SIDEWALK TYPICAL SECTIONS
- BRICK TO BE LAID IN A RUNNING BOND PATTERN SEE ROADWAY SHEET 6


BAR SCALE KEY



DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	7 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	BY	DATE	



MONTGOMERY AVENUE ROADWAY SECTIONS
SCALE: 1" = 5'




PAVEMENT NOTES:

- ① SUPERPAVE ASPHALT MIXTURE DESIGN, ASPHALT WEARING COURSE, PG 64-22, < 0.3 MILLION ESALS, 9.5 MM MIX, 1 1/2" DEPTH, SRL-H
- ② BITUMINOUS TACK COAT
- ③ EXISTING PAVEMENT
- ④ PLAIN CEMENT CONCRETE PAVEMENT, 8" DEPTH
- ⑤ SUBBASE 6" DEPTH (NO. 2A)
- ⑥ 4" BRICK COURSE
- ⑦ 3/4" SETTING BED (93% SAND AND 7% MOTAR)
- ⑧ SUPERPAVE ASPHALT MIXTURE DESIGN, ASPHALT BINDER COURSE, PG 64-22, < 0.3 MILLION ESALS, 19.0 MM MIX, 2 1/2" DEPTH

NOTES:

- FOR ABBREVIATION TABLE, SEE ROADWAY SHEET 14
- SEE ROADWAY SHEET 4 FOR SIDEWALK TYPICAL SECTIONS
- BRICK TO BE LAID IN A RUNNING BOND PATTERN SEE ROADWAY SHEET 6



DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	8 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	


TABLE OF ELEVATIONS										
STATION	N.H.L.	N.E.S.	N.T.C.	N.G.	P.G.	S.G.	S.T.C.	S.E.S.	S.H.L.	REMARKS
1+50.00	-	-	-	-	105.85	105.46	105.64	106.01	106.01	STARK WORK
1+61.05	-	-	-	-	106.26	105.72	106.39	106.52	106.52	BEGIN CURB AND SW (S)
1+80.00	-	-	-	-	106.96	106.15	106.82	107.40	107.40	
1+96.04	-	-	-	-	107.55	107.04	107.70	108.33	108.33	
2+00.00	-	-	-	-	107.70	107.13	107.80	108.33	108.33	
2+00.80	-	-	-	-	107.71	107.15	107.82	108.35	108.35	BEGIN PAVING ADJUSTMENT AREA
2+25.00	-	-	-	-	108.17	107.81	108.48	109.08	109.08	
2+36.00	-	-	-	108.21	108.37	108.11	108.77	109.41	109.41	BEGIN ROADWAY TRANSITION
2+42.63	-	-	-	108.41	108.61	108.40	109.07	109.60	109.60	BEGINNING CURB AND SW (N)
2+46.00	109.21	109.21	109.02	108.52	108.72	108.55	109.21	109.79	109.79	END PAVING ADJUSTMENT AREA AND BEGIN BRICK PAVING
2+50.00	109.34	109.34	109.14	108.64	108.87	108.67	109.33	109.89	109.89	
2+65.00	109.80	109.80	109.60	109.10	109.40	109.11	109.78	110.25	110.25	TREE (N&S)
2+75.00	110.10	110.10	109.91	109.41	109.75	109.41	110.08	110.49	110.49	END ROADWAY TRANSITION
2+90.00	110.64	110.64	110.44	109.94	110.28	109.92	110.52	110.85	110.85	TREE (N&S)
3+00.00	110.99	110.99	110.80	110.30	110.64	110.27	110.82	111.09	111.09	
3+11.78	111.41	111.41	111.21	110.71	111.06	110.67	111.17	111.37	111.37	END SOUTH PROPOSED SIDEWALK
3+15.00	111.52	111.52	111.33	110.83	111.17	110.78	111.27	111.45	111.45	TREE (N)
3+23.56	111.82	111.82	111.63	111.13	111.47	111.07	-	-	-	
3+25.00	111.87	111.87	111.68	111.18	111.52	111.12	-	-	-	
3+40.00	112.40	112.40	112.21	111.71	112.05	111.66	-	-	-	TREE (N)
3+50.00	112.76	112.76	112.57	112.07	112.41	112.02	-	-	-	
3+58.29	113.05	113.05	112.86	112.36	112.70	112.32	-	-	-	BEGINNING OF BRICK BLDG (S)
3+61.71	113.17	113.17	112.98	112.48	112.82	112.40	112.78	112.87	112.87	END BRICK BLDG AND BEGIN CMU WALL
3+68.72	113.42	113.42	113.23	112.73	113.07	112.59	113.01	113.16	113.16	EXISTING TREE (N)
3+69.03	113.43	113.43	113.24	112.74	113.08	112.61	113.03	113.17	113.17	END BRICK BLDG (N)
3+75.00	113.64	113.64	113.45	112.95	113.29	112.85	113.27	113.42	113.42	
3+79.86	113.81	113.81	113.63	113.13	113.47	113.05	113.47	113.62	113.62	END SOUTH PROPOSED SIDEWALK
3+91.04	114.21	114.21	114.02	113.52	113.86	113.51	113.79	114.09	114.09	BEGIN DRIVEWAY APRON FLARE (S)
3+93.73	114.30	114.30	114.12	113.62	113.96	113.62	113.86	114.20	114.20	EXISTING TREE (N)
3+94.04	114.32	114.32	114.13	113.63	113.97	113.63	113.79	114.21	114.21	BEGIN DRIVEWAY APRON (S)
3+94.20	114.32	114.32	114.13	113.63	113.97	113.63	114.80	114.22	114.22	BEGINNING OF GATE POST (S) AND END CMU WALL (S)
4+00.00	114.53	114.53	114.34	113.84	114.18	113.84	114.01	114.36	114.36	
4+01.50	114.58	114.58	114.37	113.92	114.23	113.89	114.06	114.40	114.40	BEGIN DRIVEWAY APRON (N)
4+06.82	114.78	114.78	114.47	114.20	114.42	114.08	114.25	114.54	114.54	END GATE POST (S)
4+07.01	114.79	114.79	114.47	114.21	114.43	114.09	114.25	114.54	114.54	END DRIVEWAY APRON (S)
4+10.01	114.90	114.90	114.51	114.36	114.53	114.19	114.61	114.77	114.77	END DRIVEWAY APRON FLARE (S)
4+10.10	114.91	114.91	114.53	114.37	114.54	114.20	114.61	114.77	114.77	BEGIN DRIVEWAY APRON (N)
4+17.53	115.03	115.03	114.73	114.56	114.80	114.46	114.96	115.08	115.08	BEGIN MOMENT SLAB (S)
4+25.00	115.21	115.21	114.98	114.82	115.12	114.78	115.28	115.40	115.40	
4+28.85	115.30	115.30	115.11	114.95	115.29	114.95	115.45	115.57	115.57	END DRIVEWAY APRON (N)
4+40.87	115.91	115.91	115.72	115.46	115.80	115.46	115.96	116.08	116.08	END BRICK PAVING (S)
4+50.66	115.80	115.80	115.54	115.04	116.22	115.88	116.38	116.50	116.50	BEGIN MOMENT SLAB (N)
4+69.40	117.23	117.23	117.11	116.69	117.03	116.69	117.19	117.31	117.31	END BRICK PAVING (N)
6+33.60	118.60	118.60	118.48	117.98	118.32	117.98	118.48	118.60	118.60	BEGIN BRICK PAVING (S)

TABLE OF ELEVATIONS										
STATION	N.H.L.	N.E.S.	N.T.C.	N.G.	P.G.	S.G.	S.T.C.	S.E.S.	S.H.L.	REMARKS
6+59.52	117.48	117.48	117.36	116.86	117.20	116.86	117.36	117.48	117.48	BEGIN BRICK PAVING (N)
6+75.00	116.80	116.80	116.68	116.18	116.52	116.18	116.68	116.80	116.80	
7+00.00	115.71	115.71	115.59	115.09	115.43	115.09	115.59	115.71	115.71	
7+25.00	114.63	114.63	114.51	114.01	114.35	114.01	114.51	114.63	114.63	
7+39.00	114.02	114.02	113.90	113.40	113.74	113.40	113.90	114.02	114.02	END MOMENT SLAB (S)
7+50.00	113.54	113.54	113.42	112.92	113.26	112.92	113.42	113.54	113.54	
7+56.22	113.27	113.27	113.15	112.65	112.99	112.65	113.15	113.27	113.27	BEGINNING OF BLDG (N)
7+64.90	112.89	112.89	112.77	112.27	112.61	112.27	112.77	112.89	112.89	END MOMENT SLAB (N)
7+70.00	112.74	112.74	112.55	112.05	112.39	112.05	112.55	112.74	112.74	TREE (N&S)
7+75.00	112.52	112.52	112.33	111.83	112.17	111.83	112.33	112.52	112.52	
7+95.00	111.65	111.65	111.46	110.96	111.30	110.96	111.46	111.65	111.65	TREE (N&S)
8+00.00	111.44	111.44	111.24	110.74	111.08	110.74	111.24	111.44	111.44	
8+20.00	110.57	110.57	110.37	109.87	110.21	109.91	110.41	110.60	110.60	TREE (N&S)
8+25.00	110.35	110.35	110.15	109.65	109.99	109.70	110.20	110.40	110.40	
8+38.63	109.75	109.75	109.56	109.06	109.40	109.13	109.63	109.83	109.83	END CURB AND SIDEWALK (S)
8+40.00	109.69	109.69	109.50	109.00	109.34	109.08	-	-	-	END BRICK PAVING AND BEGIN PAVING ADJUSTMENT AREA
8+50.00	109.38	109.38	109.19	108.69	109.08	108.80	-	-	-	
8+70.31	108.75	108.75	108.55	108.05	108.55	-	-	-	-	END CURB AND SIDEWALK (N)
8+87.52	108.21	108.21	108.02	107.52	108.10	-	-	-	-	END PAVING ADJUSTMENT AREA
-	-	-	-	-	107.64	-	-	-	-	STOP WORK



LEGEND	
N.H.L.	NORTH HOUSE LINE
N.E.S.	NORTH EDGE OF SIDEWALK
N.T.C.	NORTH TOP OF CURB
N.G.	NORTH GUTTER
P.G.	PROFILE GRADE POINT
S.G.	SOUTH GUTTER
S.T.C.	SOUTH TOP OF CURB
S.E.S.	SOUTH EDGE OF SIDEWALK
S.H.L.	SOUTH HOUSE LINE

NOTES:



- SEE ROADWAY SHEET 4 FOR SIDEWALK TYPICAL SECTIONS



DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	10 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	




- NOTES:**
- FOR NOTES SEE SHEET 9
 - FOR LEGEND SEE SHEET 9




CURB RAMP DETAILS

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	11 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



PLAN OF RAMPS #02, #17 & #19 (TYPE 1)
SCALE: 1"=5'


PLAN OF RAMPS #02, #17 & #19 (TYPE 1)
SCALE: 1"=5'



NOTES:

- FOR NOTES SEE SHEET 9
- FOR LEGEND SEE SHEET 9

CURB RAMP DETAILS



LITE = LIGHTING PLAN
 PWD = SEWER LINING AND INLET REPLACEMENT
 BRDG = STRUCTURE PLAN BPAA-872280

SUMMARY

S & PMP = SIGNING AND PAVEMENT MARKING PLAN

REVISION NO	REVISIONS	DATE	BY	DISTRICT	COUNTY	ROUTE	SECTION	SHEET
				08	PHILADELPHIA	7301	0185	12 OF 17

CITY OF PHILADELPHIA

◆ - SEE SPECIAL PROVISIONS

QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET		
	UNIT					UNIT					UNIT					UNIT					
	4201 0001 LS	CLEARING AND GRUBBING		NO TAB	2	0703 0025 CY	NO. 57 COARSE AGGREGATE		15	87	0960 0001 LF	4" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS		S & PMP	AND 2075	1005 1845 LF	STEEL HP14X102 PRODUCTION PILE		3	BRDG	
452	0203 0001 CY	CLASS 1 EXCAVATION		14	22	0802 0001 CY	TOPSOIL FURNISHED AND PLACED		15	7	0960 0002 LF	4" YELLOW HOT THERMOPLASTIC PAVEMENT MARKINGS		S & PMP	AND 7347	8000 0056 CY	ULTRA-LIGHTWEIGHT FOAMED GLASS AGGREGATE		3	BRDG	
9	0203 0004 CY	CLASS 1B EXCAVATION		14	1	0804 0011 LB	SEEDING AND SOIL SUPPLEMENTS - FORMULA B		15	44	0960 0005 LF	6" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS		S & PMP	AND 2	1005 1745 EACH	STEEL HP14X102 TEST PILE		3	BRDG	
2983	0212 0014 SY	GEOTEXTILE, CLASS 4, TYPE A		14	18	0804 0014 LB	SEEDING - FORMULA E		15	395	0960 0021 LF	24" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS		S & PMP	AND 63	1005 2045 EACH	STEEL HP14X102 PILE TIP REINFORCEMENT (HEAVY DUTY)		3	BRDG	
1556	0301 0004 SY	PLAIN CEMENT CONCRETE BASE COURSE, 8" DEPTH		14	1	0805 0021 TON	MULCHING - HAY		15	388	0961 0321 LF	4" COLD WHITE PLASTIC PAVEMENT MARKER, SURFACE APPLIED		S & PMP	2	9000 0001 EACH	CONCRETE WASHOUT			15	
2630	0350 0106 SY	SUBBASE 6" DEPTH (NO. 2A)		14	14	0808 3442 EACH	APPLE SERVICEBERRY - CLUMP FORM - (8' HT. B&B - HEAVY)		14	385	0961 0322 LF	4" COLD YELLOW PLASTIC PAVEMENT MARKER, SURFACE APPLIED		S & PMP	68	9000 0002 SY	CEMENT CONCRETE SIDEWALK SEALED JOINTS, 8" DEPTH			14	
395	0413 0192 SY	SUPERPAVE ASPHALT MIXTURE DESIGN, WEARING COURSE, PG 649-22, < 0.3 MILLION ESALS, 9.5 MM MDX, 1 1/2" DEPTH, SRL-H		14		0810 0024 LS	TREE TRIMMING TO AN UNLIMITED HEIGHT		14	694	0964 0001 LF	4" WHITE EPOXY PAVEMENT MARKINGS		S & PMP	1497	9000 0003 SY	REMOVAL OF BRICK PAVING			14	
24	0413 6035 SY	SUPERPAVE ASPHALT MIXTURE DESIGN, BINDER COURSE, PG 649-22, < 0.3 MILLION ESALS, 19.0 MM MDX, 2 1/2" DEPTH		14	4	0810 0052 EACH	SELECTIVE TREE REMOVAL		14	695	0964 0002 LF	4" YELLOW EPOXY PAVEMENT MARKINGS		S & PMP	1524	9000 0004 SY	INSTALLATION OF BRICK PAVING			14	
1	0413 7009 TON	SUPERPAVE ASPHALT MIXTURE DESIGN, BINDER COURSE (LEVELING), PG 649-22, 0.3 TO < 3 MILLION ESALS, 19.0 MM MDX		14	20000	0845 0001 DOLLA	UNFORESEEN WATER POLLUTION CONTROL		15	17	0984 0021 LF	24" WHITE EPOXY PAVEMENT MARKINGS		S & PMP		9000 0005 LS	RESETTING OF VEHICULAR GATE			14	
395	0460 0001 SY	ASPHALT TACK COAT		14	2	0855 0003 EACH	PUMPED WATER FILTER BAG		15	5	0975 0001 EACH	REMOVE POST MOUNTED SIGNS, TYPE F		S & PMP	2	9000 0006 EACH	BRONZE INSCRIPTION TABLET			BRDG	
391	0491 0012 SY	MILLING OF ASPHALT PAVEMENT SURFACE, 1 1/2" DEPTH, MILLED MATERIAL RETAINED BY CONTRACTOR		14	2	0855 0004 EACH	REPLACEMENT PUMPED WATER FILTER BAG		15	22	9000 0032 EACH	DYNAMIC PILE LOAD TEST		BRDG	10000	9000 0007 DOLLA	SOIL SAMPLE COLLECTION, TESTING AND ANALYSIS			BRDG	
1	0606 0160 SET	GRADE ADJUSTMENT OF EXISTING WATER VALVES		14	7	0860 0000 EACH	INLET FILTER BAG FOR TYPE M INLET		15		5018 0050 LS	REMOVAL OF PORTION OF EXISTING BRIDGE		BRDG	2	9000 0008 EACH	TRUCK WASH			15	
3	0608 0162 SET	GRADE ADJUSTMENT OF EXISTING UTILITY BOXES		14	11	0860 0002 EACH	INLET FILTER BAG FOR TYPE C INLET		15	3000	1091 0335 DOLLA	EPOXY INJECTION CRACK SEAL		BRDG	12000	9000 0009 DOLLA	PECO SUPPLY (PECO CORRINATION)			LITE	
	0808 0001 LS	MOBILIZATION		NO TAB	349	0888 0005 LF	HEAVY DUTY SILT BARRIER FENCE		15	2000	1999 9999 HOUR	TRAINEES		NO TAB	10	9000 0010 EACH	PHILADELPHIA PEDESTRIAN POLE			LITE	
	4809 0002 LS	INSPECTOR'S FIELD OFFICE AND INSPECTION FACILITIES, TYPE A		NO TAB		4901 0001 LS	MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION		NO TAB		8200 0001 LS	BRIDGE STRUCTURE, AS DESIGNED, L-201		3	BRDG		9000 0011 LS	TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM			BRDG
	0609 0009 LS	EQUIPMENT PACKAGE		NO TAB	3	4910 0001 EACH	JUNCTION BOXES J.B.-1 MODIFIED		LITE	AND 176112	1002 0052 LB	REINFORCEMENT BARS, EPOXY COATED		3	BRDG	40000	9000 0014 DOLLA	RELOCATE CATCH BASIN			BRDG
149	4824 0001 LF	RIGHT-OF-WAY FENCE, TYPE 1		14	7	0910 2002 EACH	8-FOOT BRACKET ARM		LITE		8000 0001 LS	PRESTRESSED CONCRETE BRIDGE STRUCTURE		3	BRDG	50000	9000 0015 DOLLA	RELOCATE DRAINAGE PIPE			BRDG
585	0630 0010 LF	PLAIN CEMENT CONCRETE CURB, INCLUDING REMOVAL OF EXISTING CURB		14	1850	0910 4114 LF	AWG 4 UNDERGROUND CABLE, COPPER, 1 CONDUCTOR		LITE		8100 0001 LS	STEEL BRIDGE STRUCTURE		3	BRDG	1	9000 0018 EACH	20' C-POST, STREET NAME SIGN POLE			S & PMP
734	4878 0001 SY	CEMENT CONCRETE SIDEWALK		14	620	0910 4115 LF	AWG 8 UNDERGROUND CABLE, COPPER, 1 CONDUCTOR		LITE	AND 13	1001 0611 LF	6" STRUCTURE FOUNDATION DRAIN		3	BRDG	10	9000 0019 EACH	WARNING LIGHT, TYPE B			S & PMP
	4888 0050 LS	CONSTRUCTION SURVEYING, TYPE D		NO TAB	217	0910 5055 LF	2" DIRECT BURIAL CONDUIT		LITE	AND 958	9999 9998 CY	EMBANKMENT MATERIAL (FOR INFORMATION ONLY)		3	BRDG	5625	9000 0020 SF	PREFABRICATED MODULAR WINGWALL			BRDG
	0688 0002 LS	MICROCOMPUTER WITH BATTERY BACKUP SYSTEM, TYPE A		NO TAB		0910 7210 LS	TESTING OF ENTIRE LIGHTING SYSTEM		LITE	AND 27	0675 0001 CY	RANDOM STONE SLOPE WALL		3	BRDG		9000 0025 LS	MASS POUR CONCRETE			BRDG
	0689 0003 LS	CPM SCHEDULE		NO TAB	39	0931 0001 SF	POST MOUNTED SIGNS, TYPE B		S & PMP	AND 5	0703 0025 CY	NO. 57 COARSE AGGREGATE		3	BRDG						
64	4895 0002 SF	DETECTABLE WARNING SURFACE, CAST IRON		14	39	0935 0601 SF	POST MOUNTED SIGNS, TYPE F		S & PMP	AND 1084	1001 0730 CY	SELECTED BORROW EXCAVATION, STRUCTURE BACKFILL		3	BRDG						
8	0703 0020 CY	NO. 1 COARSE AGGREGATE		15	2	0954 0301 EACH	JUNCTION BOX, JB-28		LITE	AND 1000	1005 1410 LF	MANDATORY PREDRILLING FOR DRIVEN PILES		3	BRDG						



LITE = LIGHTING PLAN
 PWD = SEWER LINING AND INLET REPLACEMENT
 BRDG = STRUCTURE PLAN BPAA-672260

SUMMARY

S & PMP = SIGNING AND PAVEMENT MARKING PLAN

REVISION NO	REVISIONS	DATE	BY	DISTRICT	COUNTY	ROUTE	SECTION	SHEET
				06	PHILADELPHIA	7301	0185	13 OF 17
CITY OF PHILADELPHIA								


◆ - SEE SPECIAL PROVISIONS

QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET	QUANTITY	ITEM NO	DESCRIPTION	DESIGN NO	FOR TAB SEE SHEET
	UNIT					UNIT					UNIT					UNIT			
	9000 0026 LS	LOCATE BRICK SEWER		BRDG	75	9000 1016 LF	15 INCH INLET CONNECTIONS		PWD										
	9000 0027 LS	LOCATE AND PROTECT C&S DUCT BANK		BRDG	1	9000 1017 EACH	SEWER MANHOLES FOR PIPES 30 INCHES AND UNDER		PWD										
200	9000 0029 LF	EARTH DRILLING		BRDG	1	9000 1018 EACH	FILLING ABANDONED MANHOLES		PWD										
20	9000 0030 LF	OBSTRUCTION DRILLING		BRDG	90	9000 1019 LF	48 INCH RCP SEWER		PWD										
10000	9000 0031 DOLLA	OVEREXCAVATION AND BACKFILLING WITH PENNDOT NO. 2A COARSE AGGREGATE		BRDG	7	9000 1512 EACH	LED ROADWAY LUMINAIRE		LITE										
1	9000 0050 EACH	PRE AND POST CONSTRUCTION SURVEYS		BRDG	7	9000 1513 EACH	REMOVE STREET LIGHT ARM AND LUMINAIRE FROM EXISTING POLE		LITE										
50000	9000 0051 DOLLA	EXCAVATION, TRANSPORTATION AND DISPOSAL OF RESIDUAL AND HAZARDOUS WASTE		BRDG	5	9000 5001 EACH	CONSTRUCTION OF ADA RAMPS (BY QUADRANT)		14										
100	9000 0053 LF	REMOVE AND RESET CORRUGATED METAL FENCE		14	2	9000 5002 EACH	COVID-19 SAFETY PLAN SIGN		14										
	9000 0054 LS	BONDING AND GROUNDING		BRDG	45000	9000 5003 DOLLA	PILE EXTRACTION AND RE-DRIVING		BRDG										
265	9000 1001 LF	5'-0" NON-STYRENEATED RESIN IMPREGNATED LINER INCLUDING ALL APPURTENANT WORK		PWD	30000	9000 5004 DOLLA	MOBILIZATION FOR PREDRILLING FOR UNFORESEEN OBSTRUCTIONS		BRDG										
130	9000 1002 LF	4'-6" NON-STYRENEATED RESIN IMPREGNATED LINER INCLUDING ALL APPURTENANT WORK		PWD	30000	9000 5050 DOLLA	ASBESTOS TESTING AND ABATEMENT		14										
	9000 1003 LS	DEWATERING OF THE SEWER		PWD															
2	9000 1004 CY	FILL VOIDS IN THE CROWN, WALLS, AND INVERT WITH EPOXY MASTIC TO REPAIR THE SEWER PRIOR TO THE EPOXY LINING		PWD															
25	9000 1005 SY	1/4-(250 MILS) LAYER OF EPOXY RESIN LINING		PWD															
10	9000 1006 CY	CLEANING AND REMOVAL OF DEBRIS IN THE 4'-0" SEWER		PWD															
700	9000 1007 CY	EXCAVATION FOR PIPE SEWERS INCLUDING SHEATHING AND SHORING, WITH STEEL SOLDIER BEAMS		PWD															
100	9000 1008 CY	EXPLORATORY EXCAVATION		PWD															
15	9000 1009 LF	54 INCH RCP SEWER		PWD															
15	9000 1010 LF	60 INCH RCP SEWER		PWD															
4	9000 1011 EACH	SEWER MANHOLES FOR PIPES 36 INCHES AND OVER		PWD															
1	9000 1012 EACH	WELLHOLES		PWD															
4	9000 1013 EACH	4 FOOT OPEN MOUTH GRATE INLETS		PWD															
4	9000 1014 EACH	FILLING ABANDONED INLETS		PWD															
38400	9000 1015 DOLLA	SHEETING AND SHORING TO BE LEFT IN PLACE		PWD															





DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	16 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	


BM #1 ELEV 62.35
NE CORNER OF 31ST ST. AND BALTZ ST. (BEYOND LIMIT OF WORK)
TOP OF RIM OF FIRE HYDRANT.




PLAN - MONTGOMERY AVENUE



P.O.T. STA. 2+00.00



P.O.T. STA. 3+64.18



P.O.T. STA. 9+00.00

STRUCTURE DATA	
EXISTING STRUCTURE	PROPOSED STRUCTURE
STA. 4+42.96 TO STA. 6+59.92	STA. 4+88.58 TO STA. 6+14.42
CONCRETE ENCASED STEEL THRU GIRDER BRIDGE	SINGLE SPAN CONSTANT DEPTH GIRDER BRIDGE
SPANS: 30.20'-31.38'-72.63'-46.13'-33.23'	SPAN: 125'-10"
19.24' MIN. VERT. CLEARANCE	19.76' MIN VERTICAL CLEARANCE
SKEW ANGLE 50°26'03" RT.	SKEW ANGLE 50°00'00" RT.
35.5' ROADWAY, 10.29' LT. S'WALK, 10.29' RT. S'WALK	34.0' ROADWAY, 8.0' LT. S'WALK, 8.0' RT. S'WALK
	CITY BRIDGE NUMBER 185, L-201


LEGEND			
-C&S-	CABLE & SIGNAL	□	GAS VALVE BOX
-FOU-	FIBER OPTIC UNDERGROUND	⊙	WATER VALVE BOX
-G-	PHILADELPHIA GAS WORKS	⊠	SEWER VENT BOX
-SEPTA-	SEPTA	⊞	FIRE HYDRANT
-S-	SEWER MAIN	⊟	STREET SIGN
-STD. E-	STD. ELECTRIC	⊠	TREE
-VT-	VERIZON TELEPHONE DUCT	▨	INLET
-W-	WATER MAIN	⊞	PROPOSED ST. LIGHT POLE
-PO-	PRIVATELY OWNED	⊠	PROPERTY OWNER SEE SHT.3
○	MANHOLE	⊠	PECO POLE
⊞	PECO POLE W/ ST. LIGHT	⊠	ADA RAMP

C.M.U.	CONCRETE MASONRY UNIT
P.G.	PROFILE GRADE POINT
N.G., S.G.	NORTH, SOUTH GUTTER
N.H.L, S.H.L, E.H.L, W.H.L	NORTH, SOUTH, EAST, WEST HOUSE LINE
N.T.C., S.T.C.	NORTH, SOUTH TOP OF CURB
N.E.S., S.E.S.	NORTH, SOUTH EDGE OF S'WALK
N.T.P., S.T.P.	NORTH, SOUTH TOP OF PARAPET/PILASTER
P.V.C.	POINT OF VERTICAL CURVE
P.V.I.	POINT OF VERTICAL INTERSECTION
P.V.T.	POINT OF VERTICAL TANGENCY
P.L.C.C.	PLAIN CEMENT CONCRETE (CURB)
R.D.C.C.	REINFORCED DEPRESSED CEMENT CONCRETE (CURB)

SURVEY BOOK #9501 LOCATION: 1401 JOHN F. KENNEDY BLVD. IN MSB B30




DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	17 OF 17
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



PROFILE
 VERTICAL SCALE: 1"=5'
 HORIZONTAL SCALE: 1"=25'

BAR SCALE KEY



C:\Users\DhanyaJacob\Documents\My Adept WorkArea\TC0102B.dwg, 9/13/2016 1:05:04 PM

TABULATION OF SIGNS AND DEVICES (FOR INFORMATION ONLY) ▲				
SYMBOL	DESIGNATION	DESCRIPTION	SIZE (INCHES)	QUANTITY
1	FAB	MONTGOMERY AVE	48X12	4
	W20-2	ADVANCE DETOUR SIGN	36X36	
	W30-1-1	500 FT DISTANCE PANEL	-	
2	FAB	MONTGOMERY AVE	48X12	1
	W20-2	ADVANCE DETOUR SIGN	36X36	
	W30-1-2	1000 FT DISTANCE PANEL	-	
3	FAB	MONTGOMERY AVE	48X12	1
	W20-2	ADVANCE DETOUR SIGN	36X36	
	W30-1-3	1500 FT DISTANCE PANEL	-	
4	FAB	MONTGOMERY AVE	48X12	2
	M4-9SR	ADVANCE DETOUR SIGN, RIGHT	30X24	
5	FAB	MONTGOMERY AVE	48X12	2
	M4-9R	DETOUR SIGN, RIGHT	30X24	
6	FAB	MONTGOMERY AVE	48X12	3
	M4-9SL	ADVANCE DETOUR, LEFT	30X24	
7	FAB	MONTGOMERY AVE	48X12	4
	M4-9L	DETOUR SIGN, LEFT	30X24	
8	FAB	MONTGOMERY AVE	48X12	8
	M4-9S	DETOUR SIGN, STRAIGHT	30X24	
9	FAB	MONTGOMERY AVE	48X12	2
	M4-8A	END DETOUR SIGN	24X18	
10	R11-2-1	BRIDGE CLOSED SIGN	48X30	4
11	W23-101	THIS BRIDGE TO BE CLOSED FOR CONSTRUCTION XX-XX-XXXX	48X48	2
12	R11-3A	ROAD CLOSED 1500 FEET AHEAD LOCAL TRAFFIC ONLY SIGN	60X30	2
	M4-10R	DETOUR, RIGHT	48X18	
13	R9-9	SIDEWALK CLOSED	30X18	2
14	R9-11A (L)	SIDEWALK CLOSED CROSS HERE, LEFT	24X12	1
15	R9-11A (R)	SIDEWALK CLOSED CROSS HERE, RIGHT	24X12	1
16	M4-9B (R)	PEDESTRIAN DETOUR SIGN, RIGHT	30X24	3
17	M4-9B (L)	PEDESTRIAN DETOUR SIGN, LEFT	30X24	3
18	M4-9B (S)	PEDESTRIAN DETOUR SIGN, STRAIGHT	30X24	6
19	M4-8A	END DETOUR	24X18	2
	FAB	PEDESTRIAN	30X12	
20	W20-3	ROAD CLOSED	36X36	2
	W30-1-1	500 FT DISTANCE PANEL	-	
	W20-3	ROAD CLOSED	36X36	
21	W20-3	ROAD CLOSED	36X36	2
	W30-1-2	1000 FT DISTANCE PANEL	-	
☐	-	TYPE III BARRICADE	-	6
☐	-	TEMPORARY PORTABLE SIGN POST	-	50
⚡	-	TYPE B FLASHING LIGHT	-	12

▲ THESE SIGNS AND DEVICES TO BE INCLUDED AS INCIDENTAL UNDER ITEM 4901-0001 MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION.

GENERAL NOTES:

THIS WORK CONSISTS OF THE MAINTENANCE OF TRAFFIC AND THE PROTECTION OF THE TRAVELING PUBLIC APPROACHING THE CONSTRUCTION AREA AND WITHIN THE LIMITS OF CONSTRUCTION.

FURNISH, ERECT, PLACE AND MAINTAIN TRAFFIC CONTROL SIGNS AND DEVICES AND MAINTAIN TRAFFIC DURING THE HOURS OF CONSTRUCTION AND AT ALL OTHER TIMES IN ACCORDANCE WITH THE METHODS INDICATED ON THESE DRAWINGS, AND THE FOLLOWING:

- SPECIAL PROVISIONS OF THE CONTRACT.
- PA CODE, TITLE 67, CHAPTER 212, OFFICIAL TRAFFIC CONTROL DEVICES.
- PENNDOT PUBLICATION 213, WORK ZONE TRAFFIC CONTROL.
- PENNDOT PUBLICATION 236, HANDBOOK OF APPROVED SIGNS.
- PENNDOT PUBLICATION 35, APPROVED CONSTRUCTION MATERIALS (BULLETIN 15).
- PENNDOT PUBLICATION 408, SPECIFICATIONS.
- MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.

REMOVE CONFLICTING PAVEMENT MARKINGS WHEN PLACING DETOUR.

REPLACE ALL PAVEMENT MARKINGS WHICH HAD BEEN REMOVED DURING CONSTRUCTION, UNLESS OTHERWISE NOTED.

INSTALL ALL TRAFFIC CONTROL DEVICES AND HAVE THE INSTALLATION INSPECTED BY THE INSPECTOR-IN-CHARGE OR HIS REPRESENTATIVE BEFORE WORK BEGINS.

COVER OR REMOVE ALL SIGNS NOT IN USE.

ALL SIGNS TO BE MOUNTED ON EXISTING POSTS OR UTILITY POLES WHEREVER POSSIBLE.

ALL SIGNS AND DEVICES MUST BE IN NEW OR NEAR NEW CONDITION AND MAINTAINED AS SUCH.

THIS TRAFFIC CONTROL PLAN DOES NOT RELIEVE THE CONTRACTOR OF HIS RESPONSIBILITY AS SPECIFIED IN SECTION 901.3(a) OF PUBLICATION 408.

NOTIFY LOCAL EMERGENCY OFFICIALS (POLICE, FIRE, AMBULANCE) TWO (2) WEEKS PRIOR TO THE DETOUR.

SIGN 11 TO BE MOUNTED 2 WEEKS PRIOR TO CONSTRUCTION AND REMOVED WHEN WORK STARTS.

BARRICADE ENTIRE ROADWAY WIDTH AT SIGN 10 LOCATIONS.


IMMEDIATELY UPON COMPLETION OF THE WORK, REMOVE ALL SIGNS AND DEVICES, UNLESS OTHERWISE SPECIFIED IN THE SPECIAL PROVISIONS. ALL MATERIAL WILL REMAIN THE PROPERTY OF THE CONTRACTOR.

MAINTAIN ACCESS TO BUILDINGS AND DRIVEWAYS.


FABRICATION NOTES:

COLORS FOR INFORMATION SIGNS:
 BACKGROUND: ORANGE (REFLECTORIZED)
 LEGEND AND BORDER: BLACK (NON-REFLECTORIZED)
 ALL CAPITAL LETTERS AND NUMERALS SHALL BE SERIES "C", UNLESS OTHERWISE NOTED.

SIGN DETAILS:
 1.5" RADIUS, 2.0" BORDER,
 0.4" INDENT, BLACK ON ORANGE




TYPE III BARRICADE DETAIL
NOT TO SCALE




FABRICATION DETAIL
NOT TO SCALE

<i>MW</i>	9-19-16
PHILADELPHIA DISTRICT TRAFFIC ENGINEER	DATE
<i>af</i>	<i>D/16/16</i>
RECOMMENDED DISTRICT 8-0 TRAFFIC ENGINEER	DATE
TRAFFIC CONTROL PLAN	

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	2 OF 2
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



VEHICULAR DETOUR MAP
SCALE: 1" = 500'




PEDESTRIAN DETOUR MAP
SCALE: 1" = 500'

TRAFFIC CONTROL

VEHICULAR TRAFFIC WILL BE DETOURED DURING CONSTRUCTION AS FOLLOWS:
1. GLENWOOD AVE. - OXFORD ST. - 33RD ST.

LEGEND:

- DETOUR ROUTE
- BRIDGE
- TEMPORARY SIGN WITH DESIGNATION #
- TYPE III BARRICADE
- TYPE B FLASHING LIGHT
- DIRECTION OF TRAFFIC
- RAILROADS



SIGN SCHEDULE


① W20-2 36"x36" W30-1-1 BLACK ON ORANGE	② W20-2 36"x36" W30-1-2 BLACK ON ORANGE	③ W20-2 36"x36" W30-1-3 BLACK ON ORANGE	④ M4-9SR 30"x24" BLACK ON ORANGE	⑤ M4-9R 30"x24" BLACK ON ORANGE	⑥ M4-9SL 30"x24" BLACK ON ORANGE	⑦ M4-9L 30"x24" BLACK ON ORANGE
⑧ M4-9S 30"x24" BLACK ON ORANGE	⑨ M4-8A 24"x18" BLACK ON ORANGE	⑩ R11-2-1 48"x30" BLACK ON WHITE	⑪ W 23-101 96"x48" *APPROPRIATE DATE BLACK ON ORANGE	⑫ R11-3A 60"x30" BLACK ON WHITE M4-10R 48"x18" BLACK ON ORANGE	⑬ R9-9 30"x18" BLACK ON WHITE	
⑭ R9-11AL 24"x12" BLACK ON WHITE	⑮ R9-11AR 24"x12" BLACK ON WHITE	⑯ M4-9B (R) 30"x24" BLACK ON ORANGE	⑰ M4-9B (L) 30"x24" BLACK ON ORANGE	⑱ M4-9B (S) 30"x24" BLACK ON ORANGE	⑲ M4-8A 24"x18" BLACK ON ORANGE	⑳ W20-3 36"x36" W30-1-1 BLACK ON ORANGE
㉑ W20-3 36"x36" W30-1-2 BLACK ON ORANGE						

TRAFFIC CONTROL PLAN

C:\Users\Tyler.Mirra\AppData\Roaming\Synnergis\Adept\My Adopt WorkArea\Tyler.Mirra\TC0102B.dwg, 1/26/2018 2:08:03 PM, Tyler.Mirra

PREPARED BY:
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	1 OF 3
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



MATCH LINE SEE SHEET 2




LEGEND

- W/4 4" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- W/6 6" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- W/24 24" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- DY/4 4" YELLOW HOT THERMOPLASTIC PAVEMENT MARKINGS
- CW/4 4" COLD WHITE PLASTIC PAVEMENT MARKER SURFACE APPLIED (CONTRAST TAPE, WHITE ON BLACK)
- CDY/4 4" COLD YELLOW PLASTIC PAVEMENT MARKER SURFACE APPLIED (CONTRAST TAPE, YELLOW ON BLACK)
- WP/4 4" WHITE EPOXY PAVEMENT MARKINGS
- WP/24 24" WHITE EPOXY PAVEMENT MARKINGS
- DYP/4 4" YELLOW EPOXY PAVEMENT MARKINGS

- BRICK PAVING
- PECO POLE
- ADA CURB RAMP
- POST MOUNTED SIGN
- TRAFFIC LIGHT POLE

GENERAL NOTES:






- THIS WORK CONSISTS OF INSTALLATION OF SIGNS AND APPLICATION OF PAVEMENT MARKINGS WITHIN THE LIMITS OF CONSTRUCTION. THE CONTRACTOR MUST APPLY PAVEMENT MARKINGS IN ACCORDANCE WITH THE METHODS INDICATED ON THESE DRAWINGS, AND THE FOLLOWING:
1. THE SPECIAL PROVISIONS OF THE CONTRACT.
 2. PENNDOT PUBLICATION NO. 236, HANDBOOK OF APPROVED SIGNS.
 3. PENNDOT PUBLICATION 111, TRAFFIC CONTROL SIGNING STANDARDS, TC-8700 SERIES.
 4. PENNDOT PUBLICATION 111, PAVEMENT MARKING STANDARDS, TC-8600 SERIES.
 5. PENNDOT PUBLICATION 35, APPROVED CONSTRUCTION MATERIALS (BULLETIN 15).
 6. PENNDOT PUBLICATION 408 SPECIFICATIONS.
 7. USE HOT EXTRUDED THERMOPLASTIC ON BITUMINOUS SURFACES.
 8. USE COLD PLASTIC CONTRAST TAPE ON CONCRETE SURFACES (COLOR ON BLACK).
 9. USE EPOXY PAINT ON BRICK SURFACES.
 10. MATCH PROPOSED PAVEMENT MARKINGS TO EXISTING PAVEMENT MARKINGS AT LOCATIONS OF START WORK AND STOP WORK.
 11. ALL NEW STOP SIGNS WILL HAVE FLASHERS PER PUBLICATION 46, CHAPTER 2.4.
- ALL PAVEMENT MARKINGS MUST BE PLACED AND INSPECTED BY THE INSPECTOR-IN-CHARGE OR HIS REPRESENTATIVE BEFORE TRAFFIC IS ALLOWED TO USE THE ROADWAY.
- MATCH THE CENTERLINE OF WP/4" WITH CENTERLINE OF BRICK.



Kasim Ali 8/11/20
PHILADELPHIA CHIEF TRAFFIC ENGINEER DATE

SIGNING AND PAVEMENT MARKING PLAN


DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	2 OF 3
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	



LEGEND

- W/4" 4" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- W/6" 6" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- W/24" 24" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS
- DY/4" 4" YELLOW HOT THERMOPLASTIC PAVEMENT MARKINGS
- CW/4" 4" COLD WHITE PLASTIC PAVEMENT MARKER SURFACE APPLIED (CONTRAST TAPE, WHITE ON BLACK)
- CDY/4" 4" COLD YELLOW PLASTIC PAVEMENT MARKER SURFACE APPLIED (CONTRAST TAPE, YELLOW ON BLACK)
- WP/4" 4" WHITE EPOXY PAVEMENT MARKINGS
- WP/24" 24" WHITE EPOXY PAVEMENT MARKINGS
- DYP/4" 4" YELLOW EPOXY PAVEMENT MARKINGS

- BRICK PAVING
- PECO POLE
- POST MOUNTED SIGN
- ADA CURB RAMP
- TRAFFIC LIGHT POLE



NOTES:
SEE SHEET 1 FOR GENERAL NOTES.

GENERAL NOTES:

- ALL EROSION AND SEDIMENT POLLUTION CONTROL MEASURES ARE IN ACCORDANCE WITH THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION'S PUBLICATION 408/2011 AND RC-70M, RC-72M, AND RC-75M, RC-77M OF THE DEPARTMENT'S STANDARDS FOR ROADWAY CONSTRUCTION. AT ANY TIME PRIOR TO STABILIZATION, IMMEDIATE ACTION MUST BE TAKEN IF ANY EROSION AND SEDIMENT PROBLEMS ARISE REQUIRING ADDITIONAL MEASURES.
- IT IS THE DUTY OF THE CONTRACTOR TO COMPLY WITH THE PROVISIONS OF ACT 38 (PUBLIC UTILITY LAW) BEFORE PERFORMING ANY EXCAVATION.
- IT IS THE DUTY OF THE CONTRACTOR TO COMPLY WITH THE GENERAL WORK PRACTICE STANDARDS FOR DUST MINIMIZATION AS STATED IN THE CITY OF PHILADELPHIA'S AIR MANAGEMENT REGULATIONS I, II, III OF THE AIR POLLUTION CONTROL BOARD § IX.C.
- AN INDUSTRIAL WASTE PERMIT WILL BE REQUIRED SHOULD PUMPING TO CITY-OWNED INFRASTRUCTURE BECOME NECESSARY DURING CONSTRUCTION. ALL PUMPING OF WATER FROM ANY WORK AREA SHALL BE DONE ACCORDING TO THE PROCEDURE DESCRIBED IN THIS PLAN, OVER UNDISTURBED VEGETATED AREAS.
- NO LESS THAN TEN (10) DAYS BEFORE COMMENCING CONSTRUCTION, OR DEMOLITION ACTIVITIES, DISTRIBUTE WRITTEN NOTIFICATION THAT: (1) IDENTIFIES THE OWNER AND OPERATOR OF THE CONSTRUCTION OR DEMOLITION ACTIVITY; (2) IDENTIFIES THE CONSTRUCTION CONTRACTORS WORKING ON THE SITE; (3) STATES THE DATE(S) AND DURATION OF THE CONSTRUCTION OR DEMOLITION ACTIVITY (4) IDENTIFIES DUST CONTROL MEASURES THAT WILL BE USED ON THE WORKSITE; (5) ADVISES RECIPIENTS TO TAKE PRECAUTIONARY MEASURES TO MINIMIZE DUST EXPOSURE; AND (6) INCLUDES CONTACT INFORMATION FOR THE DEPARTMENT. THE WRITTEN NOTIFICATION MUST BE MADE ON A FORM PRESCRIBED BY THE DEPARTMENT AND MUST BE DISTRIBUTED TO THE OCCUPANTS OF PROPERTIES THAT ARE IMMEDIATELY ADJACENT TO THE WORKSITE.
- AT LEAST THREE (3) DAYS PRIOR TO STARTING ANY EARTH DISTURBANCE ACTIVITIES, OR EXPANDING INTO AN AREA PREVIOUSLY UNMARKED, THE PENNSYLVANIA ONE CALL SYSTEM INC. SHALL BE NOTIFIED AT 1-800-242-1776 FOR THE LOCATION OF EXISTING UNDERGROUND UTILITIES.



- AT LEAST SEVEN (7) DAYS PRIOR TO STARTING ANY EARTH DISTURBANCE ACTIVITIES, INCLUDING CLEARING AND GRUBBING, THE OWNER AND/OR OPERATOR SHALL INVITE ALL CONTRACTORS, THE LANDOWNER, APPROPRIATE MUNICIPAL OFFICIALS, THE EROSION AND SEDIMENTATION PLAN PREPARER, AND A REPRESENTATIVE FROM THE PHILADELPHIA WATER DEPARTMENT TO AN ON-SITE PRECONSTRUCTION MEETING.
- AT NO TIME SHALL CONSTRUCTION VEHICLES BE ALLOWED TO ENTER AREAS OUTSIDE THE LIMIT OF DISTURBANCE BOUNDARIES SHOWN ON THE PLAN MAPS. THESE AREAS MUST BE CLEARLY MARKED AND FENCED OFF BEFORE CLEARING AND GRUBBING OPERATIONS BEGIN.
- E&S BMPs SHALL REMAIN FUNCTIONAL AS SUCH UNTIL ALL AREAS TRIBUTARY TO THEM ARE PERMANENTLY STABILIZED OR UNTIL THEY ARE REPLACED BY ANOTHER BMP APPROVED BY THE PWD AND PA DEP.
- INLET PROTECTION SHOULD BE PROVIDED FOR ALL INLETS THAT ARE LOCATED WITHIN ONE BLOCK OF THE PROJECT SITE.
- NO STONE OR BERMS SHALL BE PERMITTED TO BE USED AS INLET PROTECTION WITHIN THE PUBLIC RIGHT-OF-WAY.
- PHILADELPHIA WATER DEPARTMENT IS NOT RESPONSIBLE FOR ANY CLEANING OR REPAIRS NEEDED ON CITY-OWNED INFRASTRUCTURE DUE TO FAILURE OF ANY EROSION AND SEDIMENT CONTROLS. THE CONTRACTOR IS RESPONSIBLE FOR THE CLEANING AND REPAIRS OF THESE FACILITIES.
- CONTRACTOR SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND OPERATION OF THE EROSION AND SEDIMENT POLLUTION CONTROL FACILITIES UNTIL RELEASED BY THE PHILADELPHIA WATER DEPARTMENT. UNTIL THE SITE ACHIEVES FINAL STABILIZATION, ASSURE THAT THE BEST MANAGEMENT PRACTICES ARE IMPLEMENTED, OPERATED, AND MAINTAINED PROPERLY AND COMPLETELY. MAINTENANCE SHALL INCLUDE INSPECTIONS OF ALL BEST MANAGEMENT PRACTICE FACILITIES. MAINTAIN AND MAKE AVAILABLE TO THE PHILADELPHIA WATER DEPARTMENT COMPLETE WRITTEN INSPECTION LOGS OF ALL THOSE INSPECTIONS. ALL MAINTENANCE WORK, INCLUDING CLEANING, REPAIR, REPLACEMENT, REGRADING, AND RESTABILIZATION SHALL BE PERFORMED IMMEDIATELY.
- A LOG SHOWING DATES THAT EROSION AND SEDIMENTATION BEST MANAGEMENT PRACTICES WERE INSPECTED AS WELL AS ANY DEFICIENCIES FOUND AND THE DATE THEY WERE CORRECTED SHALL BE MAINTAINED ON THE SITE AND BE MADE AVAILABLE TO REGULATORY AGENCY OFFICIALS AT THE TIME OF INSPECTION.
- FAILURE TO CORRECTLY INSTALL EROSION AND SEDIMENTATION BEST MANAGEMENT PRACTICES, FAILURE TO PREVENT SEDIMENT-LADEN RUNOFF FROM LEAVING THE CONSTRUCTION SITE, OR FAILURE TO TAKE IMMEDIATE CORRECTIVE ACTION TO RESOLVE FAILURE OF EROSION AND SEDIMENTATION BEST MANAGEMENT PRACTICES MAY RESULT IN ADMINISTRATIVE, CIVIL, AND/OR CRIMINAL PENALTIES BEING INSTITUTED BY THE DEPARTMENT AS DEFINED IN SECTION 602 OF THE PENNSYLVANIA CLEAN STREAMS LAW. THE CLEAN STREAMS LAW PROVIDES FOR UP TO \$10,000 PER DAY IN CIVIL PENALTIES, UP TO \$10,000 IN SUMMARY CRIMINAL PENALTIES, AND UP TO \$25,000 IN MISDEMEANOR CRIMINAL FOR EACH VIOLATION.
- ANY DAMAGE THAT OCCURS IN WHOLE OR PART AS A RESULT OF BASIN OR TRAP DISCHARGE SHALL BE IMMEDIATELY REPAIRED BY THE PERMITTEE IN A PERMANENT MANNER SATISFACTORY TO THE MUNICIPALITY, THE PHILADELPHIA WATER DEPARTMENT, AND THE OWNER OF THE MANAGED PROPERTY.
- PROPERLY MAINTAIN ALL EROSION AND SEDIMENT POLLUTION CONTROLS UNTIL THE SITE IS STABILIZED. MAINTENANCE SHALL INCLUDE INSPECTIONS OF ALL CONTROLS AFTER ALL PRECIPITATION EVENTS, BEFORE ANY ANTICIPATED PRECIPITATION EVENTS, AND ON A WEEKLY BASIS. ALL PREVENTATIVE AND REMEDIAL MAINTENANCE WORK, INCLUDING CLEAN OUT, REPAIR, REPLACEMENT, REGRADING, RESEEDING, REMULCHING, AND RETENNING MUST BE PERFORMED IMMEDIATELY. IF THE E&S BMPs FAIL TO PERFORM AS EXPECTED, REPLACEMENT BMPs, OR MODIFICATIONS OF THOSE INSTALLED, WILL BE REQUIRED.

- IMMEDIATELY UPON DISCOVERING UNFORESEEN CIRCUMSTANCES POSING THE POTENTIAL FOR ACCELERATED EROSION AND/OR SEDIMENT POLLUTION, IMPLEMENT APPROPRIATE BEST MANAGEMENT PRACTICES TO ELIMINATE THE POTENTIAL FOR ACCELERATED EROSION AND/OR SEDIMENT POLLUTION AND NOTIFY PWD AND PA DEP
- INSTALL COMPOST FILTER SOCKS AND SILT BARRIER FENCES AT LEVEL GRADE. BOTH ENDS OF EACH FENCE OR SOCK SECTION SHOULD BE EXTENDED AT LEAST 8 FEET UPSLOPE AT 45 DEGREES TO THE MAIN BARRIER OR FENCE ALIGNMENT. SUPPORT STAKES SHALL BE SPACED AT A MAXIMUM OF 8 FEET. REMOVE SEDIMENT WHEN ACCUMULATIONS REACH 1/2 THE HEIGHT OF THE FENCE OR SOCK ABOVE GROUND. IMMEDIATELY REPLACE ANY FENCE OR SOCK SECTION WHICH HAS BEEN UNDERMINED OR TOPPED WITH A ROCK FILTER OUTLET. SEE ROCK FILTER OUTLET DETAIL IN RC-70M. IF A SECTION OF FILTER SOCK IS DEEMED CLOGGED BY OWNER, ENGINEER, PWD, OR PA DEP INSPECTOR, THAT SECTION SHALL BE REPLACED IN KIND.
- EROSION CONTROL BLANKETING SHALL BE INSTALLED ON ALL SLOPES 3H:1V OR STEEPER WITHIN 50 FEET OF A SURFACE WATER AND ON ALL OTHER DISTURBED AREAS SPECIFIED ON THE PLAN MAPS AND/OR DETAIL SHEETS.
- THE MAXIMUM HEIGHT FOR STOCKPILES SHALL BE 20 FEET.
- THE MAXIMUM SLOPE FOR STOCKPILES SHALL NOT EXCEED 2H: 1V.
- IF THE CONTRACTOR WOULD PREFER A ROCK CONSTRUCTION ENTRANCE AS AN ALTERNATE TO THE TRUCK WASH, IT SHALL BE INSTALLED IN DIRECT ACCORDANCE WITH THE STANDARD DETAIL ATTACHED. THE ROCK CONSTRUCTION ENTRANCE, IF UTILIZED, SHALL BE PLACED BETWEEN STATIONS 2+36.00 AND 2+86.00 ALONG THE WEST APPROACH, AND 7+90.00 AND 8+40.00 ALONG THE EAST APPROACH.
- CONSTRUCT THE ROCK CONSTRUCTION ENTRANCES PRIOR TO PERMITTING CONSTRUCTION VEHICLE TO TRAVEL ON DISTURBED AREAS. CONTRACTOR IS TO SUBMIT TRUCK WASH MEANS AND METHOD FOR APPROVAL PRIOR TO INSTALLATION.
- MAINTAIN AS CONSTANT THE ROCK CONSTRUCTION ENTRANCE THICKNESS. A STOCKPILE SHALL BE MAINTAINED ON SITE FOR THIS PURPOSE.
- REMOVE AND RETURN SEDIMENT TRACKED ONTO ANY PUBLIC ROADWAY OR SIDEWALK TO THE CONSTRUCTION SITE BY THE END OF EACH WORK DAY AND DISPOSE OF IT IN THE MANNER DESCRIBED IN THIS PLAN. IN NO CASE SHALL SEDIMENT BE WASHED, SHOVELLED, OR SWEEPED INTO ANY ROADSIDE DITCH, STORM SEWER, OR SURFACE WATER.
- CONCRETE WASH WATER SHALL BE HANDLED PER CHAPTER 3 OF THE PA DEP EROSION AND SEDIMENT POLLUTION CONTROL PROGRAM MANUAL. IN NO CASE SHALL IT BE ALLOWED TO ENTER ANY SURFACE WATER OR GROUNDWATER SYSTEMS.
- PUMP ALL SEDIMENT LADEN WATER THROUGH A SEDIMENT BEST MANAGEMENT PRACTICE CONTROL, SUCH AS A PUMPED WATER FILTER BAG DISCHARGING OVER VEGETATED, NON-DISTURBED AREAS.
- CONSTRUCT, STABILIZE, AND MAKE FUNCTIONAL ALL EROSION AND SEDIMENT POLLUTION CONTROLS BEFORE SITE DISTURBANCE CAN TAKE PLACE WITHIN THE TRIBUTARY AREAS OF THOSE CONTROLS.
- AREAS TO BE FILLED ARE TO BE CLEARED, GRUBBED, AND STRIPPED OF TOPSOIL TO REMOVE TREES, VEGETATION, ROOTS, AND OTHER OBJECTIONABLE MATERIAL.
- CLEARING, GRUBBING, AND TOPSOIL STRIPPING SHALL BE LIMITED TO THOSE AREAS DESCRIBED IN EACH STAGE OF THE CONSTRUCTION SEQUENCE. GENERAL SITE CLEARING, GRUBBING, AND TOPSOIL STRIPPING MAY NOT COMMENCE IN ANY STAGE OF THE PROJECT UNTIL THE E&S BMPs SPECIFIED BY THE BMP SEQUENCE FOR THAT STAGE HAVE BEEN INSTALLED AND ARE FUNCTIONING AS DESCRIBED IN THIS E&S PLAN.

- IMMEDIATELY STABILIZE ANY DISTURBED AREA ON WHICH ACTIVITY HAS CEASED AND WHICH WILL REMAIN EXPOSED FOR MORE THAN 20 DAYS. DURING NON-GERMINATING PERIODS, APPLY MULCH AT THE RECOMMENDED RATES. DISTURBED AREAS WHICH ARE NOT AT FINISHED GRADE AND WHICH WILL BE REDISTURBED WITHIN ONE YEAR MAY BE STABILIZED IN ACCORDANCE WITH TEMPORARY SEEDING SPECIFICATIONS. DISTURBED AREAS WHICH ARE EITHER AT FINISHED GRADE OR WILL NOT BE REDISTURBED WITHIN ONE YEAR MUST BE TREATED TO ESTABLISH COVER IN ACCORDANCE WITH PERMANENT SEEDING SPECIFICATIONS.
- ALL EARTH DISTURBANCES, INCLUDING CLEARING AND GRUBBING AS WELL AS CUTS AND FILLS SHALL BE DONE IN ACCORDANCE WITH THE APPROVED EROSION AND SEDIMENTATION PLAN. A COPY OF THE APPROVED DRAWINGS (STAMPED, SIGNED, AND DATED BY THE REVIEWING AGENCY) MUST BE AVAILABLE AT THE PROJECT SITE AT ALL TIMES. THE PWD SHALL BE NOTIFIED OF ANY CHANGES TO THE APPROVED PLAN PRIOR TO IMPLEMENTATION OF THOSE CHANGES, AND MAY REQUIRE A WRITTEN SUBMITTAL OF THOSE CHANGES FOR REVIEW AND APPROVAL AT ITS DISCRETION.
- ALL EARTH DISTURBANCE ACTIVITIES SHALL PROCEED IN ACCORDANCE WITH THE SEQUENCE PROVIDED ON THE PLAN DRAWINGS. EACH STAGE SHALL BE COMPLETED AND IMMEDIATELY STABILIZED BEFORE ANY FOLLOWING STAGE IS INITIATED. DEVIATION FROM THAT SEQUENCE MUST BE APPROVED IN WRITING FROM THE PHILADELPHIA WATER DEPARTMENT OR BY THE PA DEP PRIOR TO IMPLEMENTATION.
- REMOVE FROM THE SITE ALL MATERIAL EXCAVATED THAT WILL BE WASTE. IF OFFSITE STOCKPILES ARE NEEDED, OBTAIN NECESSARY EROSION AND SEDIMENT POLLUTION CONTROL PERMITS.
- AREAS WHICH ARE TO BE TOPSOILED SHALL BE SCARIFIED TO A MINIMUM DEPTH OF 3 TO 5 INCHES -- 6 TO 12 INCHES ON COMPACTED SOILS -- PRIOR TO PLACEMENT OF TOPSOIL. AREAS TO BE VEGETATED SHALL HAVE A MINIMUM 4 INCHES OF TOPSOIL IN PLACE PRIOR TO SEEDING AND MULCHING. FILL OUTSLOPES SHALL HAVE A MINIMUM OF 2 INCHES OF TOPSOIL.
- ALL EARTHEN FILLS SHALL BE PLACED IN COMPACTED LAYERS NOT TO EXCEED NINE INCHES IN THICKNESS.
- ALL FILLS SHALL BE COMPACTED AS REQUIRED TO REDUCE EROSION, SLIPPAGE, SETTLEMENT, SUBSIDENCE OR OTHER RELATED PROBLEMS. FILL INTENDED TO SUPPORT BUILDINGS, STRUCTURES, AND CONDUITS, ETC. SHALL BE COMPACTED IN ACCORDANCE WITH LOCAL REQUIREMENTS OR CODES.
- THE CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT ANY MATERIAL BROUGHT ON SITE IS CLEAN FILL. FORM FP-001 MUST BE RETAINED BY THE PROPERTY OWNER FOR ANY FILL MATERIAL AFFECTED BY A SPILL OR RELEASE OF A REGULATED SUBSTANCE BUT QUALIFYING AS CLEAN FILL DUE TO ANALYTICAL TESTING. CLEAN FILL IS DEFINED AS UNCONTAMINATED, NONWATER-SOLUBLE, NONDECOMPOSTABLE INERT SOLID MATERIAL. THE TERM INCLUDES OIL, ROCK, STONE, DREGGED MATERIAL, USED ASPHALT, AND BRICK, BLOCK, OR CONCRETE FROM CONSTRUCTION AND DEMOLITION ACTIVITIES THAT IS SEPARATE FROM OTHER WASTE AND RECOGNIZABLE AS SUCH. (25 PA CODE SS 271.101 AND 287.101) THE TERM DOES NOT INCLUDE MATERIALS PLACED IN OR ON THE WATERS OF THE COMMONWEALTH UNLESS OTHERWISE AUTHORIZED. ENVIRONMENTAL DUE DILIGENCE IS DEFINED AS INVESTIGATIVE TECHNIQUES, INCLUDING, BUT NOT LIMITED TO, VISUAL PROPERTY INSPECTIONS, ELECTRONIC DATA BASE SEARCHES, REVIEW OF OWNERSHIP AND USE HISTORY OF PROPERTY, SANBORN MAPS, ENVIRONMENTAL QUESTIONNAIRES, TRANSACTION SCREENS, ANALYTICAL TESTING, ENVIRONMENTAL ASSESSMENTS OR AUDITS.
- FILL MATERIALS SHALL BE FREE OF FROZEN PARTICLES, BRUSH, ROOTS, SOD, OR OTHER FOREIGN OR OBJECTIONABLE MATERIALS THAT WOULD INTERFERE WITH OR PREVENT CONSTRUCTION OF SATISFACTORY FILLS. FROZEN MATERIALS OR SOFT, MUCKY, OR HIGHLY COMPRESSIBLE MATERIALS SHALL NOT BE INCORPORATED INTO FILLS.
- ALL OFF-SITE WASTE AND BORROW AREAS MUST HAVE AN EROSION AND SEDIMENTATION PLAN APPROVED BY PHILADELPHIA WATER DEPARTMENT OR THE DEPARTMENT FULLY IMPLEMENTED PRIOR TO BEING ACTIVATED.
- FILL SHALL NOT BE PLACED ON SATURATED OR FROZEN SURFACES.

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	1 OF 4
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	
1	General Notes and Construction Sequence	12/24/2014	BAC	

- REMOVAL FROM THE SITE. RECYCLE, OR DISPOSE OF ALL BUILDING MATERIALS AND WASTES IN ACCORDANCE WITH THE DEPARTMENT'S SOLID WASTE MANAGEMENT REGULATIONS AT 25 PA CODE 260.1 ET SEQ., 271.1 ET SEQ., AND 287.1 ET SEQ. DO NOT ILLEGALLY BURY, DUMP, OR DISCHARGE ANY BUILDING MATERIAL OR WASTES AT THE SITE.
- AFTER FINAL SITE STABILIZATION HAS BEEN ACHIEVED, TEMPORARY EROSION AND SEDIMENT CONTROLS MUST BE REMOVED OR CONVERTED TO PERMANENT POST CONSTRUCTION STORM WATER MANAGEMENT CONTROLS. AREAS DISTURBED DURING THEIR REMOVAL OR CONVERSION SHALL BE STABILIZED IMMEDIATELY. REMOVAL/CONVERSIONS IN SUCH AREAS ARE TO BE DONE ONLY DURING THE GERMINATING SEASON.
- IMMEDIATELY ADDRESS ALL AREAS REQUIRING INTERIM OR FINAL STABILIZATION UPON COMPLETION OF THE DISTURBANCE. SEED/PLANT AREAS UTILIZING VEGETATIVE STABILIZATION IN SUFFICIENT TIME TO GERMINATE BY OCTOBER 15 OF EACH YEAR. PERFORM SEEDING THROUGH THE USE OF HYDROSEEDING TECHNIQUES OR CONVENTIONAL SEEDING AND MULCHING AT THE RATE OF 3.0 TONS/ACRE.
- PERMANENT STABILIZATION IS DEFINED AS A MINIMUM UNIFORM, PERENNIAL 70% VEGETATIVE COVER OR OTHER PERMANENT NON-VEGETATIVE COVER WITH DENSITY SUFFICIENT TO RESIST ACCELERATED EROSION. UNTIL SUCH TIME AS THIS STANDARD IS ACHIEVED, DO NOT REMOVE INTERIM STABILIZATION MEASURES. CUT AND FILL SLOPES SHALL BE CAPABLE OF RESISTING FAILURE DUE TO SLUMPING, SLIDING, OR OTHER MOVEMENTS.
- SEEPS OR SPRINGS ENCOUNTERED DURING CONSTRUCTION SHALL BE HANDLED IN ACCORDANCE WITH THE STANDARD AND SPECIFICATION FOR SUBSURFACE DRAIN OR OTHER APPROVED METHOD.
- REMOVE AN EROSION AND SEDIMENTATION CONTROL ONLY TO REPLACE IT WITH ANOTHER CONTROL APPROVED BY THE PHILADELPHIA WATER DEPARTMENT OR THE DEPARTMENT, OR AFTER PERMANENT STABILIZATION IS ESTABLISHED IN THE DRAINAGE AREA TRIBUTARY TO THAT DEVICE. STABILIZE CONSTRUCTION IMMEDIATELY AFTER COMPLETION OR DISTURBANCE.
- ALL GRADED AREAS SHALL BE PERMANENTLY STABILIZED IMMEDIATELY UPON REACHING FINISHED GRADE. CUT SLOPES IN COMPETENT BEDROCK AND ROCK FILLS NEED NOT BE VEGETATED. SEEDED AREAS WITHIN 50 FEET OF A SURFACE WATER, OR AS OTHERWISE SHOWN THE PLAN DRAWINGS, SHALL BE BLANKETED ACCORDING TO THIS PLAN.
- UPON COMPLETION OF EARTH DISTURBANCE ACTIVITIES AND PERMANENT STABILIZATION OF ALL DISTURBED AREAS, THE OWNER AND/OR OPERATOR SHALL CONTACT THE PHILADELPHIA WATER DEPARTMENT FOR AN INSPECTION PRIOR TO REMOVAL/CONVERSION OF EROSION AND SEDIMENTATION CONTROLS.
- CONTACT PWD WATER TRANSPORT RECORDS (1101 MARKET STREET, 2ND FLOOR, PHONE: 215-685-6271) FOR ADDITIONAL APPROVALS AND PERMITS REQUIRED FOR ALL WATER SERVICES, METERS, AND CONNECTIONS TO THE EXISTING AND/OR PROPOSED PWD FACILITIES.



LEGEND:


- TOTAL WORK AREA
- DIRECTION OF TRAFFIC

EROSION AND SETTLEMENT POLLUTION CONTROL PLAN


PROJECT INFORMATION: MONTGOMERY AVENUE BRIDGE;
 OWNER: CITY OF PHILADELPHIA;
 ENGINEERING: THE CITY OF PHILADELPHIA
 IN COORDINATION WITH MODJESKI AND MASTERS INC.
 PROJECT ADDRESS:
 2900 W MONTGOMERY AVE PHILA, PA 19121

EROSION AND SEDIMENT POLLUTION CONTROL PLAN


DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	3 OF 4
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	
1	General Notes and Standard Details	12/24/2019	BAC	




HEAVY DUTY SILT BARRIER FENCE
NOT TO SCALE



FILTER AT INTERSECTION OF SILT BARRIER FENCE UPSLOPE FACE
NOT TO SCALE



GEOTEXTILE OVERLAP DETAIL
NOT TO SCALE




ROCK FILTER OUTLET
NOT TO SCALE

SILT FENCE NOTES:

- SPACE POSTS AT 10'-0" MAXIMUM. USE 2.5" DIAMETER GALVANIZED STEEL OR ALUMINUM POSTS.
- EXTEND GEOTEXTILE AND WIRE FABRIC 8" MIN INTO EXCAVATED TRENCH.
- PLACE HEAVY DUTY SILT BARRIER FENCE ON LEVEL GRADE. EXTEND BOTH ENDS OF THE FENCE AT LEAST 8'-0" UPSLOPE AT 45 DEGREES TO THE MAIN FENCE ALIGNMENT.
- REMOVE DEPOSITS WHEN SEDIMENT ACCUMULATION IS ONE-HALF THE ABOVE GROUND HEIGHT OF THE SILT FENCE.
- ADHERE TO THE MANUFACTURER'S RECOMMENDATIONS RELATIVE TO REQUIRED GEOTEXTILE REPLACEMENT DUE TO WEATHERING.
- REPLACE UNDERCUT AND OVERTOPPED SECTIONS OF THE FENCE WITH A ROCK FILTER OUTLET. ROCK FILTER OUTLETS SHOULD BE INSTALLED ALONG THE SILT BARRIER FENCE AT POINTS OF FREQUENT FAILURES AND WHERE REQUIRED BY THE EROSION AND SEDIMENT POLLUTION CONTROL PLAN.
- SPACE GEOTEXTILE TO WIRE FABRIC FASTENERS AT 24" MAX CENTER TO CENTER



TOP VIEW




SIDE VIEW


CONCRETE WASHOUT FACILITY
NOT TO SCALE

TEMPORARY CONCRETE WASHOUT NOTES:

- INSTALL TEMPORALLY CONCRETE WASHOUT AT A LOCATION WITHIN THE LEGAL R.O.W., IN ACCORDANCE WITH THE CONTRACT SPECIAL PROVISIONS, PENNDOT "STANDARD DRAWINGS" (PUBLICATION 72M) AND "SPECIFICATIONS" (PUBLICATION 408), CURRENT EDITION; THE PADEP "EROSION AND SEDIMENT POLLUTION CONTROL PROGRAM MANUAL"; AS SHOWN ON THIS EROSION AND SEDIMENT POLLUTION CONTROL PLAN. COMPLY WITH THE REQUIREMENTS OF PADEP RULES AND REGULATIONS IDENTIFIED IN TITLE 25, CHAPTER 102, "EROSION CONTROL". IN THE EVENT OF CONFLICT AMONG THESE REQUIREMENTS AND POLLUTION CONTROL LAWS, RULES OR REGULATIONS OF OTHER FEDERAL, STATE, OR LOCAL AGENCIES, THE MORE RESTRICTIVE LAWS, RULES, OR REGULATIONS WILL APPLY.
- LOCATE IN LEVEL AREAS (LESS THAN 2% GRADE) MORE THAN 50' FROM STORM DRAINS, OPEN DITCHES OR SURFACE WATERS. UNDER NO CIRCUMSTANCES IS CONCRETE WASH WATER PERMITTED TO ENTER ANY SURFACE WATERS.
- CONSTRUCT AND MAINTAIN TEMPORARY CONCRETE WASHOUT FACILITIES IN SUFFICIENT QUANTITY AND SIZE TO CONTAIN ALL LIQUID AND CONCRETE WASTE GENERATED BY WASHOUT OPERATIONS.
- FOR ADDED HEIGHT, PLACE 18" COMPOST FILTER SOCK STACKED ON TOP OF DOUBLE 24" COMPOST FILTER SOCK IN PYRAMIDAL CONFIGURATION.
- MAINTAIN CONTINUOUS CONTACT BETWEEN GEOTEXTILE AND SOCK AT ALL LOCATIONS.
- INSPECT CONCRETE WASHOUT DAILY.
- IMMEDIATELY DEACTIVATE AND REPAIR OR REPLACE DAMAGED OR LEAKING WASHOUTS.
- REMOVE ACCUMULATED MATERIALS WHEN WASHOUT REACHES 75 PERCENT CAPACITY.
- PERFORM WASHOUT OF CONCRETE TRUCKS IN DESIGNATED AREAS ONLY



TOP VIEW
NOT TO SCALE




SIDE VIEW

PUMPED WATER FILTER BAG
NOT TO SCALE

PUMPED WATER FILTER BAG NOTES:

- LOCATE BAG IN LEVEL AREAS (LESS THAN 5% GRADE). WHEN LEVEL AREAS ARE NOT AVAILABLE, PLACE AASHTO NO. 57 COARSE AGGREGATE TO LEVEL THE BAG.
- LOCATE BAG IN A WELL VEGETATED AREA. DISCHARGE ONTO A STABLE, EROSION RESISTANT AREA. WHEN VEGETATED AREA IS NOT AVAILABLE, PROVIDE A GEOTEXTILE (CLASS 4, TYPE A) LINED FLOW PATH TO A STABLE EROSION RESISTANT RECEIVING WATER COURSE OR A WELL VEGETATED AREA.
- LOCATE BAG IN AN AREA ACCESSIBLE BY EQUIPMENT FOR MAINTENANCE AND REMOVAL PURPOSES.
- DO NOT INSERT MORE THAN ONE HOSE INTO A BAG.
- REPLACE THE BAG WHEN 50% OF THE SEDIMENT CAPACITY HAS BEEN FILLED AND/OR WHEN THERE IS A FAILURE. THE ADDITIONAL BAGS WILL BE PAID AS EACH.
- REMOVE AND PROPERLY DISPOSE OF THE PUMPED WATER FILTER BAGS. RESTORE THE AREA IN ACCORDANCE WITH THE SPECIFICATIONS IN PUBLICATION 408. DO NOT CUT FILTER BAG OR DISTRIBUTE AND SEED SEDIMENT.
- DO NOT PERMIT DISCHARGE FROM THE BAG TO DRAIN BACK INTO WORK OR ACCESS AREAS OF THE PROJECT



TEMPORARY TRUCK WASH NOTES:


- INSTALL TEMPORARY TRUCK WASH AT A LOCATION WITHIN THE LEGAL R.O.W., IN ACCORDANCE WITH THE CONTRACT SPECIAL PROVISIONS, PENNDOT "STANDARD DRAWINGS" (PUBLICATION 72M) AND "SPECIFICATIONS" (PUBLICATION 408), CURRENT EDITION; THE PADEP "EROSION AND SEDIMENT POLLUTION CONTROL PROGRAM MANUAL"; AS SHOWN ON THIS EROSION AND SEDIMENT POLLUTION CONTROL PLAN. COMPLY WITH THE REQUIREMENTS OF PADEP RULES AND REGULATIONS IDENTIFIED IN TITLE 25, CHAPTER 102, "EROSION CONTROL". IN THE EVENT OF CONFLICT AMONG THESE REQUIREMENTS AND POLLUTION CONTROL LAWS, RULES OR REGULATIONS OF OTHER FEDERAL, STATE, OR LOCAL AGENCIES, THE MORE RESTRICTIVE LAWS, RULES, OR REGULATIONS WILL APPLY.
- LOCATE IN LEVEL AREAS (LESS THAN 2% GRADE) MORE THAN 50' FROM STORM DRAINS, OPEN DITCHES OR SURFACE WATERS. UNDER NO CIRCUMSTANCES IS WASH WATER PERMITTED TO ENTER ANY SURFACE WATERS.
- CONSTRUCT AND MAINTAIN TRUCK WASH FACILITIES IN SUFFICIENT QUANTITY AND SIZE TO CONTAIN ALL LIQUID AND SEDIMENT GENERATED BY TRUCK WASH OPERATIONS.
- FOR ADDED HEIGHT, PLACE 18" COMPOST FILTER SOCK STACKED ON TOP OF DOUBLE 24" COMPOST FILTER SOCK IN PYRAMIDAL CONFIGURATION.
- MAINTAIN CONTINUOUS CONTACT BETWEEN GEOTEXTILE AND SOCK AT ALL LOCATIONS.
- INSPECT TRUCK WASH AFTER EACH USE.
- IMMEDIATELY DEACTIVATE AND REPAIR OR REPLACE DAMAGED OR LEAKING WASHOUTS.
- REMOVE ACCUMULATED MATERIALS WHEN WASHOUT REACHES 75 PERCENT CAPACITY.
- WASH TRUCKS IN DESIGNATED AREAS ONLY.
- PUMP SEDIMENT LADEN WATER INTO PUMPED WATER FILTER BAG

PROJECT INFORMATION: MONTGOMERY AVENUE BRIDGE;
OWNER: CITY OF PHILADELPHIA;
ENGINEERING: THE CITY OF PHILADELPHIA
IN COORDINATION WITH MODJESKI AND MASTERS INC.
PROJECT ADDRESS:
2900 W MONTGOMERY AVE PHILA, PA 19121



EROSION AND SEDIMENT POLLUTION CONTROL PLAN

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	4 OF 4
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	
1	General Notes and Construction Sequence	12/24/2019	BAC	
2	PWD GSI TRENCH PROTECTION LANGUAGE	02/14/2020	BAC	



PLAN
SCALE: 1"=25'
25' 0 25'

GREEN INLET PROTECTION WILL BE PROVIDED VIA INLET FILTER BAG FOR SYSTEM 1288-8-1 ON MONTGOMERY AVE & SYSTEM 1288-9-1 ON THE EAST SIDE OF N31ST STREET.

LEGEND					
—C&S—	CABLE AND SIGN	□	GAS VALVE BOX	▨	PWD STORMWATER TRENCH
—FOU—	FIBER OPTICS UNDERGROUND	⊙	WATER VALVE BOX	▩	PWD DRAINAGE RIGHT OF WAY
—G—	PHILADELPHIA GAS WORKS	⊠	SEWER VENT BOX	P	PROPERTY LINE
—Septa—	SEPTA	⊕	FIRE HYDRANT		
—S—	SEWER	⊖	STREET SIGN		
—Std. E—	STD. ELECTRIC	⊗	TREE		
—VF—	VERIZON TELEPHONE CO. DUCT	⊠	INLET FILTER BAG		
—W—	WATER MAIN	⊖	PROP. STREET LIGHTING POLE		
—PO—	PRIVATELY OWNED	⊠	PARCEL NUMBER		
○	MANHOLE	⊙	PECO POLE		
⊙	PECO POLE W/ ST. LIGHT	⊖	PUMPED WATER FILTER BAG		
▨	AREA OF DISTURBANCE = 32,428 SF = 0.74 ACRES	⊠	TRUCK WASH		
SF	SILT FENCE	SP	STOCKPILE		

PROJECT INFORMATION: MONTGOMERY AVENUE BRIDGE;
OWNER: CITY OF PHILADELPHIA;
ENGINEERING: THE CITY OF PHILADELPHIA
IN COORDINATION WITH MODJESKI AND MASTERS INC.
PROJECT ADDRESS:
2900 W MONTGOMERY AVE PHILA, PA 19121



EROSION AND SEDIMENT POLLUTION CONTROL PLAN

LEGEND

- ⊕ parking meter
- tree-# denotes trunk size
- cool chute
- fence
- ⊕ pole
- Lamp Post
- ⊕ mailbox
- ⊕ fire hydrant
- ⊕ traffic light
- ⊕ fire alarm box
- ⊕ vent box
- ⊕ gas box
- ⊕ water box
- ⊕ iron post
- ⊕ SEPTA pole
- ⊕ electrolyte test station
- ⊕ P.E. Pole
- ⊕ P.E. Pole w/Light
- ⊕ downspout
- ⊕ Unknown Curb Box
- ⊕ Tree Stump
- ⊕ stand pipe
- ⊕ cable TV box
- ⊕ survey stone
- ⊕ traffic sign-⊕
- ⊕ stop
- ⊕ collar doors
- ⊕ porch
- ⊕ exist. grate inlet
- ⊕ exist. city inlet
- ⊕ # to denote size
- ⊕ exist. G.M.I.
- ⊕ window grate
- C. Curb concrete curb
- C. Fw. concrete footway
- Br. Fw. brick footway
- Sl. Fw. slate footway
- Gr. Fw. granite footway
- Br. Out. brick gutter
- C. D/W. concrete driveway
- H/R. handicap ramp
- S.R.L. Sewer Return Loc. (to center of exist. sewer)
- S.R.E. Sewer Return Elev.
- Dep. Curb Depressed curb
- Gr. Curb Granite curb
- Bl.St.Curb Blue stone curb
- St. Wall Stone wall
- Br. Wall Brick wall





LINER DIMENSIONS

SIZE	LENGTH	MINIMUM LINER THICKNESS
5'-0" CIRCULAR	265 FT	45mm
4'-6" CIRCULAR	120 FT	45mm
4'-0" CIRCULAR	15 FT	SEE SPEC.

* CONTRACTOR MUST PROVIDE CALCULATION TO PWD FOR LINE DIMENSIONS CALCULATION (SEE SPECIFICATIONS)

NOTES:

1. ALL DISTANCES SHOWN ARE IN DISTRICT STANDARD MEASUREMENT. PAYMENT FOR ALL WORK WILL BE BASED UPON THAT STANDARD.
 2. THE LOCATIONS AND ELEVATIONS OF THE EXISTING SEWERS ARE APPROXIMATE. THE ELEVATIONS OF THE EXISTING SEWER AT THE TERMINATING CONNECTION POINTS TO THE PROPOSED SEWER MUST BE FIELD CHECKED PRIOR TO CONSTRUCTING THE NEW SEWER.
 3. THE THICKNESS OF THE ARCHES AND THE CHARACTER AND THE EXTENT OF THE CRADLES OF THE EXISTING SEWERS ARE UNKNOWN
 4. ADDITIONAL APPROVALS AND PERMITS ARE REQUIRED FOR ALL DRAINAGE CONNECTIONS TO THE EXISTING PWD FACILITIES. CONTACT MR. ERIC SMITH, PWD WATER MAIN RECORDS, 1101 MARKET STREET, 2ND FLOOR, PHONE (215) 695-6270, FOR ADDITIONAL APPROVAL FOR CONNECTIONS TO THE EXISTING PWD FACILITIES
- ⊕ (4) DENOTES 4 FT. OPEN MOUTH GRATE INLET.
 - ⊕ (4) DENOTES 4 FT. HIGHWAY GRATE INLET.
 - ⊕ (4) DENOTES 4 FT. CITY INLET.
 - ⊕ (R) DENOTES EXISTING INLET TO BE RECONNECTED.



NOTICE:
 PURSUANT TO THE REQUIREMENTS OF PENNSYLVANIA ACT 287 OF 1974 (THE UNDERGROUND UTILITY LINE PROTECTION ACT), AS AMENDED BY PA ACT 189 OF 2004, THE CONTRACTOR SHALL CONTACT THE PENNSYLVANIA ONE CALL SYSTEM AT 1-800-242-1778, AT LEAST 3 DAYS PRIOR TO EXCAVATION.
 HIGHWAY DISTRICT NO. 3 BOARD NO. 3710, 3721
 SURVEY DISTRICT NO. 9 DRAINAGE SHT. NO. 41 OUTFALL NO. B-12
 ONE CALL SERIAL NO. GPS NO.

SEWER LINING AND INLET REPLACEMENT PROJECT

FORMER 30TH STREET RIGHT-OF-WAY FROM W. GLENWOOD AVE. TO SEDGLEY AVE.


APPROVED: [Signatures]

CITY OF PHILADELPHIA WATER DEPARTMENT


SCALE: PLAN 1" = 20'
 HORIZ 1" = 20'
 VERT. 1" = 5'
 AND AS NOTED

WORK NO. S-40963-R
 SHEET NO. S-1 OF 4



DESIGN BY: [Name] DATE: 7/23/04
 PROJECT ENGR: [Name] DATE: 11/14/04
 SUPERVISOR: [Name] DATE: 04/28/05




**DETAIL A
PRECAST CONCRETE
WELLHOLE**




**DETAIL B
PRECAST CONCRETE
MANHOLE**



**PRECAST CONCRETE
WELLHOLE
BASE SECTIONS**




**CONCRETE COLLAR
1/4" = 1'**




DRIP RING


- NOTES:**
1. ALL DISTANCES SHOWN ARE IN DISTRICT STANDARD MEASUREMENT. PAYMENT FOR ALL WORK WILL BE BASED UPON THAT STANDARD.
 2. THE LOCATIONS AND ELEVATIONS OF THE EXISTING SEWERS ARE APPROXIMATE. THE ELEVATIONS OF THE EXISTING SEWER AT THE TERMINATING CONNECTION POINTS TO THE PROPOSED SEWER MUST BE FIELD CHECKED PRIOR TO CONSTRUCTING THE NEW SEWER.
 3. THE THICKNESS OF THE ARCHES AND THE CHARACTER AND THE EXTENT OF THE CRADLES OF THE EXISTING SEWERS ARE UNKNOWN.
 4. ADDITIONAL APPROVALS AND PERMITS ARE REQUIRED FOR ALL DRAINAGE CONNECTIONS TO THE EXISTING PWD FACILITIES. CONTACT MR. ERIC SMITH, PWD WATER MAIN RECORDS, 1101 MARKET STREET, 2ND FLOOR, PHONE (215) 685-6270, FOR ADDITIONAL APPROVAL FOR CONNECTIONS TO THE EXISTING PWD FACILITIES.



**SECTION D-D
SCALE 1/8" = 1'-0"**



**W. MONTGOMERY
AVENUE**



**EXISTING WELLHOLE
Rim El. +93.00
Inv. In +82.66
Inv. Out +66.30
(TO BE REMOVED)**

NOTICE:
PURSUANT TO THE REQUIREMENTS OF PENNSYLVANIA ACT 287 OF 1974 (THE UNDERGROUND UTILITY LINE PROTECTION ACT), AS AMENDED BY PA ACT 189 OF 2004, THE CONTRACTOR SHALL CONTACT THE PENNSYLVANIA ONE CALL SYSTEM AT 1-800-242-1778, AT LEAST 3 DAYS PRIOR TO EXCAVATION.
HIGHWAY DISTRICT NO. 3 WARD NO. 3210, 3221
SURVEY DISTRICT NO. 9 DRAINAGE SHI. NO. 41 OUTFALL NO. 8-12
ONE CALL SERIAL NO. GPS NO.

SEWER LINING AND RECONSTRUCTION

**FORMER 30TH STREET RIGHT-OF-WAY
FROM
W. GLENWOOD AVE. to SEDGLEY AVE.**

APPROVED *[Signature]*
CHIEF, DESIGN DIVISION, ENGINEERING DIVISION

CITY OF PHILADELPHIA
WATER DEPARTMENT


SCALE:
PLAN 1" = 20'
HORIZ 1" = 20'
VERT. 1" = 5'
AND AS NOTED

WORK NO. S-40963-R
SHEET NO. S-2 OF 4

DESIGN BY	EDGAR HADD	3/2/02
PROJECT ENG.	UNL. VINCIGLIONE	11/19/07
	Vincent Vinciglione	04/2008
SUPERVISOR		04-8





LEGEND

⊕	potting meter
⊕	tree - # denotes trunk size
⊕	cool chute
⊕	fence
⊕	pole
⊕	Lamp Post
⊕	mail box
⊕	fire hydrant
⊕	traffic light
⊕	fire alarm box
⊕	vent box
⊕	gas box
⊕	water box
⊕	iron post
⊕	SEPTA pole
⊕	electrolyte test station
⊕	P.E. Pole w/Light
⊕	downspout
⊕	Unknown Curb Box
⊕	Tree Stump
⊕	stand pipe
⊕	cable TV box
⊕	survey stone
⊕	traffic sign - all
⊕	steps
⊕	curb
⊕	door
⊕	parch
⊕	exist. grate inlet
⊕	exist. city inlet
⊕	# to denote size
⊕	exist. O.M.G.I
⊕	window grate
C. Curb	concrete curb
C. Fw.	concrete footway
Br. Fw.	brick footway
S. Fw.	slate footway
Gr. Fw.	granite footway
Br. Gut.	brick gutter
C. D/W.	concrete driveway
H/R	handicap ramp
S.R.L.	Sewer Return Loc. (to center of inlet sewer)
S.R.E.	Sewer Return Elev.
Dep. Curb	Depressed curb
Gr. Curb	Granite curb
Bl.St.Curb	Blue stone curb
St. Wall	Stone wall
Br. Wall	Brick wall



LEGEND

⊙	parking meter
⊙	tree - # denotes trunk size
⊙	coal chute
⊙	fence
⊙	pole
⊙	Lamp Post
⊙	mail box
⊙	fire hydrant
⊙	traffic light
⊙	fire alarm box
⊙	vent box
⊙	gas box
⊙	water box
⊙	iron post
⊙	SEPTA pole
⊙	electrolysis test station
⊙	P.E. Pole
⊙	P.E. Pole w/ Light
⊙	downspout
⊙	Unknown Curb Box
⊙	Tree Stamp
⊙	stand pipe
⊙	cable TV box
⊙	survey stone
⊙	traffic sign - all
⊙	steps
⊙	ceiling doors
⊙	porch
⊙	sewer grate inlet
⊙	exst. city inlet
⊙	g to denote size
⊙	exst. D.M.G.I
⊙	windoe grate
C. Curb	concrete curb
C. Flw.	concrete footway
Br. Flw.	brick footway
St. Flw.	stone footway
Gr. Flw.	granite footway
Br. Gut.	brick gutter
C. D/W.	concrete driveway
H/R	handicap ramp
S.R.L	Sewer Return Loc. (to center of exst. sewer)
S.R.E	Sewer Return Dev.
Dip. Curb	Depressed curb
Gr. Curb	Granite curb
Bl. St. Curb	Blue stone curb
St. Wall	Stone wall
Br. Wall	Brick wall




**MODIFIED SADDLE CONNECTION
(CIRCULAR BRICK SEWER)**
NOT TO SCALE


**MODIFIED SADDLE CONNECTION
(EGG SHAPED BRICK SEWER)**
NOT TO SCALE

NOTES
CAREFULLY MAKE OPENING IN THE EXISTING BRICK SEWER CORE DRILLING.
COAT EXISTING SURFACES WITH EPOXY BONDING AGENT.

- NOTES:**
- ALL DISTANCES SHOWN ARE IN DISTRICT STANDARD MEASUREMENT. PAYMENT FOR ALL WORK WILL BE BASED UPON THAT STANDARD.
 - THE LOCATIONS AND ELEVATIONS OF THE EXISTING SEWERS ARE APPROXIMATE. THE ELEVATIONS OF THE EXISTING SEWER AT THE TERMINATING CONNECTION POINTS TO THE PROPOSED SEWER MUST BE FIELD CHECKED PRIOR TO CONSTRUCTING THE NEW SEWER.
 - THE THICKNESS OF THE ARCHES AND THE CHARACTER AND THE EXTENT OF THE CRADLES OF THE EXISTING SEWERS ARE UNKNOWN.
 - ADDITIONAL APPROVALS AND PERMITS ARE REQUIRED FOR ALL DRAINAGE CONNECTIONS TO THE EXISTING PWD FACILITIES. CONTACT MR. ERIC SMITH, PWD WATER MAIN RECORDS, 1101 MARKET STREET, 2ND FLOOR, PHONE (215) 685-6270, FOR ADDITIONAL APPROVAL FOR CONNECTIONS TO THE EXISTING PWD FACILITIES.
- Ⓞ DENOTES 4 FT. OPEN MOUTH GRATE INLET.
 - Ⓞ DENOTES 4 FT. HIGHWAY GRATE INLET.
 - Ⓞ DENOTES 4 FT. CITY INLET.
 - Ⓞ DENOTES EXISTING INLET TO BE RECONNECTED.



SECTION C-C
NOT TO SCALE



15\"/>

NOTICE:
PURSUANT TO THE REQUIREMENTS OF PENNSYLVANIA ACT 287 OF 1974 (THE UNDERGROUND UTILITY LINE PROTECTION ACT), AS AMENDED BY PA ACT 199 OF 2004, THE CONTRACTOR SHALL CONTACT THE PENNSYLVANIA ONE CALL SYSTEM AT 1-800-242-1778, AT LEAST 3 DAYS PRIOR TO EXCAVATION.
HIGHWAY DISTRICT NO. 3 WARD NO. 3710, 3721
SURVEY DISTRICT NO. 9 DRAINAGE SHT. NO. 41 OUTFALL NO. R-12
ONE CALL SERIAL NO. GPS NO.

SEWER LINING AND INLET REPLACEMENT PROJECT

**FORMER 30TH STREET RIGHT-OF-WAY
FROM
W. GLENWOOD AVE. to SEDGLEY AVE.**


APPROVED: *[Signature]*
CHIEF, DESIGN BRANCH, ENGINEERING DIVISION

CITY OF PHILADELPHIA
WATER DEPARTMENT
SCALE:
PLAN 1" = 20'
VERT. 1" = 5'
AND AS NOTED


WORK NO. S-40963-R
SHEET NO. S-3 OF 4

DESIGN BY	W.M. HARRISON	3/1/14
PROJECT LEAD	W.M. HARRISON	11/26/17
DESIGNED BY	V. V. V. V. V.	8/4/2008
SUPERVISOR		DATE

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
6-0	PHILADELPHIA	7301	185	1 OF 2
CITY OF PHILADELPHIA				
REVISION NUMBER	REVISIONS	DATE	BY	




PLAN
SCALE: 3/32"=1'-0"




LIGHT POLE BASE PLAN
SCALE: 1 1/2"=1'-0"

NOTES:


- FOR GENERAL NOTES SEE STRUCTURE SHT 01.
- FOR PAINT NOTE SEE STRUCTURE SHT 01.
- FOR POLE AND LUMINAIRE DETAILS, SEE SPECIAL PROVISIONS AND CITY OF PHILADELPHIA STANDARD DETAILS.
- SIDEWALK SHALL HAVE A JB26 TYPE JUNCTION BOX.
- WORK THIS SHT WITH STRUCTURE SHTS. 32 TO 42.
- COORDINATE CONDUIT PLACEMENT WITH CONCRETE POURS.
- COORDINATE STREET LIGHTING CONDUIT PLACEMENT WITH ROADWAY DRAWINGS.
- COORDINATE ANCHOR BOLT PLACEMENT WITH CONCRETE POURS.
- ANCHOR BOLTS SHALL BE ASTM F1554 GRADE 55, MECHANICALLY GALVANIZED PER PUBLICATION 408 SECTION 1105.02(A)3.
- ALL CONDUITS SHALL BE SCHEDULE 40 PVC.
- P.V.C. CONDUIT TO MAKE 3-90 DEGREE BENDS AT END OF CONCRETE PARAPET, STA. 6+40.50.
- EXTEND CONDUIT TO RELOCATED PECO POLE AS SHOWN.
- P.V.C. CONDUIT TO MAKE 1-90 DEGREE BEND @ RELOCATED PECO POLE, EXTEND THROUGH S'WALK TO A MIN. 12" ABOVE GRADE.
- PROVIDE MIN. 10 FT. PVC SHIELD FOR CONDUIT ABOUT SIDEWALK.
- SEE TABULATION OF QUANTITIES TABLE FOR ROADWAY LUMINAIRE AND BRACKET ARM REPLACEMENT LOCATIONS.
- PROVIDE TIER 22 RATED COVERINGS FOR JB-1.



ANCHORAGE DETAIL - BRIDGE DECK (APPROACH AND MOMENT SLABS SIMILAR)
SCALE: 3/8"=1'-0"




SECTION-BRIDGE DECK NORTH SIDEWALK (APPROACH AND MOMENT SLABS SIMILAR)
SCALE: 3/8"=1'-0"



SECTION-BRIDGE DECK SOUTH SIDEWALK (APPROACH AND MOMENT SLABS SIMILAR)
SCALE: 3/8"=1'-0"

BAR SCALE KEY





LEGEND:

- ---FO--- TRAFFIC FIBER OPTIC (FO)
- ---SL--- STREET LIGHTING (SL)
- [Symbol] JUNCTION BOX IN SIDEWALK

LIGHTING PLAN

PREPARED BY:
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA






GENERAL PLAN

(RANDOM STONE SLOPE WALL AT WEST ABUTMENT NOT SHOWN FOR CLARITY)
SCALE: 1"=15'-0"

PVI STA 5+67.00
ELEVATION=121.22
VERTICAL CURVE=144'
MO=1.56'
SSD=155'




PROFILE

HORIZONTAL SCALE: 1"=25'-0"
VERTICAL SCALE: 1"=5'-0"

TEST BORING TABLE (AS DRILLED)			
LOCATION	STATION	OFFSET FROM C CONSTR	ELEVATION
B1	4+26±	15' RT	115.08
B2	4+39±	0	115.56
B3	4+46±	14.5' LT	115.43
B4	ELIMINATED	-	-
B5	4+65±	0	116.88
B6	ELIMINATED	-	-
B7	6+13±	15' RT	117.14
B8	6+27±	0	116.94
B9	6+40±	15' LT	116.17
B10	6+54±	14.5' RT	115.26
B11	6+52±	0	115.94
B12	ELIMINATED	-	-
B13	6+84±	15' LT	114.16
B14	4+69±	15' RT	116.83
B15	4+84±	15' LT	117.17

- NOTES:**
1. VERTICAL CONTROL IS BASED ON CITY OF PHILADELPHIA DATUM: NGVD29 = NAV88+0.98 AND NAVD88 = CITY DATUM+4.483.
 2. FOR GENERAL ELEVATION, SEE SHEET 2.
 3. FOR EXISTING CONDITIONS, SEE SHEET 4.
 4. FOR TYPICAL SECTION, SEE SHEET 3.
 5. FOR GENERAL NOTES, SEE SHEETS 5 AND 6.
 6. FOR STAKE-OUT PLAN, SEE SHEET 8.
 7. FOR PROPOSED CATCH BASIN, SEE SHEET 51.
 8. FOR RELOCATED SEWER, SEE SEWER LINING, RECONSTRUCTION, AND INLET REPLACEMENT PROJECT PLAN.



DESIGN REVIEWED BY:

NTM Engineering, Inc.
130 W. Church St., Suite 200
Dillsburg, PA 17019

THE DESIGN REVIEW IS A DETAILED REVIEW FOR PROPER DEVELOPMENT AND PRESENTATION OF THE CONCEPTS IN THE TYPE, SIZE AND LOCATION PLANS APPROVED BY THE DEPARTMENT. IT IS NOT INTENDED TO RELIEVE THE DESIGNER OF FULL RESPONSIBILITY FOR THE PROPER DEVELOPMENT AND PRESENTATION OF THE DESIGN AND FOR THE ACCURACY AND COMPLETENESS OF THE PLANS.

MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125

NUMBER	REVISIONS	BY	DATE


**MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
SINGLE SPAN COMP STEEL PLATE GRDR BRIDGE
B-0185-2001 / L-201
GENERAL PLAN & PROFILE**

RECOMMENDED BY: *Henry Beland*
DATE OF DESIGN: 8/10/2020
DESIGNER: HENRY BELAND
CHECKED BY: CWS/ALS
DATE: 8/18/2020
SCALE: AS NOTED

PREPARED FOR:
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

DRAWN BY: CWS/ALS
DATE: 8/18/2020
CHECKED BY: AYW
DATE: 8/18/2020
SCALE: AS NOTED
SHEET: 1 OF 62

File: Q:\3\36\10\CADD\Structural\Final Design\1522600001\0700_CP
 Plot: 9/7/2020 1:17:44 PM by: STUM, AMELIA L



PLAN
SCALE: 1" = 30'

TRAFFIC DATA	
A.D.T. (2018)	=5796
A.D.T. (2038)	=7073
D.H.V. (2018)	=580
D.H.V. (2038)	=707
T(2018)	=290
T(2038)	=354
AVERAGE D	=50%
LEGAL SPEED	=25MPH
PROP. DESIGN SPEED	=25MPH
PROP. STOPPING SIGHT DIST.	=155 FT.


UTILITIES	UTILITIES	
	EXISTING	PROPOSED
AMTRAK	4-ELECTRIFIED TRACKS, 1 C&S CONDUIT, 1-CATCH BASIN, 1-MANHOLE	4-ELECTRIFIED TRACKS, 1-C&S CONDUIT, 1 CATCH BASIN, 1-MANHOLE
AT&T LOCAL SERVICES	NONE	NONE
AT&T LONG DISTANCE CORE NETWORK	1-FIBER OPTIC LINE IN AMTRAK CONDUIT	1-FIBER OPTIC LINE IN AMTRAK CONDUIT
CONRAIL	1-NON-ELECTRIFIED TRACK	1-NON-ELECTRIFIED TRACK
ZAYO GROUP	1-FIBER OPTIC CABLE ATTACHED TO EXISTING AMTRAK CATENARY POLES	1-FIBER OPTIC CABLE ATTACHED TO EXISTING AMTRAK CATENARY POLES
MCI	1-FIBER OPTIC LINE IN AMTRAK CONDUIT	1-FIBER OPTIC LINE IN AMTRAK CONDUIT
PECO ENGERY	4-AERIAL DISTRIBUTION POLES MONTGOMERY AVE.	4-AERIAL DISTRIBUTION POLES MONTGOMERY AVE.
PHILADELPHIA GAS WORKS	NONE	NONE
PHILADELPHIA WATER DEPARTMENT	SEWER: 1-4"-6" DIA. BRICK, 1-4"-0" DIA. BRICK WATER: NONE *	SEWER: 1-4"-6" DIA. BRICK, 1-4"-0" DIA BRICK WATER: NONE *
CENTURY LINK FIBER OPTIC	1-FIBER OPTIC LINE IN AMTRAK CONDUIT	1-FIBER OPTIC LINE IN AMTRAK CONDUIT
VERIZON	NONE	NONE
PRIVATELY OWNED SEWER	SEWER: 1-12" DIA., 1-MANHOLE	SEWER: 1-12" DIA., 1-MANHOLE
STREETS DEPARTMENT	NONE	2-2" PVC CONDUITS

PARCEL	PROPERTY OWNERS
1	GROSSO CONSTRUCTION INC.
2	JOSEPH WILLIAMS
3	UNLIMITED HOLDINGS INC.
4	AMTRAK
5	CONRAIL LEASED
6	DOUGLAS C. PAYNE
7	EAST PARK CONGREGATION OF JEHOVA'S WITNESSES
8	OLIVER STONER & EUGENE PROTER
9	GEORGE HUTT
10	WILLIAM A. FRANKLIN JR. & ALISE BEATRICE
11	SECRETARY OF HOUSING & URBAN DEVELOPMENT
12	GRUD LLC
13	FREDA BERGMAN & JACK WEINSTEIN
14	CITY OF PHILADELPHIA
15	PHILADELPHIA REDEVELOPMENT
16	REDEVELOPMENT AUTHORITY OF PHILA
17	ESTER KEAN


TABLE OF CLEARANCES (AMTRAK & CONRAIL)											
LOCATION	TRACK 4		TRACK 3		TRACK 2		TRACK 1		TRACK 0		6' OFFSET
	W.RAIL	E.RAIL									
EXIST. CLR.	19.15	19.15	19.15	19.81	19.81	20.81	21.42	21.42	21.66	21.66	21.66
PROP. CLR.	20.76	20.87	20.98	21.76	21.81	22.87	23.31	23.23	23.07	22.87	22.74
LOCATION	TRACK 4		TRACK 3		TRACK 2		TRACK 1		TRACK 0		6' OFFSET
EXIST CLR.	19.23	19.23	19.23	19.92	19.92	20.90	20.90	21.58	21.58	21.62	
PROP. CLR.	19.76	19.97	20.19	21.23	21.38	22.64	22.76	23.51	23.57	23.55	23.47

NOTES:
1. 6' OFFSET FROM E TRACK (AREA ENVELOPE).


TABLE OF CLEARANCES BETWEEN BOTTOM OF PROPOSED BRIDGE AND EXISTING TOP CATENARY (AMTRAK)					
LOCATION	TRACK 4	TRACK 3	TRACK 2	TRACK 1	
	E	E	E	E	E
0' F	2.66	2.50	3.00	3.09	
60' F	3.31	3.15	3.58	3.62	
LOCATION	TRACK 4	TRACK 3	TRACK 2	TRACK 1	
0' F	1.28	1.73	2.70	3.22	
60' F	1.50	1.94	2.91	3.41	



SECTION-STRUCTURE
SCALE: 1/4" = 1'-0"



ELEVATION-SOUTH FASCIA
(BRICK SEWER NOT SHOWN FOR CLARITY)
NOT TO SCALE



NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 EXISTING CONDITIONS

RECOMMENDED: 9/1/2020

PREPARED FOR: CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA

DRAWN BY: RCD/CWS/ALS DATE: 5/20/2020
 CHECKED BY: CWS/HNB DATE: 5/20/2020
 SCALE: AS NOTED SHEET: 4 OF 62

File: O:\3456 (10) CAD\01\Struct\of\Final Design\22060000\04\X_EX_CONDITONS.dwg
 Date: 7/17/2020 2:45:06 PM by: STUM, AMELIA L

DESIGN SPECIFICATIONS:

1. AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, CUSTOMARY U.S. UNITS, 7TH EDITION, 2014, AND AS SUPPLEMENTED BY DESIGN MANUAL, PART 4 (APRIL 2015).
2. LIVE LOAD DISTRIBUTION TO GIRDERS IS BASED UPON DESIGN MANUAL, PART 4 DISTRIBUTION FACTORS. A THREE-DIMENSIONAL FINITE ELEMENT ANALYSIS METHOD WAS UTILIZED TO DESIGN THE STEEL DIAPHRAGM MEMBERS AND CONNECTIONS AND CONCRETE END DIAPHRAGM.
3. DESIGN IS IN ACCORDANCE WITH LRFD METHOD.

DESIGN LIVE LOADS:

1. PHL-93 OR P-82 (204 KIP PERMIT LOAD).
2. FATIGUE DESIGN IS BASED ON THE FOLLOWING:
STEEL STRUCTURES: ADTT 177 (2038)
(ONE-DIRECTIONAL)

DEAD LOADS:

1. INCLUDES SURFACE AREA DENSITY OF 0.030 KSF FOR FUTURE WEARING SURFACE ON THE ROADWAY PORTION OF THE DECK SLAB.
2. INCLUDES A SURFACE AREA DENSITY OF 0.015 KSF FOR PERMANENT METAL DECK FORMS WHICH TAKES INTO ACCOUNT THE WEIGHT OF THE FORM, PLUS THE WEIGHT OF THE CONCRETE IN THE VALLEYS OF THE FORMS.
3. INCLUDES THE FOLLOWING LOADS FOR THE LIGHTWEIGHT CONCRETE PROTECTIVE BARRIER DIVIDED BETWEEN THE FASCIA GIRDER AND FIRST INTERIOR GIRDER. MAXIMUM LIGHTWEIGHT CONCRETE UNIT WEIGHT IS 115 PCF EXCLUDING REINFORCEMENT UNIT WEIGHT.
10" WALL: 0.469 KIP/FT (ABOVE THE PARAPET)
BRICK FACING: 0.038 KIP/FT (ON THE PARAPET)
PILASTERS: 0.425 KIP (ADDITIONAL CONCRETE WITHIN THE PARAPET)
PILASTERS: 1.838 KIP (ABOVE THE PARAPET WITH BRICK FACING AND CAP WEIGHT)

GENERAL:

1. PROVIDE MATERIALS AND PERFORM WORK IN ACCORDANCE WITH SPECIFICATIONS, PUBLICATION 408: 2020, AASHTO/AWS D1.5M/D1.5:2008 BRIDGE WELDING CODE, AND CONTRACT SPECIAL PROVISIONS.
2. ALL DIMENSIONS SHOWN ARE HORIZONTAL, EXCEPT AS NOTED.
3. SUPERSTRUCTURE DIMENSIONS SHOWN ARE FOR A NORMAL TEMPERATURE OF 68° F.
4. VERIFY ALL DIMENSIONS AND GEOMETRY OF THE EXISTING STRUCTURE IN THE FIELD AS NECESSARY FOR PROPER FIT OF THE PROPOSED CONSTRUCTION. MAKE NO CLAIM AGAINST THE CITY FOR WORK PERTAINING TO MODIFICATIONS AS MAY BE REQUIRED DUE TO ANY DIFFERENCE BETWEEN ACTUAL FIELD CONDITIONS AND THOSE SHOWN BY THE DETAILS AND DIMENSIONS ON THE CONTRACT PLANS.
5. DO NOT CONSIDER ANY OF THE DATA ON THE EXISTING STRUCTURE SUPPLIED IN THE ORIGINAL DESIGN DRAWINGS OR MADE AVAILABLE TO YOU BY THE CITY OR ITS AUTHORIZED AGENTS AS POSITIVE REPRESENTATIONS OF ANY OF THE CONDITIONS THAT YOU WILL ENCOUNTER IN THE FIELD.
6. ALL DIMENSIONS ARE UNITED STATES STANDARD (U.S.S.) MEASURE, UNLESS NOTED OTHERWISE. 1.000' PHILADELPHIA DISTRICT STANDARD (D.S.) EQUALS 1.0025' U.S.S.
7. SITE CLASS IS NOT CLASS E.
8. HORIZONTAL SEISMIC FORCES ON THE ANCHOR BOLTS WERE CONSIDERED 25% OF THE VERTICAL REACTION DUE TO THE TRIBUTARY PERMANENT LOAD.
9. FOR LOCATION AND DESCRIPTION OF SURVEY CONTROL POINTS, SEE ROADWAY DRAWINGS.
10. FOR APPROACH ROADWAY CONSTRUCTION AND IMPROVEMENTS, SEE ROADWAY DRAWINGS.
11. FOR CATENARY STRUCTURE, SEE RAILROAD ELECTRIFICATION DRAWINGS.
12. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING THE STABILITY AND STRUCTURAL INTEGRITY OF THOSE PORTIONS OF THE EXISTING STRUCTURES AND MASONRY WALLS TO REMAIN WHICH MAY BE AFFECTED BY THEIR OPERATIONS THROUGHOUT THE DURATION OF THE CONTRACT. ANY DAMAGE TO THE EXISTING STRUCTURES OR MASONRY WALLS WHICH IS THE RESULT OF THE CONTRACTOR'S OPERATIONS WILL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE CITY, AT THE DISCRETION OF, AND TO THE SATISFACTION OF THE REPRESENTATIVE.

DEMOLITION NOTES:

1. EXERCISE CARE TO AVOID DAMAGE TO ANY SURROUNDING STRUCTURES AND UTILITIES TO REMAIN. REPAIR ANY DAMAGE OR REPLACE DAMAGED MATERIALS TO THE SATISFACTION OF THE ENGINEER AT NO ADDITIONAL COST TO THE CITY.
2. SUBMIT A DEMOLITION PLAN FOR REMOVAL OF THE EXISTING BRIDGE. PROVIDE DETAILS REGARDING REMOVAL AND DISPOSAL METHODS AND PROCEDURES, DEMOLITION SEQUENCE, TEMPORARY SHORING, SHIELDING, BRACING, OR RIGGING EQUIPMENT NECESSARY TO SAFELY REMOVE THE EXISTING BRIDGE. ALL PLANS AND CALCULATIONS ARE TO BE SIGNED AND SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF PENNSYLVANIA.
3. CONTRACTOR MAY NOT STOCKPILE ANY MATERIALS NOR STAGE ANY EQUIPMENT ON THE EXISTING BRIDGE. DO NOT STAGE EQUIPMENT OR STOCKPILE MATERIALS ON THE PROPOSED BRIDGE UNLESS WRITTEN REQUEST HAS BEEN SUBMITTED AND ACCEPTED BY THE REPRESENTATIVE. SEE CONTRACT SPECIAL PROVISIONS.

CONCRETE NOTES:

1. USE CLASS AAAP CEMENT CONCRETE IN DECK SLABS, CONCRETE END DIAPHRAGMS AND APPROACH SLABS.
2. USE CLASS AA CEMENT CONCRETE IN ALTERNATE SIDEWALK, PARAPETS, SLEEPER SLABS, MOMENT SLABS, AND ABUTMENT BACKWALLS.
3. USE CLASS AA LIGHTWEIGHT CEMENT CONCRETE IN PROTECTIVE BARRIERS ABOVE THE PARAPET, PILASTERS ABOVE THE PARAPET AND PRECAST PILASTER CAPS.
4. USE CLASS A CEMENT CONCRETE IN ABUTMENT BELOW BRIDGE SEAT, PEDESTALS, WINGWALLS, AND FOOTINGS.
5. A HIGHER CLASS OF CONCRETE MAY BE SUBSTITUTED FOR A LOWER CLASS CONCRETE AT NO ADDITIONAL COST TO THE CITY, IF APPROVED BY THE ENGINEER.
6. RAKE-FINISH ALL HORIZONTAL CONSTRUCTION JOINTS, EXCEPT AS INDICATED.
7. USE RETARDER ADMIXTURE CONFORMING TO PUBLICATION 408 IN THE CONCRETE DECK SLAB.
8. ABUTMENT BACKWALLS MAY BE PLACED UP TO A CONSTRUCTION JOINT BELOW THE BOTTOM OF DECK SLAB PRIOR TO CONSTRUCTION OF THE DECK.
9. PLACE BACKWALL CONCRETE AFTER GIRDERS ARE SET IN POSITION.
10. CHAMFER EXPOSED CONCRETE EDGES 1 INCH BY 1 INCH, EXCEPT AS NOTED.
11. USE PERMANENT METAL FORMS TO CONSTRUCT THE DECK SLAB UNLESS SPECIFIED.
12. DECK SLAB THICKNESS INCLUDES A 1/2 INCH INTEGRAL WEARING SURFACE.
13. APPLY A TWO-COAT WATERPROOFING OR MEMBRANE WATERPROOFING CONFORMING TO SECTION 680 OF PUBLICATION 408 (2016) TO THE REAR FACES OF THE ABUTMENT STEM FROM THE PAVING NOTCH TO PILE CAP.

STRUCTURAL STEEL NOTES:

1. PROVIDE STRUCTURAL STEEL CONFORMING TO AASHTO M 270 (ASTM A 709), GRADE 50W UNPAINTED DESIGNATION, EXCEPT WHEN NOTED OTHERWISE.
2. PROVIDE STRUCTURAL STEEL CONFORMING TO AASHTO M 270 (ASTM A 709), GRADE 70W UNPAINTED DESIGNATION FOR THE TOP AND BOTTOM GIRDER FLANGES.
3. IF GIRDERS CANNOT BE SHIPPED IN THE LENGTHS SHOWN ON THE PLANS, FIELD SPlice(S) MAY BE PERMITTED AT THE REQUEST OF THE CONTRACTOR, BUT NO COMPENSATION WILL BE ALLOWED FOR THE SPLICES.
4. DO NOT USE FORM SUPPORT SYSTEMS THAT WILL CAUSE UNACCEPTABLE OVERSTRESS OR DEFORMATION TO PERMANENT BRIDGE MEMBERS.
5. ALL FASTENERS ARE 7/8 INCH DIAMETER, HIGH STRENGTH BOLTS, CONFORMING TO ASTM F3125, GRADE A325, TYPE 3, EXCEPT AS NOTED.
6. PREPARE BEARING AREAS AS SPECIFIED IN PUBLICATION 408, SECTION 1001.3(K)9.
7. DO NOT MAKE WELDS BY MANUAL SHIELDED METAL ARC PROCESS FOR PRIMARY GIRDER WELDS, SUCH AS FLANGE-TO-WEB WELDS OR FOR SHOP SPLICES OF WEB AND FLANGES.
8. THREADED STUDS FOR THE SUPPORT OF THE OVERHANG DECK FORMING BRACKET IS PERMITTED PROVIDED THE THREADED STUD IS ATTACHED WITH THE SAME WELDING PROCESS AS THE STUD.
9. PROVIDE WELDED STUD SHEAR CONNECTORS MANUFACTURED FROM STEEL CONFORMING TO ASTM A 108.
10. SET ANCHOR BOLTS TO TEMPLATE OR IN PREFORMED HOLES. DO NOT DRILL UNLESS SPECIFICALLY INDICATED ON PLANS. FILL THE PREFORMED HOLE WITH NON-SHRINK GROUT.
11. PAINT PORTION OF STRUCTURAL STEEL INDICATED IN ACCORDANCE WITH PUBLICATION 408, SECTION 1060.
12. STABILITY OF PARTIAL GIRDERS AND COMPLETE GIRDERS IS TO BE MAINTAINED BY THE CONTRACTOR DURING ERECTION, UNTIL ALL GIRDERS AND DIAPHRAGMS ARE IN-PLACE AND ALL BOLTS ARE PROPERLY INSTALLED. ERECTION LOADS INCLUDING SELF WEIGHT OF THE STEEL MEMBERS, WIND LOADING AND CONSTRUCTION LIVE LOAD EFFECTS ARE TO BE EVALUATED BY THE CONTRACTOR FOR STABILITY, STRESSES AND DEFLECTIONS ON THE STEEL MEMBERS DURING ANY STAGE OF ERECTION.
13. THE STEEL SUPERSTRUCTURE SHALL BE DETAILED AND FABRICATED FOR STEEL DEAD LOAD FIT (SDLF). GIRDER WEBS SHALL BE PLUMB UNDER THE DEAD LOAD OF THE GIRDERS BEFORE ANY OTHER LOADS ARE APPLIED.

REINFORCING STEEL NOTES:

1. PROVIDE 2 INCH CONCRETE COVER ON REINFORCEMENT BARS, EXCEPT AS NOTED.
2. PROVIDE GRADE 60 REINFORCING STEEL BARS THAT MEET THE REQUIREMENTS OF ASTM A 615, A 996 OR A 706. GRADE 40 REINFORCING STEEL BARS MAY BE SUBSTITUTED WITH A PROPORTIONAL INCREASE IN CROSS-SECTIONAL AREA, IF APPROVED BY THE ENGINEER. DO NOT USE RAIL STEEL A 996 REINFORCEMENT BARS IN ABUTMENTS, FOOTINGS, BARRIERS OR WHERE BENDING OR WELDING OF THE REINFORCEMENT BARS IS INDICATED.

REINFORCING STEEL NOTES (CONTINUED):

3. WELDING OF REINFORCING BARS DURING FABRICATION OR CONSTRUCTION IS NOT PERMITTED UNLESS SPECIFIED.
4. USE ONLY EPOXY-COATED REINFORCING STEEL BARS.
5. GALVANIZED REINFORCING STEEL BARS MAY BE SUBSTITUTED FOR EPOXY-COATED REINFORCING STEEL BARS AT NO ADDITIONAL COST TO THE CITY.
6. PROVIDE MINIMUM EMBEDMENT AND SPLICE LENGTHS IN ACCORDANCE WITH BC-736M, UNLESS OTHERWISE INDICATED.
7. SCHEDULES OF REINFORCEMENT ARE FOR THE CONTRACTOR'S GUIDANCE ONLY, AND THE CITY IS NOT RESPONSIBLE FOR THEIR ACCURACY. THE CONTRACTOR MUST VERIFY AND SUBMIT ALL SCHEDULES TO THE ENGINEER FOR REVIEW PRIOR TO THE FABRICATION OF REINFORCEMENT BARS.

PROTECTIVE COATING & PAINTING NOTES:

1. FABRICATED STRUCTURAL STEEL: PROVIDE A HULL RED, GLOSS FINISH COAT, CONFORMING TO FEDERAL STANDARD COLOR #10075. PRIOR TO PAINTING, SUBMIT A SAMPLE COLOR CHIP AND PAINT PROCESSES TO THE REPRESENTATIVE FOR REVIEW AND APPROVAL.
2. PROTECTIVE COATING FOR REINFORCED CONCRETE SURFACES, EPOXY RESIN: PROVIDE A LIGHT GRAY, GLOSS FINISH COAT, CONFORMING TO FEDERAL STANDARD COLOR #16493. PRIOR TO PAINTING, SUBMIT A SAMPLE COLOR CHIP AND PAINT PROCESSES TO THE REPRESENTATIVE FOR REVIEW AND APPROVAL.
3. PICKET FENCE: PROVIDE A BLACK, GLOSS FINISH COAT, CONFORMING TO FEDERAL STANDARD COLOR #17038. PRIOR TO PAINTING, SUBMIT A SAMPLE COLOR CHIP AND PAINT PROCESSES TO THE REPRESENTATIVE FOR REVIEW AND APPROVAL.
4. LIGHT POLE: PROVIDE A BROWN, SEMI-GLOSS FINISH COAT, CONFORMING TO FEDERAL STANDARD COLOR #20040. PRIOR TO PAINTING, SUBMIT A SAMPLE COLOR CHIP AND PAINT PROCESSES TO THE REPRESENTATIVE FOR REVIEW AND APPROVAL.

RAILROAD REQUIREMENTS:

1. THROUGHOUT THE DURATION OF ALL CONSTRUCTION PHASE ACTIVITIES, ADHERE TO THE CURRENT VERSION OF AMTRAK'S EP3014 - MAINTENANCE AND PROTECTION OF RAILROAD TRAFFIC DURING CONTRACTOR OPERATIONS.
2. THROUGHOUT THE DURATION OF ALL EARTHWORK, EXCAVATION, AND SHEETING ACTIVITIES ADJACENT TO AMTRAK'S AND CONRAIL'S TRACKS, TRACK MONITORING MUST TAKE PLACE. PRIOR TO THE START OF CONSTRUCTION THE CONTRACTOR MUST SUBMIT THE TRACK MONITORING PLAN FOR AMTRAK'S AND CONRAIL'S DIVISION MANAGER REVIEW AND MUST RECEIVE AMTRAK'S AND CONRAIL'S APPROVAL PRIOR TO STARTING THE WORK.
3. THROUGHOUT THE DURATION OF ALL CONSTRUCTION PHASE ACTIVITIES, ADHERE TO THE CURRENT VERSIONS OF CONRAIL'S CHECKLISTS AND CONRAIL'S CE - 6 SPECIFIC REQUIREMENTS OF CONSOLIDATED RAIL CORPORATION FOR WORK ON ITS RIGHT OF WAY.
4. WHENEVER WORK IS PERFORMED IN THE VICINITY OF ELECTRIFIED TRACKS AND/OR HIGH VOLTAGE WIRES, PARTICULAR CARE MUST BE EXERCISED, AND RAILROAD'S REQUIREMENTS REGARDING CLEARANCE TO BE MAINTAINED BETWEEN EQUIPMENT AND TRACKS AND/OR ENERGIZED WRES, AND OTHERWISE REGARDING WORK IN THE VICINITY OF ELECTRIFIED TRACKS MUST BE STRICTLY OBSERVED. NO EMPLOYEES OR EQUIPMENT WILL BE PERMITTED TO WORK NEAR OVERHEAD WIRES, EXCEPT WHEN PROTECTED BY A CLASS 'A' EMPLOYEE OF THE RAILROAD. THE CONTRACTOR MUST SUPPLY AN ADEQUATE LENGTH OF GROUNDING CABLE (4/0 COPPER WITH APPROVED CLAMPS) FOR EACH PIECE OF EQUIPMENT WORKING NEAR OR ADJACENT TO ANY OVERHEAD WIRE PER AMTRAK SPECIFICATION 16064.

UTILITY NOTES:

1. COORDINATE, LOCATE, AND CONDUCT ALL WORK RELATED TO PUBLIC AND PRIVATE UTILITIES IN ACCORDANCE WITH PUBLICATION 408, SECTIONS 105.06 AND 107.12.
2. THE CITY DOES NOT ASSUME RESPONSIBILITY FOR REIMBURSEMENT, PARTICIPATION IN DESIGN AND/OR REVISION, OR LIABILITY FOR ACCURACY OF TYPE, SIZE, AND LOCATION OF ANY UTILITY.
3. FOR UTILITY DETAILS, SEE UTILITY COMPANY DRAWINGS AND SPECIFICATIONS.

INDEX OF DRAWINGS	
SHT. NO.	TITLE
1	GENERAL PLAN & PROFILE
2	GENERAL PLAN - ELEVATION
3	TYPICAL SECTIONS & LOAD RATING TABLES
4	EXISTING CONDITIONS
5	INDEX & GENERAL NOTES
6	FOUNDATION NOTES & GEOTECHNICAL VALUES
7	TABULATION OF STRUCTURE QUANTITIES
8	STAKE-OUT PLAN
9	EXCAVATION & EXISTING PIER REMOVAL - 1
10	EXCAVATION & EXISTING PIER REMOVAL - 2
11	EXCAVATION & EXISTING PIER REMOVAL - 3
12	EXCAVATION & EXISTING PIER REMOVAL - 4
13	STRUCTURE BACKFILL - 1
14	STRUCTURE BACKFILL - 2
15	WEST ABUTMENT - 1
16	WEST ABUTMENT - 2
17	WEST ABUTMENT - 3
18	WEST ABUTMENT - 4
19	WEST ABUTMENT - 5
20	EAST ABUTMENT - 1
21	EAST ABUTMENT - 2
22	EAST ABUTMENT - 3
23	EAST ABUTMENT - 4
24	EAST ABUTMENT - 5
25	WINGWALLS - 1
26	WINGWALLS - 2
27	FRAMING PLAN
28	GIRDER ELEVATION & DETAILS
29	GIRDER CAMBER
30	BEARING DETAILS
31	FINISHED DECK ELEVATIONS
32	SLAB PLAN
33	MISCELLANEOUS SUPERSTRUCTURE DETAILS - 1
34	MISCELLANEOUS SUPERSTRUCTURE DETAILS - 2
35	PROTECTIVE BARRIER & PICKET FENCE - 1
36	PROTECTIVE BARRIER & PICKET FENCE - 2
37	PROTECTIVE BARRIER & PICKET FENCE - 3
38	APPROACH SLAB - 1
39	APPROACH SLAB - 2
40	APPROACH SLAB - 3
41	MOMENT SLAB - 1
42	MOMENT SLAB - 2
43	DRAINAGE PLAN
44	REINFORCEMENT BAR SCHEDULE - 1
45	REINFORCEMENT BAR SCHEDULE - 2
46	REINFORCEMENT BAR SCHEDULE - 3
47	REINFORCEMENT BAR SCHEDULE - 4
48	REINFORCEMENT BAR SCHEDULE - 5
49	REINFORCEMENT BAR SCHEDULE - 6
50	REINFORCEMENT BAR SCHEDULE - 7
51	TEST BORING PLAN
52-62	TEST BORING LOGS

NUMBER	REVISIONS	BY	DATE


MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
B-0185-2001 / L-201

INDEX & GENERAL NOTES

RECOMMENDED 9/1/2020

PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

DRAWN BY:	CWS/EJP	DATE:	5/20/2020
CHECKED BY:	HNB	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	5 OF 62



SECTION/DETAIL VIEW INDICATOR



MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125

FOUNDATION NOTES:

- THE CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING ANY PORTIONS OF THE EXISTING SUBSTRUCTURES THAT WILL CONFLICT WITH THE PROPOSED SUBSTRUCTURES AS PART OF THE PAY ITEM FOR REMOVAL OF EXISTING BRIDGE. UNLESS NOTED OTHERWISE, THE MINIMUM REMOVAL LIMIT IS 2 FEET BELOW THE BPCE OR TO THE PROPOSED GROUND LINE.
- DRIVE TWO (2) TEST PILES FOR THE EAST ABUTMENT IN ACCORDANCE WITH SECTION 1005.3 OF PUBLICATION 408. PERFORM DYNAMIC PILE LOAD (PDA) TESTING ON ALL TEST PILES. TEST PILES ARE NOT REQUIRED FOR THE WEST ABUTMENT, PROVIDED ALL MANDATORY PRE-DRILLING EXTENDS BELOW THE TOP OF ROCK.
- FOR ALL PILES OF THE EAST ABUTMENT, PREDRILL AT LEAST 10 FEET MEASURED FROM THE RAIL BED (MAXIMUM PREDRILLING ELEVATION 84.0). DRIVE PILES TO THE TOP OF ROCK ELEVATION. IF THE TOP OF ROCK IS ENCOUNTERED BEFORE REACHING THE MINIMUM PILE LENGTH OF 25.5 FEET, PERFORM PREDRILLING AS NECESSARY TO PROVIDE THE MINIMUM PILE LENGTH.
- IF PILES AT EAST ABUTMENT ATTAIN REFUSAL IN THE SAPROLITE LAYER BEFORE REACHING TOP OF BEDROCK AND BEFORE ATTAINING A MINIMUM LENGTH OF 25.5 FEET, PERFORM PREDRILLING AS NECESSARY TO PROVIDE THE MINIMUM PILE LENGTH.
- PERFORM PDA TESTING FOR ALL PILES OF EAST ABUTMENT ATTAINING REFUSAL IN THE SAPROLITE LAYER BEFORE REACHING BEDROCK AND VERIFY AXIAL CAPACITY.
- PERFORM RE-DRIVE TESTING FOR ALL PILES OF THE EAST ABUTMENT ATTAINING REFUSAL IN THE SAPROLITE LAYER BEFORE REACHING BEDROCK TO CONFIRM THERE IS NO RELAXATION. ALLOW A MINIMUM OF THREE DAYS BETWEEN THE END OF INITIAL DRIVING AND RE-DRIVE TESTING IN ACCORDANCE WITH PENNDOT DESIGN MANUAL, PART 4, SECTION 10.7.3.8.3dP.
- CONTROL PILE DRIVING IN ACCORDANCE WITH PENNDOT DESIGN MANUAL, PART 4, SECTION PP1.7.5.1, METHOD A. FOR PILES WITH PRE-DRILLING EXTENDING BELOW TOP OF ROCK, DRIVE TO CASE 1 ABSOLUTE REFUSAL PER SECTION 1005.3(b).5.d OF PUBLICATION 408. FOR ALL OTHER PILES, DRIVE TO CASE 2 ABSOLUTE REFUSAL. THE MAXIMUM DRIVING STRESS IN THE PILES SHALL NOT EXCEED 45 KSI, IN ACCORDANCE WITH PENNDOT DESIGN MANUAL, PART 4, SECTION 10.7.8.
- FOR PILES OF THE WEST ABUTMENT LOCATED WITHIN 10 FEET OF THE EXISTING BRICK SEWER, PREDRILL AT LEAST 10 FEET BELOW THE BOTTOM OF THE BRICK SEWER (PREDRILLING ELEVATION OF 56.30). FOR THE REMAINING PILES, PREDRILL TO ACHIEVE A MINIMUM PILE LENGTH OF 26.0 FEET (PREDRILLING ELEVATION OF 61.58).
- PERFORM ALL MANDATORY PREDRILLING IN ACCORDANCE WITH THE SPECIAL PROVISION FOR MANDATORY PREDRILLING FOR DRIVEN PILES.
- IF NECESSARY, PERFORM PREDRILLING TO ADVANCE PILES THROUGH UNFORESEEN OBSTRUCTIONS IN ACCORDANCE WITH THE SPECIAL PROVISION FOR PREDRILLING FOR UNFORESEEN OBSTRUCTIONS; EARTH DRILLING; OBSTRUCTION DRILLING; PILE EXTRACTION AND RE-DRIVING.
- PROVIDE SUFFICIENT DEWATERING SO THAT THE EXCAVATIONS ARE DRY ENOUGH FOR INSPECTION AND CONCRETE PLACEMENT. THE CONTRACTOR IS RESPONSIBLE FOR THE IMPLEMENTATION OF ADEQUATE DEWATERING MEASURES.
- FOUNDATION SUBGRADE MUST BE INSPECTED AND APPROVED BY THE REPRESENTATIVE.
- FOUNDATION SUBGRADE FOR THE WINGWALLS MUST BE INSPECTED AND APPROVED BY THE DISTRICT GEOTECHNICAL ENGINEER.
- THE CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND INSTALLATION OF ALL TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEMS IN ACCORDANCE WITH THE SPECIAL PROVISION. THE FOLLOWING SOIL PARAMETERS ARE PROVIDED FOR THE DESIGN OF TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEMS, BUT THE CONTRACTOR MUST VERIFY THAT THE PARAMETERS ARE APPROPRIATE FOR THE SPECIFIC TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM TO BE USED. EFFECTS OF SURCHARGE AND RETAINED SLOPING EARTH CONDITION MUST BE CONSIDERED IN TEMPORARY EXCAVATION SUPPORT DESIGN.
 SOIL TYPE: SILT / SAND
 COHESION, $c = 0$
 INTERNAL FRICTION ANGLE, $\phi = 28^\circ$
 MOIST UNIT WEIGHT, $\gamma_m = 100$ PCF
 SATURATED UNIT WEIGHT, $\gamma_s = 105$ PCF
 GROUND WATER ELEVATION = 84.4 FT
- ALL TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEMS LOCATED WITHIN 10 FEET OF THE RAIL TRACKS MUST BE DESIGNED FOR AT-REST EARTH PRESSURES. ALSO, RAILROAD LOADING MUST BE INCORPORATED IN SHORING DESIGN.
- THE DESIGN AND CONSTRUCTION OF ALL TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEMS FOR THE WEST ABUTMENT SHALL AVOID DISTURBANCE TO THE EXISTING BRICK SEWER.
- ANY TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM ADJACENT TO EXISTING MASONRY WALLS ON EAST APPROACH MUST BE DESIGNED FOR AT-REST EARTH PRESSURES.

FOUNDATION NOTES (CONTINUED):

- THE CONTRACTOR SHALL MONITOR VERTICAL AND LATERAL MOVEMENTS OF THE EXISTING MASONRY WALLS DURING EXCAVATION AND ANY OTHER CONSTRUCTION ACTIVITIES INCLUDING PILE DRIVING. AT LEAST FOUR MONITORING POINTS SHALL BE ESTABLISHED AT EACH EXISTING MASONRY WALL AND THEY SHALL BE CONTINUOUSLY MONITORED THROUGHOUT CONSTRUCTION. PROVIDE MONITORING EQUIPMENT CAPABLE OF ACCURATELY AND INSTANTANEOUSLY DETECTING VERTICAL AND HORIZONTAL MOVEMENTS OF 0.05 INCH. THE CONTRACTOR SHALL STOP ALL WORK AND REPORT TO THE REPRESENTATIVE IF ANY MOVEMENT OVER THE 0.05 INCH THRESHOLD IS DETECTED IN THE EXISTING MASONRY WALLS.
- CONSTRUCT ALL TEMPORARY SLOPES NO STEEPER THAN 1.5H:1V. THE CONTRACTOR IS RESPONSIBLE FOR THE STABILITY OF ALL TEMPORARY SLOPES.
- ALL EXCAVATIONS MUST CONFORM TO CURRENT OSHA AND OTHER APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
- BLASTING SHALL NOT BE USED AS A METHOD OF EXCAVATION FOR FOUNDATIONS.
- REMOVE ALL UNSUITABLE MATERIALS FROM THE FOUNDATION SUBGRADE PRIOR TO CONSTRUCTION. OVER-EXCAVATE SOFT/LOOSE OR OTHERWISE UNSUITABLE BEARING MATERIALS TO FIRM STRATUM AND BACKFILL WITH COMPACTED STRUCTURAL FILL. USE PENNDOT NO. 2A COARSE AGGREGATE OR EQUAL AS STRUCTURAL FILL.
- PERFORM ALL OVER-EXCAVATION AND BACKFILLING UNDER THE DIRECTION OF A LICENSED GEOTECHNICAL ENGINEER.
- ANY EXCAVATION BELOW THE TLPE MUST BE BACKFILLED BY PENNDOT NO. 2A COARSE AGGREGATE OR EQUAL AS STRUCTURAL FILL.
- PLACE ULTRA-LIGHTWEIGHT BACKFILL (ULTRA-LIGHTWEIGHT FOAMED GLASS AGGREGATE) WITHIN AND BEHIND THE PREFABRICATED MODULAR WINGWALLS IN ACCORDANCE WITH THE DRAWINGS AND SPECIAL PROVISIONS.
- USE HP14X102 GRADE 50 STEEL PILES WITH HEAVY DUTY TIP REINFORCEMENT IN ACCORDANCE WITH BC-757M.
- PILE CAPACITY HAS BEEN REDUCED TO ACCOUNT FOR POTENTIAL CORROSION.
- PILES MAY ACHIEVE ABSOLUTE REFUSAL IN SOFT OR COMPLETELY DECOMPOSED BEDROCK.


ABUTMENT PILE FOUNDATION VALUES		
	WEST ABUTMENT	EAST ABUTMENT
APPLICABLE CORE BORINGS	B5, B14, B15	B7, B8, B9
PILE TYPE	HP14x102	
TIP REINFORCEMENT	HEAVY DUTY TIP REINFORCEMENT	
DRIVING METHOD	PP1.7.5.1 - METHOD A	
APPROXIMATE ADJACENT GROUND ELEVATION (FEET)	92.0	94.0
BOTTOM OF PILE CAP ELEVATION (FEET)	87.58	88.3
MANDATORY PRE-DRILLING ELEVATION (FEET)	56.30-61.58	84.0
TOP OF ROCK ELEVATION (FEET)	72.2-74.7	47.2-62.8
ESTIMATED PILE TIP ELEVATION (FEET)	56.3-61.58	47.2-62.8
NUMBER OF SOIL LAYERS	3	2
AVERAGE N_{160}	6/34/>50	25/>50
LAYER THICKNESS (FEET)	7.28/7.0/3.3	11.4/21.9
INTERNAL FRICTION ANGLE	28°/32°/38°	32°/38°
MOIST UNIT WEIGHT (PCF)	100/120/125	120/125
SATURATED UNIT WEIGHT (PCF)	105/125/135	125/135
BEARING STRATUM	MICA SCHIST	
AVERAGE RECOVERY/RQD (%)	53/29	89/18
ULTIMATE AXIAL RESISTANCE (KIPS/PILE)	804	804
AXIAL RESISTANCE FACTOR	0.5	0.5
FACTORED STRENGTH LATERAL RESISTANCE (KIPS/PILE)	27.0	33.0
FACTORED SERVICE LATERAL RESISTANCE (KIPS/PILE)	18.0	20.5
LATERAL RESISTANCE FACTOR	1.0	1.0
MINIMUM PILE LENGTH (FEET)	26.0	25.5
ESTIMATED PILE LENGTH (FEET)	26.0-31.28	27.1-41.1
ESTIMATED SETTLEMENT (INCH)	NEGLECTIBLE	

WINGWALL FOUNDATION VALUES				
	WING A	WING B	WING C	WING D
TOP OF LEVELING PAD ELEVATIONS (TLPE)	90.24	90.70	91.80	91.80
APPLICABLE CORE BORINGS	B1, B14	B3, B15	B9, B13	B7, B10
FOUNDATION BEARING MATERIAL	SILT/SAND			
NUMBER OF SOIL LAYERS (A)	3			
LAYER THICKNESS (FT)	14.2/-/2.6	4.4/13.7/3.8	3.3/12.8/28.5	4.3/8.8/20.0
AVERAGE CORRECTED N-VALUE (BLOWS/FOOT)	9	7/26	9/26	10/25
COEFFICIENT OF SLIDING FRICTION BETWEEN FOOTING AND SUBGRADE	0.53/0.62/0.78			
DESIGN WALL HEIGHT (FT)	25.5			
MINIMUM FOOTING WIDTH (FT)	18.0			
MINIMUM DEPTH OF EMBEDMENT (FT)	3.0			
BEARING RESISTANCE PARAMETERS	γ_m (PCF)	100/120/125		
	γ_s (PCF)	105/125/135		
	c (TCF)	0		
	ϕ (DEG)	28°/32°/38°		
ELASTIC MODULUS, E_s (KSF)	220/320/500			
POISSON'S RATIO, ν	0.30			
ULTIMATE BEARING RESISTANCE (KSF) (B)	10.3			
RESISTANCE FACTOR, BEARING	0.45			
RESISTANCE FACTOR, SLIDING	1.0			
FACTORED APPLIED BEARING PRESSURE (KSF) (B)	2.289			
GLOBAL STABILITY, FACTOR OF SAFETY	1.85			
COMPUTED SETTLEMENT (INCH) (C)	0.38			

NOTES:
 A. NUMBER OF SOIL LAYERS IS 2 FOR WING A.
 B. FOR THE CONTROLLING LIMIT STATE.
 C. MAXIMUM ALLOWABLE SETTLEMENT IS 1.0 INCH.

LIST OF ABBREVIATIONS:

- ABAND - ABANDON
- ABUT - ABUTMENT
- APPROX - APPROXIMATE
- BLDG - BUILDING
- BOT - BOTTOM
- BPCE - BOTTOM OF PILE CAP ELEVATION
- BRG(S) - BEARING(S)
- CL - CENTERLINE
- CLR - CLEARANCE
- CMU - CONCRETE MASONRY UNIT
- CONC - CONCRETE
- CONSTR - CONSTRUCTION
- DIA - DIAMETER
- DRWY - DRIVEWAY
- DS - DISTRICT STANDARD
- E - EAST
- EF - EACH FACE
- EL - ELEVATION
- ELECT - ELECTRICAL
- EXIST - EXISTING
- EXP - EXPANSION
- FDN - FOUNDATION
- FF - FRONT FACE
- FIX - FIXED BEARING
- HORIZ - HORIZONTAL
- INV - INVERT
- JT - JOINT
- LT - LEFT
- MAX - MAXIMUM
- MIN - MINIMUM
- PG - PROFILE GRADE
- PL - PLATE
- PROP - PROPOSED
- R/W - RIGHT-OF-WAY
- RAD - RADIUS
- RDWY - ROADWAY
- RF - REAR FACE
- RR - RAILROAD
- RT - RIGHT
- SUH - SEWER UTILITY HOLE
- SPA - SPACE OR SPACING
- STA - STATION
- STD - STANDARD
- STIFF - STIFFENER
- TESPS - TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM
- TLPE - TOP OF LEVELING PAD ELEVATION
- TYP - TYPICAL
- UNO - UNLESS NOTED OTHERWISE
- VERT - VERTICAL
- W - WEST
- WP - WORK POINT



SUBSTRUCTURE UNIT	PILE TYPE	PILE TIP (NONE/NORMAL/HEAVY DUTY)	PILE TIP ELEVATION	FACTORED DESIGN LOAD (KIPS)	ULTIMATE PILE CAPACITY AT END OF DRIVING (KIPS)	WEAP OR PDA
WEST ABUTMENT						
EAST ABUTMENT						

NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201

FOUNDATION NOTES & GEOTECHNICAL VALUES


PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 PHILADELPHIA, PA

9/1/2020

DRAWN BY: CWS/EJP DATE: 8/18/2020
 CHECKED BY: AYP DATE: 8/18/2020
 SCALE: AS NOTED SHEET: 6 OF 62



MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19125




STAKE-OUT PLAN
NOT TO SCALE

WORK POINT DATA				
WP	STATION	OFFSET	COORDINATE	
			NORTHING	EASTING
WP 1	4+17.53	25.48' RT	247289.5013	2687612.5392
WP 2	4+62.74	25.48' RT	247283.4000	2687657.3341
WP 3	4+62.28	26.00' RT	247282.9458	2687656.8096
WP 4	4+50.66	25.48' LT	247335.5226	2687652.2408
WP 5	4+95.87	25.48' LT	247329.4213	2687697.0356
WP 6	4+95.41	26.00' LT	247329.9992	2687696.6518
WP 7	5+11.41	26.00' LT	247327.8399	2687712.5054
WP 8	5+11.41	25.00' LT	247326.8490	2687712.3705
WP 9	4+90.43	0.00'	247304.9088	2687688.2109
WP 10	4+68.62	26.00' RT	247282.0911	2687663.0850
WP 11	6+34.39	26.00' LT	247311.2434	2687834.3543
WP 12	6+12.57	0.00'	247288.4257	2687809.2284
WP 13	5+91.59	25.00' RT	247266.4855	2687785.0688
WP 14	5+91.59	26.00' RT	247265.4946	2687784.9339
WP 15	6+40.72	26.00' LT	247310.3887	2687840.6298
WP 16	6+40.26	25.48' LT	247309.9345	2687840.1054
WP 17	6+93.01	25.48' LT	247302.8154	2687892.3728
WP 18	6+06.48	26.00' RT	247263.4851	2687799.6877
WP 19	6+06.02	25.48' RT	247264.063	2687799.3038
WP 20	6+51.23	25.48' RT	247257.9617	2687844.0987


HORIZONTAL CONTROL IS BASED ON PENNSYLVANIA STATE PLANE COORDINATES NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT)(NSRS 2007) SOUTH ZONE.

FOUR (4) PLACE COORDINATES ARE USED FOR COMPUTATIONAL PURPOSES ONLY AND DO NOT IMPLY A PRECISION BEYOND TWO (2) PLACES.

BENCHMARKS PROVIDED BY THE CITY OF PHILADELPHIA, 9th SURVEY DISTRICT: TOP RIM OF FIRE HYDRANT AT THE NORTHEAST CORNER OF 31st STREET AND BALZ STREET. ELEVATION = 62.35.



1 DETAIL
8 (WING B SHOWN, ALL OTHER WINGS SIMILAR)
NOT TO SCALE



2 DETAIL
8 WEST ABUTMENT SHOWN, EAST ABUTMENT SIMILAR
NOT TO SCALE

- NOTES:**
1. FOR GENERAL PLAN, SEE SHEET 1.
 2. FOR GENERAL ELEVATION, SEE SHEET 2.
 3. FOR TYPICAL SECTION, SEE SHEET 3.

NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201

STAKE-OUT PLAN

RECOMMENDED 9/1/2020

PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA


DRAWN BY:	AYB/ALS	DATE:	5/20/2020
CHECKED BY:	HNB	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	8 OF 62




MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125

File: G:\3436.10\CADD\Structural\Final Design\22600000\FXX_STAKE.PLN
 Plotted: 7/29/2020 2:40:11 PM by SUDM, ANELIA L.


File: D:\3436\10\CARD\Structure\Final Design\S276000\06PXX_EXCAVATION 1
 Printed: 7/17/2020 2:46:42 PM by: STDM, AMELIA L



A SECTION
 SCALE: 1/8"=1'-0"




B SECTION
 SCALE: 1/8"=1'-0"



C SECTION
 SCALE: 1/8"=1'-0"

WEST APPROACH
 (TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM AND PREFABRICATED MODULAR WINGWALL NOT SHOWN FOR CLARITY)



MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19125




- LEGEND:**
- CLASS 3 EXCAVATION
 - LIMITS OF EXISTING BRIDGE PIER REMOVAL

- NOTES:**
1. NO PAYMENT WILL BE ALLOWED IN EXCESS OF SPECIFIED LIMITS AND FOR ADDITIONAL BACKFILL REQUIRED.
 2. WORK THIS SHEET WITH SHEETS 9, 11 THRU 14.
 3. FOR ADDITIONAL EXCAVATION AND BACKFILL INFORMATION NOT SHOWN HERE, SEE RC-11M.


NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 EXCAVATION & EXISTING PIER REMOVAL - 2			
RECOMMENDED 9/1/2020		PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY:	PT/ALS/EJP	DATE:	5/20/2020
CHECKED BY:	AYB	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	10 OF 62

LEGEND:


-  CLASS 3 EXCAVATION
-  LIMITS OF EXISTING BRIDGE PIER REMOVAL




D SECTION
9 SCALE: 1/8"=1'-0"



E SECTION
9 SCALE: 1/8"=1'-0"



G SECTION
11 SCALE: 1/8"=1'-0"



F SECTION
9 SCALE: 1/8"=1'-0"

NOTES:
1. WORK THIS SHEET WITH SHEETS 9, 10, 12 THRU 14.

BAR SCALE KEY



EAST APPROACH
(TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM AND PREFABRICATED MODULAR WINGWALL NOT SHOWN FOR CLARITY)

MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125



NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
B-0185-2001 / L-201
EXCAVATION & EXISTING PIER REMOVAL - 3

RECOMMENDED: 9/1/2020







PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

DRAWN BY:	PT/ALS/EJP	DATE:	5/20/2020
CHECKED BY:	AYB	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	11 OF 62

Fig. 0: \\s3610\CADD\Structural\Final Design\2260001\0Fxx_EXCAVATION 2
Plotted: 7/17/2020 2:46:46 PM by S10M, AMELIA L.

LEGEND:

-  STRUCTURE BACKFILL
-  EMBANKMENT MATERIAL
-  ULTRA-LIGHTWEIGHT FOAMED GLASS AGGREGATE
-  BLANKET OF RANDOM STONE



NOTES:

1. TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM AND PREFABRICATED MODULAR WINGWALL NOT SHOWN FOR CLARITY.
2. MEASURED PERPENDICULAR TO THE SKEW.
3. WORK THIS SHEET WITH SHEETS 9 THRU 13.


BAR SCALE KEY

SCALE: 1/8" = 1'-0"




MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125


NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 STRUCTURE BACKFILL - 2			
RECOMMENDED 9/1/2020		PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY: PT/ALS/EJP	DATE: 5/20/2020		
CHECKED BY: AYP	DATE: 5/20/2020		
SCALE: AS NOTED	SHEET: 14 OF 62		



A SECTION
 15 (BRIDGE SEAT REINFORCEMENT ONLY SHOWN IN STEM AND NOT IN BACKWALL FOR CLARITY)
 SCALE: 3/8"=1'-0"




B SECTION
 15 SCALE: 3/8"=1'-0"



1 DETAIL
 16 SCALE: 1"=1'-0"

2 DETAIL
 16 SCALE: 1"=1'-0"

BAR SCALE KEY




NOTES:


1. ALL REINFORCEMENT SPACING PROVIDED IS THE MAXIMUM PERMITTED.
2. FOR ADDITIONAL NOTES, SEE SHEET 15.
3. FOR REINFORCEMENT BAR SCHEDULE, SEE SHEETS 44 THRU 50.

NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 WEST ABUTMENT - 2			
RECORDED: 9/1/2020		PREPARED FOR: CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY: AYB/ALS	DATE: 5/20/2020	CHECKED BY: MDC	
SCALE: AS NOTED	SHEET: 16 OF 62	DATE: 5/20/2020	


MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19123




D SECTION
 15 (LOOKING BACK STATION)
 (PILES AND PILE CAP REINFORCEMENT NOT SHOWN FOR CLARITY)
 SCALE: 1/4" = 1'-0"



C SECTION
 15 SCALE: 3/8" = 1'-0"



J SECTION
 17 SCALE: 1/4" = 1'-0"




ABUTMENT DRAINAGE REINFORCEMENT DETAIL
 SCALE: 1" = 1'-0"

NOTE A:
 TIE TOP AND BOTTOM MAT OF REINFORCING STEEL WITH EF401 TIE BARS AT 4'-0" MAXIMUM SPACING BOTH DIRECTIONS. ALTERNATE 90° AND 135° AT TOP IN ALTERNATE TIES.

NOTE B:
 EA808, EA809, EA810, EA811 OR EA812.

NOTE C:
 7-EA610 AT 9" OR 1 SET OF 7-EA612 AT 9".

- NOTES:**
- ADJUST REINFORCEMENT, AS REQUIRED, FOR INSTALLATION OF ANCHOR BOLTS, WEEP HOLES, AND FOUNDATION DRAIN.
 - ALL REINFORCEMENT PROVIDED IS THE MAXIMUM PERMITTED.
 - FOR NOTES, DIMENSIONS, AND DETAILS OF THE ABUTMENT WATERPROOFING MEMBRANE AND 1" THICK PREFORMED CELLULAR POLYSTYRENE, SEE BC-788M.
 - FOR ADDITIONAL NOTES, SEE SHEET 15.
 - FOR REINFORCEMENT BAR SCHEDULE, SEE SHEETS 44 THRU 50.




NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 WEST ABUTMENT - 3			
PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA			
RECOMMENDED 9/1/2020			
DRAWN BY:	AYB/ALS	DATE:	5/20/2020
CHECKED BY:	MDC	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	17 OF 62




MODJESIO AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE, SUITE 308
 PHILADELPHIA, PA 19125

File: \\ymmd10\p\projects\23436\10\CADD\Structural\Final Design\927000170\FX_w ABUT-3.dwg
 Date: 5/14/2020 2:32:58 PM by WAMPLER, JEFFREY A.



D SECTION
 (LOOKING AHEAD STATION)
 (PILES AND PILE CAP REINFORCEMENT NOT SHOWN FOR CLARITY)
 SCALE: 1/4" = 1'-0"




C SECTION
 (20)
 SCALE: 3/8" = 1'-0"

NOTE A:
 TIE TOP AND BOTTOM MAT OF REINFORCING STEEL WITH EF401 TIE BARS AT 4'-0" MAXIMUM SPACING BOTH DIRECTIONS. ALTERNATE 90° AND 135° AT TOP IN ALTERNATE TIES.


NOTE B:
 EA801, EA802, EA803 OR EA804.

NOTE C:
 7-EA610 AT 9", 1 SET OF 7-EA611 AT 9", OR 1 SET OF 7-EA612 AT 9".


- NOTES:**
1. ADJUST REINFORCEMENT, AS REQUIRED, FOR INSTALLATION OF ANCHOR RODS AND WEEP HOLES.
 2. ALL REINFORCEMENT PROVIDED IS THE MAXIMUM PERMITTED.
 3. FOR NOTES, DIMENSIONS, AND DETAILS OF THE ABUTMENT WATERPROOFING MEMBRANE AND 1" THICK PREFORMED CELLULAR POLYSTYRENE, SEE BC-788M.
 4. FOR ADDITIONAL NOTES, SEE SHEET 20.
 5. FOR REINFORCEMENT BAR SCHEDULE, SEE SHEETS 44 THRU 50.



WEEP HOLE REINFORCEMENT DETAIL
 SCALE: 1" = 1'-0"




NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 EAST ABUTMENT - 3			
PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA			
RECOMMENDED 9/1/2020			
DRAWN BY:	A/YB/ALS	DATE:	5/20/2020
CHECKED BY:	MDC	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	22 OF 62



MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE, SUITE 308
 PHILADELPHIA, PA 19125

File: \\mmodj\Projects\21343610\CADD\Structural\Final Design\27600020\FR_A_E_ABUT-3.dwg
 Plotted: 5/12/2020 8:40:09 AM by: WAMPLER, JEFFREY A.



PLAN
SCALE: 1"=15'-0"

TOP OF LEVELING PAD ELEVATIONS	
LOCATION	ELEVATION
WING A	90.24
WING B	90.70
WING C	91.80
WING D	91.80

LEGEND

- STRUCTURE BACKFILL
- ULTRA-LIGHTWEIGHT FOAMED GLASS AGGREGATE

NOTE A:


PROVIDE AT LEAST TWO SHEAR KEYS FOR EACH PREFABRICATED MODULAR WINGWALL PANEL. THE RECOMMENDED SHEAR KEY LOCATIONS ARE SHOWN; HOWEVER THE LOCATION OF A SHEAR KEY ALONG THE STEM IS NOT CRITICAL AND DOES NOT HAVE TO BE PLACED EXACTLY AS SHOWN.

NOTE B:


FIELD MEASURE AVAILABLE SPACE TO THE ABUTMENT REAR FACE PRIOR TO FABRICATING PREFABRICATED MODULAR WINGWALL PANEL. PROVIDE AT LEAST 3 INCHES OF CLEARANCE BETWEEN THE END OF PREFABRICATED MODULAR WINGWALL STEM AND ABUTMENT REAR FACE.

NOTES:

1. ULTRA-LIGHTWEIGHT FOAMED GLASS AGGREGATE DESIGN ANGLE OF INTERNAL FRICTION, $\phi=41^\circ$.
2. MINIMUM FACTOR OF SAFETY FOR GLOBAL STABILITY=1.5.
3. MAXIMUM ALLOWABLE SETTLEMENT=1.0 INCH.
4. FOR PREFABRICATED MODULAR WINGWALL, PROVIDE CONCRETE WITH A 28-DAY MINIMUM COMPRESSIVE STRENGTH OF 5000 PSI.
5. USE CLASS A CEMENT CONCRETE FOR THE CONCRETE LEVELING PADS. PROVIDE CONCRETE LEVELING PADS ALONG THE ENTIRE LENGTH OF PREFABRICATED MODULAR WINGWALLS.
6. FOR GENERAL NOTES, SEE SHEET 5.
7. FOR CONCEPTUAL TEMPORARY EXCAVATION SUPPORT AND PROTECTION SYSTEM LIMITS, SEE SHEET 9.
8. FOR LIMITS OF EXCAVATION AND BACKFILL AND EXISTING PIER REMOVAL, SEE SHEETS 9 THRU 14.
9. WORK THIS SHEET WITH SHEET 26.
10. FOR APPROACH SLAB AND MOMENT SLAB DETAILS, SEE SHEETS 38 THRU 42.




A SECTION
25 (ALL PANELS EXCEPT FIRST PANEL ADJACENT TO ABUTMENT AT WING B AND WING D)
SCALE: 1/4"=1'-0"



B SECTION
25 (FIRST PANEL ADJACENT TO ABUTMENT AT WING B AND WING D)
SCALE: 1/4"=1'-0"

BAR SCALE KEY



NUMBER	REVISIONS	BY	DATE


MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 WINGWALLS - 1

RECOMMENDED	9/1/2020	DATE:	8/18/2020
DRAWN BY:	A/YB/ALS	DATE:	8/18/2020
CHECKED BY:	HNB	DATE:	8/18/2020
SCALE:	AS NOTED	SHEET:	25 OF 62

PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA


File: Q:\14336_10(CADD)\Structural\Final Design\1226000250FX1_WW-1.dwg
 Plotted: 8/27/2020 2:08:51 PM by STUM, ANDELA L.

MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 309
 PHILADELPHIA, PA 19125



FRAMING SCHEDULE		
MEMBER LINE	DESCRIPTION	REMARKS
G1 THRU G7	BUILT-UP CONSTANT DEPTH WELDED PLATE GIRDER	HYBRID
	1 1/8" x 24" x 128'-3 3/8" STEEL \bar{r} TOP FLANGE	GRADE 70W
	3/8" x 34" x 122'-5 7/8" STEEL \bar{r} WEB (TYP)	GRADE 50W
	3/4" x 34" x 3'-0" STEEL \bar{r} WEB (AT ENDS)	GRADE 50W
	2 3/8" x 26" x 128'-5 7/8" STEEL \bar{r} BOTTOM FLANGE	GRADE 70W
INTERMEDIATE DIAPHRAGM	3/8" x 1'-8" STEEL BENT \bar{r}	GRADE 50W



- NOTES:**
- ERECT TEMPORARY BRACING BETWEEN GIRDERS NEAR THE GIRDER ENDS SUCH THAT THE SPACING BETWEEN THE TEMPORARY BRACING AND THE FIRST INTERIOR DIAPHRAGM IS LESS THAN OR EQUAL TO 25 FEET. THE DESIGN OF THE TEMPORARY BRACING IS THE RESPONSIBILITY OF THE CONTRACTOR. DESIGN THE TEMPORARY BRACING IN ACCORDANCE WITH AASHTO LRFD AND DM-4. LEAVE THE TEMPORARY BRACING IN PLACE UNTIL THE END DIAPHRAGM CONCRETE HAS REACHED ITS SPECIFIED 28-DAY COMPRESSIVE STRENGTH. SUBMIT THE DESIGN OF THE TEMPORARY BRACING TO THE REPRESENTATIVE FOR APPROVAL.
 - FOR GENERAL NOTES, SEE SHEET 5.
 - FOR GIRDER ELEVATION AND DETAILS, SEE SHEET 28.
 - FOR INTERMEDIATE DIAPHRAGM DETAILS, SEE SHEET 28.
 - FOR BEARING DETAILS, SEE SHEET 30.
 - FOR CONCRETE END DIAPHRAGM DETAILS, SEE SHEET 33.



NOMINAL DEPTH y (INCHES)	MAXIMUM PERMISSIBLE HORIZONTAL LOAD h (KIP/FT)
36	1.250

MAXIMUM PERMISSIBLE JACK SPACING 4 FT

NOTE:
THE FASCIA GIRDERS ARE DESIGNED FOR A TEMPORARY CONSTRUCTION LOAD APPLIED TO THE WEB AT A MAXIMUM 4 FT INTERVAL. THIS LOAD (SEE TABLE) APPROXIMATES THE HORIZONTAL COMPONENT OF A DECK OVERHANG FORM SUPPORT BRACKET AND CONSISTS OF AN ALLOWANCE FOR THE WEIGHT OF THE CONCRETE, FORMS AND INCIDENTAL LOADS, PLUS THE DECK FINISHING MACHINE. WHERE A TRANSVERSE STIFFENER SPACING, LESS THAN THAT REQUIRED FOR THE FINAL DESIGN SHEAR, IS INDICATED FOR CONSTRUCTABILITY, THE SPACING FOR THE FINAL DESIGN SHEAR MAY BE USED IF THE OVERHANG FORMS ARE SUPPORTED FROM THE BOTTOM FLANGE OF THE FASCIA GIRDER, OR IF THE GIRDER WEB IS ADEQUATELY BRACED TO PREVENT BUCKLING DUE TO LOADS FROM WEB-BEARING FORM SUPPORT BRACKETS. THE CONTRACTOR HAS THE OPTION TO MODIFY THE OVERHANG BRACKET FROM THAT DESCRIBED HEREIN PROVIDED WORKING DRAWINGS INCLUDING CALCULATIONS, SEALED BY A PROFESSIONAL ENGINEER LICENSED IN THE COMMONWEALTH OF PENNSYLVANIA, ARE SUBMITTED FOR REVIEW AND ACCEPTANCE AND SHOW THE MODIFICATIONS DO NOT CAUSE UNACCEPTABLE DEFORMATIONS OR STRESSES IN THE BRIDGE AND IT IS UNDERSTOOD THE CONTRACTOR IS ULTIMATELY RESPONSIBLE FOR THE SATISFACTORY COMPLETION OF THE BRIDGE.



MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125

NUMBER	REVISIONS	BY	DATE



**MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
B-0185-2001 / L-201
FRAMING PLAN**

RECOMMENDED: 9/1/2020


PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA

DRAWN BY:	HNB/JAW	DATE:	5/20/2020
CHECKED BY:	AYB	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	27 OF 62

P:\1456 (01\CADD)\Structural\Final Design\152260002707\K1_FRAME.PLN 1
 Date: 7/25/2020 10:35:38 AM by STJM, ALIDA L.




- NOTES:**
1. ALTERNATE ED801, ED802, ED803 AND ED804 LAP SPLICE LOCATIONS FOR ADJACENT BARS. SPLICES TO OCCUR BETWEEN GIRDERS G3 AND G4, AND G4 AND G5.
 2. ASSUMED JACKING LOCATIONS ARE WITHIN 2'-6" FROM THE CENTERLINE OF GIRDER (MEASURED ALONG THE CENTERLINE BEARING) FOR REGIONS BETWEEN GIRDERS AND WITHIN THE REINFORCEMENT CAGE OF THE END DIAPHRAGMS FOR OVERHANG REGIONS.
 3. FOR GENERAL NOTES, SEE SHEET 5
 4. FOR FRAMING PLAN, SEE SHEETS 27.
 5. FOR GIRDER DETAILS, SEE SHEET 28.
 6. FOR BEARING DETAILS, SEE SHEET 30.
 7. WORK THIS SHEET WITH SHEETS 32 AND 34.
 8. FOR REINFORCEMENT BAR SCHEDULE, SEE SHEETS 44 THRU 50.





NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 MISCELLANEOUS SUPERSTRUCTURE DETAILS - 1			
RECOMMENDED 9/1/2020		PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY: TAH/JAW/ALS CHECKED BY: MDC SCALE: AS NOTED	DATE: 5/20/2020 DATE: 5/20/2020 SHEET: 33 OF 62		

MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19125


File: C:\4436\10\CADD\Struct\Drawings\Misc\SupStruct\Details-1.dwg
 Plotted: 8/18/2020 3:01:20 PM by STUM, ANILIA L




PLAN
SCALE: 1/32" = 1'-0"



C SECTION
35 SCALE: 1 1/2" = 1'-0"



A SECTION
35 SCALE: 1/2" = 1'-0"






B SECTION
35 SCALE: 1/2" = 1'-0"

NOTES:

- FOR ADDITIONAL BRICK FACING INFORMATION, SEE SPECIAL PROVISIONS.
- FOR ADDITIONAL CONCRETE SURFACE ARCHITECTURAL TREATMENT INFORMATION, SEE SPECIAL PROVISIONS.
- FOR GROUNDING AND BONDING DETAILS, SEE ELECTRIFICATION MODIFICATION PLANS SHEETS ET-13 THRU ET-15.
- FOR TYPICAL SECTION, SEE SHEET 3.
- FOR GENERAL NOTES, SEE SHEET 5.
- FOR DEFLECTION JOINT SPACING, SEE SHEET 32. INSTALL DEFLECTION JOINT THROUGH AESTHETIC TREATMENT AND STRUCTURAL CONCRETE.
- WORK THIS SHEET WITH SHEETS 36 AND 37.
- FOR PROTECTIVE BARRIER AND PILASTER DETAILS, SEE SHEET 36.
- FOR PARAPET MOUNTED PROTECTIVE FENCE DETAILS, SEE SHEET 37.

BAR SCALE KEY




MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125




NUMBER	REVISIONS	BY	DATE
<p>MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 PROTECTIVE BARRIER & PICKET FENCE - 1</p>			
<p>REVISIONS 9/1/2020</p>		<p>PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA</p>	
<p>DRAWN BY: PT/JAW</p>	<p>CHECKED BY: ENL/MDC</p>	<p>DATE: 8/18/2020</p>	<p>DATE: 8/18/2020</p>
<p>SCALE: AS NOTED</p>	<p>SHEET: 35 OF 62</p>		

File: O:\3436 (0)\CAD\Structural\Final Design\226000356\F35_PROTECT BAR-1.rvt
 Plotted: 8/19/2020 10:02:09 AM by: STUBB, AMELIA L.



TYPICAL PARAPET MOUNTED PROTECTIVE FENCE ELEVATION


SCALE: 3/4" = 1'-0"



L SECTION
SCALE: 3/4" = 1'-0"


NOTES:

1. PROVIDE ASTM A709, GRADE 36 (OR A36) STEEL BASE PLATE IN ACCORDANCE WITH PUBLICATION 408, SECTION 1105.02 (a)2.
2. PROVIDE ASTM F1554, GRADE 36 ANCHOR BOLTS IN ACCORDANCE WITH PUBLICATION 408, SECTION 1105.02 (c) 3, GALVANIZED IN ACCORDANCE WITH SECTION 1050.02 (S).
3. PROVIDE SHIMS FROM APPROVED MATERIAL.
4. PARAPET MOUNTED PROTECTIVE FENCE AND BASE PLATES TO BE PAINTED.
5. ONLY TOUCH-UP PAINTING OF MATERIAL IS PERMITTED.
6. PLACE POSTS, PICKETS AND ANCHOR BOLTS TRULY VERTICAL. PLACE RAILS PARALLEL TO GRADE.
7. PLACE ANCHOR BOLTS WITH PARAPET AND ACCURATELY SET AND BRACE AGAINST DISPLACEMENT BEFORE THE SURROUNDING CONCRETE IS PLACED. LEVEL THE BASE PLATE AND THEN PLACE THE LEVELING PAD USING RAPID SET CONCRETE.
8. SECURE STANDARD POST CAPS TO THE BACK AND FRONT FACE OF POSTS USING TAMPER-PROOF SCREWS.
9. ANY SCREWS, BOLTS, NUTS, RIVETS, WASHERS, ETC. USED FOR FASTENING THE PICKET FENCE SHALL BE COLOR COORDINATED WITH THE ENTIRE ASSEMBLY.
10. SPACE PICKETS EVENLY. MAXIMUM CLEAR OPENING BETWEEN PICKETS AND PICKET AND POST IS 4".
11. SUBMIT SHOP DRAWINGS FOR APPROVAL.
12. PAINT ALL RAILING COMPONENTS BLACK IN ACCORDANCE WITH PUBLICATION 408.
13. COAT ALL SURFACES OF THE BASE PLATES IN CONTACT WITH THE CONCRETE WITH CAULKING COMPOUND PRIOR TO ERECTION. AFTER ERECTION AND ALIGNMENT, SEAL OPENINGS BETWEEN METAL AND CONCRETE SURFACES WITH A CAULK COMPOUND MEETING REQUIREMENTS OF SECTION 705, PUBLICATION 408.
14. FOR ANCHORAGE DETAILS NOT SHOWN, SEE BC-734M.
15. FOR GROUNDING AND BONDING DETAILS, SEE ELECTRIFICATION MODIFICATION PLANS SHEETS ET-13 THRU ET-15.
16. FOR PAINTING NOTES AND GENERAL NOTES, SEE SHEET 5.
17. WORK THIS SHEET WITH SHEETS 35, 36, 38 THRU 42.



END BASE PLATE DETAIL

SCALE: 3" = 1'-0"




INTERIOR BASE PLATE DETAIL


SCALE: 3" = 1'-0"

BAR SCALE KEY

SCALE: 3/4" = 1'-0"




SCALE: 3" = 1'-0"




MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125




NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201			
PROTECTIVE BARRIER & PICKET FENCE - 3			
RECOMMENDED 9/1/2020		PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY:	PT/JAW	DATE:	8/18/2020
CHECKED BY:	ENL/MDC	DATE:	8/18/2020
SCALE:	AS NOTED	SHEET:	37 OF 62




A SECTION
 18&39 (APPROACH SLAB REINFORCEMENT NOT LABELED FOR CLARITY) NOT TO SCALE



B SECTION
 18&39 (APPROACH SLAB REINFORCEMENT NOT LABELED FOR CLARITY) NOT TO SCALE




C SECTION
 18&39 (CONCRETE END DIAPHRAGM REINFORCEMENT NOT SHOWN FOR CLARITY) NOT TO SCALE




D SECTION
 18&39 (CONCRETE END DIAPHRAGM REINFORCEMENT NOT SHOWN FOR CLARITY) NOT TO SCALE


JOINT OPENING FOR JOINT SEAL, WIDTH OF OPENING SHOULD BE ADJUSTED TO ACCOUNT FOR THE CONCRETE SURFACE TEMPERATURE AT THE TIME OF SAWING. SEE MANUFACTURER'S DATA



6 DETAIL
 40 NOT TO SCALE



5 DETAIL
 18&39 (TYPICAL SIDEWALK REINFORCEMENT) SCALE: 1/2"=1'-0"




5 DETAIL
 18&39 (TYPICAL SIDEWALK REINFORCEMENT) SCALE: 1/2"=1'-0"

DIMENSION "A" TABLE (INSTALLATION DIMENSION "A" @ VARIOUS TEMPERATURES)


LOCATION	TEMPERATURE (°F)														
	-10	-5	5	15	25	32	40	50	60	68	80	85	95	105	110
WEST	1.27	1.32	1.41	1.50	1.60	1.66	1.74	1.83	1.93	2.00	2.11	2.16	2.25	2.35	2.39
EAST	1.88	1.88	1.88	1.90	1.92	1.93	1.95	1.97	1.99	2.00	2.02	2.03	2.05	2.07	2.08

JOINT PREPARATION NOTES:


1. THE JOINT OPENING IS TO BE FORMED BY A TWO-STAGE SAWING OPERATION WHERE ACCESSIBLE. WHERE ACCESSIBILITY IS LIMITED, THE JOINT OPENING SHALL BE FORMED. THE FIRST SAW CUT IS DESIGNED TO CONTROL CRACKING. THE SECOND SAW CUT IS MADE USING A DOUBLE-BLADED WATER-COOLED SAW CAPABLE OF HOLDING A TOLERANCE OF ±1/16" TO CREATE THE PROPER OPENING FOR THE PREFORMED NEOPRENE COMPRESSION SEAL OR INVERTED V JOINT SEAL.
2. WATER BLAST OPENING IMMEDIATELY FOLLOWING SAW CUTTING OPERATION TO REMOVE ANY RESIDUAL SLURRY BEFORE IT DRIES.
3. THE DEPTH OF THE JOINT OPENING EQUALS THE HEIGHT OF THE SEAL PLUS 1". ADJUST THE WIDTH OF THE SECOND SAW CUT TO ACCOUNT FOR THE CONCRETE SURFACE TEMPERATURE AT THE TIME OF SAWING. SEE MANUFACTURER'S PRODUCT INFORMATION.
4. BEFORE INSTALLING THE SEAL, ABRASIVE BLAST THE BONDING SURFACES TO THOROUGHLY CLEAN THE JOINT OPENING AND REMOVE FOREIGN MATERIAL, INCLUDING BROKEN CONCRETE. USE WATER AND OIL FREE COMPRESSED AIR TO BLOW OUT RESIDUE FROM THE SEAL GROOVE OPENING.
5. PREPARE BONDING SURFACES AND INSTALL JOINT SEAL IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.
6. DO NOT EXCEED 3% ELONGATION OF THE SEAL, IF STRETCHING OCCURS.



PAVING NOTCH FORMING DETAIL
 SCALE: 1/2"=1'-0"



ACCESS HOLE ELEVATION
 (REINFORCEMENT NOT SHOWN FOR CLARITY) SCALE: 1/2"=1'-0"



BAR SCALE KEY
 SCALE: 1/2"=1'-0"

- NOTES:**
1. WORK THIS SHEET WITH SHEETS 38 AND 39.
 2. TROWEL SMOOTH AND PLACE TWO LAYERS OF 4 MIL. POLYETHYLENE SHEETING AS BOND BREAKER.
 3. FOR NEOPRENE STRIP SEAL DAM, STEEL EXTRUSION, BARRIER SLIDING BENT PLATE, AND SIDEWALK CHECKERED SKID RESISTANT SLIDING PLATE DETAILS, SEE BC-767M.
 4. FOR WATERSTOP DETAILS, SEE BC-735M.
 5. FOR TYPE E JOINT DETAILS, SEE RC-20M.

NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201

APPROACH SLAB - 3

RECORDED 9/1/2020

PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 PHILADELPHIA, PA


DRAWN BY: AYB DATE: 8/18/2020
 CHECKED BY: JAK DATE: 8/18/2020
 SCALE: AS NOTED SHEET: 40 OF 62

FIG. 013136 (01/2020) Structural Detail Design S2266004007XX_APP SLAB DETAILS
 REVISED 8/19/2020 9:46:29 AM BY STW, AMELIA L



MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19125


File: G:\343810\CADD\Structural\Drawings\2206000410Pxx_MOMENT SLAB-1
 Plotted: 8/25/2020 8:20:15 AM by STON, AVICOLA L




MOMENT SLAB KEY PLAN

(TURNOUT REINFORCEMENT NOT LABELED FOR CLARITY)
 (PARAPET MOUNTED PROTECTIVE FENCE NOT SHOWN FOR CLARITY)

SCALE: 1/8" = 1'-0"



A SECTION
 41 NOT TO SCALE



B SECTION
 41 (EAST SIDE ONLY)
 NOT TO SCALE

NOTE A:

USE TYPE D OR E JOINT PER RC-20M AND RC-27M. USE SAME JOINT AS PROVIDED IN PAVEMENT. PROVIDE DOWELS AT EXPANSION JOINT BETWEEN MOMENT SLAB SEGMENTS. SPACE DOWELS AT 1'-0" MAXIMUM.

NOTE B:

TIE TOP AND BOTTOM MAT OF REINFORCING STEEL WITH EMS408 TIE BARS AT 4'-0" MAXIMUM SPACING BOTH DIRECTIONS. ALTERNATE 90° AND 135° AT TOP IN ALTERNATE TIES.

NOTE C:

OPEN JOINT IN MOMENT SLAB AND BARRIER. FOR OPEN JOINT DETAILS, SEE BC-752M. MOMENT SLAB JOINTS MUST OCCUR AT A PAVEMENT JOINT. A MAXIMUM OF TWO PLACEMENT JOINTS MAY OCCUR BETWEEN MOMENT SLAB JOINTS.

NOTE D:

EMS401, EMS402, EMS403, OR EMS405

BAR SCALE KEY

SCALE: 1/8" = 1'-0"



NOTES:

- FOR MODIFIED DEFLECTION JOINT DETAILS AND OPEN JOINT DETAILS, SEE BC-752M.
- PLACE DOWELS BETWEEN ALL MOMENT SLAB SEGMENTS. FOR DOWEL DETAILS, TIE BARS OR TIE BOLTS DETAILS, AND TYPE D OR E JOINT DETAILS, SEE RC-20M AND RC-27M.
- FORM VOID IN MOMENT SLAB CONCRETE WITH PREFORMED CELLULAR POLYSTYRENE.
- PROVIDE EXPANSION-TYPE MATERIAL AT THE INTERFACE BETWEEN THE BASE OF THE UTILITY POLE AND MOMENT SLAB. RE-SPACE MOMENT SLAB REINFORCEMENT AROUND UTILITY POLE TO AVOID INTERFERENCE, AS NEEDED.
- CONTRACTOR IS PERMITTED TO PROVIDE A PRECAST BARRIER IN PLACE OF THE CAST-IN-PLACE BARRIER. CONTRACTOR MUST SUBMIT SHOP DRAWINGS FOR REVIEW AND ACCEPTANCE IN ACCORDANCE WITH PUBLICATION 408. THE SHOP DRAWINGS MUST COMPLETELY DETAIL THE ENTIRE MOMENT SLAB AND BARRIER ALONG THE REQUIRED LENGTH.
 - CONTRACTOR IS RESPONSIBLE FOR LIFTING, HANDLING AND TRANSPORTATION STRESSES.
 - CONTRACTOR IS RESPONSIBLE FOR TEMPORARY BRACING DESIGN CALCULATIONS AND DETAILS.
 - LIFTING INSERTS:
 - PROVIDE GALVANIZED LIFTING INSERTS.
 - PROVIDE LIFTING INSERTS WITH A MINIMUM CAPACITY OF AT LEAST TWO TIMES THE CALCULATED LOAD ON THE INSERT.
 - PROVIDE A MINIMUM OF TWO LIFTING INSERTS PER BARRIER SECTION.
- FOR LIGHT POLE DETAILS, SEE LIGHTING PLAN.
- FOR GENERAL NOTES, SEE SHEETS 5 AND 6.
- FOR PREFABRICATED MODULAR WINGWALL DETAILS, SEE SHEETS 25 AND 26.
- FOR LIGHT POLE CONNECTION DETAILS, SEE SHEET 34.
- FOR PARAPET DETAILS, SEE SHEETS 35 THRU 37.
- FOR APPROACH SLAB DETAILS, SEE SHEETS 38, 39, AND 40.
- FOR REINFORCEMENT BAR SCHEDULE, SEE SHEETS 44 THRU 50.
- FOR ROADWAY CONCRETE PAVEMENT AND SIDEWALK DETAILS, SEE CONSTRUCTION PLANS.

NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 MOMENT SLAB - 1


RECOMMENDED: 9/1/2020

DRAWN BY:	AYB	DATE:	5/20/2020
CHECKED BY:	JAK	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	41 OF 62

PREPARED FOR:
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 PHILADELPHIA, PA

MODJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19125

File: G:\J135.10\CADD\Struct\ref\Final Design\52260004\TOPXX_MOMENT SLAB-2
 Printed: 8/27/2020 8:20:22 AM by STJAK, ANIELA L.



REQUIRED LAP LENGTH	
SIZE	BARRIER
#5	3'-7"
#6	4'-4"

NOTES:
1. WORK THIS SHEET WITH SHEET 41.

NOTE B:
TIE TOP AND BOTTOM MAT OF REINFORCING STEEL WITH EMS408 TIE BARS AT 4'-0" MAXIMUM SPACING BOTH DIRECTIONS. ALTERNATE 90° AND 135° AT TOP IN ALTERNATE TIES.



MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125


NUMBER	REVISIONS	BY	DATE

**MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
B-0185-2001 / L-201
MOMENT SLAB - 2**

PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
PHILADELPHIA, PA


9/1/2020

DRAWN BY:	AYB	DATE:	5/20/2020
CHECKED BY:	JAK	DATE:	5/20/2020
SCALE:	AS NOTED	SHEET:	42 OF 62




CATCH BASIN ELEVATION

SCALE: 1/2" = 1'



PLAN

SCALE: 1" = 20'





CATCH BASIN DETAIL

SCALE: 1" = 1'

NOTES:

- FOR DIMENSIONS AND DETAILS NOT SHOWN, SEE RC-45M, RC-46M, AND THE LATEST VERSION OF THE PHILADELPHIA WATER DEPARTMENT'S SEWER STANDARD DETAILS & SPECIFICATIONS.
- RCP - REINFORCED CONCRETE PIPE
- CONSTRUCT SADDLE CONNECTION OF 18" RCP TO SEWER USING PWD STANDARD DETAILS.
- EXPOSE EXISTING PRIVATELY OWNED 12" PIPE. RELOCATE THE PIPE IF THE PIPE CONTAINS SIGNIFICANT WATER FLOW, OTHERWISE CAP AND ABANDON THE EXISTING PIPE.


BAR SCALE KEY



NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 DRAINAGE PLAN			
RECOMMENDED	9/1/2020	PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY:	BAC	DATE:	8/24/2020
CHECKED BY:	TZO	DATE:	8/24/2020
SCALE:	AS NOTED	SHEET:	43 OF 62

REINFORCEMENT BAR SCHEDULE

MARK	SIZE	TYPE	NUMBER	LENGTH	A	B	C	D	E	F	G	H	J	K	R
WEST ABUTMENT															
EA404	4	10	8	13'-4"	1'-7"	11'-9"									
EA405	4	10	2	12'-0"	1'-7"	10'-5"									
EA406	4	STR	80	3'-6"											
EA407	4	STR	6	25'-5 1/2"											
EA409	4	14	6	30'-11 1/2"	6"	30'-5 1/2"		3 1/2"							
EA410	4	STR	8	37'-8 1/2"											
EA411	4	11	4	7'-9 3/4"	2'-10"	4'-11 3/4"	2'-1 1/8"								
EA412	4	17	4	11'-11 7/8"	1'-6"	3 1/8"	10'-2 3/4"								1 1/2"
EA413	4	39	58	3'-9"	10"	2 3/4"	4"	6"	4"						1 1/2"
EA501	5	4	68	7'-9"	4'-1"	11"	2'-9"								
EA502	5	4	3	11'-5"	5'-3"	11"	5'-3"								
EA503	5	STR	9	5'-4"											
EA505	5	STR	26	1'-6"											
EA506	5	60	4	6'-11 1/4"	1'-7"	1'-7"	1'-0"	1'-7"	7 1/4"		3 3/4"	3 3/4"	1'-0 1/4"	7 1/4"	
EA507	5	62	22	16'-11"	5'-5"	1'-8"	1'-8"	2'-5"	4'-10"	3 1/2"	3 3/4"	3 3/4"	4'-1 1/4"	1'-3 3/8"	
EA512	5	61	6	19'-6"	3'-4"	11"	11'-11"	8'-10 1/2"	3'-4"						
EA513	5	STR	6	11'-5 1/2"											
EA514	5	7	47	19'-9"	3'-7"	11'-9"	4'-5"	3'-0 1/4"							
EA515	5	STR	47	11'-1 1/4"											
EA516	5	17	4	8'-7 1/8"	1'-6"	3 1/8"	6'-10"								1 1/8"
EA517	5	11	4	11'-11 1/8"	3'-7"	8'-4 1/8"	3'-7 1/8"								
EA601	6	10	88	7'-8"	3'-3"	4'-5"									
EA602	6	10	7	7'-8" TO 9'-1"	3'-3"	4'-5" TO 5'-10"									
EA610	6	10	28	16'-1 1/2"	3'-3"	12'-10 1/2"									
EA612	6	10	7	14'-3" TO 16'-8 1/2"	3'-3"	11'-0" TO 13'-5 1/2"									
EA617	6	10	8	7'-8" TO 9'-5"	3'-3"	4'-5" TO 6'-2"									
EA618	6	STR	25	5'-0"											
EA619	6	STR	10	19'-10"											
EA620	6	STR	14	20'-1"											
EA621	6	STR	15	20'-6 1/2"											
EA622	6	STR	14	20'-11 1/2"											
EA623	6	STR	14	21'-1"											
EA624	6	STR	16	21'-2 1/4"											
EA625	6	STR	14	21'-5"											
EA627	6	STR	25	21'-9"											
EA628	6	STR	37	6'-1"											
EA629	6	10	8	16'-0"	3'-3"	12'-9"									
EA630	6	4	8	14'-1" TO 15'-0"	3'-3"	7'-7" TO 8'-6"									
EA631	6	STR	68	27'-1 1/2"											
EA632	6	4	15	5'-11" TO 12'-8"	2'-4"	1'-3" TO 8'-0"	2'-4"								
EA633	6	4	10	5'-11" TO 11'-8"	2'-4"	1'-3" TO 7'-0"	2'-4"								
EA634	6	STR	12	1'-9 3/4" TO 15'-11 1/2"											
EA635	6	4	28	10'-10 1/2"	3'-3"	4'-4 1/2"	3'-3"								
EA636	6	STR	5	25'-2"											
EA637	6	14	34	31'-4 1/4"	11 1/4"	30'-5 1/2"		5 1/4"							
EA638	6	11	34	33'-0"	3'-3"	29'-9"	19'-1 1/2"								
EA808	8	11	10	10'-9"	4'-1"	6'-8"	5'-1"								
EA809	8	11	14	11'-2"	4'-6"	6'-8"	5'-1"								
EA810	8	11	15	11'-7"	4'-11"	6'-8"	5'-1"								
EA811	8	11	14	12'-2"	5'-6"	6'-8"	5'-1"								
EA812	8	11	14	12'-4"	5'-8"	6'-8"	5'-1"								
EA813	8	STR	73	19'-7 1/2"											
EA814	8	STR	8	19'-9 3/4"											
EA815	8	STR	21	21'-2 1/4"											



- NOTES:**
1. ALL REINFORCEMENT BAR DIMENSIONS ARE OUT TO OUT OF BARS EXCEPT "D" ON STANDARD 180° HOOKS AND "R", WHICH IS SHOWN TO THE INSIDE OF THE BAR.
 2. DIMENSIONS ALONG CURVED PORTIONS OF BAR ARE MEASURED ALONG THE OUTSIDE EDGE.
 3. FOR REINFORCEMENT BAR FABRICATION DETAILS, SEE BC-736M.
 4. FOR GENERAL NOTES, SEE SHEET 5.

NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 REINFORCEMENT BAR SCHEDULE - 1			
RECOMMENDED 9/1/2020		PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY:	AAT/RSJ	DATE:	8/18/2020
CHECKED BY:	AYB	DATE:	8/18/2020
SCALE:	AS NOTED	SHEET:	44 OF 62



MODJESKI AND MASTERS, INC.
1341 NORTH DELAWARE AVENUE,
SUITE 308
PHILADELPHIA, PA 19125

File: \\mmodj01\projects\23436\10\CADD\Structural\Final Design\5278000-40\Fix_RUN_SC-ED-1
 Plotted: 8/19/2020 11:18:28 AM by: JHR/SJK, PIAN 5

REINFORCEMENT BAR SCHEDULE

MARK	SIZE	TYPE	NUMBER	LENGTH	A	B	C	D	E	F	G	H	J	K	R
WEST ABUTMENT (CONTINUED)															
EA901	9	STR	5	31'-0 $\frac{1}{2}$ "											
EA902	9	STR	5	41'-2"											
EF401	4	18	71	3'-0 $\frac{3}{8}$ "	8"	1'-11"	2 $\frac{3}{8}$ "	3"	3"						1"
EF601	6	STR	4	7'-5 $\frac{1}{2}$ " TO 10'-0"											
EF603	6	STR	27	10'-11"											
EF604	6	15	53	12'-3"	8"	10'-11"		4 $\frac{1}{2}$ "							
EF607	6	10	2	3'-10"	1'-11"	1'-11"									
EF608	6	11	2	6'-2"	4'-3"	1'-11"	1'-6"								
EF609	6	11	2	6'-2"	4'-3"	1'-11"	1'-5"								
EF610	6	STR	14	9'-6"											
EF611	6	STR	22	5'-5 $\frac{1}{2}$ "											
EF617	6	7	2	12'-4"	4'-3"	3'-5"	4'-8"	2'-3 $\frac{3}{4}$ "							
EF618	6	STR	8	5'-2"											
EF619	6	STR	8	6'-6"											
EF621	6	STR	111	3'-8"											
EF623	6	15	8	9'-1 $\frac{1}{2}$ " TO 12'-3"	8"	7'-9 $\frac{1}{2}$ " TO 10'-11"		4 $\frac{1}{2}$ "							
EF624	6	STR	24	25'-9 $\frac{1}{2}$ " TO 29'-10"											
EF625	6	STR	26	2'-6 $\frac{1}{2}$ " TO 15'-11 $\frac{1}{2}$ "											
EF626	6	STR	24	9'-10 $\frac{3}{4}$ " TO 28'-7 $\frac{3}{8}$ "											
EF627	6	STR	2	22'-3 $\frac{1}{2}$ "											
EF628	6	STR	2	17'-9 $\frac{1}{2}$ "											
EF629	6	STR	16	7'-3"											
EF630	6	STR	14	8'-3"											
EF631	6	7	2	9'-11"	4'-3"	1'-5"	4'-3"	2'-8 $\frac{3}{4}$ "							
EF701	7	STR	8	3'-0"											
EF801	8	14	63	8'-4"	1'-3"	7'-1"		7"							
EF802	8	15	44	4'-4 $\frac{1}{2}$ " TO 17'-9 $\frac{1}{2}$ "	11"	2'-6 $\frac{1}{2}$ " TO 15'-11 $\frac{1}{2}$ "		6"							



NOTES:

- FOR GENERAL NOTES, SEE SHEET 5.
- FOR BAR MARK LEGEND AND ADDITIONAL NOTES, SEE SHEET 44.

NUMBER	REVISIONS	BY	DATE
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001 / L-201 REINFORCEMENT BAR SCHEDULE - 2			
RECORDED	9/1/2020	PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA	
DRAWN BY:	AAT/RSJ	DATE:	8/18/2020
CHECKED BY:	AYB	DATE:	8/18/2020
SCALE:	AS NOTED	SHEET:	45 OF 62



MOJESKI AND MASTERS, INC.
 1341 NORTH DELAWARE AVENUE,
 SUITE 308
 PHILADELPHIA, PA 19123



TEST BORING TABLE (AS-DRILLED)

BORING	STATION	OFFSET*	ELEVATION
B1	4+26±	15' RT	115.08
B2	4+39±	0	115.56
B3	4+46±	14.5' LT	115.43
B4	ELIMINATED	N. A.	N. A.
B5	4+65±	0	116.88
B6	ELIMINATED	N. A.	N. A.
B7	6+13±	15' RT	117.14
B8	6+27±	0	116.94
B9	6+40±	15' LT	116.94
B10	6+54±	15.4' RT	115.26
B11	6+52±	0	115.94
B12	ELIMINATED	N. A.	N. A.
B13	6+84±	15' LT	114.16
B14	4+69±	15' RT	116.83
B15	4+84±	15' LT	117.17

*DENOTES OFFSET FROM CL CONSTR.

THE SUBSURFACE EXPLORATION DATA WHICH ARE PRESENTED ON THESE DRAWINGS (INCLUDING BORING LOGS, EARTH SAMPLES, ROCK CORES, CLASSIFICATION OF MATERIALS, AND DEPTH OF THE BORINGS) ACCURATELY REPRESENT THE CONDITIONS ENCOUNTERED BY THE TEST BORING PROGRAM AT EACH BORING LOCATION.

Darin L. Gatti 9/10/2020
 PROFESSIONAL ENGINEER DATE


THE CLASSIFICATION OF THE MATERIALS ENCOUNTERED HAVE BEEN VERIFIED
Darin L. Gatti
 PROFESSIONAL ENGINEER

TEST BORING NOTES:

- * PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS, ASTM D1586, 140 LB. HAMMER, 30 IN DROP RECORDING NUMBER OF BLOWS OBTAINED FOR EACH 6 IN. *PENETRATION, USUALLY FOR A TOTAL OF 18 IN, PENETRATION OF THE STANDARD 2 IN. O.D. AND 1-3/8 IN. I.D. *SPLIT BARREL SAMPLER. PENETRATION RESISTANCE (N) IS THE TOTAL NUMBER OF BLOWS REQUIRED FOR *THE SECOND AND THIRD 6 IN. PENETRATION.
- * THIN WALLED TUBE SAMPLING, ASTM D1587, SAMPLES ARE OBTAINED BY PRESSING THIN-WALLED STEEL, BRASS OR ALUMINUM TUBES INTO SOIL.
 STANDARD THIN-WALLED STEEL TUBES:
 O.D. IN. 2 3
 I.D. IN. 1.94 2.87
- * DIAMOND CORE DRILLING, ASTM D2113, DIAMOND CORE DRILLING IS USED TO RECOVER INTACT SAMPLE OF ROCK AND SOME HARD SOILS GENERALLY WITH THE USE OF A:
 BWM DOUBLE TUBE CORE BARREL
 NWM DOUBLE TUBE CORE BARREL
- * SOIL SAMPLES HAVE NOT BEEN LABORATORY CLASSIFIED.

NOTES:

- * WORK THIS SHEET WITH NOS. 48 THROUGH 58.
- * THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE STREETS DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- * STATIONS, OFFSETS, AND O.G. ELEVATIONS ARE FURNISHED BY THE CITY.
- * THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- * BPCE - BOTTOM OF PILE CAP ELEVATION
- * EPTE - ESTIMATED PILE TIP ELEVATION
- * MPDE - MAXIMUM PRE-DRILLING ELEVATION
- * TLPE - TOP OF LEVELING PAD ELEVATION
- * TOR - TOP OF ROCK



NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
 SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
 B-0185-2001/L-201

TEST BORING PLAN

PREPARED BY
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 PHILADELPHIA, PA

RECOMMENDED *Kel Za*

DRAWN BY:	RCD/JF	DATE:	05/21/2002
CHECKED BY:	JF	DATE:	05/04/2002
SCALE:	AS NOTED	SHEET:	51 OF 62

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 51.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
0.0			2" ASPHALT OVER 3" CONCRETE OVER BRICK & CLAY MEDIUM-FINE SAND WITH CONCRETE FRAGMENTS
1.0	S-1	17"	GRAY COARSE-FINE SAND, SOME SILT, SOME MEDIUM-FINE GRAVEL, SOME COARSE BRICK & CONCRETE FRAGMENTS, TRACE SILT
2.0	S-2	15"	BROWN COARSE-FINE SAND, SOME CLAYEY SILT
3.0	S-3	12"	
4.0	S-4	8"	
5.0	S-5	8"	
6.0	S-6	12"	
7.0	S-7	4"	BROWN CLAYEY SILT, TRACE FINE SAND
8.0	S-8	18"	
9.0	S-9	10"	BROWN CLAYEY SILT, SOME BRICK FRAGMENTS, TRACE FINE SAND

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 51.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
11.0			END OF BORING @ 11'-0"

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 52.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
0.0			HIDDEN BROWN COARSE-FINE SAND & CLAYEY SILT, LITTLE MEDIUM-FINE GRAVEL
1.0	S-10	15"	
2.0	S-11	18"	
3.0	S-12	18"	BROWN CLAYEY SILT, TRACE MEDIUM-FINE SAND
4.0	S-13	12"	
5.0	S-14	11"	BROWN MACKAULOUS MEDIUM-FINE SAND, SOME SILT
6.0	S-15	17"	
7.0	S-16	15"	HIDDEN BROWN COARSE-FINE SAND & CLAYEY SILT, TRACE MEDIUM-FINE GRAVEL
8.0	S-17	11"	BROWN MACKAULOUS MEDIUM-FINE SAND, LITTLE SILT, SOME COARSE GRAVEL
9.0	S-18	17"	BROWN SILT, LITTLE MEDIUM-FINE SAND
10.0	S-19	17"	BROWN MACKAULOUS MEDIUM-FINE SAND, SOME SILT

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 53.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
0.0			INDISTINCTLY TO BARELY DEFINED, CLOSELY TO MEDIUM FRACTURED MICA SCHIST
1.0			
2.0			
3.0			
4.0			
5.0			
6.0			
7.0			
8.0			
9.0			
10.0			
11.0			
12.0			
13.0			
14.0			
15.0			
16.0			
17.0			
18.0			
19.0			
20.0			
21.0			
22.0			

TEST BORING NOTES:

- PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS, ASTM D1586, 140 LB. HAMMER, 30 IN DROP RECORDING NUMBER OF BLOWS OBTAINED FOR EACH 6 IN. PENETRATION, USUALLY FOR A TOTAL OF 18 IN. PENETRATION OF THE STANDARD 2 IN. O.D. AND 1-3/8 IN. I.D. SPLIT BARREL SAMPLER. PENETRATION RESISTANCE (N) IS THE TOTAL NUMBER OF BLOWS REQUIRED FOR THE SECOND AND THIRD 6 IN. PENETRATION.
- THIN WALLED TUBE SAMPLING, ASTM D1587, SAMPLES ARE OBTAINED BY PRESSING THIN-WALLED STEEL, BRASS OR ALUMINUM TUBES INTO SOIL.
STANDARD THIN-WALLED STEEL TUBES:
O.D. IN. 2 3
I.D. IN. 1.94 2.87
- DIAMOND CORE DRILLING, ASTM D2113, DIAMOND CORE DRILLING IS USED TO RECOVER INTACT SAMPLE OF ROCK AND SOME HARD SOILS GENERALLY WITH THE USE OF A:
BWM DOUBLE TUBE CORE BARREL
NWM DOUBLE TUBE CORE BARREL
- SOIL SAMPLES HAVE NOT BEEN LABORATORY CLASSIFIED.

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 54.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
0.0			INDISTINCTLY TO BARELY DEFINED, CLOSELY TO MEDIUM FRACTURED MICA SCHIST
1.0			
2.0			
3.0			
4.0			
5.0			
6.0			
7.0			
8.0			
9.0			
10.0			
11.0			
12.0			
13.0			
14.0			
15.0			
16.0			
17.0			
18.0			
19.0			
20.0			
21.0			
22.0			

FORM NO. D-481 (12/99) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. B/A SECT. B/A SEGMENT B/A OFFSET B/A

STATION: 55.58 OFFSET FROM CENTERLINE: 15.3.1

INSPECTOR (SIGNED): L. BLUMENFELDT & ASSOCIATES

EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 30 COPE BARREL

DRAWING METHOD: 3/16" HOLLOW STEEL AUGERS

CASING SIZE: B/A DEPTH: B/A WATER DEPTH: 17.0 FT TIME: 0.15 HRS DATE: 02/14/04

CHECKED BY: S. HESTER DATE: 02/14/04

DEPTH (FT)	SAMPLE NO. TYPE/ZONE BAR	RECOVERY (PERCENT)	REMARKS
0.0			INDISTINCTLY TO BARELY DEFINED, CLOSELY TO MEDIUM FRACTURED MICA SCHIST
1.0			
2.0			
3.0			
4.0			
5.0			
6.0			
7.0			
8.0			
9.0			
10.0			
11.0			
12.0			
13.0			
14.0			
15.0			
16.0			
17.0			
18.0			
19.0			
20.0			
21.0			
22.0			

NOTES:

- WORK THIS SHEET WITH NOS. 48 THROUGH 49 & 51 THROUGH 58
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE STREETS DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- STATIONS, OFFSETS, AND O.G. ELEVATIONS ARE FURNISHED BY THE CITY.
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- BPCE - BOTTOM OF PILE CAP ELEVATION
- EPT - ESTIMATED PILE TIP ELEVATION
- MPDE - MAXIMUM PRE-DRILLING ELEVATION
- TOR - TOP OF ROCK

NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001/L-201 TEST BORING LOGS

RECOMMENDED: *[Signature]*

DRAWN BY: RCD/MW DATE: 6/29/2004
 CHECKED BY: HH/CJM DATE: 7/27/2005
 SCALE: AS NOTED SHEET: 54 OF 62

THE CLASSIFICATION OF THE MATERIALS ENCOUNTERED HAVE BEEN VERIFIED

[Signature]

PROFESSIONAL ENGINEER



ENGINEERS FIELD BORING LOG
 FORM NO. 0-48 (12/80) REPRODUCE LOCALLY
 BORING NO. 0-7
 SHEET 2 OF 3
 DATE START 3/21/03
 O.G. D.D. 3/21/03
 P.L.V. 117.1
 PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA
 STATE RT. NO. N/A SECT. N/A SEGMENT N/A OFFSET N/A
 STATION 81.12 OFFSET FROM CENTERLINE 11.8
 INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: L. BLAVINS/APPENDIX & ASSOCIATES
 EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 14" CORE BARREL
 DRILLING METHOD: 3-1/4" HOLLOW STEEL AUGER
 CASING SIZE: N/A DEPTH: N/A WATER DEPTH: 32.7 FT TIME: 2 HRS DATE: 3/22/03
 CHECKED BY: S. HESTER DATE: 3/22/03

DEPTH (FT)	SAMPLE NO./TYPE/ZONE	DIAMETER (IN)	REMARKS	REMARKS			
21.0	S-1	3	14"	78	25.0	BROWN COARSE-FINE SAND, SOME SILT, LITTLE BRICK FRAGMENTS & CHUCKS, TRACE FINE GRAVEL	COULD THROUGH EXISTING BRIDGE DECK CONSISTING OF 2" APPROXLY DEEP 11" CONCRETE, LEFT FROM BRIDGE DECK TO GROUND BELOW
24.0	S-2	4	14"	87	25.5	BROWN CLAYEY SILT, LITTLE COARSE-FINE SAND, TRACE FINE GRAVEL	
28.0	S-3	7	18"	88	29.8	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE BRICK FRAGMENTS, TRACE FINE GRAVEL	
27.0	S-4	5	10"	86	27.8	BROWN MICACEOUS MEDIUM-FINE SAND, LITTLE SILT, TRACE FINE ROCK FRAGMENTS	
29.0	S-5	7	18"	88	29.0	BROWN & GRAY SILT, LITTLE MEDIUM-FINE SAND, TRACE FINE GRAVEL	
30.0	S-6	10	18"	88	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE FINE GRAVEL	
30.0	S-7	12	12"	75	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE FINE GRAVEL	
30.0	S-8	11	12"	88	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE FINE GRAVEL	
30.0	S-9	10	18"	88	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE FINE GRAVEL	
30.0	S-10	17	12"	87	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT, LITTLE FINE GRAVEL	
30.0	S-11	21	14"	100	30.0	LIGHT GRAY MICACEOUS MEDIUM-FINE SAND, SOME SILT, TRACE FINE ROCK FRAGMENTS	
30.0	S-12	53	30/2"	100	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
30.0	S-13	48	30/2"	100	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
30.0	S-14	24	18"	88	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
30.0	S-15	18	15"	88	30.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
30.0	S-16	30	15"	88	30.0	BROWN & DARK GRAY MICACEOUS MEDIUM-FINE SAND	

ENGINEERS FIELD BORING LOG
 FORM NO. 0-48 (12/80) REPRODUCE LOCALLY
 BORING NO. 0-7
 SHEET 2 OF 3
 DATE START 3/21/03
 O.G. D.D. 3/21/03
 P.L.V. 117.1
 PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA
 STATE RT. NO. N/A SECT. N/A SEGMENT N/A OFFSET N/A
 STATION 81.12 OFFSET FROM CENTERLINE 11.8
 INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: L. BLAVINS/APPENDIX & ASSOCIATES
 EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 14" CORE BARREL
 DRILLING METHOD: 3-1/4" HOLLOW STEEL AUGER
 CASING SIZE: N/A DEPTH: N/A WATER DEPTH: 32.7 FT TIME: 2 HRS DATE: 3/22/03
 CHECKED BY: S. HESTER DATE: 3/22/03

DEPTH (FT)	SAMPLE NO./TYPE/ZONE	DIAMETER (IN)	REMARKS	REMARKS			
34.0	S-14	30/4"	10"	100	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-15	30/2"	7"	100	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-16	34	18"	94	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-17	41	15"	94	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-18	18	18"	88	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-19	14	12"	88	34.0	SOME SILT, TRACE MEDIUM-FINE ROCK FRAGMENTS	
34.0	S-20	43	30/2"	100	34.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
34.0	S-21	19	18"	88	34.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
34.0	S-22	28	18"	88	34.0	BROWN MICACEOUS MEDIUM-FINE SAND, SOME SILT	
34.0	S-23	30/2"	7"	100	34.0	BROWN MICACEOUS FINE SAND & SILT	
34.0	S-24	30/2"	7"	100	34.0	BROWN MICACEOUS FINE SAND & SILT	
34.0	S-25	33	25	88	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	
34.0	S-26	30/2"	7"	100	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	
34.0	S-27	30/2"	7"	100	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	
34.0	S-28	30/2"	7"	100	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	
34.0	S-29	30/2"	7"	100	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	
34.0	S-30	30/2"	7"	100	34.0	GRAY MICACEOUS FINE SAND, LITTLE SILT	

ENGINEERS FIELD BORING LOG
 FORM NO. 0-48 (12/80) REPRODUCE LOCALLY
 BORING NO. 0-7
 SHEET 3 OF 3
 DATE START 3/21/03
 O.G. D.D. 3/21/03
 P.L.V. 117.1
 PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA
 STATE RT. NO. N/A SECT. N/A SEGMENT N/A OFFSET N/A
 STATION 81.12 OFFSET FROM CENTERLINE 11.8
 INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: L. BLAVINS/APPENDIX & ASSOCIATES
 EQUIPMENT USED: TRUCK MOUNTED ONE-3/8" SPLIT SPOON SAMPLER, 14" CORE BARREL
 DRILLING METHOD: 3-1/4" HOLLOW STEEL AUGER
 CASING SIZE: N/A DEPTH: N/A WATER DEPTH: 32.7 FT TIME: 2 HRS DATE: 3/22/03
 CHECKED BY: S. HESTER DATE: 3/22/03


DEPTH (FT)	SAMPLE NO./TYPE/ZONE	DIAMETER (IN)	REMARKS	REMARKS			
34.0	S-31	NA	3/8"	NA	34.0	MODERATELY WEATHERED, CLOSELY FRACTURED WCA	
34.0	S-32	NA	5"	NA	34.0	MODERATELY WEATHERED, CLOSELY FRACTURED WCA	

TEST BORING NOTES:

- PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS, ASTM D1586, 140 LB. HAMMER, 30 IN DROP RECORDING NUMBER OF BLOWS OBTAINED FOR EACH 6 IN. PENETRATION, USUALLY FOR A TOTAL OF 18 IN, PENETRATION OF THE STANDARD 2 IN. O.D. AND 1-3/8 IN. I.D. SPLIT BARREL SAMPLER. PENETRATION RESISTANCE (N) IS THE TOTAL NUMBER OF BLOWS REQUIRED FOR THE SECOND AND THIRD 6 IN. PENETRATION.
- THIN WALLED TUBE SAMPLING, ASTM D1587, SAMPLES ARE OBTAINED BY PRESSING THIN-WALLED STEEL, BRASS OR ALUMINUM TUBES INTO SOIL.
STANDARD THIN-WALLED STEEL TUBES:
O.D. IN. 2 3
I.D. IN. 1.94 2.87
- DIAMOND CORE DRILLING, ASTM D2113, DIAMOND CORE DRILLING IS USED TO RECOVER INTACT SAMPLE OF ROCK AND SOME HARD SOILS GENERALLY WITH THE USE OF A:
BWM DOUBLE TUBE CORE BARREL
NWM DOUBLE TUBE CORE BARREL
- SOIL SAMPLES HAVE NOT BEEN LABORATORY CLASSIFIED.

NOTES:


- WORK THIS SHEET WITH NOS. 48 THROUGH 51 & 53 THROUGH 58.
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE STREETS DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- STATIONS, OFFSETS, AND O.G. ELEVATIONS ARE FURNISHED BY THE CITY.
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- BPCE - BOTTOM OF PILE CAP ELEVATION
- EPTE - ESTIMATED PILE TIP ELEVATION
- MPDE - MAXIMUM PRE-DRILLING ELEVATION
- TOR - TOP OF ROCK

THE CLASSIFICATION OF THE MATERIALS ENCOUNTERED HAVE BEEN VERIFIED

 PROFESSIONAL ENGINEER



NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
 SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE
 B-0185-2001/L-201
 TEST BORING LOGS

RECOMMENDED: 
 PREPARED BY: CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA

DRAWN BY: RCD/MW	DATE: 6/29/2004
CHECKED BY: HH/CJM	DATE: 7/27/2005
SCALE: AS NOTED	SHEET: 56 OF 62

FORM NO. D-48 (12/89) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. 52A SECT. 52A SEGMENT 52A OFFSET 52A

STATION 8124 OFFSET FROM CENTERLINE 15.7 R

INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: E. BUDYNSKI/APPENDIX B & JACOBS

EQUIPMENT USED: TROCH MOUNTED ONE-25 SPLIT SPIND SAMPLER, 1/2" CORE BARREL

DRILLING METHODS: 3-1/2" HOLLOW STEM AUGERS

CASING SIZE: 3/4" DEPTH: 52A WATER DEPTH: 21.17 TIME: 0.125 DATE: 02/11/03

CHECKED BY: G. HEATH DATE: 02/12/03

DEPTH (FT)	SAMPLE NO./TYPE/CORE BAR	BLANKETS FT. ON SAMPLES	RECOVERY (%)	REMARKS
0.0				2.5" ASPHALT OVER 4" BRICK OVER 8" BELGIAN GRANITE
0.5	S-1	17	100	BROWN CLAYEY-FINE SAND, SOME COARSE-FINE GRAVEL, TRACE SILT
1.0	S-2	20	100	BROWN SILT & CHUCKS & ASH, LITTLE MEDIUM-FINE SAND, TRACE BRICK & CONCRETE FRAGMENTS
1.5	S-3	20	100	BROWN SILT, SOME BRICK FRAGMENTS, LITTLE MEDIUM-FINE SAND
2.0	S-4	18	100	BROWN SILT, LITTLE MEDIUM-FINE SAND, TRACE FINE GRAVEL & BRICK FRAGMENTS
2.5	S-5	18	100	BROWN SILT, SOME CHUCKS & ASH, LITTLE MEDIUM-FINE SAND & BRICK FRAGMENTS, TRACE FINE GRAVEL & GLASS FRAGMENTS
3.0	S-6	18	100	BROWN SILT, LITTLE MEDIUM-FINE SAND, TRACE FINE GRAVEL
3.5	S-7	18	100	BROWN SILT, SOME CHUCKS & ASH, LITTLE MEDIUM-FINE SAND & BRICK FRAGMENTS, TRACE FINE GRAVEL & GLASS FRAGMENTS
4.0	S-8	18	100	BROWN SILT, LITTLE MEDIUM-FINE SAND & CLAY SILT, TRACE FINE GRAVEL
4.5	S-9	18	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
5.0	S-10	18	100	BROWN MUCKY MEDIUM-FINE SAND & SILT, TRACE CHUCKS & ASH

FORM NO. D-48 (12/89) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. 52A SECT. 52A SEGMENT 52A OFFSET 0/A

STATION 8122 OFFSET FROM CENTERLINE 15.7 R

INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: E. BUDYNSKI/APPENDIX B & JACOBS

EQUIPMENT USED: TROCH MOUNTED ONE-25 SPLIT SPIND SAMPLER, 1/2" CORE BARREL

DRILLING METHODS: 3-1/2" HOLLOW STEM AUGERS

CASING SIZE: 3/4" DEPTH: 52A WATER DEPTH: 21.17 TIME: 0.125 DATE: 02/11/03

CHECKED BY: G. HEATH DATE: 02/12/03

DEPTH (FT)	SAMPLE NO./TYPE/CORE BAR	BLANKETS FT. ON SAMPLES	RECOVERY (%)	REMARKS
0.0				2.5" ASPHALT OVER 4" BRICK OVER 8" BELGIAN GRANITE
0.5	S-11	21	100	BROWN SILT, SOME CHUCKS & ASH, LITTLE MEDIUM-FINE SAND
1.0	S-12	15	100	DARK BROWN SILT, SOME CHUCKS & ASH, TRACE MEDIUM-FINE SAND
1.5	S-13	15	100	BROWN SILT, LITTLE MEDIUM-FINE SAND, TRACE FINE GRAVEL
2.0	S-14	11	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
2.5	S-15	14	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
3.0	S-16	18	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
3.5	S-17	12	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
4.0	S-18	17	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
4.5	S-19	11	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
5.0	S-20	5	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT

FORM NO. D-48 (12/89) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. 52A SECT. 52A SEGMENT 52A OFFSET 0/A

STATION 8122 OFFSET FROM CENTERLINE 15.7 R

INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: E. BUDYNSKI/APPENDIX B & JACOBS

EQUIPMENT USED: TROCH MOUNTED ONE-25 SPLIT SPIND SAMPLER, 1/2" CORE BARREL

DRILLING METHODS: 3-1/2" HOLLOW STEM AUGERS

CASING SIZE: 3/4" DEPTH: 52A WATER DEPTH: 21.17 TIME: 0.125 DATE: 02/11/03

CHECKED BY: G. HEATH DATE: 02/12/03

DEPTH (FT)	SAMPLE NO./TYPE/CORE BAR	BLANKETS FT. ON SAMPLES	RECOVERY (%)	REMARKS
0.0				2.5" ASPHALT OVER 4" BRICK OVER 8" BELGIAN GRANITE
0.5	S-21	11	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT, TRACE BRICK FRAGMENTS
1.0	S-22	4	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT, TRACE BRICK FRAGMENTS
1.5	S-23	4	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT, TRACE BRICK FRAGMENTS
2.0	S-24	7	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
2.5	S-25	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
3.0	S-26	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
3.5	S-27	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
4.0	S-28	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
4.5	S-29	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT
5.0	S-30	0	100	COMPLETELY HIGHLY WEATHERED, VERY CLOSELY FRACTURED HIGH SILT

FORM NO. D-48 (12/89) ENGINEERS FIELD BORING LOG

PROJECT NAME: MONTGOMERY AVE BRIDGE COUNTY: PHILADELPHIA

STATE RT. NO. 52A SECT. 52A SEGMENT 52A OFFSET 0/A

STATION 8122 OFFSET FROM CENTERLINE 15.7 R

INSPECTOR (SIGNED): DRILLERS NAME/COMPANY: E. BUDYNSKI/APPENDIX B & JACOBS

EQUIPMENT USED: TROCH MOUNTED ONE-25 SPLIT SPIND SAMPLER, 1/2" CORE BARREL

DRILLING METHODS: 3-1/2" HOLLOW STEM AUGERS

CASING SIZE: 3/4" DEPTH: 52A WATER DEPTH: 21.17 TIME: 0.125 DATE: 02/11/03

CHECKED BY: G. HEATH DATE: 02/12/03

DEPTH (FT)	SAMPLE NO./TYPE/CORE BAR	BLANKETS FT. ON SAMPLES	RECOVERY (%)	REMARKS
0.0				2.5" ASPHALT OVER 4" BRICK OVER 8" BELGIAN GRANITE
0.5	S-31	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
1.0	S-32	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
1.5	S-33	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
2.0	S-34	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
2.5	S-35	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
3.0	S-36	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
3.5	S-37	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
4.0	S-38	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
4.5	S-39	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT
5.0	S-40	10	100	BROWN MUCKY MEDIUM-FINE SAND, SOME SILT

TEST BORING NOTES:

- PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS, ASTM D1586, 140 LB. HAMMER, 30 IN DROP RECORDING NUMBER OF BLOWS OBTAINED FOR EACH 6 IN. PENETRATION, USUALLY FOR A TOTAL OF 18 IN. PENETRATION OF THE STANDARD 2 IN. O.D. AND 1-3/8 IN. I.D. SPLIT BARREL SAMPLER. PENETRATION RESISTANCE (N) IS THE TOTAL NUMBER OF BLOWS REQUIRED FOR THE SECOND AND THIRD 6 IN. PENETRATION.
- THIN WALLED TUBE SAMPLING, ASTM D1587, SAMPLES ARE OBTAINED BY PRESSING THIN-WALLED STEEL, BRASS OR ALUMINUM TUBES INTO SOIL
STANDARD THIN-WALLED STEEL TUBES:
O.D. IN. 2 3
I.D. IN. 1.94 2.87
- DIAMOND CORE DRILLING, ASTM D2113, DIAMOND CORE DRILLING IS USED TO RECOVER INTACT SAMPLE OF ROCK AND SOME HARD SOILS GENERALLY WITH THE USE OF A:
BWM DOUBLE TUBE CORE BARREL
NWM DOUBLE TUBE CORE BARREL
- SOIL SAMPLES HAVE NOT BEEN LABORATORY CLASSIFIED.

NOTES:

- WORK THIS SHEET WITH NOS. 48 THROUGH 54 & 56 THROUGH 58
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE STREETS DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- STATIONS, OFFSETS, AND O.G. ELEVATIONS ARE FURNISHED BY THE CITY.
- THIS SHEET IS INCLUDED FOR THE CONVENIENCE OF THE DEPARTMENT. REFER TO PUBLICATION 408 SECTION 102.05 FOR FURTHER INFORMATION.
- BPCE - BOTTOM OF PILE CAP ELEVATION
- EPTC - ESTIMATED PILE TIP ELEVATION
- MPDE - MAXIMUM PRE-DRILLING ELEVATION
- TOR - TOP OF ROCK

THE CLASSIFICATION OF THE MATERIALS ENCOUNTERED HAVE BEEN VERIFIED

Darin L. Gatti

PROFESSIONAL ENGINEER




NUMBER	REVISIONS	BY	DATE

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL SINGLE SPAN COMP STEEL PLATE GIRDER BRIDGE B-0185-2001/L-201 TEST BORING LOGS

PREPARED BY: CITY OF PHILADELPHIA DEPARTMENT OF STREETS PHILADELPHIA, PA

RECOMMENDED: *V. J. Gatti*

DRAWN BY: RCD/MW DATE: 6/29/2004
 CHECKED BY: HH/CJM DATE: 7/27/2005
 SCALE: AS NOTED SHEET: 59 OF 62



Profile along North Houseline of Montgomery St.

Distances marked C.S. are City Standard
 all others are United States Standard
 100' C.S. = 100' U.S. Std.
 All Steelwork encased in Concrete.
 Floor supported by Concrete Jack-Archies between Stringers.
 Tracks to be moved from present location, to give lateral clearance to Bridge,
 by and at the expense of the Railroad Company.

Profile along South Houseline of Montgomery St.

**BRIDGE ON LINE OF 185
 MONTGOMERY STREET
 OVER THE
 CONNECTING RAILWAY**

29 TH. WARD

GENERAL PLAN


SCALE 1 in. = 20 ft.

APPROVED Oct. 24, 1912.
M. L. BOOKER
 Director, Department of Public Works
 Approved by the Board of Surveyors Aug. 15, 1912.

[Signature]
 Chief Engineer & Surveyor
[Signature]
 Assistant Engineer - Bridges



(Signed) **A. C. STAND**
 Chief Engineer P. R. R.

CITY OF PHILADELPHIA
 DEPARTMENT OF PUBLIC WORKS
 BUREAU OF SURVEYS
 BRIDGE DIVISION
 Made July 7-12 by H. J. BELL
 Traced July 7-12 by H. J. BELL
 Checked Oct. 1912 by *[Signature]*
 Compartment No. 16
 Drawing No. **9677**



Piers A, B, C and D revised
Apr. 28, 1912, for details
see drawing No. 2847


Notes
Piers A, B, C, D, E, F, G, H, I, J, K to be constructed of concrete. Piers A, B, C and D,
core composed of 140-6.163 ft. All other piers core com-
posed of 140-8.523 ft.
All concrete 1-3-4
No ground-line face will be required but exposed faces to be scrubbed
or bushhammered.




BRIDGE ON LINE OF 185
MONTGOMERY STREET
OVER
THE CONNECTING RAILWAY
28TH & 32ND STS
MASONRY PLAN
SCALE 1/4" = 1'-0"

APPROVED Oct. 21, 1912.
M. L. Coak
Director, Department of Public Works
APPROVED Oct. 28, 1912
[Signature]
Chief Engineer
Henry A. [Signature]
Assistant Engineer - Bridge


CITY OF PHILADELPHIA
DEPARTMENT OF PUBLIC WORKS
BUREAU OF SURVEYS
BRIDGE DIVISION
Drawn and designed by J. E. [Signature]
Checked by [Signature]
Approved by [Signature]
December 10, 1912



HALF PLAN



ELEVATION



SECTION AT A-A

Approved Nov. 12, 1912
S. C. Miller
 Chief Engineer
Henry H. Quimby
 Assistant Engineer, Bridges
 11/13/12

Approved by the Art Jury, Nov. 11, 1912


BRIDGE ON LINE OF **185**
 MONTGOMERY STREET

OVER
 THE CONNECTING RAILWAY
 29th & 32nd WARDS

ARCHITECTURAL PLAN

SCALE 1/4" = 1'-0"

CITY OF PHILADELPHIA
 DEPT. OF PUBLIC WORKS
 BUREAU OF SURVEYS
 BRIDGE DIVISION
 MADE OCT. 5, 1912 by F.B.
 TRACED - 27, 1912 by F.B.
 CHECKED BY F. J. [Signature]
 COMPART. NO. 16
 DRAWING NO. **9678**



PIER A
PIERS B, C, AND D SIMILAR.

BRIDGE ON THE LINE OF **185**
MONTGOMERY STREET
OVER THE
CONNECTING RAILWAY
29th & 32nd. Wards.

REVISION OF PIERS A, B, C, AND D

Scale 1/8" = 1 ft.







Approved by Mr. A.C. Shand,
Chief Engineer of Penn. R.R.Co.
by letter of May 7, 1913.

APPROVED May 20, 1913.
M. L. Boone
Director, Department of Public Works

APPROVED May 20, 1913.
E. F. Thuring Jr.
Chief Engineer

Henry N. Lumb
Assistant Engineer - Bridges
Apr. 21, 1913

CITY OF PHILADELPHIA
DEPARTMENT OF PUBLIC WORKS
BUREAU OF SURVEYS
BRIDGE DIVISION
Computed April 25, 1913 by C.G. Thornburg
Drawn April 26, 1913 by d.
Traced April 28, 1913 by d.
Checked April 28, 1913 by E.F. Thuring Jr.
Compartment No. 16
Drawing No. 9847



BILL OF MATERIAL

MARK. QWS. NO.	DESCRIPTION	QTY.
ATTACHMENT A	ATTACHMENT A	1
ATTACHMENT B	ATTACHMENT B	1
CRIL. 4" x 1 1/2" x 1/2"	CRIL. 4" x 1 1/2" x 1/2"	1
4" x 4" x 3/4" UNIT I-PL	4" x 4" x 3/4" UNIT I-PL	1
STD. CLINCH ANCHORS	STD. CLINCH ANCHORS	1
WITH 4" x 4" x 1/2" BOLTS	WITH 4" x 4" x 1/2" BOLTS	1
5" x 3" x 1/2" BEAM	5" x 3" x 1/2" BEAM	1
2" x 2" x 1/2" BEAM	2" x 2" x 1/2" BEAM	1
BOLTS 5/8" DIA. WITH WASHERS	BOLTS 5/8" DIA. WITH WASHERS	1
BOLTS 5/8" DIA. WITH WASHERS	BOLTS 5/8" DIA. WITH WASHERS	1
U-BOLT	U-BOLT	1
PIPE SADDLE	PIPE SADDLE	1
STAINLESS STEEL	STAINLESS STEEL	1
110 DEG. TAIL WITH 1" ANGLES	110 DEG. TAIL WITH 1" ANGLES	1
CUT. DIALING IN. SEE ELEV. A-A	CUT. DIALING IN. SEE ELEV. A-A	1
(FOR SPACING SEE ELEV. A-A)	(FOR SPACING SEE ELEV. A-A)	1
10' 0"	10' 0"	1
10' 0"	10' 0"	1
10' 0"	10' 0"	1

NOTES:
 1. GENERAL NOTES FOR CATENARY ATTACHMENT
 SEE SHEET 45H-3036
 2. ELEV. OF EXISTING TRANSMISSION NOT SHOWN
 IS TO BE DETERMINED BY FIELD SURVEY
 3. SCALE
 4. FOR MATERIAL LIST SEE 45ML-61-SHEET NO. 1

APPROVED: _____ ELECTRICAL ENGINEER

THE PENNSYLVANIA RAILROAD
 EASTERN REGION ELECTRIFICATION
 PHILADELPHIA DISTRICT

MONTGOMERY AVENUE OVERHEAD BRIDGE
 P.R.R. BR. NO. 86.36 CITY OF PHILA. BR. NO. 185
 CATENARY ATTACHMENT DETAILS

OFFICE OF ASST. CHIEF ENGR. - STRUCTURES
 PHILA. PA.
 APPROVED: _____

SCALE: _____


APPROVED: _____

ASST. CHIEF ENGR. - STRUCTURES
 CHIEF ENGINEER

DATE	BY	CHKD.	CONTR.	REMARKS

GIBBS & HILL, INC.
 CONSULTING ENGINEERS
 NEW YORK

45H-3036 - 3




MONTGOMERY AVENUE OVER AMTRAK AND CONRAIL ELECTRIFICATION MODIFICATION

CITY OF PHILADELPHIA CONTRACT NO. 0185ACP

INDEX OF DRAWINGS

SHEET NO.	DRAWING NO.	DESCRIPTION
1	ET-01	COVER SHEET AND INDEX OF DRAWINGS
2	ET-02	EXISTING LOCATION PLAN, GENERAL NOTES
3	ET-03	TEMPORARY LOCATION PLAN
4	ET-04	FINAL LOCATION PLAN
5	ET-05	FEEDER AND SIGNAL WIRING PROFILE - NEAR SIDE
6	ET-06	FEEDER AND SIGNAL WIRING PROFILE - FAR SIDE
7	ET-07	CATENARY WIRING PROFILE - TRACK #1
8	ET-08	CATENARY WIRING PROFILE - TRACK #2
9	ET-09	CATENARY WIRING PROFILE - TRACK #3
10	ET-10	CATENARY WIRING PROFILE - TRACK #4
11	ET-11	CATENARY SED - N-10
12	ET-11A	CATENARY SED - N-9
13	ET-11B	CATENARY SED - N-11
14	ET-11C	CATENARY SED - N-12
15	ET-11D	PARTIAL SED - N-9 1/2 LA
16	ET-12	TEMPORARY DEMOLITION SHIELD GROUNDING
17	ET-13	FINAL BONDING AND GROUNDING SHEET 1
18	ET-14	FINAL BONDING AND GROUNDING SHEET 2
19	ET-15	FINAL BONDING AND GROUNDING SHEET 3
20	ET-16	ASSEMBLY BOM BONDING AND GROUNDING
21	ET-17	CATENARY ASSEMBLIES SHEET 1
22	ET-18	CATENARY ASSEMBLIES SHEET 2
23	ET-19	POLE DETAILS
24	ET-20	FOUNDATION DETAILS
25	ET-21	CROSS BEAM DETAILS
26	ET-22	SAG BRACE DETAILS
27	ET-23	MESSENGER SUPPORT ASSEMBLY
28	ET-24	POLE CLAMP & MISC. STEEL PARTS
29	ET-25	STEEL SUPPORT ASSEMBLY
30	ET-26	SUMMARY OF MATERIAL SHEET 1
31	ET-27	SUMMARY OF MATERIAL SHEET 2



KEY PLAN
SCALE: N.T.S.


SUGGESTED SEQUENCE OF WORK

1. INSTALL CATENARY FOUNDATIONS. (IF REQUIRED EXISTING C&S CABLES, SHALL BE SHIFTED TO ALLOW FOR CONSTRUCTION OF PROPOSED FOUNDATIONS).
2. INSTALL CATENARY POLES.
3. INSTALL BONDING AND GROUNDING SYSTEM.
4. INSTALL K-FRAME AND CATENARY SUPPORTING ASSEMBLIES.
5. TRANSFER EXISTING BRIDGE SUPPORTS TO NEW CATENARY STRUCTURE.
6. REPROFILE EXISTING CATENARY.
7. REMOVE EXISTING BRIDGE.
8. ERECT NEW BRIDGE.
9. BOND NEW BRIDGE TO AMTRAK GROUNDING NETWORK.

REFERENCE DRAWINGS

- ET-1146-0-2, ET-148-E19, 118-1208-8, 14E-433, 118-1227, ET-305, ET-1029-E-10, ET1-100, ET-1087-E-1, 14E-61-7, ET-1078E-8, ET-652-E-10, ET-1095E-2, ET-76-E-1, ET-90E-3, ET-170-E-3, ET-145-E-24, ET-1124E-2, ET-1183-E, ET-148-E, ET1-003, ET-148E, ET-516-E

100% SUBMISSION
MAY 2017



PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION COVER SHEET AND INDEX OF DRAWINGS		
CONTRACT _____ ELECTRIFICATION PROJECT MANAGER		PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION
SCALED AS SHOWN		
DRAWN _____	VA _____	DATE 04/12/2017
CHECKED _____	YS _____	DATE 04/12/2017
SHEET NO. 01 OF 31	ET-01	
BPAA-0185ACP		

PROJECT: 1500115414 CITY OF PHILADELPHIA MONTGOMERY AVENUE AND 30TH STREET ELECTRIFICATION MODIFICATION WORKING DRAWING ET-01 COVER SHEET INDEX OF DRAWINGS
 DATE: 05-11-2017 TIME: 2:23:12 PM

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104


Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103



TIME: 2:29:31 PM

DATE: 05-12-2017

FILENAME: X:\ENR\PROJECTS\US011514.14_CITY OF PHIL. MONTGOMERY AVE. NO. 111.03.D.TECHNICAL-WORKING.DWG\ET-03_PROP INT LOCATION PLAN 100% DWG



TEMPORARY LOCATION PLAN



ENLARGED DRAWING



- LEGEND:**
- STATIC WIRE = - - - - -
 - 138KV (AMTRAK) = ————
 - 230KV (PECO) = ————
 - 12KV FEEDER (AMTRAK) = ————
 - 6.6KV SIGNAL POWER (AMTRAK) = ————
 - CATENARY (AMTRAK) = ————

NOTE:
 1. FOR WIRING PROFILES, SEE DRAWINGS ET-05, ET-06, ET-07, ET-08, ET-09 & ET-10.



PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
 100% ELECTRIFICATION MODIFICATION
 TEMPORARY LOCATION PLAN

PLAN PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 BUREAU OF SURVEYS & DESIGN
 BRIDGE SECTION

CORRECT _____
 ELECTRIFICATION PROJECT MANAGER

SCALE: AS SHOWN

DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 03 OF 31	ET-03	

BPAA-0185ACP

No	Revisions	Date	By



OFFICE OF
 Chief Engineer
 Engineering


National Railroad Passenger Corporation
 30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date


SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

100% SUBMISSION
 MAY 2017

FILENAME: X:\LINO\PROJECTS\US01115A14\CITY OF PHILADELPHIA\TECHNICAL\WORKING\DRAWINGS\ET-04-PROP-FIN LOCATION PLAN 100% DWG
 DATE: 06-12-2020
 TIME: 9:16:10 AM



FINAL LOCATION PLAN



ENLARGED DRAWING



- LEGEND:**
- STATIC WIRE = - - - - -
 - 138KV (AMTRAK) = - - - - -
 - 230KV (PECO) = - - - - -
 - 12KV FEEDER (AMTRAK) = - - - - -
 - 6.6KV SIGNAL POWER (AMTRAK) = - - - - -
 - CATERY (AMTRAK) = - - - - -

NOTE:
 1. FOR WIRING PROFILES, SEE DRAWINGS ET-05, ET-06, ET-07, ET-08, ET-09 & ET-10.



PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
FINAL LOCATION PLAN

PROJECT: ELIZABETHAN PROJECT IMPROVEMENT

PLAN PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 BUREAU OF SURVEYS & DESIGN
 BRIDGE SECTION

SCALE: AS SHOWN

DRAWN	VA	DATE 04/02/2020
CHECKED	YS	DATE 04/02/2020

SHEET NO. 04 OF 31

BPAA-0185ACP **ET-04**

100% SUBMISSION
 APRIL 2020

No	Revisions	Date	By





OFFICE OF
Chief Engineer
Engineering

National Railroad Passenger Corporation
 30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date


SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

FILE NAME: X:\ENR\PROJECTS\US0115414_CITY OF PHILADELPHIA\WORKING DWGS\REVISED DRAWINGS\ET-06_WIRE PROFILE FAR SIDE 100K.DWG DATE: 05-12-2020 TIME: 9:16:30 AM



A B SECTION
(LOOKING TOWARDS NEW YORK)

NOTE:
1. NO CHANGES IN EXISTING ELEVATIONS FOR INSULATED CABLES AND BARE WIRES.



WIRING PROFILE-FAR SIDE (WEST SIDE)

100% SUBMISSION
APRIL 2020

No.	Revisions	Date	By



OFFICE OF Chief Engineer Engineering
National Railroad Passenger Corporation
307H Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY

**MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
FEEDER AND SIGNAL WIRING PROFILE-FAR SIDE**

CONTRACT: _____
DISCIPLINE: _____

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION


SCALE: AS SHOWN

DESIGN	VA	DATE 04/02/2020
CHECKED	YS	DATE 04/02/2020


SHEET NO. 06 OF 31

BPAA-0185ACP ET-06


TIME: 9:16:41 AM
 DATE: 08-12-2020
 FILENAME: X:\ENG\PROJECTS\USD115A14\CITY OF PHIL MONTGOMERY AVE WD 1\100.0 TECHNICAL-WORKING\WORKING DWG\REVISED DRAWINGS\ET-07_CATENARY PROFILE TRACK 1 100% DWG



EXISTING CATENARY PROFILE - TRACK 1
SCALE: AS SHOWN



TEMPORARY CATENARY PROFILE - TRACK 1
SCALE: AS SHOWN




FINAL CATENARY PROFILE - TRACK 1
SCALE: AS SHOWN

WIRE PARAMETERS		
WIRE	DESCRIPTION	TENSION @ 60°F
MESSENGER	5/8" BRONZE, 19 STRAND	5410 LBS.
AUXILIARY	4/0 COPPER GROOVED	1200 LBS.
CONTACT	338.4 MCM BRONZE T-55 GROOVED	5000 LBS.

TEMPORARY - BILL OF MATERIALS			
MARK	DESCRIPTION	REF. DWG.	QUANTITY
J	HANGER ASSEMBLY	ET-017	5
TS1	HANGER ASSEMBLY	ET-017	1
TS25	HANGER ASSEMBLY	ET-017	1
ME	HANGER ASSEMBLY	ET-017	4
H	HANGER ASSEMBLY	ET-017	22

NOTES:

- ITALIC FONT MEANS NO CHANGE TO THE EXISTING CONDITIONS.
- HANGER LENGTHS ARE CALCULATED FOR CATENARY WEIGHT OF 2.650 LBS/FT
- ALL CATENARY WIRES MEASURED FROM T/R.
- ALL TENSIONS ARE ASSUMED TO BE CORRECT BASED ON AMTRAK STANDARDS.
- CLEARANCE SHOWS THE DISTANCE BETWEEN THE BOTTOM OF BRIDGE AND CATENARY MESSENGER WIRE.
- THE CONTRACTOR HAS TO INSTALL A DEMOLITION SHIELD AND RESPECT THE CLEARANCE IN ACCORDANCE WITH AMTRAK AND AREMA STANDARDS.
- GRADIENT COULD BE IMPROVED WHEN FUTURE NBA STRUCTURE WILL BE IN PLACE
- HANGERS FOR FINAL PHASE WILL REMAIN THE SAME AS TEMPORARY.



No	Revisions	Date	By



OFFICE OF Chief Engineer Engineering
 National Railroad Passenger Corporation
 307th Street Station - Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

100% SUBMISSION
APRIL 2020




PHILADELPHIA COUNTY
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
CATENARY WIRING PROFILE-TRACK 1


PLAN PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 BUREAU OF SURVEYS & DESIGN
 BRIDGE SECTION

SCALE: AS SHOWN
 DRAWN: VA DATE: 04/02/2020
 CHECKED: YS DATE: 04/02/2020
 SHEET NO: 07 OF 31
 BPA-0185ACP ET-07


TIME: 9:17:02 AM
 DATE: 06-12-2020
 FILENAME: X:\ENG\PROJECTS\US0115414\CITY OF PHILADELPHIA\WORKING\WORKING DWG\REVISED DRAWINGS\ET-09_CATENARY PROFILE-TRACK 3_100% DWG



EXISTING CATENARY PROFILE - TRACK 3
SCALE: AS SHOWN



TEMPORARY CATENARY PROFILE - TRACK 3
SCALE: AS SHOWN



FINAL CATENARY PROFILE - TRACK 3
SCALE: AS SHOWN



WIRE PARAMETERS		
WIRE	DESCRIPTION	TENSION @ 60°F
MESSENGER	5/8" BRONZE, 19 STRAND	5410 LBS.
AUXILIARY	4/0 COPPER GROOVED	1200 LBS.
CONTACT	336.4 MCM BRONZE T-55 GROOVED	5000 LBS.

TEMPORARY - BILL OF MATERIALS			
MARK	DESCRIPTION	REF. DWG.	QUANTITY
J	HANGER ASSEMBLY	ET-17	4
TS1	HANGER ASSEMBLY	ET-17	1
TS25	HANGER ASSEMBLY	ET-17	1
JM	HANGER ASSEMBLY	ET-17	1
ME	HANGER ASSEMBLY	ET-17	4
H	HANGER ASSEMBLY	ET-17	22

- NOTES:**
1. ITALIC FONT MEANS NO CHANGE TO THE EXISTING CONDITIONS.
 2. HANGER LENGTHS ARE CALCULATED FOR CATENARY WEIGHT OF 2.650 LBS/FT
 3. ALL CATENARY WIRES MEASURED FROM T/R.
 4. ALL TENSIONS ARE ASSUMED TO BE CORRECT BASED ON AMTRAK STANDARDS.
 5. CLEARANCE SHOWS THE DISTANCE BETWEEN THE BOTTOM OF BRIDGE AND CATENARY MESSENGER WIRE.
 6. THE CONTRACTOR HAS TO INSTALL A DEMOLITION SHIELD AND RESPECT THE CLEARANCE IN ACCORDANCE WITH AMTRAK AND AREMA STANDARDS.
 7. GRADIENT COULD BE IMPROVED WHEN FUTURE NBA STRUCTURE WILL BE IN PLACE
 8. HANGERS FOR FINAL PHASE WILL REMAIN THE SAME AS TEMPORARY.

100% SUBMISSION
APRIL 2020

PHILADELPHIA COUNTY
 MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
 100% ELECTRIFICATION MODIFICATION
 CATENARY WIRING PROFILE-TRACK 3

PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION		
SUBJECT ELECTRIFICATION PHASE 2 BRIDGE	SCALE AS SHOWN	
DRAWN VA	CHECKED YS	DATE 04/02/2020
SHEET NO. 09 OF 31	DATE 04/02/2020	
BPAA-0185ACP		
ET-09		

No	Revisions	Date	By



Approved _____ Date _____

OFFICE OF Chief Engineer Engineering
 National Railroad Passenger Corporation
 30th Street Station-Philadelphia, Pennsylvania 19104

SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103



TIME: 2:32:16 PM

DATE: 05-12-2017


FILENAME: X:\ENG\PROJECTS\US01115414\CITY OF PHILADELPHIA\WORKING\DWG\ET-11_CATENARY SED - N-10_100X.DWG

WIRE HEIGHTS - TEMPORARY CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	23' - 0 3/4"	23' - 9 1/4"	24' 9 1/2"	25' - 4 1/2"
MESSENGER WIRE	18' - 8 1/4"	19' - 0"	19' - 8 1/2"	20' - 0 1/4"
CONTACT WIRE	16' - 8 1/2"	17' - 3"	18' - 1"	18' - 5 3/4"

WIRE HEIGHTS - FINAL CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	23' - 0 3/4"	23' - 9 1/4"	24' 9 1/2"	25' - 4 1/2"
MESSENGER WIRE	19' - 2 1/2"	19' - 10 1/2"	20' - 3 1/2"	20' - 7 3/4"
CONTACT WIRE	17' - 2 1/2"	18' - 1 1/2"	18' - 8"	19' - 1 1/4"



BILL OF MATERIALS			
MARK	DESCRIPTION	REF DWG	QUANTITY
1122A	POST INSULATOR ASSEMBLY	ET-17	4
P1	POLE DETAILS	ET-19	2
F1	FOUNDATION DETAILS	ET-20	2
CB1	CROSS BEAM DETAILS	ET-21	1
SB1	SAG BRACE DETAILS	ET-22	2
MSA1	MESSENGER SUPPORT ASSEMBLY	ET-23	4
PC-1	POLE CLAMP DETAILS	ET-24	2
PC-1A	INSULATED CABLE SUPPORT	ET-24	1
DETAIL I	GROUND CONNECTION	ET-15	2
DETAIL L	GROUND WIRE TERMINATION	ET-15	2



LOADING DIAGRAM
LOOKING TOWARD NEW YORK

WORK STATEMENT:

1. INSTALL FOUNDATIONS (F1) AND POLES (P1).
2. INSTALL CROSS BEAM (CB1) AND SAG BRACE (SB1).
3. INSTALL POLE CLAMPS (PC1).
4. INSTALL FIBER OPTIC SUPPORT ASSEMBLY (PC-1A).
5. INSTALL MESSENGER SUPPORT ASSEMBLY (MSA1).
6. INSTALL GROUND WIRE AND GROUND STRUCTURE TO BRIDGE.
7. INSTALL MESSENGER SUPPORT INSULATOR.
8. REPROFILE CATENARY WIRES FOR TRACK 1, 2, 3 & 4.

GENERAL NOTES:

1. FOR GENERAL NOTES, SYMBOLS AND ABBREVIATIONS SEE ET-002.
2. ALL CATENARY WIRE HEIGHTS ARE MEASURED FROM ITS CORRESPONDING T/R ELEVATION.
3. HARDWARE TO BE PROVIDED BY ZAYO.
4. FOR DETAIL I & DETAIL L SEE DWG ET-15.



100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering

National Railroad Passenger Corporation
307H Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
CATENARY SED - N-10

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

CORRECT _____
ELECTRIFICATION PROJECT MANAGER

SCALE: AS SHOWN

DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017

SHEET NO. 11 OF 31

BPAA-0185ACP

ET-11

TIME: 2:37:26 PM

DATE: 05-12-2017


FILENAME: A:\ENG\PROJECTS\US0115A14_CITY OF PHIL. MONTGOMERY AVE. WD. #1\06.0 TECHNICAL WORKING DWG\ET-11A_CATENARY SED N-9_100X.DWG

WIRE HEIGHTS - EXISTING CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	23'-7"	24'-3"	25'-2 1/4"	25'-10 3/4"
MESSENGER WIRE	21'-3 1/2"	22'-1"	22'-9 1/4"	23'-3"
CONTACT WIRE	17'-3 1/2"	18'-1"	18'-8 3/4"	19'-0 1/2"

WIRE HEIGHTS - TEMPORARY CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	23'-7"	24'-3"	25'-2 1/4"	25'-10 3/4"
MESSENGER WIRE	21'-0"	21'-5"	22'-2 1/2"	22'-8"
CONTACT WIRE	17'-0"	17'-5"	18'-0"	18'-5 1/2"

WIRE HEIGHTS - FINAL CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	23'-7"	24'-3"	25'-2 1/4"	25'-10 3/4"
MESSENGER WIRE	21'-3 1/2"	22'-1"	22'-9 1/4"	23'-3"
CONTACT WIRE	17'-3 1/2"	18'-1"	18'-8 3/4"	19'-0 1/2"

BILL OF MATERIALS			
MARK	DESCRIPTION	REF. DWG.	QUANTITY
EXT-1	EXTENSION ASSEMBLY	ET-18	2
NR2	EXTENSION ASSEMBLY	ET-18	2



STRUCTURE N-9 STA 196+30
LOOKING TOWARD NEW YORK

WORK STATEMENT:

TEMPORARY STAGE

- TRACK 1. ADD NR2 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.
- TRACK 2. ADD EXT-1 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.
- TRACK 3. ADD NR2 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.
- TRACK 4. ADD EXT-1 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.

FINAL STAGE

- TRACK 1. REMOVE NR2 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.
- TRACK 2. REMOVE EXT-1 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.
- TRACK 3. REMOVE NR2 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.
- TRACK 4. REMOVE EXT-1 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.



100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION CATENARY SED - N-9		
CORRECT	ELECTRIFICATION PROJECT MANAGER	
PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION		
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 12 OF 31		ET-11A
BPAA-0185ACP		

TIME: 2:32:35 PM

DATE: 05-12-2017

FILENAME: X:\ENR\PROJECTS\US0115A14_CITY OF PHIL. MONTGOMERY AVE. WD. A1\08.0 TECHNICAL-WORKING\WORKING DWG\ET-11B_CATENARY SED_N-11_100% DWG

WIRE HEIGHTS - EXISTING CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	25'-8"	26'-4 1/4"	27'-4"	27'-7 3/4"
MESSENGER WIRE	22'-3"	23'-10 3/4"	24'-1 3/4"	23'-9 1/4"
CONTACT WIRE	18'-2"	18'-2 1/2"	18'-10 1/4"	18'-10 1/2"

WIRE HEIGHTS - TEMPORARY CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	25'-8"	26'-4 1/4"	27'-4"	27'-7 3/4"
MESSENGER WIRE	22'-3"	23'-0 3/4"	23'-8"	23'-9 1/4"
CONTACT WIRE	18'-2"	17'-4 1/4"	18'-2 1/2"	18'-10 1/2"

WIRE HEIGHTS - FINAL CONDITION				
WIRE	#4	#3	#2	#1
BOTTOM OF STEEL	25'-8"	26'-4 1/4"	27'-4"	27'-7 3/4"
MESSENGER WIRE	22'-7"	23'-10 3/4"	24'-1 3/4"	23'-9 1/4"
CONTACT WIRE	18'-6"	18'-2 1/2"	18'-10 1/4"	18'-10 1/2"

BILL OF MATERIALS			
MARK	DESCRIPTION	REF. DWG.	QUANTITY
NR2	EXTENSION ASSEMBLY	ET-18	2
XT4	EXTENSION ASSEMBLY	ET-18	1


WORK STATEMENT:

TEMPORARY STAGE

- TRACK 2. ADD NR2 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.
- TRACK 3. ADD NR2 EXTENSION TO EXISTING MESSENGER SUSPENSION ASSEMBLY.

FINAL STAGE

- TRACK 2. REMOVE NR2 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.
- TRACK 3. REMOVE NR2 EXTENSION AND RECONNECT EXISTING MESSENGER SUSPENSION ASSEMBLY TO RESTORE ORIGINAL CATENARY ELEVATION.
- TRACK 4. REPLACE EXISTING STRAP XT4 WITH NEW TO INCREASE CATENARY ELEVATION.



STRUCTURE N-11 STA 199+35
LOOKING TOWARD NEW YORK



PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION CATENARY SED - N-11		
CORRECT	ELECTRIFICATION PROJECT MANAGER	PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 13 OF 31		ET-11B
BPAA-0185ACP		

100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
3074 Street Station-Philadelphia, Pennsylvania 19104

Approved	Date


SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

TIME: 2:32:58 PM

DATE: 05-12-2017

FILENAME: X:\ENG\PROJECTS\US01115414 CITY OF PHIL MONTGOMERY AVE WO #1\08.0 TECHNICAL-WORKING\WORKING DWG\ET-11D-CATENARY SED N-1D-1000.DWG

BILL OF MATERIALS			
MARK	DESCRIPTION	REF DWG	QUANTITY
PC-1	POLE CLAMP DETAILS	ET-24	1
ICS-1	STEEL SUPPORT ASSEMBLY	ET-25	2



N-9 1/2 LA



GENERAL NOTES:

1. FOR GENERAL NOTES, SYMBOLS AND ABBREVIATIONS SEE ET-02.
2. ALL WIRE HEIGHTS ARE MEASURED FROM ITS CORRESPONDING T/R ELEVATION.
3. HARDWARE TO BE PROVIDED BY AMTRAK C&S DEPARTMENT.

100% SUBMISSION
MAY 2017



No	Revisions	Date	By



**OFFICE OF
Chief Engineer
Engineering**
National Railroad Passenger Corporation
30TH Street Station—Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
PARTIAL SED N-9 1/2LA

CORRECT _____
ELECTRIFICATION PROJECT MANAGER

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

SCALE: AS SHOWN


DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017

SHEET NO. 15 OF 31


BPAA-0185ACP

ET-11D


TIME: 2:33:06 PM
 DATE: 05-12-2017
 FILENAME: K:\ENR\PROJECTS\US011514\14_CITY OF PHIL MONTGOMERY AVE WD 11.08.0 TECHNICAL-WORKING\WORKING DWG\ET-12 TEMP DEMOLITION SHIEL GROUNDING 100K.DWG




PLAN VIEW OF DEMOLITION SHIELD AND GROUND WIRE ROUTING
 SCALE IN FEET
 20' 10' 0' 20' 40'



WEST ELEVATION VIEW (AS SHOWN)
 N.T.S.
EAST ELEVATION VIEW (OPP. HAND)
 N.T.S.



APPLICATION OF GROUND CABLE TO TEMPORARY PROTECTION BARRIER
 DETAIL Y
 N.T.S.



DETAIL X-X
 N.T.S.

- GENERAL NOTES:**
- TEMPORARY PROTECTION SHIELDS SHALL BE USED, WITH CERTAIN EXCEPTIONS, DURING DEMOLITION OF EXISTING BRIDGES OR ERECTION OF NEW BRIDGES IN ORDER THAT WORK ON THE BRIDGE STRUCTURE CAN PROCEED OVER THE ELECTRIFICATION FACILITIES WITHOUT REQUIRING THE WIRES TO BE DEENERGIZED. ELECTRIFICATION FACILITIES SHALL BE DEENERGIZED DURING THE TIME THE STRUCTURAL FRAME AND THE TEMPORARY PROTECTION SHIELD ARE BEING ERECTED OVER OR OTHERWISE NEAR THE WIRES. THE ABOVE WORK SHALL BE DONE UNDER THE DIRECTION OF A QUALIFIED RAILROAD EMPLOYEE. IN CASES WHERE THERE IS INSUFFICIENT ELECTRICAL CLEARANCE BETWEEN THE WIRES AND THE BRIDGE STRUCTURE FOR ERECTION OF THE TEMPORARY PROTECTION SHIELD, ALL WORK OVER THE WIRES SHALL BE PERFORMED WITH THE WIRES DEENERGIZED AND UNDER THE PROTECTION OF A QUALIFIED RAILROAD EMPLOYEE. THE TEMPORARY PROTECTION BARRIER SHALL BE INSTALLED WHETHER OR NOT A TEMPORARY PROTECTION SHIELD IS USED.
 - DETAILS OF ANY PROPOSED SHIELD AND BARRIER SHALL BE SUBMITTED TO THE RAILROAD FOR APPROVAL, AND WORK ON ANY SHIELD OR BARRIER SHALL NOT BE STARTED BEFORE SUCH APPROVAL IS OBTAINED.
 - THE TEMPORARY PROTECTION SHIELD SHALL BE OF SOLID CONSTRUCTION (TONGUE AND GROOVE OR EQUAL) AND SHALL BE PROVIDED WITH A SOLID PROTECTION BARRIER HAVING A MINIMUM HEIGHT OF 6'-6" ABOVE THE SURFACE OF THE SIDEWALK OR CURB OF THE BRIDGE TO PROTECT WORKMAN AGAINST CONTACT WITH RAILROAD WIRES PASSING UNDER THE BRIDGE AND TO PREVENT DAMAGE TO THE WIRES.
 - THE TEMPORARY PROTECTION SHIELD AND BARRIER SHALL EXTEND NOT LESS THAN 10 FEET BEYOND THE CENTERLINE OF TRACK UNDER THE BRIDGE MEASURED IN A HORIZONTAL PLANE AND NORMAL TO THE TRACK, AND SHALL PREVENT DAMAGE TO THE WIRES.
 - THE PROTECTION SHIELD SHALL BE DESIGNED FOR A MINIMUM LIVE LOAD OF 100 LB. PER SQUARE FOOT. IF THE SHIELD IS TO SERVE AS A FORM OR IS TO CARRY ANY PART OF THE OVERHEAD STRUCTURE DURING ERECTION, IT SHALL BE DESIGNED FOR THE SUPERIMPOSED LOADS. IF THE SHIELD IS TO BE USED FOR PROTECTION DURING DEMOLITION OF AN OVERHEAD STRUCTURE, IT SHALL BE DESIGNED FOR A MINIMUM LIVE LOAD OF 100 LB. PER SQUARE FOOT AND A VERTICAL WIND LOAD OF 30 LBS./SQUARE FOOT.
 - NON-METALLIC TEMPORARY PROTECTION BARRIERS SHALL BE PROVIDED WITH 2/0 AWG SIZE COPPER GROUND CABLE CONNECTED TO THE RAILROAD GROUND SYSTEM PER DETAIL Y, THIS DRAWING.
 - TEMPORARY PROTECTION SHIELDS OF TIMBER CONSTRUCTION SHALL HAVE A MINIMUM VERTICAL CLEARANCE OF 12 INCHES TO THE RAILROAD WIRES. THE CORRESPONDING CLEARANCE TO STEEL CONSTRUCTION SHALL BE 9 INCHES.
 - WHERE STRINGERS TRANSVERSE TO THE BRIDGE ARE USED, THE MINIMUM HORIZONTAL CLEARANCE BETWEEN STRINGERS AND RAILROAD WIRES SHALL BE 4 FEET AS SHOWN IN DETAIL X.
 - TEMPORARY PROTECTION BARRIERS SHALL REMAIN IN PLACE AT LEAST UNTIL PERMANENT PROTECTION BARRIERS AND GROUNDING ARE COMPLETED.
 - ANY MODIFICATION OF THE ELECTRICAL REQUIREMENTS SHOWN ON THIS DRAWING SHALL BE SUBMITTED TO THE ELECTRICAL ENGINEER FOR APPROVAL.

- NOTES:**
- THIS DRAWING IS IN ACCORDANCE WITH STANDARD AMTRAK DRAWING ET-1447-D-2 IS GENERAL IN NATURE AND PROVIDES THE CONTRACTOR TYPICAL INFORMATION WITH REGARD TO TEMPORARY SHIELDING AND GROUNDING.
 - FOR BILL OF MATERIALS FOR TEMPORARY PHASE SEE ET-27.
 - FOR DETAILS SEE DWG ET-14, ET-15 & ET-16.

100% SUBMISSION
 MAY 2017

No	Revisions	Date	By



OFFICE OF Chief Engineer Engineering
 National Railroad Passenger Corporation
 307H Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY
 MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
 100% ELECTRIFICATION MODIFICATION
 TEMPORARY DEMOLITION SHIELD GROUNDING

CORRECT _____ ELECTRIFICATION PROJECT MANAGER

PLAN PREPARED FOR
 CITY OF PHILADELPHIA
 DEPARTMENT OF STREETS
 BUREAU OF SURVEYS & DESIGN
 BRIDGE SECTION



SCALE: AS SHOWN

DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017


SHEET NO. 16 OF 31
 BPAA-0185ACP
 ET-12




TIME: 10:15:35
 DATE: 08-17-2020
 FILENAME: X:\ENR\PROJECTS\US011514\CITY OF PHIL MONTGOMERY AVE. W/O #11.08.0 TECHNICAL-WORKING\WORKING DWG\REVISED DRAWINGS\ET-13_FINAL BONDING & GROUNDING 1 100% REVISED.DWG



WEST ELEVATION
(LOOKING NEW YORK)
 SCALE: 1"=15'-0"



ENLARGEMENT "X"
 SCALE: N.T.S.



ENLARGEMENT "Y"
 SCALE: N.T.S.



PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION FINAL BONDING AND GROUNDING SHEET 1		
DRAWN: _____ CHECKED: _____ DATE: 04/02/2020	PROJECT: ELECTRIFICATION PROJECT PHASE 1	PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION
BPPA-0185ACP		
SHEET NO. 17 OF 31	DATE: 04/02/2020	ET-13

100% SUBMISSION
APRIL 2020

No	Revisions	Date	By




OFFICE OF Chief Engineer Engineering

National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date


SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

FILENAME: X:\ENR\PROJECTS\US0115A14_CITY OF PHIL. MONTGOMERY AVE. WD. #11.09.0 TECHNICAL-WORKING DWG\REVISED DRAWINGS\ET-15_FINAL BONDING & GROUNDING_3_100% DWG
 DATE: 06-12-2020
 TIME: 8:17:52 AM




STRUCTURE N-9 1/2


STRUCTURE N-10




G DETAIL N.T.S.




H DETAIL N.T.S.



I DETAIL N.T.S.




L DETAIL N.T.S.



N DETAIL N.T.S.

- NOTES:**
- FOR ASSEMBLY BILL OF MATERIAL SEE DWG ET-16.
 - FOR DETAILS SEE DWG ET-14 & ET-24.

**100% SUBMISSION
 APRIL 2020**



No	Revisions	Date	By



**OFFICE OF
 Chief Engineer
 Engineering**
 National Railroad Passenger Corporation
 30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION FINAL BONDING AND GROUNDING SHEET 3		
SUBJECT: ELECTRIFICATION PROJECT MODIFICATION		PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/02/2020
CHECKED	YS	DATE 04/02/2020
SHEET NO. 19 OF 31		ET-15
BPAA-0185ACP		

TIME: 9:18:07 AM
 DATE: 06-12-2020
 FILENAME: S:\ENG\PROJECTS\US0115A14 - CITY OF PHILMONTGOMERY AVE. W/O #1\06.0 TECHNICAL-WORKING\WORKING DWG\REVISED DRAWINGS\ET-16 ASSEMBLY BOM BONDING & GROUNDING - 100K.DWG

ITEMS PER ASSEMBLY - BONDING AND GROUNDING																
ITEM	DESCRIPTION	CATALOG REFERENCE	SUGGESTED SUPPLIER (OR APPROVED EQUAL)	UNIT	QUANTITY											
					DET-A	DET-B	DET-C	DET-D	DET-E	DET-F	DET-G	DET-H	DET-I	DET-L	DET-N	DET-Y
MT01	4/0, 19 STRAND, BARE ALUMINUM STRANDED CONDUCTOR	-----	ALCOA CO. PITTSBURGH, PA	FT.	AS REQD.			AS REQD.								
MT02	TERMINAL CONNECTOR, COMPRESSION TYPE, FOR 4/0 ALUMINUM STRANDED CONDUCTOR	YA28AS	BURNDY CORP. NORWALK, CT	EA.	2		1	1								
MT03	BOLT, 1/2" X 3" LONG STAINLESS STEEL WITH LOCKWASHER	-----	HAYDON BOLTS, INC. PHILADELPHIA, PA	EA.	2		2	2								
MT04	GROUND CLAMP FOR CABLE TO 2 1/2" IPS TUBE, TIN PLATED FOR ALUMINUM CONDUCTOR	GC-111-7C	CONNECTORS LEEDS, AL	EA.												
MT05	4/0, 19 STRAND, COPPER CABLE	-----	BURNDY CORP. NORWALK, CT.	FT.						AS REQD.						
MT06	DEADEND CLAMP FOR 4/0 TO 500MCM CU	CUW34-4	BURNDY CORP. NORWALK, CT.	EA.										1		
MT07	STAPLE, ROLLED DIAMOND POINT	J6496	JOSLYN CORP. FRANKLIN PK., IL	EA.												15
MT10	UNIVERSAL SERVIT (RUN COPPER & ALUMINUM 1STR-250KCMIL 2/0-4/0, TAP 8 STR-250 6-4/0)	KSU29	BURNDY CORP. NORWALK, CT.	EA.								2				
017A	CLIP CABLE, WIRELOCK 9/16". AMTRAK DWG ET-556E4, REF. 44 045 09709	-----	-----	EA.												3
012	SHACKLE, CHAIN W/ BOLT, NUT & COTTER PIN, AMTRAK REFERENCE DWG. ET-305-E.	S-4	AMTRAK PIECE MARK S-4	EA.										1		
105S	UNIVERSAL SERVIT, BURNDY, KC31 (1-350 (3/8"-11" STUD DIA) "TIN PLATED"	KC31	BURNDY CORP. NORWALK, CT.	EA.		1				1			1			
MG04	2/0 COPPER CABLE, BARE, 37 STRAND		COPPERWELD CORP. PITTSBURGH, PA	FT.												AS REQD.
MG08	GROUND CLAMP - BURNDY TYPE G829G69HEX T8	10020194 G7-25	BURNDY CORP. NORWALK, CT.	EA.					1							
MG09	CONCRETE DROP IN ANCHOR ZINC PLATED FOR 5/8" BOLT	-----	-----	EA.	1	3		1	1							
MG10	BOLT, 5/8" X 3" LONG STAINLESS STEEL WITH LOCKWASHER	-----	HAYDON BOLTS, INC. PHILADELPHIA, PA	EA.	1	3		1	1							
ST01	STEEL BEAM CLAMP	ET-24	-----	EA.												
AL01	ALUMINUM GROUND STRIP L X 5 3/4" X 1/2" THICKNESS	ET-13	-----	FT.	AS REQD.			AS REQD.								
AL02	ALUMINUM ANGULAR BAR L X 5" X 5" X 1/2"	ET-13	-----	FT.		AS REQD.										
86G	CONNECTOR 4/0 TO 4/0. AMP 275187-6	AMP 275187-6		EA.							1		1			
87	CARTRIDGE, WHITE FOR INSTALATION OF COPPER TAPS,	AMP 69338-5		EA.							1		1			
PC-1	POLE CLAMP	ET-24	-----	EA.												
PC-3	POLE CLAMP	ET-24	-----	EA.												
	EXOTHERMIC CONNECTION			EA.											1	

TOTAL QUANTITIES OF ASSEMBLIES - BONDING AND GROUNDING																
	UNIT	QUANTITY														
		DET-A	DET-B	DET-C	DET-D	DET-E	DET-F	DET-G	DET-H	DET-I	DET-L	DET-N	DET-Y			
TOTAL QUANTITIES FOR TEMPORARY PHASE	EA.											2	5	4	4	
TOTAL QUANTITIES FOR FINAL PHASE	EA.	4	12	16	16	16	4	2	8	2	3					

- NOTES:**
- FOR SUMMARY BOM OF TEMPORARY PHASE SEE ET-27.
 - FOR SUMMARY BOM OF FINAL PHASE SEE ET-26.
 - FOR SUMMARY BOM OF STEEL SEE ET-27.

100% SUBMISSION
APRIL 2020


No	Revisions	Date	By



OFFICE OF Chief Engineer Engineering
National Railroad Passenger Corporation
30TH Street Station - Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103



PHILADELPHIA COUNTY
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
ASSEMBLY BOM - BONDING AND GROUNDING

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

CONTRACT: _____
ESTIMATION PROJECT NUMBER: _____


SCALE:	DATE: 04/02/2020
DRAWN: _____	VA: _____
CHECKED: _____	YS: _____
DATE: 04/02/2020	

SHEET NO. 20 OF 31
BPAA-0185ACP
ET-16

TIME: 2:33:54 PM
 DATE: 05-12-2017
 FILENAME: X:\ENG\PROJECTS\USD115414.CITY OF PHIL MONTGOMERY AVE WD #1\05.0 TECHNICAL WORKING DWGS\ET-17 CATENARY ASSY. 1.100X.DWG

BILL OF MATERIAL				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
47	SSB22	BOLT, STAINLESS STEEL	ET-148E	1
73	BC26B	GROOVE WIRE TO 0.34" HANGER ROD, CLIP	ET-1078E	2
74	FMS	MESSENGER SADDLE	ET-652E	1
48	---	0.34" LOOP HANGER	ET-652E	*
78	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	-----	1

* - FOR LENGTH SEE TABULATION OR CATENARY PROFILES




ASSEMBLY "ME"
SCALE: N.T.S.

CUTTING LENGTH EQUAL TO TABULATED LENGTH PLUS 10"

BILL OF MATERIAL				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
47	SSB22	BOLT, STAINLESS STEEL	ET-148E	2
78	BC24B	5/8" TO 0.34" HANGER ROD, CLIP	ET-1087E	2
73	BC26B	GROOVE WIRE TO 0.34" HANGER ROD, CLIP	ET-1078E	2
48	---	0.34" HANGER HOOK TYPE	ET-1096E	*
49	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	-----	2


* - FOR LENGTH SEE TABULATION OR CATENARY PROFILES



ASSEMBLY "J"
SCALE: N.T.S.


CUTTING LENGTH EQUAL TO TABULATED LENGTH PLUS 2 1/2"

BILL OF MATERIAL				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
47	SSB22	BOLT, STAINLESS STEEL	ET-148E	2
46	BC24B	5/8" TO 0.34" HANGER ROD, CLIP	ET-1087E	2
73	BC26B	GROOVE WIRE TO 0.34" HANGER ROD, CLIP	ET-1078E	2
75	JR	BRONZE RING HANGER	ET-1095E	1
78	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	-----	2




ASSEMBLY "JM"
SCALE: N.T.S.

BILL OF MATERIAL				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
20	SSB34	BOLT, STAINLESS STEEL	ET-148E	1
18	HC29A	INTERMEDIATE CATENARY CLIP	ET-1029E	2
78	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	-----	1




ASSEMBLY "H"
SCALE: N.T.S.

BILL OF MATERIALS				
ITEM	MARK	DESCRIPTION	AMTRAK DWG. No.	QTY
816	BB32	BOLT, CARRIAGE, BRONZE, WITH HEX. NUT,	ET-148-E	2
76	TS1	CLIP, GROOVED WIRE TO 5/8" MESSENGER, BRONZE	ET-78-E	2
78	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	ET-100	2




MAIN HANGER REF: TS1
THIS CLIP ALLOWS SLIGHT ADJUSTMENT OF THE LOWER WIRE BY ABOUT 1/4"
SCALE: N.T.S.

BILL OF MATERIALS				
ITEM	MARK	DESCRIPTION	AMTRAK DWG. No.	QTY
816	BB32	BOLT, CARRIAGE, BRONZE, WITH HEX. NUT,	ET-148-E	1
80	TS25	CLIP, GROOVED WIRE TO 5/8" MESSENGER, BRONZE	ET-170-E	2
78	ERM	NUT ERM, 1/2 UNC SLOTTED SELF-LOCKING WASHER, 316 SS W/ ANTI-CALLING	ET-100	1




HANGER REF: TS25
SCALE: N.T.S.

BILL OF MATERIALS NA-74 (MOD)				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
006	NP-1	PIN (INSULATOR) STEEL GALV, SPEC ASTM 123-37, 5/8"x1 7/8"	118-1208	1
004	JB	J BOLT	ET-148E	1
012	S4	SHACKLE	ET-305E	1
002	MK-1	CLAMP	ET-1146-0	1



NA-74 (MOD)
SCALE: N.T.S.



PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
CATENARY ASSEMBLIES - SHEET 1

100% SUBMISSION
MAY 2017

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

SCALE: AS SHOWN

DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017

SHEET NO. 21 OF 31

BPAA-0185ACP

ET-17

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering

National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

TIME: 2:34:04 PM

DATE: 05-12-2017


FILENAME: X:\ENG\PROJECTS\US01151414 CITY OF PHIL MONTGOMERY AVE WO #1\08.0 TECHNICAL-WORKING\WORKING DWG\ET-1B CATENARY ASST. 2.1008.DWG

BILL OF MATERIAL 1122A				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
181	JT	RIGID INSULATOR	ET-1-003	1
154	BB7	5/8" BRONZE BOLT W/ LOCKWASHER	ET-146-E	2
151	MD5	MESSENGER SADDLE	11B-1238	2
149	PS1A	PIPE SADDLE	14E-133	2
152	TP1	BENT PLATE	ET-1183-E	1
153	TP2	BENT PLATE	ET-1183-E	1
148	UB80	U-BOLT	ET-145-E	2


BILL OF MATERIALS EXT-1				
ITEM	MARK	DESCRIPTION	REF. DWG.	QTY
MCS1		EXTENSION ADAPTER	ET-24	1
49	NP-1	PIN, STEEL GALV, SPEC ASTM-123-37, 5/8" x 1 7/8"	11B-1206	1
206	BG-1	BOLT, 3/4"x2 3/4" GALV STEEL W/ HEX HEAD & NUT & COTTER PIN	ET-145-E	1

BILL OF MATERIALS NR2				
ITEM	MARK	DESCRIPTION	AMTRAK REF. DWG.	QTY
006	NP-1	PIN (INSULATOR) STEEL GALV, SPEC ASTM 123-37, 5/8"x1 7/8"	11B-1206	1
007	NR-2	HANGER ROD, 0.72" Ø BRONZE THREADED	14E-433	1
008	EE-1	EYE END BRONZE FORGING	11B-1227	1
014	CE-1	CLEVIS END	11B-1227	1
206	BG-1	BOLT, 3/4"x2 3/4" GALV STEEL W/ HEX HEAD & NUT & COTTER PIN	ET-145-E	1


BILL OF MATERIALS XT4				
ITEM	MARK	DESCRIPTION	REF. DWG.	QTY
49	XT4	STRAP, CATENARY LINK, ALUMINUM BRONZE	11B1223	1




ASSEMBLY 1122A
SCALE: N.T.S.



EXT-1
EXTENSION ASSEMBLY
FOR EXISTING MESSENGER SUSPENSION
SCALE: N.T.S.



NR2
EXTENSION ASSEMBLY
FOR EXISTING MESSENGER SUSPENSION
SCALE: N.T.S.



XT4
EXTENSION ASSEMBLY
FOR EXISTING MESSENGER SUSPENSION
SCALE: N.T.S.



PHILADELPHIA COUNTY

MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
CATENARY ASSEMBLIES - SHEET 2

100% SUBMISSION
MAY 2017

CORRECT _____
ELECTRIFICATION PROJECT MANAGER

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

SCALE: AS SHOWN

DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 22 OF 31	ET-18	

BPAA-0185ACP

No	Revisions	Date	By







OFFICE OF
Chief Engineer
Engineering

National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104


Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

TIME: 2:34:13 PM
 DATE: 05-12-2017
 FILENAME: X:\ENG\PROJECTS\US0115A14\CITY OF PHILMONTGOMERY.AVE.WO.#1\06.0 TECHNICAL-WORKING\WORKING.DWG\ET-19 POLE DETAILS 100%.DWG



- NOTES:**
- SEE ET-02 FOR GENERAL, STRUCTURAL STEEL AND CONCRETE NOTES.
 - FIELD VERIFY DISTANCE BETWEEN FOUNDATIONS AND BOTTOM OF STEEL.



No	Revisions	Date	By



OFFICE OF Chief Engineer Engineering
 National Railroad Passenger Corporation
 30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

100% SUBMISSION
MAY 2017


SYSTRA
 SYSTRA Consulting, Inc.
 1600 MARKET STREET, SUITE 1310
 PHILADELPHIA, PA 19103

PHILADELPHIA COUNTY MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION POLE DETAILS		
CORRECT ELECTRIFICATION PROJECT MANAGER	PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION	
SCALE: AS SHOWN		
DRAWN VA CHECKED YES	DATE 04/12/2017 DATE 04/12/2017	SHEET NO. 24 OF 31 ET-19
BPAA-0185ACP		


TIME: 2:34:21 PM

DATE: 05-12-2017


FILENAME: X:\ENG\PROJECTS\US0115A14 CITY OF PHILMONTGOMERY AVE WD #1\B.O.B. TECHNICAL WORKING DWG ET-20 FOUNDATION DETAILS TOOKING




SECTION A
SCALE: 1"=1'-0"




EXPLORATORY TRENCHES
SCALE: NTS




EMBEDMENT PLATE DETAIL
SCALE 1" = 1'-0"



NEAT FORM PLAN
SCALE: NTS




DETAIL FOUNDATION (F1)
SCALE: NTS




DETAIL ANCHOR BOLT
SCALE: NTS

NOTE:
FOR TOP AND BOTTOM ELEVATIONS SED DRAWING ET-11.




NEAT FORM ELEVATION
SCALE: NTS

NOTE: MULTIPLE UNITS CAN BE USED TO FORM REQUIRED HEIGHTS



SECTION B-B
SCALE: NTS



DETAIL 1
SCALE: NTS



PHILADELPHIA COUNTY		MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION FOUNDATION DETAILS	
CORRECT		ELECTRIFICATION PROJECT MANAGER	
PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION			
SCALE: AS SHOWN			
DRAWN	VA	DATE	04/12/2017
CHECKED	YS	DATE	04/12/2017
SHEET NO. 24 OF 31		ET-20	

100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering

National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104


Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103


TIME: 2:34:28 PM

DATE: 05-17-2017


FILENAME: X:\ENG\PROJECTS\USD115A14\CITY OF PHILADELPHIA\TECHNICAL\WORKING\DRAWING\ET-21_CROSS BEAM DETAILS_100K.DWG



B SECTION
SCALE: 1"=1'-0"



C STIFFENER PLATE
SCALE: 1/8"=1"



A SECTION
SCALE: 1"=1'-0"

CROSS BEAM (CB1)
SCALE: N.T.S.

NOTE:
PROVIDE 3" SHOP CAMBER.

100% SUBMISSION
MAY 2017

PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION CROSS BEAM DETAILS		
CORRECT _____ ELECTRIFICATION PROJECT MANAGER		PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 25 OF 31		ET-21
BPAA-0185ACP		



No.	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station—Philadelphia, Pennsylvania 19104





Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

TIME: 2:34:38 PM

DATE: 05-12-2017

FILENAME: X:\ENG\PROJECTS\USD\11.5A1\CITY OF PHILA\MONTGOMERY AVE WD #11.08.0 TECHNICAL WORKING DWG\ET-22 SAG BRACE DETAILS 100K.DWG



- NOTES:**
1. FOR STRUCTURAL STEEL NOTES SEE DWG ET-02.
 2. FIELD VERIFY DIMENSION PRIOR TO FABRICATION

100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103




PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION SAG BRACE DETAILS		
CORRECT	ELECTRIFICATION PROJECT MANAGER	
PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION		
SCALE AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 26 OF 31		ET-22
BPAA-0185ACP		


TIME: 2:34:43 PM

DATE: 05-12-2017

FILENAME: X:\ENG\PROJECTS\US01115414_CITY OF PHILMONTGOMERY AVE WD #1\06.0 TECHNICAL WORKING DWG\ET-23_MESSENGER SUPPORT ASSEMBLY LOOK.DWG





B SECTION
SCALE: 1/2"=1'-0"



A SECTION
SCALE: 1/2"=1'-0"

7/8" x 1'-8" LONG RODS W/ 2 HEX NUTS AND 2 LOCKWASHERS (TYP)
BRACKET
3/4" PLATE



MESSENGER SUPPORT ASSEMBLY (MSA1)
SCALE: 1"=1'-0"



PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION MESSENGER SUPPORT ASSEMBLY		
CORRECT	ELECTRIFICATION PROJECT MANAGER	
PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION		
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 27 OF 31		ET-23
BPAA-0185ACP		

100% SUBMISSION
MAY 2017

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station—Philadelphia, Pennsylvania 19104

Approved	Date









SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

TIME: 2:34:48 PM

DATE: 05-12-2017

FILENAME: X:\ENG\PROJECTS\US0115A14\CITY OF PHILMONTGOMERY AVE WO 1\106.0 TECHNICAL WORKING DWG\ET-24 POLES CLAMP & MISC STEEL PARTS 1006.DWG

DIMENSIONS	
Y	L
$W/2 + 5/8"$	$D + 8"$



PHILADELPHIA COUNTY
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
POLE CLAMP AND MISC. STEEL PARTS

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

CORRECT	ELECTRIFICATION PROJECT MANAGER	
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 28 OF 31		ET-24

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

100% SUBMISSION
MAY 2017


BPAA-0185ACP

TIME: 2:34:59 PM

DATE: 05-12-2017


FILENAME: X:\ENG\PROJECTS\USD115A14\CITY OF PHIL. MONTGOMERY AVE. W/O #1\1.DWG TECHNICAL-WORKING\WORKING DWG\ET-25 STEEL SUPPORT ASS. 100% DWG

DIMENSIONS	
Y	L
$W/2 + 5/8"$	$D + 8"$



ICS-1
SCALE: NTS

PLAN
SCALE: NTS



SECTION A
SCALE: NTS

NOTES:

1. ALL THREADED RODS SHALL COMPLY TO ASTM A449.
2. THREADED RODS SHALL BE 1" DIAMETER WITH (4) HEX NUTS & LOCK WASHER.

100% SUBMISSION
MAY 2017



PHILADELPHIA COUNTY		
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL 100% ELECTRIFICATION MODIFICATION STEEL SUPPORT ASSEMBLY		
CORRECT	ELECTRIFICATION PROJECT MANAGER	
PLAN PREPARED FOR CITY OF PHILADELPHIA DEPARTMENT OF STREETS BUREAU OF SURVEYS & DESIGN BRIDGE SECTION		
SCALE: AS SHOWN		
DRAWN	VA	DATE 04/12/2017
CHECKED	YS	DATE 04/12/2017
SHEET NO. 29 OF 31		ET-25
BPAA-0185ACP		

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103

ITEM NO	AMTRAK STOCK NO.	DESCRIPTION	AMTRAK MARK NUMBER	TOTAL ORDER QUANTITY	UNIT OF MEASURE	REFERENCE DRAWING	SUGGESTED VENDOR
004	44 582 0180X	BOLT, HOOK 0.500 X 02.375, 1/2 X 2-3/8 13 UNC-2A, BRONZE, CLASS B, JB, AMTRAK 445820180X	JB	4	EA	ET-148-E19	FASTENING PRODUCTS CO, INC.
006	44 582 23809	PIN, INSULATOR, STEEL, GALV., SPEC. ASTM-123-37, 5/8" X 1-7/8", AMTRAK 4458223809	NP-1	9	EA	11B-1206-8	FASTENING PRODUCTS CO, INC.
007	2103002855X	ROD, 0.72" DIA, BZ, THREADED (UNIT IN FT), TO ORDER BY LBS (1.62LB / FT) (MINIMUM PURCHASE 1000LBS), AMTRAK 2103002855X	NR-2	4	FT	14E-433	INTEGRATED NONFERROUS METALS COMPANY
008	44 075 04508	EYE, END, FORGING, FOR HANGER ROD BRIDESSBURG FOUNDRY, EE-1, AMTRAK # 4407504508,	EE-1	4	EA	11B-1227	BRIDESSBURG FOUNDRY COMPANY
012	44 582 27008	CHAIN SHACKLE, FORGED STEEL, GALVANIZED, WITH BOLT, NUT, COTTER PIN S4, AMTRAK 4458227008	S-4	3	EA	ET-305	PENNFAB, INC.
014	44 045 08001	CLEVIS, END BZ FORGING F/HANGER ROD, BRIDESSBURG FOUNDRY CE-1, AMTRAK # 4404508001	CE-1	13	EA	11B-1227	BRIDESSBURG FOUNDRY COMPANY
018	44 582 15702	CLIP, INTERMEDIATE, GROOVED WIRE TO GROOVED WIRE AL, BZ CASTING, BRIDESSBURG FOUNDRY HC-29A, AMTRAK # 4458215702	HC-29A	194	EA	ET-1029-E-10	BRIDESSBURG FOUNDRY COMPANY
020	44 210 00659	BOLT, CARRIAGE SQUARENECK, ROUND HEAD 1/2" X 1-5/8" 13 UNC-2A, 316 STAINLESS STL, SSB-34, ET1-100, TO BE USED WITH NUT ITEM # 44 210 00657	SSB-34	97	EA	ET1-100	
046	44 582 17708	CLIP, 5/8" MESS. TO .34 ROD, BRONZE, BOLTED TYPE, BRIDESSBURG FOUNDRY BC-24-B, AMTRAK # 4458217708	BC-24B	44	EA	ET-1087-E-1	BRIDESSBURG FOUNDRY COMPANY
047	44-210-00658	BOLT, CARRIAGE SQUARENECK, ROUND HEAD 1/2" X 2" 13 UNC-2A, 316 STAINLESS STL, SSB-22, ET1-100	SSB22	75	EA	ET1-100	
048	21 030 02550	ROD, .34" DIA, BRONZE, FOR HANGERS ORDERED BY LBS (.344FT), AMTRAK 2103002550		172	FT		INTEGRATED NONFERROUS METALS COMPANY
057	44 582 10004	CLAMP BODY STRAND TO 1/2" ROD, BZ, BRIDESSBURG FOUNDRY XC-6, AMTRAK 4458210004	XC6	9	EA	14E-61-7	BRIDESSBURG FOUNDRY COMPANY
065	4428503870	VALUE1	XT-4	1	EA	11B-1223	
073	44 582 17900	CLIP, GROOVED WIRE, 0.34" DIA, BZ, ASTM-B-48, BRIDESSBURG FOUNDRY BC-26B, AMTRAK # 4458217900,	BC-26B	79	EA	ET-1078E-8	BRIDESSBURG FOUNDRY COMPANY
074	44 582 25708	SADDLE, FLEXIBLE HANGER, BZ CASTING BRIDESSBURG FOUNDRY FHS, AMTRAK 4458225708	FHS	18	EA	ET-653-E-10	BRIDESSBURG FOUNDRY COMPANY
075		HANGER RINGS, 0.34" DIA, ROD, BRONZE, 0.344LBS/FT, MARK # JRL	JR	1	EA	ET-1085E-2	

ITEM NO	AMTRAK STOCK NO.	DESCRIPTION	AMTRAK MARK NUMBER	TOTAL ORDER QUANTITY	UNIT OF MEASURE	REFERENCE DRAWING	SUGGESTED VENDOR
078	44 582 18801	CLIP, TANGENT (GROOVED WIRE TO 5/8") MESS., BRONZE, BRIDESSBURG FOUNDRY TS-1, AMTRAK # 4458218801	TS-1	9	EA	ET-78-E-1	BRIDESSBURG FOUNDRY COMPANY
078	44 210 00657	LOCKOUT, 1/2-13 UNC, LANFRANCO INC. NUT STYLE: ERM, TWO LOCKING SLOTS + SPRING WASHER, NUT AF: 0.748", WASHER OD: 1.083", NUT MATERIAL: STN STEEL A4-80/431 316L WITH ANTI-GALLING SURFACE TREATMENT, J LANFRANCO DWG NO J. 05201052, AMTRAK 442100657		172	EA	ET1-100	SBA PROJECT, INC. "USE SUFFIX B"
080	44 582 15905	CLIP, 5/8" DIA MESS. TO 4/0 AWG WIRE BZ BRIDESSBURG FOUNDRY TS-25 AMTRAK # 4458215905	TS-25	18	EA	ET-170-E-3	BRIDESSBURG FOUNDRY COMPANY
080		CONNECTOR 4/0 TO 4/0, AMP 275187-8		4	EA		
087	44 423 00607	CARTRIDGE, WHITE FOR INSTALLATION OF COPPER TAPS, AMP#88338-6 (AUTOGEN 40-0100-01), AMTRAK 4442300607		4	EA		TNT ELECTRIC SUPPLY, INC.
1058		SERVIT POST, BURNDY, KC31 (1-350 (5/8"-11" STUD DIA))		0.00	20	EA	
148		BOLT "L" STEEL, GALV. SPEC P-119, 7/8" DIA x 5 1/2" OPENING	LB-60	16	EA	ET-145-E-24	
149		SADDLE PIPE, STEEL, GALV (FABRICATED)	PS-1A	16	EA		
151	44 582 28305	SADDLE, 5/8" MESSENGER, DUCTILE IRON D-5 ET-1124-E-2	MD (MD-5)	8	EA	ET-1124E-2	
152	44 582 24408	PLATE, STEEL, GALV, BENT, 8" x 1/2" x 1'-6"	TP-1	4	EA	ET-1183-E	
153	44 582 24502	PLATE, STEEL, GALV, 3" X 1/2" X 8" AMTRAK # TP-2	TP-2	4	EA	ET-1183-E	PENNFAB, INC.
154	44 582 05002	BOLT, 5/8" W/LOCKWASHER	BB-7	16	EA	ET-148-E	
161	44 135 00804	INSULATOR PORCELAIN, SPEC CE 580-B	3T	4	EA	ET1-003	
206	4458204501	BOLT, STEEL GALV, HH, SPEC. P-119, 3/4"x2 3/4", WITH NUT AND COTTER, AMTRAK 4458204501	BG-1	9	EA	ET-145-E-24	FASTENING PRODUCTS CO, INC.
618	4403003052	BOLT, CARRIAGE 0.500X02.000 ROUND HD 1/2" X 2 13 UNC-2A SQUARE NECK BRONZE SPECIAL, AMTRAK # 4403003052	BB-32	9	EA	ET 148E	T/A METAL FASTENERS
687	44 030 03708	BOLT, MACHINE 0.625X02.500 HEX HEAD 5/8 X 2-1/2 11 UNC-2A BRONZE, CLASS B SPECIAL W/ HEX NUT	BB-42	18	EA	ET-516-E	FASTENING PRODUCTS CO, INC.
MT08		#N/A		0.00	18	EA	
MT01		4/0, 19 STRAND, BARE ALUMINUM STRANDED CONDUCTOR		0.00	418	FT	
MT02		TERMINAL CONNECTOR, COMPRESSION TYPE, FOR 4/0 ALUMINUM STRANDED CONDUCTOR		0.00	43	EA	
MT03		BOLT, 1/2" X 3" LONG STAINLESS STEEL WITH LOCKWASHER		0.00	77	EA	
MT05		4/0 COPPER CABLE		0.00	682	FT	
MT06		DEAD END CLAMP, FOR 4/0 TO 500 MCM CU BURNDY CUW344		0.00	3	EA	
MT10		UNIVERSAL SERVIT BURNDY KSU29 (RIN COPPER & ALUMINUM 18TR-250KCMIL 2/0-4/0, TAP & STR-250 6-4/0)		0.00	18	EA	

NOTE:

- FOR TEMPORARY BONDING AND GROUNDING MATERIAL AND STEEL & FOUNDATIONS MATERIAL SEE ET-27.

100% SUBMISSION
APRIL 2020

No	Revisions	Date	By



OFFICE OF
Chief Engineer
Engineering
National Railroad Passenger Corporation
30TH Street Station-Philadelphia, Pennsylvania 19104

Approved	Date

SYSTRA
SYSTRA Consulting, Inc.
1600 MARKET STREET, SUITE 1310
PHILADELPHIA, PA 19103



PHILADELPHIA COUNTY
MONTGOMERY AVENUE OVER AMTRAK & CONRAIL
100% ELECTRIFICATION MODIFICATION
SUMMARY OF MATERIAL SHEET 1

CORRECT _____
ELECTRIFICATION PROJECT MANAGER

PLAN PREPARED FOR
CITY OF PHILADELPHIA
DEPARTMENT OF STREETS
BUREAU OF SURVEYS & DESIGN
BRIDGE SECTION

SCALE:
DRAWN _____ VA _____ DATE 04/02/2020
CHECKED _____ YES _____ DATE 04/02/2020

BPA-0185ACP SHEET NO. 30 OF 31 ET-26

