

**Michael J. Shafer**  
Senior Counsel

**PPL**  
Two North Ninth Street  
Allentown, PA 18101-1179  
Tel. 610.774.2599 Fax 610.774.4102  
MJShafer@pplweb.com



**E-File**

November 15, 2021

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street, 2<sup>nd</sup> Floor North  
Harrisburg, PA 17120-3265

**Re: PPL Electric Utilities Corporation Amendment of Easement Agreement;  
SEDA-COG Joint Rail Authority, Township of Fairfield,  
Lycoming County, Pennsylvania**

---

Dear Secretary Chiavetta:

Enclosed for filing on behalf of PPL Electric Utilities Corporation ("PPL Electric") is an Amendment of Easement Agreement between PPL Electric and the SEDA-COG Joint Rail Authority, Township of Fairfield, Lycoming County, Pennsylvania.

PPL Electric is unable to locate the docket number for the original easement agreement due to the age of the agreement, which was dated March 25, 1993.

This agreement is being filed pursuant to 66 Pa. C.S.A. § 507.

Pursuant to 52 Pa. Code § 1.11, the enclosed document is to be deemed filed on November 15, 2021, which is the date it was filed electronically using the Commission's E-filing system.

If you have any questions, please do not hesitate to contact me.

Respectfully submitted,

A handwritten signature in blue ink, appearing to read "Michael J. Shafer", is written over a light blue, stylized graphic that resembles a signature or a set of initials.

Michael J. Shafer

Enclosure

## AMENDMENT TO EASEMENT AGREEMENT

**THIS AMENDMENT TO EASEMENT AGREEMENT** (the "Amendment") is made this 13<sup>th</sup> day of OCTOBER, 2021 (the "Effective Date"), by and between **SEDA-COG JOINT RAIL AUTHORITY**, a Pennsylvania municipal authority with its principal office address at 201 Furnace Road, Lewisburg, Pennsylvania 17837 (the "Authority"), and **PPL ELECTRIC UTILITIES CORPORATION**, a Pennsylvania corporation with its principal place of business at 2 N. Ninth Street (GENN4), Allentown, PA 18101-1179 (the "Grantee").

### RECITALS

A. The Authority owns certain real property and railroad lines located in the Township of Fairfield, Lycoming County, Pennsylvania (the "Property").

B. The Authority, as successor in interest to Consolidated Rail Corporation, and Grantee, as successor in interest to Pennsylvania Power & Light Company, are parties to a certain Easement Agreement dated March 25, 1993 (the "Easement Agreement"), under which an easement was granted to Grantee over the Property (the "Easement") along the rail line currently known as the Lycoming Valley Railroad (the "Easement Area"). The Easement Area is depicted on the map attached hereto as Exhibit "A" and incorporated herein by reference.

C. The Authority and Grantee desire to amend the Easement Agreement as set forth in this Amendment.

**NOW THEREFORE**, in consideration of One (\$1.00) Dollar, the receipt of which is hereby acknowledged, and for other good and valuable consideration, including the promises and covenants set forth in the Easement Agreement and this Amendment, and with the intent to be legally bound, the Authority and Grantee hereby agree as follows:

1. **Construction, Alteration and Maintenance.**

a. Notwithstanding any provision in the Easement Agreement to the contrary, Grantee shall be solely responsible for construction, installation, alteration, maintenance and repair of Grantee's facilities (the "Facilities"). The Authority shall not be responsible for any cost or expense whatsoever relating to the Facilities or the Easement Agreement. All work to be performed by Grantee on the Easement Area shall be performed in a good and workmanlike manner, shall be approved in advance by the Authority, except in the event of an emergency, and shall not interfere with the operations of the Authority, Lycoming Valley Railroad Company, as rail operating company, or its successors or assigns, or any other railroad company under agreement with the Authority to conduct rail operations on any railroad tracks located on the Property (the "Railroad Operator"), or their employees, agents, contractors, subcontractors, licensees, and invitees.

b. Grantee shall give the Authority and its Railroad Operator at least seven (7) days advance written notice prior to commencing construction or alteration of the Facilities, except in the event of an emergency, in the Easement Area. Grantee shall notify the Railroad Operator promptly of any unsafe conditions or other matters affecting operations on the Easement Area.

other person or entity, or damages from injury to or destruction or loss of natural resources, including the reasonable costs of assessing such injury, destruction or loss, incurred pursuant to Section 107 of CERCLA, or any successor section or act or provision of any similar state or local law, (B) liability for costs and expenses of abatement, correction or clean-up, fines, damages, response costs or penalties which arise from the provisions of any other Environmental Laws, and (C) liability for personal injury or property damage arising from any statutory or common law tort theory, including damages assessed for the maintenance of a public or private nuisance or for carrying on of a dangerous activity.

b. In case any action or proceeding is brought against any Indemnitee by reason of any such claim (i) Grantee may retain its own counsel and defend such action (it being understood that Authority may employ counsel of its choice to monitor the defense of any such action, the cost of which shall be paid by Grantee) and (ii) such Indemnitee shall notify Grantee to resist or defend such action or proceeding by retaining counsel reasonably satisfactory to such Indemnitee, and such Indemnitee will cooperate and assist in the defense of such action or proceeding if reasonably requested to do so by Grantee.

c. The obligations of Grantee under this Section shall survive the termination or expiration of this Easement.

4. **Limitation of Liability.** Grantee understands that railroad operations at or near the Facilities involve some risk, and Grantee, as part of the consideration for the Easement, and with full knowledge and appreciation of such risk, hereby assumes all risk of damage to property or injury to persons in or about the Easement Area and waives all such claims against the Authority and the Railroad Operator and their directors, members, officers, employees, agents and representatives on account of the same, including claims for consequential or indirect damages, except to the extent caused by the negligence or willful misconduct of the Authority, the Railroad Operator, or its or their respective employees or contractors. Furthermore, the Authority shall retain any and all immunities available to it under federal, state or local law, it being expressly understood that the Authority does not waive any such immunities available to it by entering into this Agreement.

5. **Insurance.** Grantee shall obtain and maintain throughout the term of this Easement Agreement (i) commercial general liability insurance (written on a claims first made basis) in an aggregate amount of not less than Five Million (\$5,000,000.00) Dollars single limit per occurrence and Ten Million (\$10,000,000) Dollars general aggregate, including contractual liability coverage for any operations within fifty (50') feet of the railroad and insuring the obligations assumed by the Grantee in this Agreement, premises and operations coverage, products and ongoing completed operations coverage, broad form property damage coverage, independent contractors coverage, and an endorsement for personal injury, (iv) worker's compensation insurance (or Federal Employers Liability Act coverage if applicable) at minimum limits as defined by the law of the jurisdiction in which the Property is located (as the same may be amended from time to time), and (v) employer's liability insurance in an aggregate amount not less than Two Million Dollars (\$2,000,000.00) for each accident, or in such other amounts as the Authority and Grantee may agree, and (vi) pollution liability coverage. All insurance required hereunder shall be in with companies rated A-, VII or better by AM Best, and the Authority may waive any such insurance requirements in writing. Grantee agrees that Authority and the Railroad Operator, and their successors and assigns, shall each be named as an additional insured and/or certificate holder, as they may require in writing to Grantee, on a primary and non-contributory basis on all policies of insurance required to be

IN WITNESS WHEREOF, the parties hereto have duly executed this Amendment the day and year first above written.

ATTEST:

By:   
Michael J. Krentzman  
Secretary

SEDA-COG JOINT RAIL AUTHORITY

By:   
John R. Showers  
Chairman


ATTEST:

By:   
Emily Dobies

PPL ELECTRIC UTILITIES CORPORATION

By:   
Name: BRANDON R. PREGO  
Title: MANAGER - TRANSMISSION ENGINEERING & SERVICES.

**PPL License Agreement  
69 kV Aerial Crossing  
53' Above Top of Rail  
LVRR - Fairfield Twp.**




69kV Circuit Line with  
Overhead Ground Wire


Tebbs Farm Private Crossing  
Removed March 2021



1:2,000

April 2021






PLAN:  
SCALE: 1" = 200'

NON-ENERGIZED  
LINE

ENERGIZED  
LINE

NOTE:  
LINES ARE  
AT MAX SAG.



PROFILE  
SCALE: 1" = 200' H  
1" = 20' V



ACCT. - 10029289  
ECN # - 14459  
SCALE - AS SHOWN  
BY - JJA  
REV'D - IAB

**PPL CROSSING (69kv)**  
PPL CROSSING OVER SEDA-COG JOINT RAIL AUTHORITY  
AT MILEPOST 0192.55  
FAIRFIELD TWP. LYCOMING CO., PA



APPROVAL: Maxwell H Peppers DATE: 2/2021  
**PPL ELECTRIC UTILITIES**  
AC: A DRAWING NO. **EU00561316** SHEET NO. **1** REVISION **0**  
CAD ID: A

NO. DATE ACCT. ECN/FCN REVISION BY REV'D APPR.

PLAN AND PROFILE  
N SHARE  
C SORTS  
LOC CODE  
LOC CODE  
LOC CODE  
PRIMARY LOC CODE 14250

**LEGEND**

- EX. MAJOR CHANNEL
- EX. MAJOR CONTROL
- EX. STREAM
- 100-YEAR FLOODWAY
- EX. WETLAND
- SOIL BOUNDARY LOCATION
- LINE OF EROSION
- EX. OVERHEAD UTILITY CENTERLINE
- EX. STRUCTURE
- EX. STRUCTURE TO BE REMOVED
- PROP. STRUCTURE
- PROP. EROSION CONTROL - WEATHER DEPENDENT
- EX. STONE - MAINTAIN THROUGHOUT AND AFTER CONSTRUCTION
- PROP. TEMPORARY CONSTRUCTION WITHIN
- EX. INWASH



**NOTES:**

1. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING NECESSARY PERMITS AND APPROVALS FROM ALL AGENCIES AND AGENCIES INVOLVED IN THE PROJECT.
2. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL MEASUREMENTS OF UTILITIES AND EQUIPMENT REQUIRED FOR ACCESS TO ANY STRUCTURES WITHOUT A PROPOSED ACCESS ROUTE MARKED ON THE DRAWING.
3. CONTACT THE PENN. ENVIRONMENTAL PROFESSIONAL PRIOR TO ALL WORK TO VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES IMMEDIATELY AFTER A BUMP FAILURE HAS BEEN IDENTIFIED.
4. SOIL INFORMATION FROM UNITED STATES DEPARTMENT OF AGRICULTURE, NATIONAL ENGINEERING CONSERVATION SERVICE, WEB SOIL SURVEY (CURRENT) SHALL BE USED FOR ALL CONSTRUCTION INFORMATION PROVIDED BY GOOGLE EARTH, 8/17/2010.
5. FLOODWAY INFORMATION OBTAINED FROM FEMA FIRM MAPS WHERE WETLANDS AND STREAMS SHOWN PER A DELINEATION COMPLETED BY THE CONTRACTOR SHALL BE USED FOR ALL CONSTRUCTION INFORMATION PROVIDED BY GOOGLE EARTH, 8/17/2010.
6. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD AND AFTER CONSTRUCTION.
7. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD AND AFTER CONSTRUCTION.
8. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD AND AFTER CONSTRUCTION.
9. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD AND AFTER CONSTRUCTION.
10. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD AND AFTER CONSTRUCTION.

REVISION      DATE      DESCRIPTION

--	--	--

GRAPHIC SCALE

1" = 100'

1" = 200'

1" = 400'

1" = 800'

1" = 1,600'

1" = 3,200'

1" = 6,400'

1" = 12,800'

1" = 25,600'

1" = 51,200'

1" = 102,400'

1" = 204,800'

1" = 409,600'

1" = 819,200'

1" = 1,638,400'

1" = 3,276,800'

1" = 6,553,600'

1" = 13,107,200'

1" = 26,214,400'

1" = 52,428,800'

1" = 104,857,600'

1" = 209,715,200'

1" = 419,430,400'

1" = 838,860,800'

1" = 1,677,721,600'

1" = 3,355,443,200'

1" = 6,710,886,400'

1" = 13,421,772,800'

1" = 26,843,545,600'

1" = 53,687,091,200'

1" = 107,374,182,400'

1" = 214,748,364,800'

1" = 429,496,729,600'

1" = 858,993,459,200'

1" = 1,717,986,918,400'

1" = 3,435,973,836,800'

1" = 6,871,947,673,600'

1" = 13,743,895,347,200'

1" = 27,487,790,694,400'

1" = 54,975,581,388,800'

1" = 109,951,162,777,600'

1" = 219,902,325,555,200'

1" = 439,804,651,110,400'

1" = 879,609,302,220,800'

1" = 1,759,218,604,441,600'

1" = 3,518,437,208,883,200'

1" = 7,036,874,417,766,400'

1" = 14,073,748,835,532,800'

1" = 28,147,497,671,065,600'

1" = 56,294,995,342,131,200'

1" = 112,589,990,684,262,400'

1" = 225,179,981,368,524,800'

1" = 450,359,962,737,049,600'

1" = 900,719,925,474,099,200'

1" = 1,801,439,850,948,198,400'

1" = 3,602,879,701,896,396,800'

1" = 7,205,759,403,792,793,600'

1" = 14,411,518,807,585,587,200'

1" = 28,823,037,615,171,174,400'

1" = 57,646,075,230,342,348,800'

1" = 115,292,150,460,684,697,600'

1" = 230,584,300,921,369,395,200'

1" = 461,168,601,842,738,790,400'

1" = 922,337,203,685,477,580,800'

1" = 1,844,674,407,370,955,161,600'

1" = 3,689,348,814,741,910,323,200'

1" = 7,378,697,629,483,820,646,400'

1" = 14,757,395,258,967,641,292,800'

1" = 29,514,790,517,935,282,585,600'

1" = 59,029,581,035,870,565,171,200'

1" = 118,059,162,071,741,130,342,400'

1" = 236,118,324,143,482,260,684,800'

1" = 472,236,648,286,964,521,369,600'

1" = 944,473,296,573,929,042,739,200'

1" = 1,888,946,593,147,858,085,478,400'

1" = 3,777,893,186,295,716,170,956,800'

1" = 7,555,786,372,591,432,341,913,600'

1" = 15,111,572,745,182,864,683,827,200'

1" = 30,223,145,490,365,729,367,654,400'

1" = 60,446,290,980,731,458,734,908,800'

1" = 120,892,581,961,462,917,477,817,600'

1" = 241,785,163,922,925,834,955,635,200'

1" = 483,570,327,845,851,669,911,270,400'

1" = 967,140,655,691,703,339,823,540,800'

1" = 1,934,281,311,383,406,679,647,081,600'

1" = 3,868,562,622,766,813,359,294,163,200'

1" = 7,737,125,245,533,626,718,588,326,400'

1" = 15,474,250,491,067,253,437,176,652,800'

1" = 30,948,500,982,134,506,874,353,305,600'

1" = 61,897,001,964,269,013,748,706,611,200'

1" = 123,794,003,928,538,027,497,413,222,400'

1" = 247,588,007,857,076,054,994,826,444,800'

1" = 495,176,015,714,152,109,989,652,889,600'

1" = 990,352,031,428,304,219,979,305,779,200'

1" = 1,980,704,062,856,608,439,958,611,558,400'

1" = 3,961,408,125,713,216,879,917,223,116,800'

1" = 7,922,816,251,426,433,759,834,446,233,600'

1" = 15,845,632,502,852,867,519,668,892,467,200'

1" = 31,691,265,005,705,735,039,337,784,934,400'

1" = 63,382,530,011,411,470,078,675,569,868,800'

1" = 126,765,060,022,822,940,157,351,139,737,600'

1" = 253,530,120,045,645,880,314,702,279,475,200'

1" = 507,060,240,091,291,760,629,404,558,950,400'

1" = 1,014,120,480,182,583,521,259,809,117,900,800'

1" = 2,028,240,960,365,167,042,519,618,235,801,600'

1" = 4,056,481,920,730,334,085,039,236,471,603,200'

1" = 8,112,963,841,460,668,170,078,472,943,206,400'

1" = 16,225,927,682,921,336,340,156,945,886,412,800'

1" = 32,451,855,365,842,672,680,313,891,772,825,600'

1" = 64,903,710,731,685,345,360,627,783,545,651,200'

1" = 129,807,421,463,370,690,721,255,567,091,302,400'

1" = 259,614,842,926,741,381,442,511,134,114,604,800'

1" = 519,229,685,853,482,762,885,022,268,229,209,600'

1" = 1,038,459,367,706,965,525,770,044,536,458,419,200'

1" = 2,076,918,735,413,931,051,541,089,072,916,838,400'

1" = 4,153,837,470,827,862,103,082,178,175,836,676,800'

1" = 8,307,674,941,655,724,206,164,356,351,673,353,600'

1" = 16,615,349,883,311,448,412,328,712,702,746,707,200'

1" = 33,230,699,766,622,896,824,657,425,405,493,414,400'

1" = 66,461,399,533,245,793,649,314,850,810,986,828,800'

1" = 132,922,799,066,491,587,298,629,701,701,973,657,600'

1" = 265,845,598,132,983,174,596,459,403,403,947,315,200'

1" = 531,691,196,265,966,349,192,918,806,807,894,630,400'

1" = 1,063,382,392,531,932,698,385,837,613,615,739,260,800'

1" = 2,126,764,785,063,865,396,771,675,227,231,471,521,600'

1" = 4,253,529,570,127,730,793,543,350,454,442,943,043,200'

1" = 8,507,059,140,255,461,587,086,700,908,885,886,086,400'

1" = 17,014,118,280,510,923,174,373,401,817,771,772,172,800'

1" = 34,028,236,561,021,846,348,746,803,635,543,544,345,600'

1" = 68,056,473,122,043,692,697,493,607,271,087,088,691,200'

1" = 136,112,946,244,087,385,395,987,214,542,174,177,382,400'

1" = 272,225,888,488,174,770,791,974,429,084,348,344,764,800'

1" = 544,451,776,976,349,541,583,948,858,168,688,689,529,600'

1" = 1,088,903,553,952,699,083,167,797,716,337,377,379,159,200'

1" = 2,177,807,107,905,398,164,335,595,432,674,754,758,318,400'

1" = 4,355,614,215,810,796,328,671,170,865,349,509,516,636,800'

1" = 8,711,228,431,621,592,657,342,341,730,699,019,033,273,600'

1" = 17,422,456,843,243,185,314,684,683,461,398,038,066,547,200'

1" = 34,844,913,686,486,370,629,369,362,722,796,076,113,494,400'

1" = 69,689,827,372,972,741,258,738,725,445,592,148,226,988,800'

1" = 139,379,654,745,945,482,517,477,450,891,184,456,457,977,600'

1" = 278,759,309,491,890,965,034,954,901,781,368,912,915,955,200'

1" = 557,518,618,983,781,930,069,909,803,562,737,837,831,911,410,400'

1" = 1,115,037,237,967,563,860,139,819,607,125,475,675,663,822,820,800'

1" = 2,230,074,475,935,127,720,279,639,214,250,951,351,327,645,645,641,600'

1" = 4,460,148,951,870,255,440,559,278,428,501,902,702,655,291,291,200'

1" = 8,920,297,903,740,510,881,118,556,856,953,805,405,310,582,582,400'

1" = 17,840,595,807,481,021,763,237,113,113,711,610,820,621,165,164,800'

1" = 35,681,191,614,962,043,526,464,226,226,423,222,124,329,329,600'

1" = 71,362,383,229,924,087,052,928,452,452,446,448,248,658,659,200'

1" = 142,724,766,459,848,174,105,856,904,904,892,896,497,317,318,400'

1" = 285,449,532,919,696,348,211,712,809,809,785,792,994,634,636,800'

1" = 570,899,065,839,392,696,423,425,619,619,571,585,989,269,273,600'

1" = 1,141,798,131,678,785,392,846,851,239,239,143,177,177,547,200'

1" = 2,283,596,263,357,570,785,693,702,478,478,286,354,354,094,400'

1" = 4,567,192,526,715,141,571,387,404,956,956,572,708,708,188,800'

1" = 9,134,385,053,430,283,142,774,809,913,913,145,417,417,377,600'

1" = 18,268,770,106,860,566,285,549,617,827,827,290,834,834,755,200'

1" = 36,537,540,213,721,132,571,099,235,655,655,581,669,700,400'

1" = 73,075,080,427,442,265,143,179,471,311,311,163,339,400,800'

1" = 146,150,160,854,884,530,286,348,942,622,622,326,678,801,600'

1" = 292,300,321,709,769,060,572,697,885,245,245,653,357,603,200'

1" = 584,600,643,419,538,121,145,395,770,490,490,307,715,206,400'

1" = 1,169,201,286,839,076,242,290,791,581,980,980,615,430,412,800'

1" = 2,338,402,573,678,152,484,581,583,963,961,941,260,825,600'

1" = 4,676,805,147,356,304,969,163,167,927,923,882,521,651,200'

1" = 9,353,610,294,712,609,938,326,334,855,847,765,043,302,400'

1" = 18,707,220,589,425,219,876,652,669,711,694,530,086,604,800'

1" = 37,414,441,178,850,439,753,305,338,423,389,060,173,211,609,600'

1" = 74,828,882,357,700,879,506,610,676,846,778,120,346,423,200'

1" = 149,657,764,715,401,759,013,221,353,693,556,240,692,846,400'

1" = 299,315,529,430,803,518,026,442,707,387,112,481,385,692,800'

1" = 598,631,058,861,607,036,052,885,414,774,224,963,771,385,600'

1" = 1,197,262,117,723,214,072,105,770,829,548,448,927,542,771,200'

1" = 2,394,524,235,446,428,144,211,541,659,096,896,855,085,542,400'

1" = 4,789,048,470,892,856,288,422,283,318,193,793,710,171,085,600'

1" = 9,578,096,941,785,712,576,844,566,636,387,587,420,342,171,200'

1" = 19,156,193,883,571,425,153,689,133,272,775,174,844,684,342,400'

1" = 38,312,387,767,142,850,307,378,546,545,550,349,688,968,684,800'

1" = 76,624,775,534,285,701,614,757,093,091,100,697,377,937,369,600'

1" = 153,249,551,068,571,403,229,514,186,182,201,395,755,874,739,200'

1" = 306,499,102,137,142,806,458,028,372,364,402,791,511,749,440,400'

1" = 612,998,204,274,285,612,916,744,744,728,804,523,483,498,880,800'

1" = 1,225,996,408,548,571,225,833,489,489,457,647,946,966,977,600'

1" = 2,451,992,817,097,142,451,666,978,978,915,295,893,933,953,200'

1" = 4,903,985,634,194,284,903,333,957,831,791,787,787,906,906,400'

1" = 9,807,971,268,388,569,806,667,675,663,583,575,575,813,812,800'

1" = 19,615,942,536,777,139,613,335,351,327,167,145,145,627,625,600'

1" = 39,231,885,073,554,279,226,670,702,654,334,290,290,255,251,200'

1" = 78,463,770,147,108,558,453,341,405,308,668,580,580,510,502,400'

1" = 156,927,540,294,217,116,906,682,810,617,337,167,167,021,004,800'

1" = 313,855,080,588,434,233,813,365,621,234,274,334,334,042,009,600'

1" = 627,710,161,176,868,467,627,241,468,548,548,668,668,084,019,200'

1" = 1,255,420,322,353,736,935,254,482,937,097,097,337,337,168,038,400'

1" = 2,510,840,644,707,473,870,508,965,874,194,194,674,674,336,076,800'

1" = 5,021,681,289,414,947,741,017,931,748,388,388,134,848,672,153,600'

1" = 10,043,362,578,829,895,482,034,863,496,776,776,269,696,347,307,200'

1" = 20,086,725,157,659,790,964,068,726,993,553,553,539,392,694,614,400'

1" = 40,173,450,315,319,581,928,137,453,987,106,707,106,788,788,138,880,800'

1" = 80,346,900,630,639,163,856,274,907,974,213,413,413,577,577,277,761,600'

1" = 160,693,801,261,278,327,712,549,848,426,826,826,754,754,554,515,523,200'

1" = 321,387,602,522,556,654,425,097,696,853,653,653,509,509,109,104,440,400'

1" = 642,775,205,045,113,309,850,195,393,707,307,307,254,254,509,509,109,104,440,400'

1" = 1,285,550,410,090,226,618,700,390,786,414,614,614,509,509,109,104,440,400'

1" = 2,571,100,820,180,453,237,400,781,572,828,828,813,813,509,509,109,104,440,400'

1" = 5,142,201,640,360,906,474,801,545,145,657,657,627,627,509,509,109,104,440,400'

1" = 10,284,403,280,721,812,949,603,090,311,315,657,657,627,627,509,509,109,104,440,400'

1" = 20,568,806,561,443,625,899,206,018,622,631,315,657,657,627,627,509,509,109,104,440,400'

1" = 41,137,613,122,887,251,798,412,036,244,262,631,315,657,657,627,627,509,509,109,104,440,400'

1" = 82,275,226,245,774,503,596,824,472,488,524,262,631,315,657,657,627,627,509,509,109,104,440,400'

1" = 164,550,452,491,549,007,119,248,944,956,524,262,631,315,657,657,627,627,509,509,109,104,440,400'

1" = 329,100,904,983,098,014,238,496,909,909,524,262,631,315,657,657,627,627,509,509,109,104,440,400'

1" = 658,201,809,966,196,028,476,817,818,