

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, Pa. 18940  
[madisoncedric166@gmail.com](mailto:madisoncedric166@gmail.com)  
267-917-5854

March 3, 2023

Secretary's Bureau  
PA Public Utilities Commission  
Commonwealth Keystone Blding  
Second Floor Room N20  
400 North Street  
Harrisburg, PA 17120

DATE OF DEPOSIT

MAR - 4 2023

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

**RE: Luyando v NAWC, Docket No: F-2022-3034600, ALJ Gail Chiodo**

Dear Secretary,


I am the Complainant in the above referenced case. I am writing to update my personal contact phone number with the commission.

Please enter my new contact phone number on the record: (267) 917-5854

Additionally, I am forwarding two case related letters with attachments previously sent to ALJ, Gail Chiodo via email (one sent on February 3, 2023 and the other sent on February 15, 2023) to be formally filed and on the record with the commission.

Thank you.

Sincerely,



Ann Marie Luyando  
Enclosures (14)  
Sent via USPS CERTIFIED MAIL

Ann Marie Luyando, [Madisoncedric166@gmail.com](mailto:Madisoncedric166@gmail.com)

February 15, 2023

ALJ Chiodo, [GChiodo@pa.gov](mailto:GChiodo@pa.gov)

RE: Luyando v NAWC Docket No. F-2022-3034600

Honorable Chiodo,

DATE OF DEPOSIT

MAR - 4 2023

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU

I am in receipt of the copied email from Mr. Walsh to you dated February 13, 2023. Please see the following points not mentioned in that email:

1. NAWC filed an untimely Answer and New Matter on 1/25/23 that was several months late and is inadmissible. Respondents blame the PUC for sending the formal complaint to an out of service email but accepts no responsibility for their negligence in not providing the PUC updated and current contact information as is required and clearly indicated in the PUC documents

Nor did NAWC provide any proof of their claim that the documents were not received and there is no evidence of any attempt by the NAWC to follow up on this case whatsoever. Strict proof is demanded if relevant.

As per the Commission's rules, any documents filed in an untimely manner would not be admitted and not accepted by the Commission, the case dismissed and ruled in favor of the Complainant. No exceptions.

2. This is not the first time the company has been negligent regarding this case. Respondents conducted their smart meter upgrades in my neighborhood about two years prior to when Complainant initiated a call to the company for an entirely unrelated matter in 2022. At that time the company representative informed Complainant that the company had upgraded the neighborhood's water meters a few years earlier and that the company "missed" the upgrade at Complainant's address, and they demanded an immediate installation at the residence. Respondents were negligent in servicing the Complainants property for a water meter upgrade. Essentially, allowing an opt-out for years. During this time there were no issues with NAWC reading the analog meter and collecting the data needed to fulfill their service obligations, which proves Respondents cannot tell the difference between the information provided from an analog meter as opposed to a SMART meter, and the analog meter does not hinder the company in any way. Respondents were not compliant with PA code that requires timely meter upgrades, about two years prior, due to their own negligence. Strict evidence of when the neighborhood upgrade was made is demanded of Respondent
3. A hard copy of the filing was received by Complainant several days after the emailed version and attachments was sent to your Honor and the same "accommodation offer" briefly described in the cover sheet was not included in the emailed copies sent to either recipient. The brief cover letter was only included with the delayed correspondence sent to Complainant and was almost missed. The new "offer" rescinded previously offered manual readings by the Complainant and new charges not stipulated in the earlier offer. This conduct is not conducive of a company seeking to provide an acceptable

accommodation, but rather one who is adamantly seeking to further sabotage Complainant's efforts in pursuing an accommodation request to protect her own health

These actions further confirm that the initial offer was made in bad faith and was an accommodation in appearance only. The Respondents only made this "offer" after a letter was sent to the PUC attorney (please see enclosed documents) asking the same because the company continued to deny Complainant's repeated requests, even during the PUC investigation. They only made this "offer" at the time the investigation was complete.

At that time, I called and spoke with Mr. Angove for details and clarification, asking for specific information. He informed me that RF Radiation would still be present in the proposed smart meter and said he would send the requested specs and details to me via email. After repeated requests I finally received only "data" sheets of the iPerl smart meter, but not anything about the additional component as requested. To this date I have still not received any detailed specs on these two devices. Nor have I yet received any answers to my questions and concerns. This poor conduct and lack of cooperation does not represent an earnest effort to make any accommodation available to the Complainant.

4. On 2/6/23 Complainant emailed a status letter to your Honor as requested and copied Mr. Walsh on the same email. However, the email did not go through so the Complainant resent the email to both parties on the following day, as soon as she saw the email notice. (See enclosed)

At this time, I regret to inform you that the Respondents have not complied with your Prehearing Order in a timely manner nor offered an accommodation in good faith, have not been compliant with PUC regulation and applicable state and federal laws, continue to insult the integrity of these proceedings, sabotaging the Commission's efforts as well as the Complainants, and wasting everyone's time no avail. Respondents still refuse to even answer questions and concerns clearly outlined in my last email.

The PUC exists as a regulatory body to enforce compliance of regulations and law by the utility company, and I respectfully propose the PUC dismiss this case with prejudice, and in favor of the Complainant by honoring an accommodation of an analog meter installed in her home. And furthermore, order Respondents to pay fines for violations, accordingly. This action by the PUC would be appropriate considering all the foregoing facts.

Respectfully,

*Ann Marie Luyando*  
*Ann Marie Luyando*  
Ann Marie Luyando, Complainant

Mon, Apr 18, 2022 3:28 pm

**Richard Pierone** (richard.pierone@newtownwater.com) To: you + 3 more Details  
Ann,

I understand that your meter may not be leaking. However, your meter is 32 years old. It is well overdue to be replaced. We are also currently in the process of replacing all of our meters to achieve 100% radio reads, not just yours.

Regarding your medical request I deferred to the PUC's decision regarding this matter. If the PUC grants a medical accommodation we will abide by it.

Thanks,  
Rich Pierone

Richard Pierone  
Assistant General Manager | Newtown Artesian Water Company  
201 N. Lincoln Ave  
Newtown, PA 18940  
(215) 968-6781 | [Richard.Pierone@newtownwater.com](mailto:Richard.Pierone@newtownwater.com)

**From:** [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com) <[lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)>  
**Sent:** Monday, April 18, 2022 2:47 PM  
**To:** Richard Pierone <[richard.pierone@newtownwater.com](mailto:richard.pierone@newtownwater.com)>  
**Subject:** Re: RF information

Dear Rich,

I am writing to you as a follow up on our phone conversation earlier today since there seems to be some confusion regarding the water meter.

As discussed, the system is not leaking at this time. I called the plumber over a month ago because I thought it might be leaking slightly. He came to my house at that time and addressed the situation. Since then the slow dripping has stopped. He called me last week out of the blue proposing only to change the turn knob (that I had loosened by accident with the laundry basket), to a lever switch that would eliminate loosening the knob by accident in the future.

He told me that he needed to call the water company to turn off the water while he installed the new switch. That was why he called your office. You said that I needed to replace the meter to stop a leak, however, at no time did the plumber diagnose needing a new meter nor did he mention installing one. Only that he wanted to change the switch to prevent further loosening of the knob by accident.

Since then I spoke with you because you continue to instruct your staff to call to install a new meter even though this one is in good working order and I informed you that there is no leak. You insist that a new meter is necessary for accurate readings even though this one has been consistently accurate and is presenting no problems with readings or service.

I requested to exercise my opt-out option previously and you informed me that you do not offer consumers an opt-out option. I explained that I cannot have the new SMART meter or any meter

that emits radio waves as we discussed due to medical reasons. To honor your request, I requested that you replace the meter with the same type of meter. A brand new meter of the same type would be accurate and not pose a medical threat to me. My medical accommodation request was very reasonable and yet you denied it.

You explained that you do not have any further details to share with me on this regard and have referred me to the PUC. Therefore, I will contact them and will take it from there.

Thank you.

Sincerely,  
Ann Marie Luyando  
[Lilpetuniaaml@aol.com](mailto:Lilpetuniaaml@aol.com)

-----Original Message-----

From: Richard Pierone <[richard.pierone@newtownwater.com](mailto:richard.pierone@newtownwater.com)>  
To: [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com) <[lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)>  
Cc: Alexis Mitchell <[alexis.mitchell@newtownwater.com](mailto:alexis.mitchell@newtownwater.com)>; Tracey Gallo <[tracey.gallo@newtownwater.com](mailto:tracey.gallo@newtownwater.com)>; Dan Angove <[dan.angove@newtownwater.com](mailto:dan.angove@newtownwater.com)>  
Sent: Mon, Apr 18, 2022 11:51 am  
Subject: RE: RF information

Good Morning Ann,

It is my understanding that your plumber called us because your meter was leaking. Now that we are aware of a leaking meter we cannot ignore this and we need to address it. Please contact us so we can set up an appointment.

I would also like to point out that it is in our Tariff that we must be provided access to our equipment when necessary(<https://newtownwater.com/>). As well as the Pennsylvania Public Utility Commission (PUC) allowing us the right to access our equipment. See below:  
"Per 52 Pa. Code §56.81. Authorized termination of service. A public utility may notify a customer and terminate service provided to a customer after notice as provided in §§56.91—56.100 (relating to notice procedures prior to termination) for any of the following actions by the customer: (3) **Failure to permit access to meters, service connections or other property of the public utility for the purpose of replacement, maintenance, repair or meter reading.**"

I would advise you to contact the PUC if you do not agree.

Thanks,  
Rich Pierone

Richard Pierone  
Assistant General Manager | Newtown Artesian Water Company  
201 N. Lincoln Ave  
Newtown, PA 18940  
(215) 968-6781 | [Richard.Pierone@newtownwater.com](mailto:Richard.Pierone@newtownwater.com)

From: Richard Pierone  
Sent: Wednesday, April 13, 2022 8:56 AM  
To: [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)  
Cc: Alexis Mitchell <[alexis.mitchell@newtownwater.com](mailto:alexis.mitchell@newtownwater.com)>; Tracey Gallo <[tracey.gallo@newtownwater.com](mailto:tracey.gallo@newtownwater.com)>  
Subject: RE: RF information

Good Morning Ann,

We do not offer an opt-out option for the replacement of meters with radio reads. Please understand that the RF devices are regulated by the FCC for your safety.

Because your meter is leaking we will need to access it as soon as possible to prevent further damage. Please call and set up an appointment at your earliest convenience.

Thanks,  
Rich Pierone

Richard Pierone  
Assistant General Manager | Newtown Artesian Water Company  
201 N. Lincoln Ave  
Newtown, PA 18940  
(215) 968-6781 | [Richard.Pierone@newtownwater.com](mailto:Richard.Pierone@newtownwater.com)

**From:** [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com) <[lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)>  
**Sent:** Tuesday, April 12, 2022 6:18 PM  
**To:** Richard Pierone <[richard.pierone@newtownwater.com](mailto:richard.pierone@newtownwater.com)>  
**Cc:** [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)  
**Subject:** Re: RF information

Dear Richard,

It was a pleasure speaking with you earlier today. Thank you for your email and information.

I called you back earlier today but reached your answering service as it was after hours. Please be advised that I have canceled my appointment with your technician that was scheduled for tomorrow, Wednesday, April 13, 2022, between 1:30 - 2:30 pm.

I would like to exercise my opt-out option concerning the installment of the new smart meters we discussed.

Thank you. Have a great day.

Sincerely,  
Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940  
[Lilpetuniaaml@aol.com](mailto:Lilpetuniaaml@aol.com)

-----Original Message-----

**From:** Richard Pierone <[richard.pierone@newtownwater.com](mailto:richard.pierone@newtownwater.com)>  
**To:** [lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com) <[lilpetuniaaml@aol.com](mailto:lilpetuniaaml@aol.com)>  
**Cc:** Tracey Gallo <[tracey.gallo@newtownwater.com](mailto:tracey.gallo@newtownwater.com)>; Alexis Mitchell <[alexis.mitchell@newtownwater.com](mailto:alexis.mitchell@newtownwater.com)>  
**Sent:** Tue, Apr 12, 2022 3:33 pm  
**Subject:** RF information  
Please see the attached information regarding "smart meters".

The RF device we will install on your property complies with FCC rules. It is also not actively sending out a radio signal until we read the meter, which happens once every three months.

If you need any other information please let me know.

Thanks,  
Rich Pierone

**Richard Pierone**  
Assistant General Manager | Newtown Artesian Water Company  
201 N. Lincoln Ave  
Newtown, PA 18940  
(215) 968-6781 | [Richard.Pierone@newtownwater.com](mailto:Richard.Pierone@newtownwater.com)

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940

May 13, 2022

Richard Pierone, General Manager  
Newtown Artesian Water Company  
201 N. Lincoln Avenue  
Newtown, PA 18940  
(215) 968-6781

RE: Disability Accommodation Request

Dear Rich,

I am writing to request that you please allow a disability accommodation for a water meter replacement at my home address that does not emit any electromagnetic frequencies (LEF or EMF), such as the SMART meter or other. Please install the same type of meter as the existing one. Another feasible option is to not replace the existing meter at all, as this meter is not presenting any problems with accuracy or service.

As per your instructions I initially contacted PUC with regard to my disability accommodation request. The PUC investigator has since contacted me and asked me to attach my doctor's medical letter to my request and has instructed me to forward the request again to your attention at the water company. Enclosed please find my medical letter.

Please let me know if at this time the Newtown Artesian Water Company is still denying my disability accommodation request. A written response is requested from you within 10 days of receipt of this letter.

Thank you.

Sincerely,



Ann Marie Luyando  
Enclosure, aml

cc: Public Utility Commission (PUC)



# The Institute for Respiratory and Sleep Medicine

---

05/10/22

AnnMarie Luyando  
DOB 01/25/1965

To whom it may concern:

This patient has a complex medical history which has resulted in disability. Underlying problems include systemic lupus erythematosus, postural orthostatic hypotension syndrome (POTS), chronic migraines, and cardiac dysrhythmia. She has exhibited hypersensitivity to microwave and electromagnetic radiation. She has been advised that the utility company is planning on converting her house to a "smart water meter" which may have the potential to adversely affect her health. I would respectfully request for appropriate accommodations so as to minimize the potential for health risk in this patient. Chronic exposure to electromagnetic magnetic frequencies is likely to exacerbate her health conditions.

Sincerely,

Peter C Serpico, DO, FACOI

---

1000 Floral Vale Blvd  
Suite 125  
Yardley, PA 19067  
P: (267) 759-6300  
F: (215) 757-0604

Howard J. Lee, MD | Richard D. Shusterman, MD  
Bruce D. Dershaw, MD | Peter C. Serpico, DO  
Rudolf Khusid, MD | Thomas Dames, DO  
Mitchell D. Jacobs, MD | Mark Benjamin, MD

2630 Holme Ave  
Suite 104  
Philadelphia, PA 19152  
P: (215) 332-9095  
F: (215) 333-8903

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940  
Lilpetuniaaml@aol.com  
267-912-7579

June 3, 2022

Matthew Homsher  
PA Public Utilities Commission  
400 North Street  
Harrisburg, PA 17120-0211  
mahomsher@pa.gov  
717-787-3988

RE: Disability Accommodation Request - PUC Case Number: 3835445

Dear Matthew,


On April 18, 2022 I submitted a reasonable disability accommodation request with the Newtown Artesian Water Company who directed me to the Public Utilities Commission (PUC). Therefore, on May 2, 2022, I filed an informal complaint with the PUC.

On Tuesday, May 31, 2022, the PUC Investigator, Todd Burns, informed me that the water company was granting my request. However, when I inquired about specific details of the proposed meter I was given unclear information that did not put my medical concerns to rest.

Because of my ongoing health concerns, I would appreciate a call back from someone who could address these concerns and provide the requested information. Otherwise, I am concerned that my rights under the PA Human Relations Act are being violated. Please contact me so that we may resolve this case as soon as possible.

Thank you.

Sincerely,



Ann Marie Luyando  
Enclosures

# Letter from Ann Luyando RE: F-2022-3034600

Inbox

**A**

**Ann**

Mon, Feb 6, 12:50 PM (8 days ago)

**Marie <madisoncedric166@gmail.com>**

to Gail. twalsh. bcc: lilpetuniaaml

Honorable Chiodo,

Good afternoon. Attached please find two documents with regard to case status and request.

As a courtesy, I have cc Mr. Walsh.

Thank you.

Best,

Ann Marie Luyando

Complainant

[madisoncedric166@gmail.com](mailto:madisoncedric166@gmail.com)

**2 Attachments** • Scanned by Gmail

**Mail Delivery Subsystem <mailer-daemon@googlemail.com>**

Mon, Feb 6, 12:50 PM (8 days ago)

to me

## **Address not found**

Your message wasn't delivered to [twalsh@twalshlaw.co](mailto:twalsh@twalshlaw.co) because the domain [twalshlaw.co](http://twalshlaw.co) couldn't be found. Check for typos or unnecessary spaces and try again.

[LEARN MORE](#)

The response was:

DNS Error: DNS type 'mx' lookup of [twalshlaw.co](#) responded with code NXDOMAIN  
Domain name not found: [twalshlaw.co](#) Learn more  
at <https://support.google.com/mail/?p=BadRcptDomain>

----- Forwarded message -----

From: Ann Marie <[madisoncedric166@gmail.com](mailto:madisoncedric166@gmail.com)>  
To: "Chiodo, Gail" <[gchiodo@pa.gov](mailto:gchiodo@pa.gov)>  
Cc: [twalsh@twalshlaw.co](mailto:twalsh@twalshlaw.co)  
Bcc:  
Date: Mon, 6 Feb 2023 12:50:24 -0500  
Subject: Letter from Ann Luyando RE: F-2022-3034600  
----- Message truncated -----

**Ann Marie** <[madisoncedric166@gmail.com](mailto:madisoncedric166@gmail.com)>  
to Gail, twalsh, bcc: lilpetuniaam!

Feb 7, 2023, 12:50 PM (7 days ago)

Resending as email was not delivered yesterday to Mr. Walsh.

Thanks.

Ann Marie Luyando  
Complainant  
[madisoncedric166@gmail.com](mailto:madisoncedric166@gmail.com)

2 Attachments • Scanned by Gmail

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940  
madisoncedric166@gmail.com

February 3, 2023

PUC ALJ Chiodo  
gchiodo@pa.gov

**RE: Luyando v Newtown Artesian Water Company  
PA PUC – Formal Complaint, Docket No. F-2022-3034600**

Honorable Chiodo,

As per your Preliminary Hearing order on Jan. 12, 2023, Respondents were ordered to reach out to Complainant within 30 days to offer a reasonable accommodation that both parties could agree to. This has not transpired.

Instead, Respondents submitted the Answer to Complaint even though it was several months beyond the normal legal time requirement to do so. For the record, I object to this untimely submission of the Answer.

Respondents forwarded a hard copy of the Answer to Complainant's home address via US Postal Service and it was just received on Friday, February 3, 2023. In this mailing Respondents included a brief cover sheet where they claim to be offering an "accommodation" of a previously rejected smart meter installation. (Please see attached). To be clear, Respondents are offering the same smart meter install for a third time. Previously, the "accommodation" included the Radio Frequency Radiation transmitting part turned on at the water company's discretion. Now, the "offer" is a smart install with the Radio Frequency Radiation-transmitting device described as "unattached" and "absent."

They also rescind their offer for Complainant to personally report meter readings. Instead they propose a company employee come to my residence to take the reading and state that this would incur additional costs to the Complainant.

Complainant is still not in receipt of requested specs of the smart meter and all RFR-emitting equipment. The letter does not provide any pertinent details and I have questions that need to be answered before I can consider this option. I am greatly concerned about the adverse effects of this technology on my already weakened body and want to prevent the further decline of my health especially since I have electromagnetic sensitivity. I have asked these questions to no avail and kindly ask the judge to intervene and order the utility to provide answers, and to forward spec sheets on the proposed meter and parts so this matter can be resolved as efficiently as possible.

- Would the proposed smart meter install physically include the RFR-transmitting part, or would that part be “absent” and not physically in my home at any time?
- If turned off, would the company still be able to turn on the Radio Frequency Radiation-emitting device at any time either in person or remotely?
- Would the installed meter and equipment still have wireless or power line data transmission capabilities?
- Would the installed meter and equipment still have wireless or power line reception capabilities?
- Would the installed meter be attached to the wiring of Complainants residence and if so, would the meter and equipment contain surge protection?
- Would the company employee be required to make readings at Complainants home from outside the residence, or does the company demand access into the home every month for a meter usage reading?
- What is the cost for these monthly employee readings at Complainant’s residence? Are there any other costs to be passed on to the Complainant?
- How much does the proposed smart meter and equipment cost?
- Who is responsible to pay for the smart meter and equipment the company proposes to install in the Complainant’s residence?

Furthermore, if your Honor accepts the delinquent Answer from Respondents then Complainant respectfully requests 30 days to prepare and submit a Rebuttal Response.

Thank you.

Respectfully,



Ann Marie Luyando  
Complainant  
Enclosure

3655 Route 202  
Suite 105  
Doylestown, PA 18902

# Thomas J. Walsh III & Associates, P.C.



Phone: 267.247.5024  
Fax: 267.247.5668  
Email: [twalsh@twalshlaw.com](mailto:twalsh@twalshlaw.com)

January 25, 2023

**Via Regular Mail Only**

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940

**Re: Luyando v. Newtown Artesian Water Company  
Pennsylvania Public Utility Commission – Formal Complaint  
Docket No. F-2022-3034600**


Dear Ms. Luyando:

For service upon you, enclosed please find the Answer and New Matter of Newtown Artesian Water Company (the "Company") filed on January 25, 2023, in the above-referenced matter.

Also, please allow this letter to confirm that the Company renews its offer to install the iPERL meter at your residence as a replacement for your existing 32 year old meter. The Company offers to not attach the radio transmitting device (the SmartPoint module) to the meter. However, the Company can no longer offer you the option that you personally report your meter reading to the Company on a monthly basis. That method is not operable.

Instead, a Company employee will need to manually come to your residence to take the reading. This will incur additional monthly costs strictly related to reading your meter. You will be responsible for these costs.

Should you have any questions or wish to discuss this matter further, please feel free to contact.

Very truly yours,  
  
Thomas J. Walsh III

TJW/  
Enclosure  
cc: Dan Angove, General Manager (w/ enc.)

Ann Marie Luyando  
4 Magnolia Drive  
Newtown, PA 18940

March 3, 2023

**VIA REGULAR MAIL ONLY**


Thomas J. Walsh & Assoc.  
3655 Route 202  
Suite 105  
Doylestown, PA 18902

**RE: Luyando v Newtown Artesian Water Company  
PA Public Utility Company - Formal Complaint  
Docket No. F-2022-3034600, ALJ Gail Chiodo**

Dear Mr. Walsh,

For service upon you, please see the enclosed updated contact information for Complainant, and letters, filed on March 3, 2023, in the above referenced matter.

Sincerely,



Ann Marie Luyando, Complainant  
Enclosure

**DATE OF DEPOSIT**

**MAR - 4 2023**


PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU



7022 3330 0000 4662 3904



RDC 99



17120

U.S. POSTAGE  
FCM LG ENV  
NEWTOWN, PA  
18940  
MAR 04 23  
AMOUNT

**\$6.37**

R2304H108871-



Ms. Ann M. Luyando  
4 Magnolia Dr  
Newtown, PA 18940

Secretary's Bureau  
PA Public Utilities Commission  
Keystone Building 2<sup>nd</sup> flr Room N20  
400 North Street  
Harrisburg, PA. 17120

**RECEIVED**

MAR 07 2023

PA PUBLIC UTILITY COMMISSION  
SECRETARY'S BUREAU