



Tamara Kelly, Esq.

UGI Corporation
500 North Gulph Road
King of Prussia, PA 19406

Telephone: (610) 768-3628
Email: kellyt@ugicorp.com

August 6, 2024

VIA E-FILING

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120


Re: Application of UGI Utilities, Inc. for the Approval of the Alteration of DOT Grade Rail Crossing No. 518165H by the Installation of an eight-inch (8") PE Gas Line in existing twelve-inch (12") Steel Casing under The Tracks of the National Railroad Passenger Corporation (Amtrak), Where the Tracks Cross Greenfield Road, T-549, Above Grade in East Lampeter Township, Lancaster County, Pennsylvania, **Docket No. A-2024-**

Dear Secretary Chiavetta:

Enclosed for filing, please find the above-captioned application of UGI Utilities, Inc. – Gas Division (“UGI” or “Applicant”). In accordance with Pennsylvania Public Utility Commission (“PUC” or “Commission”) policy concerning rail highway crossings, there is no filing fee required for this application. Copies of this application have been filed upon the persons indicated on the attached Certificate of Service.

Should you have any questions concerning this application, please feel free to contact me.

Very truly yours,

DocuSigned by:

07B4DCF508DC488...

Tamara Kelly
Counsel for UGI Utilities, Inc. – Gas
Division

Enclosure: Certificate of Service

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Application of UGI Utilities, Inc. for the :
Approval of the Alteration of DOT Grade :
Rail Crossing No. 518165H by the :
Installation of an eight-inch (8”) PE Gas Line :
in existing twelve-inch (12”) Steel Casing :
under The Tracks of the National Railroad : Docket No. A -
Passenger Corporation (Amtrak), Where the :
Tracks Cross Greenfield Road, T-549, Above :
Grade in East Lampeter Township, Lancaster :
County, Pennsylvania :

To the Pennsylvania Public Utility Commission:

1. The name and address of Applicant are:

UGI Utilities, Inc. – Gas Division
1 UGI Drive
Denver, PA 17517

2. The name and address of Applicant’s attorney is:

Tamara Kelly
(Attorney I.D. 316360)
500 North Gulph Road
King of Prussia, PA 19406
kellyt@ugicorp.com
Office: (610) 768-3628

3. UGI is a public utility that provides gas service to approximately 677,000 retail customers located in portions of 46 eastern and central Pennsylvania counties.

4. Applicant desires to direct bury approximately one hundred feet (100’) of eight-inch (8”) PE gas main and insert approximately one hundred fifteen feet (115’) of eight-inch (8”) PE gas main in existing twelve-inch (12”) Steel Casing within the public right of way in the Township of East Lampeter as shown on Exhibit A hereto. The direct bury and insertion of eight-inch (8”) PE gas main will require surface excavation within the right-of-way of the railroad.

5. Lancaster City Water Bureau, East Lampeter Township Sewer Authority and UGI Utilities currently have underground facilities in the vicinity of the crossing. Governmental entities, corporations or property owners potentially concerned in or affected by the proposed crossing are:

<p>Amtrak Moises P. Young, Real Estate Development Manager – Utility Occupancies 30th Street Station Box 64 2955 Market Street Philadelphia, PA 19104 moises.young@amtrak.com</p>	<p>Comcast Communications, Inc. 4601 Smith Street Building A Harrisburg, PA 17109 GREGORY_RICHMOND@CABLE.COM CAST.COM</p>
<p>Verizon Pennsylvania LLC Tricia Jacobs 15 East Montgomery Place, 2nd Floor Pittsburgh, PA 15212 Tricia.l.jacobs@verizon.com</p>	<p>AT&T Louis Marello 50 Patricia Drive Flanders, NJ 07836 lmarello@att.com</p>
<p>TREC Group Jay Everly, Project Manager, AT&T 900 Old Marple Road Springfield, PA 19064 jay@trecgroup.com</p>	<p>East Lampeter Township Sewer Authority Charles Thomas 2250 Old Philadelphia Pike Lancaster, PA 17602 cthomas@eastlampetertownship.org</p>
<p>PPL Electric Utilities Corporation Charlotte Krupa 2 North Ninth Street Allentown, PA 18101-1179 cakrupa@pplweb.com</p>	<p>Lancaster City Water Bureau Benjamin Perwien 120 North Duke Street P.O. Box 1599 Lancaster, PA 17608 bperwien@cityoflancasterpa.gov</p>
<p>Pennsylvania Public Utility Commission Rodney D. Bender, P.E. Manager, Rail Safety Division Bureau of Transportation & Safety Pennsylvania Public Utility Commission P.O. Box 3265 Harrisburg, PA 17120 rodbender@pa.gov</p>	<p>East Lampeter Township Ralph Hutchison, Township Manager 2250 Old Philadelphia Pike Lancaster, PA 17602 rhutchison@eastlampetertownship.org</p>
<p>Pennsylvania Department of Transportation Karen Cummings, Senior Counsel Pennsylvania Department of Transportation Office of Chief Counsel, 9th Floor P.O. Box 8212 Harrisburg, PA 17105-8212 kcummings@pa.gov</p>	<p>County of Lancaster Commissioners Office Lawrence George 150 N. Queen St Seventh Floor, Suite 715 Lancaster, PA 17603 georgel@lancastercountypa.gov</p>
<p>Pennsylvania Department of Transportation Dan Leonard Chief ROW Utility Division P.O. Box 3362 Harrisburg, PA 17105-3362 danleonard@pa.gov</p>	<p>PennDOT Engineering District 8 Christine Norris, P.E. 2140 Herr St Harrisburg, PA 17103-1699 chnorris@pa.gov</p>

6. Applicant has not had to acquire property to make the installation of the proposed gas line possible.
7. Applicant agrees to bear all the costs incurred in furnishing material and performing the work necessary to install and thereafter maintain the proposed gas line. The proposed cost of this project is \$290,297.
8. Applicant avers that this crossing alteration is necessary and proper since the proposed pipeline is required to re-establish a redundant feed to the existing distribution system to improve system pressures following the emergency retirement of the older pipeline within this right-of-way, which is the subject of Commission Docket No. A-2024-3050340.
9. Applicant intends that work on this project will begin by September 16, 2024 and with an anticipated end date of December 31, 2024.

WHEREFORE, UGI requests respectfully that the Commission approve this application.

Respectfully submitted,




DocuSigned by:

07B4DCF508DC488...

Tamara Kelly
Counsel for UGI Utilities, Inc. – Gas
Division

Dated: August 6, 2024


EXHIBIT A



LEGEND AND SYMBOLS



EXISTING	ITEM
---	PROPERTY LINE
---	ROADWAY
---	APPROXIMATE RIGHT OF WAY
---	EDGE OF ROAD
---	MAJOR CONTOUR
---	MINOR CONTOUR
---	STORM PIPE
---	STREAM
---	WETLAND
---	SOILS LINE/LABEL
---	WATER WELL
---	FLOODWAY
---	FLOOD PLAIN
---	STORM INLET
---	GAS LINE WITH VALVE
---	ELECTRICAL OVERHEAD
---	ELECTRIC UNDERGROUND
---	WATER LINE WITH VALVE
---	SANITARY LINE
---	UTILITY MANHOLE
---	EXCAVATION AREA

- GENERAL NOTES:**
1. THE PERMITTEE MUST CONTACT THE PENNSYLVANIA ONE-CALL NUMBER AT 1-800-342-1776 THREE WORKING DAYS PRIOR TO THE START OF WORK TO HAVE ALL UTILITIES MARKED IN THE AREA.
 2. CONTRACTOR SHALL FOLLOW ALL REQUIREMENTS OF NORFOLK SOUTHERN'S NSCE-8 SPECIFICATIONS LATEST EDITION.
 3. PIPELINE AND CROSSING TO BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH LAST APPROVED AMERICAN RAILWAY ENGINEERING AND MAINTENANCE OF WAY ASSOCIATION SPECIFICATIONS FOR PIPELINES CONVEYING FLAMMABLE AND NON-FLAMMABLE SUBSTANCE.
 4. BLASTING NOT PERMITTED.
 5. CATHODIC PROTECTION SHALL BE PROVIDED PER INDUSTRY STANDARDS.



- NOTES:**
1. BOTH END OF THE CASING SHALL BE CAPPED WITH CCI PIPING SYSTEMS MODEL ESW (WRAP-AROUND NEOPREND RUBBER END SEAL) (OR APPROVED EQUAL).
 2. THE CASING PIPE SHALL BE VENTED AT THE HIGH SIDE END. THAT CASING VENT DISCHARGE LINE SHALL BE ROUTED.
 3. BOTH ENDS OF THE CASING SHALL USE A CCI PIPING SYSTEMS POLYETHYLENE CASING SPACERS (OR APPROVED EQUAL) TO CENTER THE CARRIER PIPE INSIDE THE CASING PIPE.

DETAIL 1.1



DETAIL 1.2

UGI Utilities, Inc.
262 Conestoga Street
Lancaster, PA 17603

811 Know what's below. Call before you dig.
FINAL DESIGN TICKETS
20241561773
20241561774

BASE PREPARED BY:
BORTON & LAWSON
a verdentec company

UGI CONTACT INFORMATION:
PROJECT OWNER:
CHRIS JAPCHEN
484-256-9877
PROJECT MANAGER:
N/A

06/19/2024
REGISTERED PROFESSIONAL ENGINEER
MATTHEW THOMAS NEUMAN
NO. PE079987

**GREENFIELD RD BRIDGE
GAS MAIN
EAST LAMPETER TOWNSHIP
LANCASTER COUNTY, PA**

SIZE	MATERIAL	METHOD	WORK REQUEST NO.	SAP ERP NO.
8"	PE	INSERT	726477	1003067653
8"	PE	DB	727895	1003090911


RR-1
RAILROAD 1
Sheet 5 of 7

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Application of UGI Utilities, Inc. for the :
Approval of the Alteration of DOT Grade :
Rail Crossing No. 518165H by the :
Installation of an eight-inch (8") PE Gas Line :
in existing twelve-inch (12") Steel Casing :
under The Tracks of the National Railroad : Docket No. A-2024-
Passenger Corporation (Amtrak), Where the :
Tracks Cross Greenfield Road, T-549, Above :
Grade in East Lampeter Township, Lancaster :
County, Pennsylvania :

VERIFICATION

I, Geoffrey Ferguson, Sr. Manager - Area Engineering for UGI Utilities, Inc. hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at a hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. §4904 (relating to unsworn falsification to authorities).

DocuSigned by:

0AA3C2A337D04F...

Geoffrey Ferguson
Date: August 6, 2024

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Application of UGI Utilities, Inc. for the :
 Approval of the Alteration of DOT Grade :
 Rail Crossing No. 518165H by the :
 Installation of an eight-inch (8”) PE Gas Line :
 in existing twelve-inch (12”) Steel Casing :
 under The Tracks of the National Railroad : Docket No. A-2024-
 Passenger Corporation (Amtrak), Where the :
 Tracks Cross Greenfield Road, T-549, Above :
 Grade in East Lampeter Township, Lancaster :
 County, Pennsylvania :

CERTIFICATE OF SERVICE

I hereby certify that I have, this 6th day of August, 2024, served a true and correct copy of the foregoing document in the manner and upon the persons listed below in accordance with requirements of 52 Pa. Code §1.54 (relating to service by a participant):

VIA FIRST CLASS MAIL:

Amtrak Moises P. Young, Real Estate Development Manager – Utility Occupancies 30th Street Station Box 64 2955 Market Street Philadelphia, PA 19104 moises.young@amtrak.com	Comcast Communications, Inc. 4601 Smith Street Building A Harrisburg, PA 17109 GREGORY_RICHMOND@CABLE.COM CAST.COM
Verizon Pennsylvania LLC Tricia Jacobs 15 East Montgomery Place, 2 nd Floor Pittsburgh, PA 15212 Tricia.l.jacobs@verizon.com	AT&T Louis Marelo 50 Patricia Drive Flanders, NJ 07836 lmarelo@att.com
TREC Group Jay Everly, Project Manager, AT&T 900 Old Marple Road Springfield, PA 19064 jay@trecgroup.com	East Lampeter Township Sewer Authority Charles Thomas 2250 Old Philadelphia Pike Lancaster, PA 17602 cthomas@eastlampetertownship.org

<p>PPL Electric Utilities Corporation Charlotte Krupa 2 North Ninth Street Allentown, PA 18101-1179 cakrupa@pplweb.com</p>	<p>Lancaster City Water Bureau Benjamin Perwien 120 North Duke Street P.O. Box 1599 Lancaster, PA 17608 bperwien@cityoflancasterpa.gov</p>
<p>Pennsylvania Public Utility Commission Rodney D. Bender, P.E. Manager, Rail Safety Division Bureau of Transportation & Safety Pennsylvania Public Utility Commission P.O. Box 3265 Harrisburg, PA 17120 rodbender@pa.gov</p>	<p>East Lampeter Township Ralph Hutchison, Township Manager 2250 Old Philadelphia Pike Lancaster, PA 17602 rhutchison@eastlampetertownship.org</p>
<p>Pennsylvania Department of Transportation Karen Cummings, Senior Counsel Pennsylvania Department of Transportation Office of Chief Counsel, 9th Floor P.O. Box 8212 Harrisburg, PA 17105-8212 kcummings@pa.gov</p>	<p>County of Lancaster Commissioners Office Lawrence George 150 N. Queen St Seventh Floor, Suite 715 Lancaster, PA 17603 georgel@lancastercountypa.gov</p>
<p>Pennsylvania Department of Transportation Dan Leonard Chief ROW Utility Division P.O. Box 3362 Harrisburg, PA 17105-3362 danleonard@pa.gov</p>	<p>PennDOT Engineering District 8 Christine Norris, P.E. 2140 Herr St Harrisburg, PA 17103-1699 chnorris@pa.gov</p>

DocuSigned by:

 07B4DCF508DC488...

Tamara Kelly