

OK. I received them now.

Thank you!



www.puc.pa.gov



Eranda Vero

Administrative Law Judge
Philadelphia

Phone: 215-560-2105

Email: evero@pa.gov

Consumer Hotline:

1-800-692-7380

PRIVILEGE AND CONFIDENTIALITY NOTICE: This email, including any attachments, may be privileged, confidential, proprietary and/or otherwise protected from disclosure, and is intended only for the use of the designated recipient(s). Any dissemination, disclosure, distribution, copying or other use of this communication without the approval of the sender is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify the sender, delete the original electronic email and destroy any printed copies. Receipt by anyone other than the intended recipient is not a waiver of any attorney-client or work-product privilege. Email transmission cannot be guaranteed to be secure or error-free, therefore sender does not accept liability for any errors or omissions in the contents of this message, which arise as a result of email transmission.

From: Mom Pamela Brown <pbrown1102@gmail.com>

Sent: Monday, September 16, 2024 4:05 PM

To: Vero, Eranda <evero@pa.gov>; Khadijah.Scott@exeloncorp.com

Subject: [External] Pamela Burton v. PECO Energy Company Docket No. C-2024-3046450

ATTENTION: *This email message is from an external sender. Do not open links or attachments from unknown senders. To report suspicious email, use the [Report Phishing button in Outlook](#).*

[Download full resolution images](#)

[Available until Oct 16, 2024](#)

7:04



Home

February 27, 2021 1:32 PM



LIVE

From Dionysius >



Save Shared Photo













Sinking

Monday · Oct 18, 2021 · 8:15 AM Adjust

IMG_0519

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 3.3 MB

ISO 40 | 28 mm | 0 ev | f1.8 | 1/30 s

Drexel Hill - Addinoham Adjust

Share Heart Info Delete



Relocation 1 sinking 3 days

Monday · Oct 18, 2021 · 8:15 AM Adjust

IMG_0518

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 3.1 MB

ISO 50 | 28 mm | 0 ev | f1.8 | 1/15 s

Drexel Hill - Addingham Adjust

Share Favorite Info Delete



Relocation 1 sinking

Monday · Oct 18, 2021 · 8:15 AM Adjust

IMG_0518

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 3.1 MB

ISO 50 | 28 mm | 0 ev | f1.8 | 1/15 s

Drexel Hill - Addinoham Adjust

Share Favorite Info Delete



Exhibit 1/70 Drive Access Point 1 from street dig







Exhibit 1/70 Drive Access Point 1 from street dig





Sinking and new location (not courtesy) purjury

Wednesday · Dec 1, 2021 · 7:56 AM

[Adjust](#)

IMG_0632


Apple iPhone X

HEIF

Wide Camera — 28 mm f1.8

12 MP · 4032 × 3024 · 3 MB

ISO 50 | 28 mm | 0 ev | f1.8 | 1/120 s



[Drexel Hill - Addinham](#)

[Adjust](#)





Sinking and new location (not courtesy)

Wednesday · Dec 1, 2021 · 7:56 AM Adjust

📎 IMG_0632

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 3 MB

ISO 50 | 28 mm | 0 ev | f1.8 | 1/120 s

Drexel Hill - Addinham > Adjust

[📎](#) [❤️](#) [ℹ️](#) [🗑️](#)



Sinking and new location (not courtesy)

Wednesday · Dec 1, 2021 · 7:56 AM Adjust

📎 IMG_0632

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 3 MB

ISO 50 | 28 mm | 0 ev | f1.8 | 1/120 s

Drexel Hill - Addinham > Adjust

📎 ❤️ ⓘ 🗑️



foundation crack

Friday · Oct 29, 2021 · 4:56 PM

[Adjust](#)

IMG_0536


Apple iPhone X

HEIF



Wide Camera — 28 mm *f*1.8
12 MP · 3024 × 4032 · 2.4 MB

ISO 100 | 28 mm | 0 ev | *f*1.8 | 1/6 s



Drexel Hill - Addingham

[Adjust](#)





foundation crack

Friday · Oct 29, 2021 · 4:56 PM

[Adjust](#)

📎 IMG_0536


Apple iPhone X

HEIF



Wide Camera — 28 mm *f*1.8
12 MP · 3024 × 4032 · 2.4 MB

ISO 100 | 28 mm | 0 ev | *f*1.8 | 1/6 s



Drexel Hill - Addingham >

[Adjust](#)





Separate sinking






Exhibit 2/70 2nd Access and 1st Relocation of Gas Meter

Saturday • Oct 16, 2021 • 2:20PM [Adjust](#)

IMG_0503

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 3.3 MB

ISO 20 | 28 mm | 0 ev | f1.8 | 1/960 s

ARONIMINK HILL
ADDINGHILL
Drexel Hill
RAYSONS KUN MARK

Share, Favorite, Info, Delete icons



Exhibit 2/70 2nd Access and 1st Relocation of Gas Meter

Saturday • Oct 16, 2021 • 2:20PM [Adjust](#)

IMG_0503

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 3.3 MB

ISO 20 | 28 mm | 0 ev | f1.8 | 1/960 s

ARONIMINK
ADDINGHILL
Drexel Hill
HAYSONS RUN PARK

[Share](#) [Favorite](#) [Info](#) [Delete](#)



1st pipe access point my property on driveway driveway

Friday • Oct 29, 2021 • 4:57 PM Adjust

📷 IMG_0539

Apple iPhone X HEIF 📷


Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 2.2 MB

ISO 40 | 28 mm | 0 ev | f1.8 | 1/20 s

ARONIMINK Drexel Hill Naylor's Run Park
ADDINGHI

Drexel Hill

📄 ❤️ ⓘ 🗑️



Sinking after relocating to flower bed

Wednesday · Dec 1, 2021 · 10:09 AM

[Adjust](#)

IMG_0666

Apple iPhone X

HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 2.6 MB

ISO 32 | 28 mm | 0 ev | f1.8 | 1/120 s



Drexel Hill - Addinham >

[Adjust](#)





1st pipe access point on driveway

Friday · Oct 29, 2021 · 4:57 PM Adjust

📎 IMG_0539

Apple iPhone X HEIF 📷

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 2.2 MB


ISO 40 | 28 mm | 0 ev | f1.8 | 1/20 s

Drexel Hill - Addingham Adjust

📎 ❤️ ⓘ 🗑️



Foundation separation entire area of work (zoom)





Jackhammer and sinking to replace

Wednesday · Dec 1, 2021 · 7:55 AM

[Adjust](#)

📎 IMG_0630


Apple iPhone X

HEIF

Wide Camera — 28 mm f1.8

12 MP · 4032 × 3024 · 2.7 MB

ISO 40 | 28 mm | 0 ev | f1.8 | 1/120 s




[Drexel Hill - Addinham](#)

[Adjust](#)





Foundation separation entire area of work (zoom)





Jackhammer and sinking to refill

Wednesday · Dec 1, 2021 · 7:55 AM

[Adjust](#)


📎 IMG_0630

Apple iPhone X

HEIF

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 2.7 MB

ISO 40 | 28 mm | 0 ev | f1.8 | 1/120 s



[Drexel Hill - Addinham](#)

[Adjust](#)





Window/ Foundation patch

Friday · Oct 29, 2021 · 4:56 PM Adjust

📎 IMG_0537

Apple iPhone X HEIF 📷

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 2.3 MB

ISO 100 | 28 mm | 0 ev | f1.8 | 1/13 s

Drexel Hill - Addingham Adjust

📎 ❤️ ⓘ 🗑️



Window/ Foundation patch

Friday · Oct 29, 2021 · 4:56 PM Adjust

📎 IMG_0537

Apple iPhone X HEIF 📷


Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 2.3 MB

ISO 100 | 28 mm | 0 ev | f1.8 | 1/13 s

Drexel Hill - Addinoham Adjust

📎 ❤️ ⓘ 🗑️

The image shows a screenshot of an iPhone photo gallery. At the top, it displays the date and time: 'Friday · Oct 29, 2021 · 4:56 PM' and an 'Adjust' link. Below that is the filename 'IMG_0537'. The camera information section shows 'Apple iPhone X' with 'HEIF' and a camera icon, 'Wide Camera — 28 mm f1.8', and '12 MP · 3024 × 4032 · 2.3 MB'. A technical data row includes 'ISO 100 | 28 mm | 0 ev | f1.8 | 1/13 s'. The main part of the screenshot is a map from Apple Maps showing the location 'Drexel Hill - Addinoham'. A small thumbnail of the photo is placed on the map. At the bottom, there are icons for sharing, favorites, information, and deleting.



Sinking oct 18th!

Monday · Oct 18, 2021 · 8:15 AM Adjust

📎 IMG_0519

Apple iPhone X HEIF 📷

Wide Camera — 28 mm f1.8
12 MP · 3024 x 4032 · 3.3 MB

ISO 40 | 28 mm | 0 ev | f1.8 | 1/30 s

Drexel Hill - Addingham Adjust

Show in All Photos

📄 ❤️ ⓘ 🗑️



Utility room window

Friday · Oct 29, 2021 · 4:54 PM

[Adjust](#)

IMG_0533


Apple iPhone X

HEIF



Wide Camera — 28 mm *f*1.8
12 MP · 3024 × 4032 · 2.3 MB

ISO 100 | 28 mm | 0 ev | *f*1.8 | 1/12 s



[Drexel Hill - Addinoham](#)

[Adjust](#)





Utility room window

Friday · Oct 29, 2021 · 4:54 PM Adjust

IMG_0533

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 2.3 MB

ISO 100 | 28 mm | 0 ev | f1.8 | 1/12 s

Drexel Hill - Addinchi Adjust

Share Favorite Info Delete



Sinking Line mark on pole

Wednesday · Dec 1, 2021 · 7:56 AM Adjust

📎 IMG_0633

Apple iPhone X HEIF

Telephoto Camera — 52 mm f2.4
12 MP · 4032 × 3024 · 1.4 MB

ISO 40 | 94 mm | 1 ev | f2.4 | 1/60 s

Drexel Hill - Addinham Adjust

📄 ❤️ ⓘ 🗑️



Sinking Line mark on pole

Wednesday · Dec 1, 2021 · 7:56 AM Adjust

📎 IMG_0633

Apple iPhone X HEIF

Telephoto Camera — 52 mm f2.4
12 MP · 4032 × 3024 · 1.4 MB

ISO 40 | 94 mm | 1 ev | f2.4 | 1/60 s


Drexel Hill - Addinham Adjust

📎 ❤️ ⓘ 🗑️






Crack at base of chimney in utility room






img_3 beginning to sink 3 days later





img_3 beginning to sink 3 days later





hole in chimney

Saturday • Jul 16, 2022 • 10:50 PM

[Adjust](#)

IMG_1072

Screenshot

PNG



No lens information

2 MP • 960 × 2079 • 8 MB

- | - | - | - | -

[Add a location...](#)

[Show in All Photos](#)





Pipe next to heater

Monday · Oct 18, 2021 · 3:27 PM Adjust

IMG_0457

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 1.6 MB


ISO 125 | 28 mm | 0 ev | f1.8 | 1/4 s

Drexel Hill - Addingham Adjust

Share Heart Info Delete



Gas Meter pipe with second sealant applied





Gas Meter pipe

Friday · Oct 29, 2021 · 4:58 PM

[Adjust](#)

📎 IMG_0542


Apple iPhone X

HEIF



Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 1.9 MB

ISO 100 | 28 mm | 0 ev | f1.8 | 1/4 s




[Drexel Hill - Addingham](#)

[Adjust](#)





Wall to right of basement (utility room) window where meter was originally (not repaired/ patched) still like that today





Wall to right of basement (utility room) window where meter was originally (not repaired/ patched)

Friday · Oct 29, 2021 · 4:58 PM Adjust

IMG_0541

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 x 4032 · 1.7 MB

ISO 100 | 28 mm | 0 ev | f1.8 | 1/4 s

Drexel

Share, Favorite, Info, Delete icons

2:52


📶 67

Photo



Done





property chimney to right daughter room 2nd floor window on right chimney runs along her right walls

Saturday • Jul 16, 2022 • 10:47 PM [Adjust](#)

IMG_1067

Screenshot PNG

No lens information
2 MP • 960 x 2079 • 7.2 MB

- | - | - | - | -

[Add a location...](#)

[Show in All Photos](#)



stone knock out chimney still flooding

Sunday • Oct 17, 2021 • 3:11 PM

[Adjust](#)

📎 IMG_5969

Apple iPhone 13 Pro Max

JPEG



Wide Camera — 26 mm f1.5

12 MP · 3024 × 4032 · 2.8 MB

WARM


ISO 500

46 mm

0 ev

f1.5

1/60 s




Drexel Hill - Ardningham

[Adjust](#)






Adjacent window (not part of original claim)





Adjacent window (not part of original claim)





Pipe next to heater

Monday · Oct 18, 2021 · 3:27 PM Adjust

IMG_0457

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 1.6 MB

ISO 125 | 28 mm | 0 ev | f1.8 | 1/4 s

Drexel Hill - Addingham Adjust

Share Heart Info Delete



Flooding Under Window where meter was installed from below ground

Saturday • May 28, 2022 • 12:38 AM [Adjust](#)

IMG_0930

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 1.8 MB

ISO 160 | 28 mm | 0 ev | f1.8 | 1/4 s

ARONIMINK
ADDINGHA
Drexel Hill
Drexel Hill ER

[Share](#) [Favorite](#) [Info](#) [Delete](#)



flooding during rain after relocating

Thursday · Dec 2, 2021 · 6:39 AM Adjust

📎 IMG_0669

Apple iPhone X HEIF ⚡

Wide Camera — 28 mm f1.8
12 MP · 4032 × 3024 · 1.5 MB

ISO 250 | 28 mm | 0 ev | f1.8 | 1/4 s

Drexel Hill - Addinoham Adjust

📎 ❤️ ⓘ 🗑️



Under window and right wall where meter was removed

Saturday • May 28, 2022 • 12:38 AM Adjust

IMG_0931

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 x 4032 • 1.5 MB

ISO 160 | 28 mm | 0 ev | f1.8 | 1/4 s

ARONIMINK DREXEL HILL ADDINGHA Drexel Hill



Flooding from ground level under window where meter was relocated

Saturday • Oct 1, 2022 • 11:55 AM Adjust


📎 IMG_2551

Apple iPhone 8 Plus HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 x 4032 · 1.7 MB

ISO 640 | 28 mm | 0 ev | f1.8 | 1/17 s

[Add a location...](#)

 Shared with you by **Poomp**
in Messages > 🔗

📄 ❤️ ℹ️ 🗑️



Utility Room with heater/and antics along sons bedroom door

Saturday • May 7, 2022 • 9:38 PM Adjust

IMG_0908

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 1.1 MB

ISO 125 | 28 mm | 0 ev | f1.8 | 1/4 s

ARONIMINK
ADDINGHA
Drexel Hill
NORVY HILL

Share Heart Info Delete



Along chimney floor

Saturday • May 7, 2022 • 9:37 PM Adjust

📁 IMG_0899

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 489 KB

ISO 320 | 72 mm | 0 ev | f1.8 | 1/4 s

Drexel Hill - Addinham > Adjust

📄 ❤️ ⓘ 🗑️



flooding at floor and area where meter was installed and reinstalled

Saturday • Oct 1, 2022 • 11:55 AM Adjust


📎 IMG_2550

Apple iPhone 8 Plus HEIF 📷

Wide Camera — 28 mm f1.8
12 MP • 3024 × 4032 • 1.6 MB

ISO 160 | 28 mm | 0 ev | f1.8 | 1/4 s

[Add a location...](#)

 Shared with you by **Poomp**
in Messages > ↪

📄 ❤️ ℹ️ 🗑️



flood reaching water heater located to the left of chimney wall

Saturday • Oct 1, 2022 • 11:54 AM

[Adjust](#)

📷 IMG_2548

Apple iPhone 8 Plus

HEIF



Wide Camera — 28 mm $f1.8$
12 MP • 3024 × 4032 • 1.4 MB

ISO 250 | 28 mm | 0 ev | $f1.8$ | 1/4 s

[Add a location...](#)



Shared with you by **Poomp**
in Messages >





Add a Caption

Saturday • Oct 1, 2022 • 11:55AM

Adjust

IMG_2550

Apple iPhone 8 Plus

HEIF



Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 1.6 MB

ISO 160 | 28 mm | 0 ev | f1.8 | 1/4 s

Add a location...




Shared with you by **Poomp**
in Messages >





Still flooding 2





flooding at base of chimney in utility room (the gray pan is my fireplace shoot catcher. Copper pipe is part of my heater * note corrision ... [more](#)

Saturday · Oct 1, 2022 · 11:55AM [Adjust](#)

IMG_2553

Apple iPhone 8 Plus HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 x 4032 · 737 KB

ISO 80 | 28 mm | 0 ev | f1.8 | 1/4 s

[Add a location...](#)

Shared with you by **Poomp**
in Messages >



hot water heater pipe corrosion from multiple leaks

Saturday • May 28, 2022 • 12:41 AM Adjust

IMG_0943

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 x 4032 • 530 KB

ISO 125 | 77 mm | 0 ev | f1.8 | 1/4 s

ARONIMINK
DREXEL HILL
ER
ADDINGHA
Drexel Hill
WAYNES RUN PARK

Share, Favorite, Info, Delete icons



hot water heater pipe corrosion from multiple leaks

Saturday • May 28, 2022 • 12:41 AM Adjust

📷 IMG_0943

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 x 4032 • 530 KB

ISO 125 | 77 mm | 0 ev | f1.8 | 1/4 s

ARONIMINK
DREXEL HILL
ER
ADDINGHA
Drexel Hill
PA

📌 ❤️ ⓘ 🗑️



Entry to Sons bedroom louver door from utility room basement

Saturday • May 7, 2022 • 9:37 PM Adjust

📎 IMG_0900

Apple iPhone X HEIF

Wide Camera — 28 mm f1.8
12 MP • 3024 x 4032 • 543 KB

ISO 125 | 72 mm | 0 ev | f1.8 | 1/4 s

📎 ❤️ ℹ️ 🗑️



Utility Room /heater

Saturday • May 7, 2022 • 9:38 PM

[Adjust](#)


IMG_0907

Apple iPhone X

HEIF

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 957 KB

ISO 125 | 28 mm | 0 ev | f1.8 | 1/4 s



Drexel Hill - Addingham

[Adjust](#)





utility room ceiling from stone missing in chimney
water flowing down on outside of liner

Wednesday • Dec 1, 2021 • 7:59 AM [Adjust](#)


IMG_0644

Apple iPhone X

HEIF

Telephoto Camera — 52 mm f2.4
12 MP • 4032 x 3024 • 699 KB

ISO 160 | 94 mm | 1 ev | f2.4 | 1/10 s





utility room ceiling from stone missing in chimney
water flowing down on outside of liner

Wednesday • Dec 1, 2021 • 7:59 AM [Adjust](#)


IMG_0644


Apple iPhone X

HEIF


Telephoto Camera — 52 mm f2.4
12 MP • 4032 x 3024 • 699 KB

ISO 160 | 94 mm | 1 ev | f2.4 | 1/10 s






same chimney wall cracking






Water Heater sitting in flooding waters





water level on louver door attach to son basement bedroom





flooding around heater

Saturday • Oct 1, 2022 • 11:54 AM Adjust


📎 IMG_2549

Apple iPhone 8 Plus HEIF 🔁 📷

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 1.2 MB


ISO 40 | 28 mm | 0 ev | f1.8 | 1/16 s

[Add a location...](#)

 Shared with you by **Poomp**
in Messages > ↻

[Share] [Like] [Info] [Delete]





Still flooding

Saturday • Oct 1, 2022 • 11:54 AM

Adjust

IMG_2547

Apple iPhone 8 Plus

HEIF



Wide Camera — 28 mm $f1.8$
12 MP · 3024 × 4032 · 1.3 MB


ISO 250 | 28 mm | 0 ev | $f1.8$ | 1/4 s

Add a location...




Shared with you by **Poomp**
in Messages >






Still flooding





Still flooding





daughter's room

Thursday • Mar 10, 2022 • 5:10 PM

[Adjust](#)

IMG_3227

Apple iPhone 8 Plus

JPEG

Wide Camera — 28 mm $f1.8$

12 MP · 3024 × 4032 · 1.3 MB

ISO 25 | 28 mm | 0 ev | $f1.8$ | 1/4 s

[Add a location...](#)




Shared with you by **Poomp**
in Messages >



[Show in All Photos](#)





Plaster buckling on wall along chimney

Wednesday · Dec 1, 2021 · 7:59 AM

[Adjust](#)


📎 IMG_0645

Apple iPhone X

HEIF

Wide Camera — 28 mm $f1.8$
12 MP · 4032 × 3024 · 331 KB

ISO 100 | 93 mm | 0 ev | $f1.8$ | 1/11 s



[Drexel Hill - Addinham](#) >

[Adjust](#)





pic of daughter room that runs along chimney damaged (stone knocked out side) ceiling damage

Thursday · Mar 10, 2022 · 1:06 PM Adjust


📎 IMG_3215

Apple iPhone 8 Plus JPEG ⚡ 📷

Wide Camera — 28 mm f1.8
12 MP · 3024 x 4032 · 802 KB

ISO 32 | 49 mm | 0 ev | f1.8 | 1/4 s

[Add a location...](#)


 Shared with you by **Poomp**
in Messages > ↶



📎 ❤️ ℹ️ 🗑️



daughter's room

Thursday · Mar 10, 2022 · 5:10 PM Adjust



 IMG_3229





Apple iPhone 8 Plus JPEG  

Wide Camera — 28 mm f1.8
12 MP · 3024 × 4032 · 745 KB

ISO 20 | 28 mm | 0 ev | f1.8 | 1/37 s

[Add a location...](#)

 Shared with you by **Poomp**
in Messages 

5:53

4G



icloud.com



< Back

October 18, 2021

Drexel Hill - Addingham · 8:15 AM



LIVE



Info

Title

3days later

Edit

Caption

sinking

Monday · Oct 18, 2021 · 8:15 AM

IMG_0516

Apple iPhone X

HEIF



Wide Camera — 28 mm f/1.8

12 MP - 3024 x 4032 · 3.2 MB


ISO 32

28 mm

0 ev

f/1.8

1/30 s



Drexel Hill - Addingham



5:52

4G



icloud.com



< Back

October 18, 2021

Drexel Hill - Addingham - 11:56 AM



LIVE



Info

Title

Edit

driveway after 1st install

Caption

No Caption

Monday · Oct 18, 2021 · 11:56 AM

IMG_6172

Apple iPhone 11 Pro Max

HEIF



Ultra Wide Camera — 13 mm f/2.4

12 MP - 3024 x 4032 - 2.7 MB


ISO 20

14 mm

0 ev


f/2.4

1/999 s



Drexel Hill - Addingham





[Click to Download](#)

Note.txt

0 bytes

Sent from my iPhone

Ms. Brown,

I still cannot open the zip file.



www.puc.pa.gov



Eranda Vero

Administrative Law Judge
Philadelphia

Phone: 215-560-2105

Email: evero@pa.gov

Consumer Hotline:
1-800-692-7380

PRIVILEGE AND CONFIDENTIALITY NOTICE: This email, including any attachments, may be privileged, confidential, proprietary and/or otherwise protected from disclosure, and is intended only for the use of the designated recipient(s). Any dissemination, disclosure, distribution, copying or other use of this communication without the approval of the sender is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify the sender, delete the original electronic email and destroy any printed copies. Receipt by anyone other than the intended recipient is not a waiver of any attorney-client or work-product privilege. Email transmission cannot be guaranteed to be secure or error-free, therefore sender does not accept liability for any errors or omissions in the contents of this message, which arise as a result of email transmission.

From: Mom Brown <pbrown1102@gmail.com>

Sent: Monday, September 16, 2024 4:07 PM

To: Vero, Eranda <evero@pa.gov>

Subject: Re: [External] Pamela Burton v. PECO Energy Company Docket No. C-2024-3046450

Thank you for your email.

Pamela Brown

"Why FIT IN when you were born to STAND OUT!"...Dr. Seuss

On Mon, Sep 16, 2024 at 12:47 PM Vero, Eranda <evero@pa.gov> wrote:

Good afternoon Ms. Burton,

The late-filed exhibits were due August 29th and any written objections was due September 9th.

You sent us documents on 8/23 and 8/29. Although I have received your emails, I am unable to open your links in “my shared documents” and iCloud Drive. You will need to submit them again as regular attachments.

In view of these new instructions, I will extend the deadline for submitting documents (late filed Exhibits) to September 26, 2024, with written objections due October 3, 2024

Regards,



www.puc.pa.gov



Eranda Vero

Administrative
Law Judge
Philadelphia

Phone: 215-
560-2105

Email:
evero@pa.gov

**Consumer
Hotline:**
1-800-692-
7380

PRIVILEGE AND CONFIDENTIALITY NOTICE: This email, including any attachments, may be privileged, confidential, proprietary and/or otherwise protected from disclosure, and is intended only for the use of the designated recipient(s). Any dissemination, disclosure, distribution, copying or other use of this communication without the approval of the sender is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify the sender, delete the original electronic email and destroy any printed copies. Receipt by anyone other than the intended recipient is not a waiver of any attorney-client or work-product privilege. Email transmission cannot be guaranteed to be secure or error-free, therefore sender does not accept liability for any errors or omissions in the contents of this message, which arise as a result of email transmission.

From: Mom Brown <pbrown1102@gmail.com>

Sent: Sunday, September 15, 2024 1:10 PM

To: Vero, Eranda <evero@pa.gov>; khadijah.scott@exeloncorp.com

Subject: [External] Pamela Burton v. PECO Energy Company Docket No. C-2024-3046450

ATTENTION: *This email message is from an external sender. Do not open links or attachments from unknown senders. To report suspicious email, use the [Report Phishing button in Outlook](#).*

Good morning your Honor and Ms Scott,

I was wondering if either of you could provide me with the dates mentioned in the last hearing. I had cataract surgery on both eyes and sight is limited so I can't find notes.

Please thank you.

Pamela Brown

"Why FIT IN when you were born to STAND OUT!"...Dr. Seuss

Good afternoon Ms. Burton,

The late-filed exhibits were due August 29th and any written objections was due September 9th.

You sent us documents on 8/23 and 8/29. Although I have received your emails, I am unable to open your links in “my shared documents” and iCloud Drive. You will need to submit them again as regular attachments.

In view of these new instructions, I will extend the deadline for submitting documents (late filed Exhibits) to September 26, 2024, with written objections due October 3, 2024

Regards,



www.puc.pa.gov



Eranda Vero

Administrative Law Judge
Philadelphia

Phone: 215-560-2105

Email: evero@pa.gov

Consumer Hotline:
1-800-692-7380

PRIVILEGE AND CONFIDENTIALITY NOTICE: This email, including any attachments, may be privileged, confidential, proprietary and/or otherwise protected from disclosure, and is intended only for the use of the designated recipient(s). Any dissemination, disclosure, distribution, copying or other use of this communication without the approval of the sender is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify the sender, delete the original electronic email and destroy any printed copies. Receipt by anyone other than the intended recipient is not a waiver of any attorney-client or work-product privilege. Email transmission cannot be guaranteed to be secure or error-free, therefore sender does not accept liability for any errors or omissions in the contents of this message, which arise as a result of email transmission.

From: Mom Brown <pbrown1102@gmail.com>

Sent: Sunday, September 15, 2024 1:10 PM

To: Vero, Eranda <evero@pa.gov>; khadijah.scott@exeloncorp.com

Subject: [External] Pamela Burton v. PECO Energy Company Docket No. C-2024-3046450

ATTENTION: *This email message is from an external sender. Do not open links or attachments from unknown senders. To report suspicious email, use the [Report Phishing button in Outlook](#).*

Good morning your Honor and Ms Scott,

I was wondering if either of you could provide me with the dates mentioned in the last hearing. I had cataract surgery on both eyes and sight is limited so I can't find notes.

Please thank you.

Pamela Brown

"Why FIT IN when you were born to STAND OUT!"...Dr. Seuss