



GOVERNOR'S OFFICE OF GENERAL COUNSEL
DEPARTMENT OF ENVIRONMENTAL PROTECTION

July 18, 2025

VIA ELECTRONIC FILING

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Re: I&E Petition to Request the Commission Open a Section 529 Investigation
into the Acquisition of Rock Spring Water Company, Docket No. P-2024-3051313

Dear Secretary Homsher:

Enclosed please find the Commonwealth of Pennsylvania, Department of Environmental Protection's Pre-Hearing Conference Memorandum. Copies are being served on all parties of record per the attached Certificate of Service.

Should you have any questions, please do not hesitate to contact me at (570) 321-6568 or achaplin@pa.gov.

Sincerely,

Amanda K. Chaplin
Assistant Counsel

Enclosure (Pre-Hearing Conference Memorandum)

c: Administrative Law Judge John M. Coogan (w/ enc.)
Parties (w/ enc.)

**COMMONWEALTH OF PENNSYLVANIA
BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission	:	
Bureau of Investigation & Enforcement	:	
Petition to Request the Commission Open	:	P-2024-3051313
Section 529 Investigation into the	:	
Acquisition of Rock Spring Water Company	:	

**COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF ENVIRONMENTAL PROTECTION'S PRE-HEARING
CONFERENCE MEMORANDUM**

Pursuant to the Pre-Hearing Conference Order issued on June 27, 2025, in the above-captioned proceeding, by the Honorable Administrative Law Judge John M. Coogan of the Office of Administrative Law Judge of the Pennsylvania Public Utility Commission (“Commission”), and pursuant to Section 333 of the Public Utility Code, 66 Pa. C.S. § 333, and the Commission’s regulations at 52 Pa. Code §§ 5.221-5.224, the Commonwealth of Pennsylvania, Department of Environmental Protection (“Department”), submits the following Pre-Hearing Conference Memorandum.

I. Introduction

On September 20, 2024, the Commission’s Bureau of Investigation and Enforcement (“I&E”) filed a Petition to Request the Commission Open a Section 529 Investigation into the Acquisition of the Rock Spring Water Company (“Petition”). In its Petition, I&E asks the Commission to investigate whether a capable public utility should acquire Rock Spring Water Company (“Rock Spring”). Rock Spring owns a public water system that serves approximately 1,000 people with approximately 494 connections. In its Petition, I&E outlines how Rock Spring has failed to comply with the Joint Settlement at *Pa. P.U.C. v. Rock Spring Water Company*, Docket No. R-2012-2336662, including failure to reduce its unaccounted-for water loss, failure to install

isolation valves, and failure to make efforts to sell the public water system and provide the status of those negotiations to I&E and the Office of Consumer Advocate (“OCA”).

The Petition also outlines the failure of Rock Spring to comply with various Department enforcement actions. Rock Spring has failed to comply with the Department’s Administrative Order dated August 27, 2018, and Rock Spring has failed to pay the \$40,000.00 civil penalty assessed by the Department on October 17, 2018, which has been entered as a judgment in the Centre County Court of Common Pleas at Docket No. 2021-2499. The Commonwealth Court also found Rock Spring to be in contempt of its January 18, 2024, Order granting the Department’s Petition to Enforce Administrative Order.

The OCA filed a Notice of Intervention on October 9, 2024. Pennsylvania American Water Company (“PAWC”) filed a Petition to Intervene on October 10, 2024. Aqua Pennsylvania, Inc. (“Aqua”) filed a Petition to Intervene on October 16, 2024. State College Borough Water Authority (“SCBWA”) filed a Petition to Intervene on October 21, 2024. The Office of Small Business Advocate (“OSBA”) filed a Notice of Intervention on October 23, 2024. The Department filed its Petition to Intervene on October 28, 2024.

On October 28, 2025, SCBWA, OCA, I&E, PAWC, Aqua, OSBA, and the Department each filed a Pre-Hearing Conference Memorandum. On October 29, 2024, Veolia Water Pennsylvania, Inc. (“Veolia”) filed a Pre-Hearing Conference Memorandum.

On October 30, 2024, the Honorable Administrative Law Judge John M. Coogan (“ALJ Coogan”) conducted a pre-hearing conference. The Department, I&E, OCA, OSBA, PAWC, SCBWA, Aqua, and Veolia all attended the pre-hearing conference represented by counsel. The President of Rock Spring, J. Roy Campbell, appeared without representation of counsel.

Following the pre-hearing conference, ALJ Coogan issued Pre-Hearing Order #1 on November 5, 2024. The Order identified Ferguson Township, Franklin Township, and Huntingdon Area Water and Sewer Authority as entities that should have received notice under 66 Pa. C.S. § 529(h) and directed them to file a Petition to Intervene within 30 days if they wished to become a party to this matter. The Order also granted the Petitions to Intervene of the Department, PAWC, SCBWA, and Aqua. The Order also directed Rock Spring to notify its customers of the initiation of these proceedings. Additionally, the Order set rules and deadlines for these proceedings and scheduled a telephonic evidentiary hearing for April 29 and 30, 2025.

On November 11, 2024, Ferguson Township filed a Petition to Intervene. On December 2, 2024, ALJ Coogan issued Pre-Hearing Order #2, which granted Ferguson Township's Petition to Intervene.

On December 9, 2024, Rock Spring filed the letter it sent to its customers notifying them of the Section 529 Investigation.

On December 11, 2024, Bryant Larrabee, P.C. filed a Notice of Appearance for Rock Spring.

On February 6, 2025, OCA filed a Petition for Issuance of an Interim Emergency Order ("Emergency Petition") requesting the Commission to appoint a receiver for Rock Spring. OCA identified Aqua, PAWC, and SCBWA as potential receivers for Rock Spring.

On February 7, 2025, ALJ Coogan issued a Pre-Hearing Order for telephone hearing Regarding Petition for Interim Emergency Order, which scheduled a hearing on February 14, 2025. That same day, the Department, counsel for Rock Spring, and PAWC each filed an Answer to the Emergency Petition. On February 13, 2025, SCBWA filed an Answer and New Matter to the Emergency Petition.

On February 14, 2025, ALJ Coogan conducted a hearing on the Emergency Petition. After the hearing, ALJ Coogan issued a Briefing Order, which ordered the parties to file briefs by February 18, 2025.

On February 18, 2025, the OSBA filed a Letter in Lieu of Brief. That same day, the Department, PAWC, Aqua, SCBWA, I&E, OCA, and counsel for Rock Spring each submitted a Brief. Additionally, J. Roy Campbell, President, and Elizabeth Campbell, Secretary, wrote a letter on behalf of Rock Spring, despite being represented by counsel. All parties agreed that a receiver should be appointed for Rock Spring, but there were differing positions on who could be appointed as receiver in this matter. Aqua and PAWC are both public utilities subject to the Commission's jurisdiction, whereas SCBWA is a municipal authority not subject to the Commission's jurisdiction. However, SCBWA had entered into a letter of intent with Rock Spring to negotiate the sale of the water system.

On February 20, 2025, ALJ Coogan issued an Order that granted the Emergency Petition and appointed PAWC as receiver. ALJ Coogan also certified the following material question to the Commission for interlocutory review: whether granting the OCA's Emergency Petition and the appointment of PAWC as receiver for Rock Spring was necessary and proper?

On February 26, 2025, the Department and OCA each filed a letter indicating they would not be filing a Brief for the interlocutory review of the material question certified to the Commission. On February 27, 2025, both SCBWA and PAWC filed a Brief addressing the material question certified to the Commission.

On March 6, 2025, counsel for Rock Spring filed a Motion to Withdraw as Counsel citing irreconcilable differences between counsel and the company.

On March 11 and 17, 2025, the Department issued Rock Spring a Notice of Violation for falsifying data reported to the Department and cited the following violations: failure to report data accurately, 25 Pa. Code § 109.701(i)(1); failure to monitor chlorine at the entry point daily, 25 Pa. Code § 109.1305(2)(i); failure to comply with a permit condition, 25 Pa. Code § 109.703(a); and failure to comply with a permit condition, 25 Pa. Code § 302.1201(a). A true and accurate copy of the March 11, 2025, Notice of Violation is attached hereto as Exhibit 1. A true and accurate copy of the March 17, 2025, Notice of Violation is attached hereto as Exhibit 2.

On March 13, 2025, Chairman Stephen M. DeFrank and Commissioner John F. Coleman, Jr. entered a Joint Motion affirming the question certified to the Commission that granted the Emergency Petition and appointed PAWC as receiver. However, the Commission directed Rock Spring to work expeditiously with SCBWA to negotiate an asset purchase agreement to sell Rock Spring's assets to SCBWA and file an Abandonment Application within 90 days of the Order formalizing the Joint Motion.

On March 17, 2025, PAWC filed a Motion to Stay the Proceeding as the 90-day deadline would conclude after the deadline set for the filing of reply Briefs, and the execution of an Asset Purchase Agreement and the filing of an Abandonment Application could change the position of parties or result in the resolution of this matter.

On March 19, 2025, ALJ Coogan issued an Order that granted the Motion to Stay the Proceedings. The Order also suspended the litigation schedule established in Pre-Hearing Order #1 and required the parties to file a status report either five days following Rock Spring's filing of an Application for Approval of Abandonment of its Certificate of Public Convenience, or 95 days following the entry of the Commission's Opinion and Order answering the material question.

On March 21, the Commission issued its Opinion and Order formalizing the Joint Motion, which granted the Emergency Petition and appointed PAWC as receiver for Rock Spring.

On May 20, 2025, PAWC provided an initial status report as receiver for Rock Spring.

On June 19, 2025, PAWC filed a letter that requested a pre-hearing conference be scheduled as 90 days had passed without Rock Spring and SCBWA able to come to an agreement for the sale of the water system, and Rock Spring had not filed a Certificate of Abandonment.

On June 27, 2025, ALJ Coogan issued an Order scheduling a pre-hearing conference for July 23, 2025, and requiring each party to file a Pre-Hearing Conference Memorandum by July 18, 2025.

II. Issues

The Department is participating in this proceeding to ensure that the public water system is brought back into compliance with the Safe Drinking Water Act, 35 P.S. §§ 721.1-721.17 (“Safe Drinking Water Act”), and the rules and regulations promulgated thereunder, as well as to ensure the protection of the environment. Potential issues to be addressed by the Section 529 investigation include, but are not limited to, Rock Spring’s managerial fitness to operate the public water system; Rock Spring’s financial capability to operate the public water system; Rock Spring’s failure to comply with enforcement actions, orders, the Safe Drinking Water Act and Department rules and regulations; Rock Spring’s failure to comply with any orders by the Commission and its regulations; whether the Commission should order a capable public utility to acquire Rock Spring, and if so, which public utility; a purchase price for Rock Spring; and the work that will need to be done to bring the public water system back into compliance.

III. Witnesses

The Department anticipates providing testimony from the following Department witnesses:

Chad Miller, Environmental Program Manager
Sasha Minium, Environmental Group Manager
Mark Accettulla, Sanitarian Supervisor
Nathan White, Sanitarian¹
Department of Environmental Protection
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701

Each Department staff member listed above is familiar with Rock Spring, the enforcement history of the Department concerning Rock Spring, and the deficiencies of the public water system. The Department intends to offer its opinion and advice as to what steps may be necessary to assure compliance with applicable statutory and regulatory standards concerning the adequacy, efficiency, safety, or reasonableness of utility service pursuant to 66 Pa. C.S. § 529(c)(5).

IV. Proposed Schedule

The Department will work with the Administrative Law Judge and the parties to develop a procedural schedule in this matter. The Department respectfully requests that the hearing in this matter not be scheduled on the following dates due to witness or counsel unavailability:

- July 25, 2025
- August 8-15, 2025
- September 3-8 and 14-27, 2025
- October 3, 22-23, and 28-31, 2025
- December 1-14, 2025

¹ Mr. White's last day with the Department will be July 23, 2025, as he is starting a new position with State College Borough Water Authority. The Department still intends to call him as a witness in these proceedings. Mr. White already submitted written direct testimony in this matter.

V. Public Input Hearings

The Department is not requesting public input hearings at this time.

VI. Discovery

Rock Spring has not responded to discovery requests in this matter. On October 9, 2024, the OCA served Rock Spring with Interrogatories. On October 30, 2024, I&E served Rock Spring with Interrogatories. On December 31, 2024, the Department served Rock Spring with Interrogatories. As of the date of this Memorandum, Rock Spring has failed to respond to these discovery requests.

VII. Department Counsel and Service on the Department

The Department will be represented in this proceeding by the attorneys listed below:

Amanda Chaplin, PA I.D. No. 314076
Assistant Counsel
Glenn Masser, PA I.D. No. 315921
Assistant Counsel
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701
(570) 321-6568

The Department will accept email service without provision of hard copy. It is requested that materials available electronically be served upon the following email addresses: achaplin@pa.gov and gmasser@pa.gov.

VIII. Settlement

The Department will participate in settlement discussions in this matter.

Respectfully Submitted,

COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF ENVIRONMENTAL
PROTECTION

/s/Amanda Chaplin

Amanda Chaplin, PA I.D. #314076
Assistant Counsel

Glenn Masser, PA I.D. #315921
Assistant Counsel
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701
E-mail: achaplin@pa.gov

Date: July 18, 2025

EXHIBIT 1



Pennsylvania
Department of Environmental Protection

March 11, 2025

Rock Spring Water Company
John Roy Campbell
4607 W Whitehall Road
Pennsylvania Furnace, PA 16865

Re: **NOTICE OF VIOLATION**

Failure to comply with the PA Safe Drinking Water Act and the Water and Wastewater Operators' Certification Act and Regulations
PWSID #4140085
Client ID #194209
Certificate No. W1580

Dear Mr. Campbell:

As the certified operator of Rock Spring Water Company, you are responsible for making process control decisions in accordance with the regulations of the PA Safe Drinking Water Act and/or the Water and Wastewater Operators' Certification Act.

Per your system's Groundwater Rule Permit issued March 30, 2011 that was sent to your email at rsw5@comcast.net on November 17, 2023, you are required to sample daily from entry point #102. Entry point #102 is a frost-free hydrant located after the detention piping used for chlorine contact time. The chlorine result taken daily from that location should be recorded and entered into DWELR within the appropriate timeframe.

Between January 16, 2025 and January 24, 2025, the Department conducted an investigation of sampling activities completed at the entry point hydrant. It was found that there was no evidence of the entry point hydrant being visited between January 16, 2025 to January 21, 2025 until a low chlorine event was noted on January 21, 2025 at 11:03. Photographic evidence of no tracks in the snow near the entry point hydrant and/or no new tracks aside from the Sanitarian's were obtained during the investigation.

On January 22, 2025, Bureau of Investigation staff performed surveillance at the entry point hydrant from 16:30-18:30 and did not observe any activity at the entry point hydrant during that time period. Rock Spring Water Company submitted data in DWELR on February 9, 2025 which stated that an entry point chlorine sample was taken at 18:30 on January 22, 2025.

Based on these two investigations, it appears that J. Roy Campbell is not sampling the entry point

hydrant daily as required and is either sampling other locations in the system and reporting the data as an entry point sample or not sampling at all. A C7 violation was previously noted during a 2015 full inspection conducted by the Department for failure to collect chlorine samples from the entry point. At that time, the water system was sampling at the water system office at 1750 Tadpole Road PA Furnace PA 16865, instead of the correct entry point #102 hydrant.

The following violations have been cited against the water system:

Failure to report data accurately, in violation of § 109.701(i)(1)

An entry point sample was submitted through DWELR that was not consistent with evidence gathered during a Department investigation. A free chlorine sample was reported to be collected at the entry point #102 hydrant at 18:30 on January 22, 2025. No water system staff were observed at the entry point hydrant at that time, leading to the conclusion that this sample was either taken elsewhere or not at all.

Failure to monitor chlorine at the entry point daily, in violation of § 109.1305(2)(i)

No evidence of activity at the entry point hydrant, as noted by the Sanitarian, indicates that entry point chlorine sampling was not occurring during the days leading up to the January 21, 2025 low chlorine event. § 109.1305(2)(i) requires a chlorine grab sample to be collected once per day for water systems that serve 3,300 or less customers.

Failure to comply with a permit condition, in violation of § 109.703(a)

The Rock Spring Water Company's Groundwater Rule Permit states in Special Condition B that a chlorine grab sample shall be secured at the entry point #102 daily and recorded. It is the conclusion of these investigations that this permit condition is not being met.

The following violation has been cited against you as a certified operator:

Failure to comply with a permit condition, in violation of § 302.1201(a)

Based on the previous full inspection conducted in 2023, J. Roy Campbell as the certified operator is the only water system staff who has completed an Analyst Initial Demonstration of Capability under EPA Method 334. Therefore, J. Roy Campbell is the only individual who is able to collect chlorine measurements for compliance in accordance with § 109.304. The certified operator, J. Roy Campbell, failed to adhere to Special Condition B in Rock Spring Water Company's Groundwater Rule Permit, failed to take an entry point chlorine sample in accordance with § 109.1305(2)(i), and was complicit in reporting an inaccurate result to the Department based on the evidence gathered during the investigations. The operator did all of this despite water system previously being cited in 2015 for taking entry point chlorine samples at the incorrect location.

In response to these violations, the Department requests that the following actions be taken:

1. Within 45 days, provide a written response indicating how and on what schedule these violations will be addressed. Please provide specific corrective actions and due dates for completion.

John Roy Campbell

March 11, 2025

If you have any questions concerning this matter, please contact me at maccettull@pa.gov or 570.916.4997.

Sincerely,



Mark Accettulla
Sanitarian Supervisor
Safe Drinking Water Program

cc: File

Nathan White, Sanitarian
Sasha Minium, Environmental Group Manager
Laura Chambers, Operator Certification

EXHIBIT 2



March 17, 2025

Rock Spring Water Company
John Roy Campbell
4607 W Whitehall Road
Pennsylvania Furnace, PA 16865

Re: **NOTICE OF VIOLATION**
Failure to comply with the PA Safe Drinking Water Act and the Water and Wastewater Operators' Certification Act and Regulations
PWSID #4140085
Client ID #194209
Certificate No. W1580

Dear Mr. Campbell:

As the certified operator of Rock Spring Water Company, you are responsible for making process control decisions in accordance with the regulations of the PA Safe Drinking Water Act and/or the Water and Wastewater Operators' Certification Act.

Per your system's Groundwater Rule Permit issued March 30, 2011 that was re-sent to your email at rsw5@comcast.net on November 17, 2023, you are required to sample daily from entry point #102. Entry point #102 is a frost-free hydrant located after the detention piping used for chlorine contact time. The chlorine result taken daily from that location should be recorded and entered into DWELR within the appropriate timeframe. Each time Rock Spring Water Company submits data through DWELR, you acknowledge with your electronic signature that all information is official data being submitted in accordance with 18 P.S. § 4904 (unsworn falsification to authorities).

On February 26, 2025, Department staff performed surveillance at the entry point hydrant from 17:17 to 19:32 and did not observe any activity at the entry point hydrant during that period of time. On March 9, 2025, Rock Spring Water Company submitted data in DWELR stating that an entry point chlorine sample with a result of 0.95 mg/L was taken at 18:15 on February 26, 2025. Based on the surveillance performed by the Department, J. Roy Campbell did not sample the entry point hydrant daily as required and is complicit in falsifying data reported to the Department.

The following violations have been cited against the water system:

Failure to report data accurately, in violation of § 109.701(i)(1) and failure to monitor chlorine at the entry point daily, in violation of § 109.1305(2)(i)

Rock Spring Water Company submitted falsified entry point chlorine data through DWELR. Rock Spring Water Company reported a free chlorine sample as being collected at entry point #102 at 18:15 on February 26, 2025. No water system staff were observed at the entry point hydrant at that time, which would indicate that the submitted sample was taken at another location in the water

system or was not collected at all.

Failure to comply with a permit condition, in violation of § 109.703(a)

Rock Spring Water Company's Groundwater Rule Permit states in Special Condition B that a chlorine grab sample shall be secured at the entry point #102 daily and recorded. Failure to monitor entry point chlorine daily at the appropriate location violates the water system's Groundwater Rule Permit.

The following violation has been cited against you as a certified operator:

Failure to comply with a permit condition, in violation of § 302.1201(a)

J. Roy Campbell as the certified operator is the only water system staff who has completed an Analyst Initial Demonstration of Capability under EPA Method 334. Therefore, J. Roy Campbell is the only individual who is able to collect chlorine measurements for compliance in accordance with § 109.304. The certified operator, J. Roy Campbell, failed to adhere to Special Condition B in Rock Spring Water Company's Groundwater Rule Permit, failed to take an entry point chlorine sample in accordance with § 109.1305(2)(i), and was complicit in reporting a falsified entry point chlorine sample to the Department based on Department surveillance.

In response to these violations, the Department requests that the following actions be taken:

1. Immediately begin monitoring at the entry point 102 frost-free hydrant in accordance with § 109.1305(2)(i) and Rock Spring Water Company's Groundwater Rule Permit; and,
2. Provide a written response by April 25, 2025 indicating how and on what schedule these violations will be addressed. Please provide specific corrective actions and due dates for completion, to include submittal of a data correction request for the February 26, 2025 chlorine sample and any other samples that were reported but were not actually collected at the entry point hydrant.

This Notice of Violation is neither an order nor any other final action of the Department of Environmental Protection. It neither imposes nor waives any enforcement action available to the Department under any of its statutes. If the Department determines that an enforcement action is appropriate, you will be notified of the action.

If you have any questions concerning this matter, please contact me at sminium@pa.gov or 570.262.2750.

Sincerely,



Sasha Minium
Environmental Group Manager
Safe Drinking Water Program

John Roy Campbell, Rock Spring Water Co.

March 17, 2025

Enclosures: Inspection Narrative, Reported DWELR data, DWELR trade partner agreement

cc: File

Nathan White, Sanitarian (electronic)

Mark Accettulla, Sanitarian Supervisor (electronic)

Laura Chambers, Operator Certification (electronic)

**COMMONWEALTH OF PENNSYLVANIA
BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission :
 Bureau of Investigation & Enforcement :
 Petition to Request the Commission Open : P-2024-3051313
 Section 529 Investigation into the :
 Acquisition of Rock Spring Water Company :

CERTIFICATE OF SERVICE

I hereby certify that I am this day serving the foregoing Pre-Hearing Conference Memorandum in the manner and upon the persons listed below:

SERVED VIA ELECTRONIC MAIL ON JULY 18, 2025

Carrie B. Wright, Deputy Chief Prosecutor Pennsylvania Public Utility Commission Bureau of Investigation and Enforcement Commonwealth Keystone Building 400 North Street Harrisburg, Pennsylvania 17120 carwright@pa.gov	Elizabeth A. Dupuis, Esquire Morgan M. Madden, Esquire Babst, Calland, Clements & Zomnir, P.C. 330 Innovation Blvd., Suite 302 State College, PA 16803 bdupuis@babstcalland.com mmadden@babstcalland.com (Counsel for Ferguson Township)
Melanie Joy El Atieh, Esquire Jacob D. Guthrie, Esquire Office of Consumer Advocate 555 Walnut Street 5th Floor Forum Place Harrisburg, PA 17101-1923 OCARockSpring@paoca.org	Rebecca Lyttle, Esquire Steven Gray, Esquire Office of Small Business Advocate Forum Place 555 Walnut Street, 1st Floor Harrisburg, PA 17101 relyttle@pa.gov sgray@pa.gov
Elizabeth Rose Triscari, Esquire Teresa K. Harrold, Esquire Pennsylvania-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055 elizabeth.triscari@amwater.com teresa.harrold@amwater.com (Counsel for Pennsylvania-American Water Company)	Alexandar R. Stahl, Esquire Aqua Pennsylvania, Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010 astahl@aquaamerica.com (Counsel for Aqua Pennsylvania, Inc.)

<p>David P. Zambito, Esquire Jonathan P. Nase, Esquire Cozen OConnor 17 North Second Street Suite 1410 Harrisburg, PA 17101 dzambito@cozen.com jnase@cozen.com (Counsel for Pennsylvania-American Water Company)</p>	<p>Robert A. Mix, Esquire Robert Mix Law 211 Kimport Avenue Boalsburg, PA 16827 Bmix470@gmail.com (Counsel for State College Borough Water Authority)</p>
<p>J. Roy Campbell Rock Spring Water Company 1750 Tadpole Road Pennsylvania Furnace, PA 16865 rsw5@comcast.net</p>	<p>The Honorable John Coogan Administrative Law Judge Pennsylvania Public Utility Commission 400 North Street Commonwealth Keystone Building Harrisburg, PA 17120 jcoogan@pa.gov</p>
<p>Rod Beard, Esquire Beard Law Company 101 N Allegheny Street Bellefonte, PA 16823 rod@beardlawco.com (Counsel for Rock Spring Water Company)</p>	

COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF ENVIRONMENTAL
PROTECTION

/s/Amanda Chaplin

Amanda Chaplin, PA I.D. #314076
Assistant Counsel

Glenn Masser, PA I.D. #315921
Assistant Counsel
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701
E-mail: achaplin@pa.gov

Date: July 18, 2025