



COMMONWEALTH OF PENNSYLVANIA  
PENNSYLVANIA PUBLIC UTILITY COMMISSION  
COMMONWEALTH KEYSTONE BUILDING  
400 NORTH STREET, HARRISBURG, PA 17120

BUREAU OF  
INVESTIGATION  
&  
ENFORCEMENT

August 7, 2025

**Via Electronic Filing**

Matthew L. Homsher, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Re: Pennsylvania Public Utility Commission,  
Bureau of Investigation and Enforcement v.  
Borough of Perryopolis  
Docket No. C-2025-  
**I&E Formal Complaint (Damage Prevention)**

Dear Secretary Homsher:

Enclosed for electronic filing please find the Formal Complaint of the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission in the above-referenced matter.

Copies are being served on the parties of record in accordance with the attached Certificate of Service.

Should you have any questions, please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'G. Rosul', is written over a light blue horizontal line.

Grant Rosul  
Prosecutor  
Bureau of Investigation and Enforcement  
PA Attorney ID No. 318204  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

GR/ac  
Enclosures

cc: Michael L. Swindler, Deputy Chief Prosecutor, I&E-Enforcement (*via email*)  
Robert Horensky, Manager, Safety Division (*via email*)  
As per Certificate of Service

## NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the date as indicated at the top of the Secretarial Letter. *See* 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified.

**In addition to filing your Answer with the Commission’s Secretary, please electronically serve a copy on:**

Grant Rosul, Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
[grosul@pa.gov](mailto:grosul@pa.gov)

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the administrative penalty and other requested relief.

C. You may elect not to contest this Complaint by paying the administrative penalty within twenty (20) days and performing the corrective actions, if any, set forth in the requested relief. A certified check, cashier’s check or money order should be payable to the “Commonwealth of Pennsylvania” and mailed to:

Matthew L. Homsher, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violations and an agreement to cease and desist from committing further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer, which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the administrative penalty and granting the requested relief as set forth in the Complaint.

E. If you file an Answer which contests the Complaint, the matter will proceed before the assigned presiding Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission’s ADA Coordinator at (717) 787-8714.

**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2025-
	:	
Borough of Perryopolis,	:	
Respondent	:	

---

**FORMAL COMPLAINT**

---

NOW COMES the Bureau of Investigation and Enforcement (“I&E”) of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 182 of the Underground Utility Line Protection Law (“UULPL” or “PA One Call Law”), Act of October 29, 2024, P.L. 1106, No. 127, 73 P.S. § 182.8(c)(2), and files this Formal Complaint (“Complaint”) against Borough of Perryopolis (“Perryopolis” or “Respondent”) alleging violations of the PA One Call Law in connection with a strike on an unmarked water line belonging to North Fayette Water Authority (“NFWA”) while excavating on June 10, 2024, near River Road in Perryopolis Borough, Fayette County, Pennsylvania. In support of its Complaint, I&E respectfully avers as follows:

**I. COMMISSION JURISDICTION AND AUTHORITY**

1. The Pennsylvania Public Utility Commission (“Commission” or “PUC”), with a mailing address of the Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate, *inter alia*, excavators, within the Commonwealth pursuant to the PA One Call Law, Act of October 30, 2017, P.L. 806, No. 50, 73 P.S. §§ 176 *et seq.*

2. Complainant is the Commission's Bureau of Investigation and Enforcement, which is the bureau established to take enforcement actions against public utilities and other entities subject to the Commission's jurisdiction pursuant to 66 Pa.C.S. § 308.2(a)(11). *See also Implementation of Act 129 of 2008; Organization of Bureaus and Offices*, Docket No. M-2008-2071852 (August 11, 2011) (delegating authority to initiate proceedings that are prosecutory in nature to I&E).

3. Complainant's prosecuting attorney is as follows:

Grant Rosul  
Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120  
[grosul@pa.gov](mailto:grosul@pa.gov)  
(717) 783-5243

4. Respondent is Borough of Perryopolis, with a main mailing address of 312 Independence Street, Perryopolis, PA 15473, Attn: Colleen Pontoriero.

5. Perryopolis is a "facility owner," as that term is defined in Section 176 of the PA One Call Law, 73 P.S. § 176.<sup>1</sup>

6. A "complex project" is "an excavation that involves more work than properly can be described in a single locate request or any project designated as such by the excavator or facility owner...." 73 P.S. § 176.

7. Section 177 of the PA One Call Law, 73 P.S. § 177, imposes duties on facility owners.

---

<sup>1</sup> "Facility owner" is defined as the public utility or agency, political subdivision, **municipality**, authority, rural electric cooperative or other person or entity who or which owns or operates a line." 73 P.S. § 176. (emphasis added).

8. Specifically, Section 177(4) of the PA one Call Law, 73 P.S. § 177(4) requires facility owners to “[n]ot more than ten business days after receipt of request... to initially respond to [a designer’s] request for information...based on the information currently in the facility owner's possession.” 73 P.S. § 177(4).

9. Section 177(5)(viii) of the PA one Call Law, 73 P.S. § 177(5)(viii) requires facility owners to “participate in preconstruction meetings for a complex project.” 73 P.S. § 177(5)(viii).

10. Respondent, as a facility owner, is subject to the authority of this Commission pursuant to Section 182.10 of the PA One Call Law, 73 P.S. § 182.10, which requires excavators to comply with the PA One Call Law. 73 P.S. § 182.10.

11. Section 182.8(c)-(d) and Section 182.10 of the PA One Call Law, 73 P.S. §§ 182.8(c)-(d) and 182.10, authorize the Commission to, *inter alia*, hear and determine complaints against excavators for violations of the PA One Call Law and to enforce the provisions of the PA One Call Law. 73 P.S. §§ 182.8(c)-(d) and 182.10.

12. Section 182.8(c)(2) of the PA One Call Law, 73 P.S. § 182.8(c)(2), authorizes the Commission’s prosecutorial staff to bring a formal complaint against entities subject to the PA One Call Law. 73 P.S. § 182.8(c)(2).

13. Section 182.10 of the PA One Call Law, 73 P.S. § 182.10(b)(1)(i)-(ii), authorizes the Commission to impose administrative penalties on any person or corporation, subject to the PA One Call Law, who violates any provisions of the PA One Call Law or any regulation or order issued thereunder governing underground utility lines, of up to \$2,500 per violation or if the violation results in injury, death, or property damage of \$25,000 dollars or more an administrative penalty not to exceed \$50,000. 73 P.S. § 182.10(b)(1)(i)-(ii).

14. Pursuant to the provisions of the applicable Commonwealth statutes and regulations, the Commission has jurisdiction over the subject matter of this Complaint and the actions of Respondent related thereto.

## II. FACTUAL BACKGROUND

15. On October 31, 2022, Columbia Gas (“Columbia”) submitted Preliminary Design Ticket, serial number 20223041405, for a gas line replacement project in the vicinity of Banning and River Roads in Perryopolis Borough. I&E Exhibit 1.

16. Specifically, Columbia planned to install 27,160 feet of PMMP on Banning Road, Creek Road, River Road, Fuller Road, McKee Street, Carocci Road, and open cut across Jacobs Creek and bore across the Youghiogheny River and the adjacent CSX railroad tracks. Id.

17. Facility owners were required to respond to Columbia’s Preliminary Design Ticket by November 15, 2022.

18. Perryopolis is listed on the Preliminary Design Ticket because the project extended partially into Perryopolis and Perryopolis owns or operates facilities within its boundaries.

19. Perryopolis was notified by the Pennsylvania One Call System (“POCS”) of the Preliminary Design Ticket at 10:43 AM on October 31, 2022.

20. However, Perryopolis failed to respond to this Ticket.

21. On March 18, 2024, Columbia Gas submitted a Complex Project Ticket, serial number 20240781564. The Complex Project Ticket stated that the Complex Project meeting was to take place on March 21, 2024.<sup>2</sup> I&E Exhibit 2.

22. The response to this Complex Project Ticket was due on March 20, 2024.

---

<sup>2</sup> For a complex project, excavators are required to “schedule[e] and conduct[] a preconstruction meeting, so that [facility owners] may locate their facilities at a time reasonably in advance of the actual start of excavation or demolition work for each phase of the work.” 73 P.S. § 180(3).

23. Perryopolis failed to respond to the Complex Project Ticket.
24. Perryopolis also failed to attend the Complex Project meeting, as evidenced by its failure to sign the meeting sign-in sheet. I&E Exhibit 3.
25. On December 19, 2024, a copy of the report on the instant incident prepared by the assigned Damage Prevention Investigator (“DPI”) from the Commission’s Bureau of Investigation and Enforcement, Damage Prevention Section, was mailed to Perryopolis informing Respondent that it was in violation of the PA One Call Law by failing to respond to Designer’s request for information within 10 business days of striking a line and for failing to attend a complex project meeting.
26. The letter further informed Respondent that it could either accept the findings in the DPI’s report or reject them and present its case to the Damage Prevention Committee (“DPC”).
27. On January 10, 2025, Respondent rejected the findings in the DPI’s report and requested via an email to the DPI to present its case before the DPC.
28. On February 18, 2025, a notice of the DPC meeting was sent to Perryopolis, informing Respondent that it could present its case for discussion at the March 11, 2025, DPC meeting.
29. A representative for Perryopolis failed to attend the March 11, 2025, DPC meeting. Nevertheless, its case was discussed and voted upon.
30. On March 12, 2025, a copy of the DPC’s Informal Determination accepting the DPI’s report and proposed penalty was mailed to Perryopolis, informing Respondent that it could either accept the DPC’s Informal Determination or reject it in writing within thirty (30) days of the date of the notification letter, and that if the Informal Determination is rejected the case may be sent to I&E prosecutory staff for issuance of a formal complaint.

31. On March 28, 2025, Respondent informed the DPI via first-class mail that it would reject the DPC's Informal Determination.

### **III. VIOLATIONS**

32. Paragraphs 1-31 are incorporated herein as if stated in their entirety.

#### **Count 1**

33. Respondent failed to respond to the Designer's request for information within 10 business days of receiving the request for information.

If proven, this is a violation of Section 177(4) of the PA One Call Law, 73 P.S. § 177 2(4). As a facility owner, Respondent was obligated to respond to the Project Designer's request, based on the information in the facility owner's possession, within 10 business days. Here, Respondent failed to respond to the request entirely.

The Bureau of Investigation and Enforcement's proposed administrative penalty for this violation is \$500.

#### **Count 2**

34. Respondent failed to attend a complex project or respond to the complex project ticket.

If proven, this is a violation of Section 177(5)(viii) of the PA One Call Law, 73 P.S. § 177(5)(viii). As a facility owner, Respondent was obligated to respond to the Complex Project by the date specified on the ticket and to attend to the Complex Project Meeting. Here, Respondent failed to respond to the Complex Project Meeting ticket by March 20, 2024, and failed to attend the Complex Project meeting on March 21, 2024.

The Bureau of Investigation and Enforcement's proposed administrative penalty for this violation is \$1,000.

**WHEREFORE**, for all the foregoing reasons, the Pennsylvania Public Utility Commission's Bureau of Investigation and Enforcement respectfully requests that the Commission:

- (1) Find Borough of Perryopolis to be in violation of the PA One Call Law at 73 P.S. §§ 177(4) and 177(5)(viii);
- (2) Impose a cumulative administrative penalty upon the Borough of Perryopolis in the amount of \$1,500;
- (3) Order the Borough of Perryopolis to attend Online Compliance Training through the Pennsylvania One Call System for excavators and provide proof of compliance to the Commission within 30 days of the entry of a Final Commission Order; and
- (4) Order such other remedies as the Commission may deem appropriate.
- (5) If payment of the administrative penalty is not made as set forth, the Bureau of Investigation and Enforcement requests that this matter be referred to the Pennsylvania Office of the Attorney General for appropriate action.

Respectfully submitted,



Grant Rosul  
Prosecutor  
PA Attorney ID No. 318204

Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

Date: August 7, 2025

**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2025-
	:	
Borough of Perryopolis,	:	
Respondent	:	

**VERIFICATION**

I, Sara Andrade-Locke, Damage Prevention Supervisor, Damage Prevention Section, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau of Investigation and Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: August 7, 2025

  
\_\_\_\_\_  
Sara Andrade-Locke  
Damage Prevention Supervisor  
Damage Prevention Section  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

# **I&E Exhibit 1**

CDC 00000 POCS MM/DD/YY TT:TT:TT 20223041405-000 NEW XCAV DSGN

=====  
Serial Number--[20223041405]-[000] Channel#--[1011AWEB] [1191] [2019-08]  
Message Type--[NEW] [EXCAVATION] [PRELIMINARY DESIGN]

County--[FAYETTE] Municipality--[PERRYOPOLIS BORO]  
Work Site--[BANNING AND RIVER ROAD]  
Nearest Intersection--[BARREN RUN RD AND JACOBS CREEK]  
Second Intersection--[CAROCCI RD AND MCKEE ST]  
At Intersection--[N] Between Intersections--[N]  
Subdivision--[ ]

Location Information--  
[INSTALL 27160 FEET OF PMMP ON BANNING ROAD CREEK ROAD RIVER ROAD FULLER  
ROAD MECKEE STREET CAROCCI RD AND OPEN CUT ACROSS JACOBS CREEK AND BORE  
ACROSS YOUGH RIVER AND CSX RR]  
Caller Lat/Lon--[40.132222/-79.735833,40.088611/-79.736667]

Mapped Type--[C] Mapped Lat/Lon--[ ]  
Attachments--[http://www.pa811.org/attachments/20223041405]  
Type of Work--[GASLINE REPLACEMENT PROJECT] Depth--[4]  
Extent of Excavation--[27160F X 4] Method of Excavation--[DIGGING]  
Equip Type--[BACKHOE EXCAVATOR]  
Street--[X] Sidewalk--[ ] Pub Prop--[X] Pvt Prop--[X] Other--[ ]  
Private Front--[X] Rear--[X] Left--[X] Right--[X]

Project Dates--[ ] thru [ ] Response Due Date--[15-Nov-22]  
Scheduled Excavation Date--[DESIGN]

Caller--[JESSICA SIZEMORE]  
Caller Phone--[724-963-3526]  
Excavator--[COLUMBIA GAS OF PA INC BETHEL PARK]  
Address--[1452 GUN CLUB RD]  
City--[UNIONTOWN] State--[PA] Zip--[15401]  
FAX--[ ] Caller Type--[B]  
Email--[JSIZEMORE@NISOURCE.COM]  
Work For--[COLUMBIA GAS OF PA INC BETHEL PARK]  
Project Contact--[JESS SIZEMORE]  
Project Contact Phone--[724-963-3526]  
Best Time to Call--[ANYTIME]  
Project Contact Email--[JSIZEMORE@NISOURCE.COM]  
Job Number--[20-0239159-00]  
PennDOT Contract/Permit Number--[FAYETTE - 271232 AND WESTMORELAND - 271233]  
CPA Project ID--[3171508]

Prepared--[31-Oct-22] at [1031] by [JSIZEMORE2]  
Remarks--[ ]

BD 0 BD =VERIZON PA CGD0 CGD=COLUMBIA GAS D HEL0 HEL=BREEZELINE  
IP 0 IP =N FAYETTE CMA KN 0 KN =WEST PENN POWER PAJ0 PAJ=PERRYOPOLIS AJA  
PYB0 PYB=PERRYOPLIS BORO

Serial Number--[20223041405]-[000]  
=====  
Copyright (c) 2022 by Pennsylvania One Call System, Inc. =====

RESPONSES for S/N: 20223041405:

Ver	CDC	Name	Response	Time	Respondent
0	PYB	FERRYOPOLIS BOROUGH OF	FYB-NO RESPONSE	11/16/2022 12:02:30 AM	Auto-KARL
0	PAJ	FERRYOPOLIS AREA JOINT AUTHORITY	PAJ-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	10/31/2022 11:14:08 AM	MK -KARL
0	KN	WEST PENN POWER	KN-ENGINEERING COMPLETED	10/31/2022 1:20:30 PM	MBR-WEBSVC
0	HEL	BREEZELINE	HEL-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	11/16/2022 12:36:44 AM	CLS-WEBSVC
0	HEL	BREEZELINE	HEL-NO RESPONSE	11/16/2022 12:02:30 AM	Auto-KARL
0	IP	NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY	IP-ENGINEERING COMPLETED	10/31/2022 3:51:48 PM	KM-OTM
0	CGD	COLUMBIA GAS OF PA DESIGN	CGD-ENGINEERING COMPLETED	11/1/2022 10:48:15 AM	AAA-WEBSVC
0	BD	VERIZON PENNSYLVANIA LLC	BD-NO RESPONSE	11/16/2022 12:02:30 AM	Auto-KARL

DELIVERIES for S/N: 20223041405:

Ver	CDC	Name	To	Time	Seq	Type
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	10/31/2022 10:34:41 AM	0	MAIL
0	PYB	PERRYOPOLIS BOROUGH OF	PYB	10/31/2022 10:43:47 AM	1	FM1
0	PAJ	PERRYOPOLIS AREA JOINT AUTHORITY	PAJ	10/31/2022 10:43:51 AM	1	FM1
0	KN	WEST PENN POWER	KN	10/31/2022 10:34:09 AM	190	MAIL
0	HEL	BREEZELINE	HEL	10/31/2022 10:34:18 AM	2	MAIL
0	IP	NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY	IP	10/31/2022 10:34:23 AM	2	MAIL
0	CGD	COLUMBIA GAS OF PA DESIGN	CGD	10/31/2022 10:34:26 AM	6	MAIL
0	BD	VERIZON PENNSYLVANIA LLC	BD	10/31/2022 10:34:14 AM	136	MAIL

NOTIFICATIONS for S/N: 20223041405:

Ver	CDC	To	Dlvr	Show	Place+	Rule+	Renot+	InAct-	Map-	Rule-	OOG-	Renot-	Forced+
0	WJ		0	0	1	0	0	0	1	0	0	0	0
0	WEBCFM	WEBCFM	1	1	0	0	0	0	0	0	0	0	0
0	PYB	PYB	1	1	1	0	0	0	0	0	0	0	0
0	PEC		0	0	1	0	0	0	1	0	0	0	0
0	PAJ	PAJ	1	1	1	0	0	0	0	0	0	0	0
0	LL1		0	0	1	0	0	0	1	0	0	0	0
0	KN	KN	1	1	1	0	0	0	0	0	0	0	0
0	HEL	HEL	1	1	1	0	0	0	0	0	0	0	0
0	IP	IP	1	1	1	0	0	0	0	0	0	0	0
0	CGD	CGD	1	1	0	1	0	0	0	0	0	0	0
0	CCH	CCH	0	0	1	0	0	0	0	1	0	0	0
0	BD	BD	1	1	1	0	0	0	0	0	0	0	0
0	CSA		0	0	1	0	0	0	1	0	0	0	0

ATTACHMENT for S/N: 20223041405 (20223041405-0.gif):



# **I&E Exhibit 2**

CDC 00000 POCS MM/DD/YY TT:TT:TT 20240781564-000 NEW XCAV CMPX

=====  
=====PENNSYLVANIA UNDERGROUND UTILITY LINE PROTECTION REQUEST=====

Serial Number--[20240781564]-[000] Channel#--[0853AWEB][5698][2019-08]

Message Type--[NEW][EXCAVATION][COMPLEX PROJECT][B]  
Preconstruction Meeting Requested--[Y]

Proposed Meeting Date and Time--[21-Mar-24][1100] Response Due Date--[20-Mar-24]  
Lawful Start Date--[01-Apr-24] Duration--[6 MONTHS]

Meeting Location--  
[IN PERSON - YES. (SEE REMARKS). MEETING AT THE BASEBALL FIELD ALONG RIVER  
ROAD IN WHITSETT (RIVER ROAD AND TWP RD 515).]

Caller--[KEVIN LEWIS]  
Caller Phone--[724-579-8757]  
Excavator--[PRECISION PIPELINE SOLUTIONS]  
Address--[3024 PITTSBURGH ST]  
City--[PERRYOPOLIS] State--[PA] Zip--[15473]  
FAX--[ ] Caller Type--[B]  
Email--[KEVIN.LEWIS@PRECISIONPIPELINESOLUTIONS.COM]

Onsite Contact--[KEVIN LEWIS]  
Onsite Contact Phone--[845-540-2421]  
Best Time to Call--[0730-1600]  
Onsite Contact Email--[KEVIN.LEWIS@PPSUS.COM]

Scope of Work  
County--[FAYETTE]  
Municipality--[PERRY TWP]  
Municipality--[PERRYOPOLIS BORO]  
Bounded by--[RIVER RD]  
and--[BANNING RD]  
and--[JACOBS CREEK RD]  
and--[BARREN RUN RD]  
Site Marked in White--[Y] Subdivision--[ ]  
Location Information--  
[ ]  
Caller Lat/Lon--[40.088654/-79.739120,40.130062/-79.734872]

Mapped Type--[C] Mapped Lat/Lon--  
[ ]  
Attachments--[http://www.pa811.org/attachments/20240781564]  
Type of Work--[GASLINE REPLACEMENT PROJECT] Depth--[4 FT]  
Extent of Excavation--[3FT X 26760FT] Method of Excavation--[ ]  
Equip Type--[ ]  
Street--[X] Sidewalk--[X] Pub Prop--[X] Pvt Prop--[X] Other--[ ]  
Private Front--[X] Rear--[X] Left--[X] Right--[X]

Owner--[COLUMBIA GAS OF PA INC BETHEL PARK]  
CPA Project ID--[3171508]

Prepared--[18-Mar-24] at [1028] by [KLEWISPPS]  
Remarks--

[\*\*\*\*\*  
=====ADDITIONAL MEETING INFORMATION=====  
ALL FACILITY OWNERS ARE REQUIRED TO ATTEND THIS MEETING UNLESS A CLEAR  
RESPONSE CAN BE DETERMINED FROM THE SCOPE OF WORK.]

ART0 ART=DIVERSIFIED BD 0 BD =VERIZON PA CCH0 CCH=COL GAS CHAR  
HELO HEL=BREEZELINE IP 0 IP =N FAYETTE CMA JU 0 JU =WSTMLD CMA  
KN 0 KN =WEST PENN POWER MI 0 MI =MCI NCC0 NCC=ARMSTRONG  
PAJ0 PAJ=PERRYOPOLIS AJA PEF0 PEF=PERRY TWP MA PYT0 PYT=PERRY TWP  
PYB0 PYB=PERRYOPLIS BORO NC90 NC9=ARMSTRONG MTG

Serial Number--[20240781564]-[000]  
=====  
===== Copyright (c) 2024 by Pennsylvania One Call System, Inc. =====

RESPONSES for S/N: 20240781564:


Ver	CDC	Name	Response	Time	Respondent
0	PYT	PERRY TOWNSHIP FAYETTE COUNTY	PYT-WILL ATTEND MEETING	3/18/2024 11:28:52 AM	CJ-OTM
0	PYB	PERRYOPOLIS BOROUGH OF	PYB-NO RESPONSE	3/21/2024 12:02:10 AM	Auto-KARL
0	PEF	PERRY TOWNSHIP MUNICIPAL AUTHORITY	PEF-NO RESPONSE	3/21/2024 12:02:10 AM	Auto-KARL
0	PAJ	PERRYOPOLIS AREA JOINT AUTHORITY	PAJ-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	3/18/2024 10:56:01 AM	MK -KARL
0	NCC	ARMSTRONG	NCC-ATTENDED MEETING. REACHED AGREEMENT	3/20/2024 4:19:08 PM	CLS-WEBSVC
0	NC9	ARMSTRONG	NC9-NO RESPONSE	3/21/2024 12:02:10 AM	Auto-KARL
0	MI	VERIZON BUSINESS FORMERLY MCI	MI-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	3/20/2024 2:11:11 PM	AAA-WEBSVC
0	KN	WEST PENN POWER	KN-ATTENDED MEETING. REACHED AGREEMENT	3/20/2024 4:19:53 PM	MBR-WEBSVC
0	IP	NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY	IP-WILL ATTEND MEETING	3/20/2024 9:43:57 AM	KM-OTM
0	JU	WESTMORELAND CO MUNI AUTH OF	JU-WILL ATTEND MEETING	3/20/2024 9:48:27 AM	ZD-WEBSVC
0	JU	WESTMORELAND CO MUNI AUTH OF	JU-ATTENDED MEETING. REACHED AGREEMENT	3/21/2024 10:51:05 AM	ZD-WEBSVC
0	BD	VERIZON PENNSYLVANIA LLC	BD-WILL ATTEND MEETING	3/20/2024 11:52:02 AM	AAA-WEBSVC
0	BD	VERIZON PENNSYLVANIA LLC	BD-ATTENDED MEETING. REACHED AGREEMENT	3/21/2024 10:54:28 AM	AAA-WEBSVC
0	ART	DIVERSIFIED GAS AND OIL	ART-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	3/18/2024 3:52:33 PM	TBA-WEBSVC
0	HEL	BREEZELINE	HEL-ATTENDED MEETING. REACHED AGREEMENT	3/20/2024 4:19:08 PM	CLS-WEBSVC
0	CCH	COLUMBIA GAS OF PA INC CHARLEROI	CCH-FIELD MARKED	3/18/2024 2:45:32 PM	AAA-WEBSVC

DELIVERIES for S/N: 20240781564:

Ver	CDC	Name	To	Time	Seq	Type
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	3/18/2024 10:28:59 AM	0	MAIL
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	3/18/2024 10:29:07 AM	0	MAIL
0	PYT	PERRY TOWNSHIP FAYETTE COUNTY	PYT	3/18/2024 10:29:02 AM	1	MAIL
0	PYB	PERRYOPOLIS BOROUGH OF	PYB	3/18/2024 10:38:08 AM	1	FM1
0	PEF	PERRY TOWNSHIP MUNICIPAL AUTHORITY	PEF	3/18/2024 10:28:57 AM	1	MAIL
0	PAJ	PERRYOPOLIS AREA JOINT AUTHORITY	PAJ	3/18/2024 10:38:09 AM	1	FM1
0	NCC	ARMSTRONG	NCC	3/18/2024 10:28:47 AM	3	MAIL
0	NC9	ARMSTRONG	NC9	3/18/2024 10:28:56 AM	1	MAIL
0	MI	VERIZON BUSINESS FORMERLY MCI	MI	3/18/2024 10:28:46 AM	83	MAIL
0	KN	WEST PENN POWER	KN	3/18/2024 10:28:49 AM	256	MAIL
0	IP	NORTH FAYETTE COUNTY MUNICIPAL AUTHORITY	IP	3/18/2024 10:28:48 AM	2	MAIL
0	JU	WESTMORELAND CO MUNI AUTH OF	JU	3/18/2024 10:28:48 AM	4	MAIL
0	BD	VERIZON PENNSYLVANIA LLC	BD	3/18/2024 10:28:45 AM	183	MAIL
0	ART	DIVERSIFIED GAS AND OIL	ART	3/18/2024 10:28:44 AM	6	MAIL
0	HEL	BREEZELINE	HEL	3/18/2024 10:28:47 AM	4	MAIL
0	CCH	COLUMBIA GAS OF PA INC CHARLEROI	CCH	3/18/2024 10:28:47 AM	3	MAIL



ATTACHMENT for S/N: 20240781564 (20240781564-0.gif):



# **I&E Exhibit 3**

### Complex Project Meeting Sign In Sheet

Date of Meeting 3/21/2024 Notes prepared by D. Brown Complex Project Ticket Number 2024 078 1564

Download or print. Pass this sheet around during the meeting and collect at the end after all attendees have signed in.

Printed Name	Company Representing	Cell number	Office number	Email address	Initials	Agent Y/N
Jacob Askey	precision pipeline solutions	724-689-5257		jacob.askey@ppsus.com	JA	N
Zack Donato	MHC	724-640-3839		zdonato@cmare.com	ZD	✓
Kevin Tomer	reizen	412-565-5824			KT	
Rich Balss	So. Hook Twp	724-626-4878			RB	
Carolee Johnson	Pearly Twp	724-880-3347		johnson@pawtucketpa.com		✓
James Tupia	North Fayette Water	724-322-0115			JAT	
Ken Martray	North Fayette	724-963-5340		kenmartray@zcom.net		✓

**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2025-
	:	
Borough of Perryopolis,	:	
Respondent	:	

**CERTIFICATE OF SERVICE**

I hereby certify that I have this day served a true copy of the foregoing document upon the parties, listed below, in accordance with the requirements of 52 Pa. Code § 1.54 (relating to service by a party).

**Service by Certified Mail and Electronic Mail**

Borough of Perryopolis  
C/O Dellarose Law Office, PLLC  
Attn: Melinda Deal Dellarose, Esq.  
99 East Main Street, Suite 101  
Uniontown, PA 15401  
[melinda@dellaroselaw.com](mailto:melinda@dellaroselaw.com)



---

Grant Rosul  
Prosecutor  
Bureau of Investigation and Enforcement  
PA Attorney ID No. 318204  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

Dated: August 7, 2025