



COMMONWEALTH OF PENNSYLVANIA
PENNSYLVANIA PUBLIC UTILITY COMMISSION
COMMONWEALTH KEYSTONE BUILDING
400 NORTH STREET
HARRISBURG, PENNSYLVANIA 17120

IN REPLY PLEASE
REFER TO OUR FILE

August 28, 2025

A-2025-3055863

TO ALL PARTIES OF RECORD

Application of Columbia Gas of Pennsylvania for approval of the alteration of the crossing where State Route 0857 (Morgantown Street) crosses, at grade, a single track of Southwest Pennsylvania Railroad (Carload Express) (DOT 145 342 C) by the installation of an underground 6-inch plastic gas line encased in a 10-inch steel casing pipe in the Borough of Fairchance, Fayette County.

To Whom It May Concern:

By application received by the Commission on June 18, 2025, Columbia Gas of Pennsylvania (Columbia Gas) seeks Commission approval to alter the subject crossing by the installation of an underground 6-inch gas line where State Route 0857 (Morgantown Street) crosses, at grade, a single track of Southwest Pennsylvania Railroad (Carload Express) (DOT 145 342 C) in the Borough of Fairchance, Fayette County.

The new 6-inch MDPE medium density gas line will be encased in a 10-inch steel casing pipe and will be installed via underground bore. The proposed line will replace an existing gas line which will be filled with cement grout and abandoned in place. There will be a minimum of 7.4 feet of cover from the top of the casing pipe to the base of the rail.

In its application, Columbia Gas states that the proposed gas line is necessary to upgrade the existing low-pressure system to medium pressure to continue providing safe, reliable gas service. Columbia Gas will be directed to perform the necessary installation, provide for maintenance and protection of highway and pedestrian traffic during installation and accept future maintenance responsibility for the new gas line and casing, at its sole cost and expense. The cost of the project is anticipated to be \$75,000.

All work is to be performed in accordance with the plan hereby entitled: "EXHIBIT A" consisting of two (2) sheets submitted to the Commission with the application on June 18, 2025.

Columbia Gas has served a copy of the application and plan on Southwest Pennsylvania Railroad (Carload Express), Fayette County, Fairchance Borough, North Fayette County Municipal Authority, First Energy Corporation, Verizon Pennsylvania, LLC, Fairchance Georges Joint Municipal Sewage Authority and the Pennsylvania Department of Transportation. All parties in interest were queried by letter dated July 16, 2025, sent via email, as to any objection to the subject application and plans, none of the parties have responded with any objections.

The Commission has exclusive jurisdiction in crossing alterations and is the final arbiter of any fees associated with a crossing application. Any conditions, including fees associated with a crossing application, must be approved by the Commission.

Upon full consideration of the matters involved, we find that a hearing is not necessary and that a Secretarial Letter may be issued approving the application.

The Commission issues this Secretarial Letter in accordance with Section 2702 of the Public Utility Code and finds that the alteration of the crossing is necessary and proper for the service, accommodation, convenience or safety of the public.

The application of Columbia Gas of Pennsylvania is approved as herein directed:

1. The caption of the subject proceeding is hereby revised as shown herein.
2. The crossing where State Route 0857 (Morgantown Street) crosses, at grade, a single track of Southwest Pennsylvania Railroad (Carload Express) (DOT 145 342 C) in Fairchance Borough, Fayette County be altered generally in accordance with the plan entitled: "EXHIBIT A" consisting of two (2) sheets submitted to the Commission on June 18, 2025; which plans are made part hereof and are hereby approved except insofar as they may relate to the division of work, deletion of work, or the allocation of costs and expenses incident to the installation of the project.
3. Columbia Gas of Pennsylvania, at its sole cost and expense, furnish all material and perform all work necessary to alter the crossing by the installation of a new 6-inch MDPE gas line in a 10-inch steel casing pipe and abandonment of the existing low-pressure gas main within the right-of-way of the highway where State Route 0857 (Morgantown Street), at grade, a single track of Southwest Pennsylvania Railroad (Carload Express), all in accordance with the approved plan and this Secretarial Letter.
4. Columbia Gas of Pennsylvania, at its sole cost and expense, furnish all material and perform all work necessary to establish and maintain any detours or traffic controls that may be required to properly and safely accommodate highway and pedestrian traffic during the time the crossing is being altered.

5. Any relocation of, changes in and/or removal of any adjacent structures, equipment or other facilities of any non-carrier public utility, other than Columbia Gas of Pennsylvania incidental to the alteration of the crossing, be made by said public utility at its initial cost, and in such a manner as will not interfere with the alteration of the crossing; and such relocated or altered facilities thereafter be maintained by said public utility, at its sole cost and expense.

6. Southwest Pennsylvania Railroad (Carload Express), at the sole cost and expense of Columbia Gas of Pennsylvania, furnish all material and perform all work relating to its facilities which may be required as incidental to the performance of the proposed work and furnish any watchmen, flagmen, inspectors and/or engineering services that may be deemed necessary to protect the railroad's operations or facilities during the time the facilities are being installed.

7. Columbia Gas of Pennsylvania, at its sole cost and expense, furnish all material and perform all work necessary to complete the remainder of the project, and any other ancillary features of the project, generally in accordance with the approved plan and this Secretarial Letter.

8. The alteration of the crossing be completed on or before August 31, 2026, and that on or before said date Columbia Gas of Pennsylvania, report in writing the date of actual completion of the work to this Commission and certify to the parties of record and this Commission that the work has been satisfactorily completed in accordance with the approved plan and this Secretarial Letter.

9. Columbia Gas of Pennsylvania, at its sole cost and expense, pay all compensation for damages, if any, due to owners of property taken, injured, or destroyed by reason of the alteration of the crossing in accordance with this Secretarial Letter.

10. All parties involved herein cooperate fully with each other so that during the time the work is being performed, vehicular, pedestrian and railroad traffic will not be endangered or unnecessarily inconvenienced, and so that the requirements of each of the parties will be provided for and accommodated insofar as possible.

11. Columbia Gas of Pennsylvania cooperate with the non-carrier utilities involved, so that during the alteration of the subject crossing, the facilities of the non-carrier utilities will not be endangered or unnecessarily interrupted.

12. Columbia Gas of Pennsylvania, at least seven (7) days prior to the start of work, notify all parties in interest of the actual date on which work will begin.

13. Upon completion of the alteration of the crossing, Columbia Gas of Pennsylvania, at its sole cost and expense, furnish all material and perform all work necessary thereafter to maintain the 6-inch MDPE gas line encased in a 10-inch steel pipe and any ancillary facilities installed in accordance with the approved plan and this Secretarial Letter.

14. Upon completion of the alteration of the crossing, Southwest Pennsylvania Railroad (Carload Express), at its sole cost and expense, furnish all material and perform all work necessary to maintain its railroad facilities at the crossing, including the warning devices and all appurtenant equipment; and maintain at all times in a safe, smooth and satisfactory condition the crossing surface located between the rails and for a distance of twenty-four (24) inches beyond the outermost rails, and provide Department of Transportation of the Commonwealth of Pennsylvania and Fairchance Borough at least ten (10) business days advance notice when performing any work as directed by this paragraph.

15. Upon completion of the alteration of the crossing, Department of Transportation of the Commonwealth of Pennsylvania, at its sole cost and expense, furnish all material and do all work necessary thereafter to maintain its highway through the subject crossing, to points twenty-four (24) inches beyond each outside rail in a safe, smooth and satisfactory condition and in addition, maintain the grade crossing advance warning signs, stop lines and pavement markings, if required, and provide Southwest Pennsylvania Railroad (Carload Express) and Fairchance Borough at least ten (10) business days advance notice when performing any work as directed by this paragraph.

16. Upon completion of the work herein directed, and upon written request from any party of record, this proceeding be scheduled for a hearing at a time and place to be determined by the Commission, for the purpose of taking testimony upon the final allocation of any remaining costs incurred by the non-carrier utility companies and other matters relevant to this proceeding.

The Parties are reminded that failure to comply with this or any Order or Secretarial Letter in this proceeding may result in an enforcement action seeking civil penalties and/or other sanctions pursuant to 66 Pa. C.S. § 3301.


All formal documents must be filed with the Secretary of the Commission. Documents must be eFiled, mailed or hand delivered. All filings should be addressed to the Secretary, PA Public Utility Commission, 400 North Street, Harrisburg, PA 17120. The Commission will not accept documents delivered by fax or by e-mail. Parties are encouraged to file formal documents by eFiling with the Secretary of the Commission by opening an eFiling account through the Commission's website (the account is free of charge) and accepting eservice at <https://www.puc.pa.gov/filing-resources/efiling/>.

If your filing contains confidential material, you are required to file by overnight delivery to ensure the timely filing of your submission. There are certain filings that cannot be eFiled, such as filings containing confidential or proprietary material. These must be submitted to the Secretary by overnight delivery, priority, or certified mail to allow tracking of your filing.

If you are dissatisfied with the resolution of this matter, you may, as set forth in 52 Pa. Code §§ 1.31 and 5.44, file a Petition for Reconsideration from Staff Action (Petition) with the Commission within twenty (20) days of the date of this letter. The Petition shall be eFiled with the Secretary of the Commission or sent to: Secretary, PA Public Utility Commission, 400 North Street, Harrisburg, PA 17120, and must be filed within twenty (20) days, or if no timely request is made, the action will be deemed to be a final action of the Commission.

The Petition MUST include: (1) a written statement (divided into numbered paragraphs) outlining the reasons for the request; (2) the case docket number (it is provided for you at the top right-hand corner of this letter); (3) the party on whose behalf the petition is made; (4) a Certificate of Service on the other parties of record; and (5) a Verification with original signature in accordance with 52 Pa. Code § 1.36.

Sincerely,

A handwritten signature in black ink that reads "Matthew L. Homsher". The signature is written in a cursive style with a large initial "M".

Matthew L. Homsher
Secretary