



165 Beach Lake Highway

Honesdale, Pennsylvania 18431

September 5, 2025

Ms. Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

**RE: APPLICATION FOR PUBLIC CROSSING  
# 851 862H SCHOENERSVILLE ROAD  
DOCKET A-2025-3057221  
NORFOLK SOUTHERN RAILROAD  
TOWNSHIP OF HANOVER  
COUNTY OF NORTHAMPTON**

Dear Secretary Chiavetta:

Attached is the a corrected application for Docket A-2025-3057221. We added two more parties to the Certificate of Service and Exhibit B.

Should you have any questions please contact this office.

Sincerely,

*Dustin Stockholm*

Dustin Stockholm  
Supervisor - Right of Way

**BEFORE**  
**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

---

In re: Application of PPL Electric Utilities for approval of the alteration of the crossing 851 862H where Schoenersville Road crosses at grade the tracks of Norfolk Southern Railroad, located in Township of Hanover, Northampton County.

Application

Docket No. **A-2025-3057221**

To Pennsylvania Public Utility Commission:

1. The name and address of applicant are:

PPL Electric Utilities Corporation  
650 Hamilton St  
Suite 601  
Allentown, PA 18101

2. The name and address of the applicant's attorney are Mallory Jane Sweeney, Associate General Counsel, PPL Electric Utilities Corporation, Two North Ninth Street, Allentown, PA 18101-1179

3. PPL Electric Utilities wishes to alter above ground facilities in Hanover Township Northampton County, PA to support existing and future loading conditions. PPL will be operating construction equipment within the public right of way of where Norfolk Southern Railroad tracks cross Schoenersville Road in order to replace utility pole #65530S48220.

4. The proposed construction will be the replacement of PPL pole 65530S48220. Schoenersville Road crosses the railroad at grade. See attached Exhibit "A". The estimated completion date for this project is December 8, 2025.

5. The public utilities, municipalities, corporations and property owners concerned in, or affected by, the crossing alteration are identified in Exhibit "B" attached hereto.

6. The expected cost for the construction procedure is \$15,000. PPL Electric Utilities will pay all costs of construction of the utility pole replacement, in addition to being responsible for installing, maintaining and inspecting the facilities.

7. The alteration is necessary or proper for the following reasons: to provide adequate, efficient, and reasonable communication facilities and power to the public in Northampton County and surrounding areas.

Wherefore, applicant prays your Honorable Commission to approve the application:

*Dustin Stockholm*

(Signature of Applicant)

**§ 1.36. Verification.**

(a) Applications, petitions, formal complaints, motions and answers thereto containing an averment of fact not appearing of record in the action or containing a denial of fact shall be personally verified by a party thereto or by an authorized officer of the party if a corporation or association. Verification means a signed written statement of fact supported by oath or affirmation or made subject to the penalties of 18 Pa. C.S. §4904 (relating to unsworn falsification to authorities). If verification is required, notarization is not necessary.

(b) The Verification form should comply substantially with the following:

**VERIFICATION**

I, Dustin Stockholm, hereby state that the facts above set forth are true and correct (or are true and correct to the best of my knowledge, information and belief) and that I expect to be able to prove the same at a hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa. C.S. § 4904 (relating to unsworn falsification to authorities).

Date: September 3, 2025

*Dustin Stockholm*

---

(Signature)

CERTIFICATE OF SERVICE

I hereby certify that I have this day served a true copy of the foregoing document upon the participants, listed below, in accordance with the requirements of § 1.54 (relating to service by participant).

Mark Chappel, P.E. - Chief  
Bureau Project Delivery  
P.O. Box 3362  
Harrisburg, PA 17105-3362  
marchappel@pa.gov

Metropolitan Fiber Systems  
2400 N. Glenville Drive – D3  
Richardson, NY 14623  
[Patty.mcmurray@verizonbusiness.com](mailto:Patty.mcmurray@verizonbusiness.com)

Karen Cummings - Office of Chief Counsel  
PennDOT  
P.O. Box 8212  
Harrisburg, PA 17105-8212  
kcummings@pa.gov

Dustin Stockholm  
Supervisor – Right of Way  
PPL Electric Utilities Corp.  
165 Beach Lake Highway  
Honesdale, PA 18431  
[Dstockholm@pplweb.com](mailto:Dstockholm@pplweb.com)

PennDOT Engineering District 5-0  
Rodney Rehnert  
1002 Hamilton Street  
Allentown, PA 18101  
rrehnert@pa.gov

Level 3 Fiber Optic Communications  
Attn: Jamie Rucker – Joint Use Dept.  
50 Executive Parkway  
Hudson, OH 44236  
Windstream.joinuse@windstream.com

Northampton County  
669 Washington Street  
Easton, PA 18042  
[jknecht@norcopa.gov](mailto:jknecht@norcopa.gov)

RCN  
Kevin Cochran  
5508 Norbath Blvd.  
Northampton, PA 18067  
Kevin.cochran@astound.com

Hanover Township  
Attn: Mark Hudson  
3660 Jacksonville Road  
Bethlehem, PA 18017  
mhudson@hanoverwp-nc.org

Service Electric Cable Vision  
16 J. Campbell Collins Dr.  
Wilkes-Barre, PA 18702  
labudam@ssectv.com

Norfolk Southern Railroad Company  
Attn: Engineering/Permitting  
Three Commercial Place  
Norfolk, VA 23510  
[ns.permitting@railpros.com](mailto:ns.permitting@railpros.com)

XO Communications  
1220 Broadcasting Rd  
Wyomissing, PA 19610  
Scott.j.dreling@xo.com

Verizon  
Attn: Engineering/Permitting  
1026 Hay Street  
Wilkinsburg, PA 15221  
[Matthew.w.kehr@verizon.com](mailto:Matthew.w.kehr@verizon.com)

Greenlight Networks PA, LLC  
Attn: Andie Clarizia  
1777 E. Henrietta Rd Suite #120  
Rochester, NY 14623  
aclarizia@maverickcorporation.com

Dated this 3rd day of September 2025.

*Dustin Stockholm*

(Signature)

EXHIBIT "B"

The public utilities, municipalities, corporations and property owners concerned in, or affected by, the crossing alteration are:

Mark Chappel, P.E. - Chief  
Bureau Project Delivery  
P.O. Box 3362  
Harrisburg, PA 17105-3362  
[marchappel@pa.gov](mailto:marchappel@pa.gov)

Karen Cummings - Office of Chief Counsel  
PennDOT  
P.O. Box 8212  
Harrisburg, PA 17105-8212  
[kcummings@pa.gov](mailto:kcummings@pa.gov)

PennDOT Engineering District 5-0  
Rodney Rehnert  
1002 Hamilton Street  
Allentown, PA 18101  
[rrehnert@pa.gov](mailto:rrehnert@pa.gov)

Northampton County  
669 Washington Street  
Easton, PA 18042  
[jknecht@norcopa.gov](mailto:jknecht@norcopa.gov)

Hanover Township  
Attn: Mark Hudson  
3660 Jacksonville Road  
Bethlehem, PA 18017  
[mhudson@hanovertp-nc.org](mailto:mhudson@hanovertp-nc.org)

Norfolk Southern Railroad Company  
Attn: Engineering/Permitting  
Three Commercial Place  
Norfolk, VA 23510  
[ns.permitting@railpros.com](mailto:ns.permitting@railpros.com)

Verizon  
Attn: Engineering/Permitting  
1026 Hay Street  
Wilkinsburg, PA 15221  
[Matthew.w.kehr@verizon.com](mailto:Matthew.w.kehr@verizon.com)

Metropolitan Fiber Systems  
2400 N. Glenville Drive – D3  
Richardson, NY 14623  
[Patty.mcmurray@verizonbusiness.com](mailto:Patty.mcmurray@verizonbusiness.com)

Dustin Stockholm  
Supervisor – Right of Way  
PPL Electric Utilities Corp.  
165 Beach Lake Highway  
Honesdale, PA 18431  
[Dstockholm@pplweb.com](mailto:Dstockholm@pplweb.com)


Level 3 Fiber Optic Communications  
Attn: Jamie Rucker – Joint Use Dept.  
50 Executive Parkway  
Hudson, OH 44236  
[Windstream.joinuse@windstream.com](mailto:Windstream.joinuse@windstream.com)

RCN  
Kevin Cochran  
5508 Norbath Blvd.  
Northampton, PA 18067  
[Kevin.cochran@astound.com](mailto:Kevin.cochran@astound.com)

Service Electric Cable Vision  
16 J. Campbell Collins Dr.  
Wilkes-Barre, PA 18702  
[labudam@sectv.com](mailto:labudam@sectv.com)

XO Communications  
1220 Broadcasting Rd  
Wyomissing, PA 19610  
[Scott.j.dreling@xo.com](mailto:Scott.j.dreling@xo.com)

Greenlight Networks PA, LLC  
Attn: Andie Clarizia  
1777 E. Henrietta Rd Suite #120  
Rochester, NY 14623  
[aclarizia@maverickcorporation.com](mailto:aclarizia@maverickcorporation.com)



CABLES	WIRE SPEC	A		B	
		EXISTING	PROPOSED	EXISTING	PROPOSED
Primary	4/0 ACSR (6/1)	46'-0"	49'-9"	43'-3"	47'-8"
Primary	4/0 ACSR (6/1)	45'-8"	49'-1"	40'-2"	44'-5"
Primary	4/0 ACSR (6/1)	45'-4"	48'-6"	39'-3"	43'-4"
Secondary	4/0 TPLX SECD (6/1)	32'-5"	37'-3"	30'-6"	36'-10"
Proposed Fiber Optic Com		--	35'-4"	--	34'-1"
Fiber Optic Com		30'-2"	34'-4"	27'-9"	31'-8"
Fiber Optic Com		31'-2"	34'-2"	29'-10"	33'-1"
Fiber Optic Com		27'-10"	31'-9"	27'-7"	31'-3"
CATV Com		24'-10"	28'-7"	23'-2"	26'-9"

— Right of Way Line    — Right of way line    — Aerial  
— Center line    ▲ New Anchor    ● Pole  
— Anchor    ▲ RxR Signal    \*

SCALE IN FEET

---

**PREPARED BY:**

---

<b>TITLE:</b> 309776	: Hanover Township,
<b>PROJECT NO:</b>	COUNTY: Northampton County,
<b>PRINT NO:</b> 1	STATE: Pennsylvania
<b>NO. OF PRINTS:</b> 1	DATE: 26-08-2025
<b>ENGINEERED BY:</b> KATAPULT	<b>DRAWN BY:</b>

---

**FILENAME:**  
 EXHIBIT A

SCID	025.1
40.63312922591159	-75.3883778326267
Lowest Power	25'-9"
Highest Communication	21'-10"
Proposed Fiber	

SCID	025
40.6333247722582	-75.38843802358764
Lowest Power	35'-2"
Highest Communication	31'-4"
Proposed Fiber	35'-0"

SCID	026
40.63324813850887	-75.38795371228333
Lowest Power	34'-6"
Highest Communication	28'-5"
Proposed Fiber	33'-10"

# U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION  
FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk \* denotes an optional field.

<b>A. Revision Date</b> (MM/DD/YYYY) 07 / 04 / 2025	<b>B. Reporting Agency</b> <input checked="" type="checkbox"/> Railroad <input type="checkbox"/> Transit <input type="checkbox"/> State <input type="checkbox"/> Other	<b>C. Reason for Update</b> (Select only one) <input checked="" type="checkbox"/> Change in Data <input type="checkbox"/> Re-Open <input type="checkbox"/> New Crossing <input type="checkbox"/> Date Change Only <input type="checkbox"/> Closed <input type="checkbox"/> Change in Primary Operating RR <input type="checkbox"/> No Train Traffic <input type="checkbox"/> Quiet Zone Update <input type="checkbox"/> Admin. Correction	<b>D. DOT Crossing Inventory Number</b> 851862H
---	--	--	--

## Part I: Location and Classification Information

<b>1. Primary Operating Railroad</b> Norfolk Southern Railway Company [NS]		<b>2. State</b> PENNSYLVANIA		<b>3. County</b> NORTHAMPTON	
<b>4. City / Municipality</b> <input type="checkbox"/> In <input checked="" type="checkbox"/> Near BETHLEHEM		<b>5. Street/Road Name &amp; Block Number</b> SCHOENERSVILLE ROAD (Street/Road Name)   * (Block Number)		<b>6. Highway Type &amp; No.</b> CITY	
<b>7. Do Other Railroads Operate a Separate Track at Crossing?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Specify RR			<b>8. Do Other Railroads Operate Over Your Track at Crossing?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Specify RR		
<b>9. Railroad Division or Region</b> <input type="checkbox"/> None KEYSTONE		<b>10. Railroad Subdivision or District</b> <input type="checkbox"/> None CEMENT SEC		<b>11. Branch or Line Name</b> <input checked="" type="checkbox"/> None	
<b>12. RR Milepost</b> SE   0001.290 (prefix)   (nnnn.nnn)   (suffix)		<b>13. Line Segment</b> *		<b>14. Nearest RR Timetable Station</b> * BETHLEHEM	
<b>15. Parent RR</b> (if applicable) <input checked="" type="checkbox"/> N/A		<b>16. Crossing Owner</b> (if applicable) <input checked="" type="checkbox"/> N/A		<b>17. Crossing Type</b> <input checked="" type="checkbox"/> Public <input type="checkbox"/> Private	
<b>18. Crossing Purpose</b> <input checked="" type="checkbox"/> Highway <input type="checkbox"/> Pathway, Ped. <input type="checkbox"/> Station, Ped.		<b>19. Crossing Position</b> <input checked="" type="checkbox"/> At Grade <input type="checkbox"/> RR Under <input type="checkbox"/> RR Over		<b>20. Public Access</b> (if Private Crossing) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
<b>21. Type of Train</b> <input checked="" type="checkbox"/> Freight <input type="checkbox"/> Intercity Passenger <input type="checkbox"/> Commuter		<input type="checkbox"/> Transit <input type="checkbox"/> Shared Use Transit <input type="checkbox"/> Tourist/Other		<b>22. Average Passenger Train Count Per Day</b> <input type="checkbox"/> Less Than One Per Day <input type="checkbox"/> Number Per Day 0	
<b>23. Type of Land Use</b> <input type="checkbox"/> Open Space <input type="checkbox"/> Farm <input type="checkbox"/> Residential <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Institutional <input type="checkbox"/> Recreational <input type="checkbox"/> RR Yard					
<b>24. Is there an Adjacent Crossing with a Separate Number?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Provide Crossing Number			<b>25. Quiet Zone</b> (FRA provided) <input checked="" type="checkbox"/> No <input type="checkbox"/> 24 Hr <input type="checkbox"/> Partial <input type="checkbox"/> Chicago Excused Date Established		
<b>26. HSR Corridor ID</b> <input checked="" type="checkbox"/> N/A		<b>27. Latitude in decimal degrees</b> (WGS84 std: nn.nnnnnnn) 40.6332212		<b>28. Longitude in decimal degrees</b> (WGS84 std: -nnn.nnnnnnn) -75.3883209	
<b>29. Lat/Long Source</b> <input checked="" type="checkbox"/> Actual <input type="checkbox"/> Estimated		<b>30.A. Railroad Use</b> *			
<b>30.B. Railroad Use</b> *		<b>30.C. Railroad Use</b> *			
<b>30.D. Railroad Use</b> *		<b>30.E. Railroad Use</b> *			
<b>31.A. State Use</b> *			<b>31.B. State Use</b> * NS		
<b>31.C. State Use</b> *			<b>31.D. State Use</b> *		
<b>32.A. Narrative (Railroad Use)</b> *			<b>32.B. Narrative (State Use)</b> *		
<b>33. Emergency Notification Telephone No. (posted)</b> 800-946-4744		<b>34. Railroad Contact (Telephone No.)</b> 800-946-4744		<b>35. State Contact (Telephone No.)</b> 717-772-3079	

## Part II: Railroad Information

<b>1. Estimated Number of Daily Train Movements</b>				
<b>1.A. Total Day Thru Trains</b> (6 AM to 6 PM) 5	<b>1.B. Total Night Thru Trains</b> (6 PM to 6 AM) 0	<b>1.C. Total Switching Trains</b> 5	<b>1.D. Total Transit Trains</b> 0	<b>1.E. Check if Less Than One Movement Per Day</b> How many trains per week? <input type="checkbox"/>
<b>2. Year of Train Count Data (YYYY)</b> 2025		<b>3. Speed of Train at Crossing</b> 3.A. Maximum Timetable Speed (mph) 10 3.B. Typical Speed Range Over Crossing (mph) From 5 to 10		
<b>4. Type and Count of Tracks</b> Main 1 Siding 0 Yard 0 Transit 0 Industry 0				
<b>5. Train Detection (Main Track only)</b> <input type="checkbox"/> Constant Warning Time <input checked="" type="checkbox"/> Motion Detection <input type="checkbox"/> AFO <input type="checkbox"/> PTC <input type="checkbox"/> DC <input type="checkbox"/> Other <input type="checkbox"/> None				
<b>6. Is Track Signaled?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<b>7.A. Event Recorder</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<b>7.B. Remote Health Monitoring</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

# U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 07/04/2025		PAGE 2		D. Crossing Inventory Number (7 char.) 851862H	
<b>Part III: Highway or Pathway Traffic Control Device Information</b>					
1. Are there Signs or Signals? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) <input type="checkbox"/> None <input checked="" type="checkbox"/> W10-1 _____ <input type="checkbox"/> W10-3 _____ <input type="checkbox"/> W10-11 _____ <input type="checkbox"/> W10-2 _____ <input type="checkbox"/> W10-4 _____ <input type="checkbox"/> W10-12 _____	
2.E. Low Ground Clearance Sign (W10-5) <input type="checkbox"/> Yes (count _____) <input checked="" type="checkbox"/> No		2.F. Pavement Markings <input checked="" type="checkbox"/> Stop Lines <input type="checkbox"/> Dynamic Envelope <input checked="" type="checkbox"/> RR Xing Symbols <input type="checkbox"/> None		2.G. Channelization Devices/Medians <input type="checkbox"/> All Approaches <input type="checkbox"/> Median <input type="checkbox"/> One Approach <input type="checkbox"/> None	2.H. EXEMPT Sign (R15-3) <input type="checkbox"/> Yes <input type="checkbox"/> No
2.I. ENS Sign (I-13) Displayed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		2.J. Other MUTCD Signs <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Specify Type _____ Count 0 Specify Type _____ Count 0 Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) <input type="checkbox"/> Yes <input type="checkbox"/> No	2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian 0	3.B. Gate Configuration <input type="checkbox"/> 2 Quad <input type="checkbox"/> Full (Barrier) Resistance <input type="checkbox"/> 3 Quad <input type="checkbox"/> Median Gates <input type="checkbox"/> 4 Quad	3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 0 <input type="checkbox"/> Incandescent Not Over Traffic Lane 0 <input type="checkbox"/> LED		3.D. Mast Mounted Flashing Lights (count of masts) 2 <input checked="" type="checkbox"/> Incandescent <input type="checkbox"/> LED <input type="checkbox"/> Back Lights Included <input type="checkbox"/> Side Lights Included	3.E. Total Count of Flashing Light Pairs 4
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) 09 / 2005 <input type="checkbox"/> Not Required		3.G. Wayside Horn <input checked="" type="checkbox"/> Yes Installed on (MM/YYYY) 01 / 0001 <input type="checkbox"/> No		3.H. Highway Traffic Signals Controlling Crossing <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3.I. Bells (count) 1
3.J. Non-Train Active Warning <input type="checkbox"/> Flagging/Flagman <input type="checkbox"/> Manually Operated Signals <input type="checkbox"/> Watchman <input type="checkbox"/> Floodlighting <input checked="" type="checkbox"/> None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	4.B. Hwy Traffic Signal Interconnection <input checked="" type="checkbox"/> Not Interconnected <input type="checkbox"/> For Traffic Signals <input type="checkbox"/> For Warning Signs	4.C. Hwy Traffic Signal Preemption <input type="checkbox"/> Simultaneous <input type="checkbox"/> Advance	5. Highway Traffic Pre-Signals <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Storage Distance * 0 Stop Line Distance * 0	6. Highway Monitoring Devices (Check all that apply) <input type="checkbox"/> Yes - Photo/Video Recording <input type="checkbox"/> Yes - Vehicle Presence Detection <input type="checkbox"/> None	
<b>Part IV: Physical Characteristics</b>					
1. Traffic Lanes Crossing Railroad <input type="checkbox"/> One-way Traffic <input type="checkbox"/> Two-way Traffic Number of Lanes 2 <input type="checkbox"/> Divided Traffic		2. Is Roadway/Pathway Paved? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3. Does Track Run Down a Street? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ <input type="checkbox"/> 1 Timber <input type="checkbox"/> 2 Asphalt <input type="checkbox"/> 3 Asphalt and Timber <input checked="" type="checkbox"/> 4 Concrete <input type="checkbox"/> 5 Concrete and Rubber <input type="checkbox"/> 6 Rubber <input type="checkbox"/> 7 Metal <input type="checkbox"/> 8 Unconsolidated <input type="checkbox"/> 9 Composite <input type="checkbox"/> 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Approximate Distance (feet) _____			7. Smallest Crossing Angle <input type="checkbox"/> 0° - 29° <input type="checkbox"/> 30° - 59° <input checked="" type="checkbox"/> 60° - 90°	8. Is Commercial Power Available? * <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<b>Part V: Public Highway Information</b>					
1. Highway System <input type="checkbox"/> (01) Interstate Highway System <input type="checkbox"/> (02) Other Nat Hwy System (NHS) <input checked="" type="checkbox"/> (03) Federal AID, Not NHS <input type="checkbox"/> (08) Non-Federal Aid		2. Functional Classification of Road at Crossing <input type="checkbox"/> (0) Rural <input checked="" type="checkbox"/> (1) Urban <input type="checkbox"/> (1) Interstate <input type="checkbox"/> (5) Major Collector <input type="checkbox"/> (2) Other Freeways and Expressways <input type="checkbox"/> (3) Other Principal Arterial <input type="checkbox"/> (6) Minor Collector <input checked="" type="checkbox"/> (4) Minor Arterial <input type="checkbox"/> (7) Local		3. Is Crossing on State Highway System? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	4. Highway Speed Limit 25 _____ MPH <input type="checkbox"/> Posted <input type="checkbox"/> Statutory
5. Linear Referencing System (LRS Route ID) *					
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2009 AADT 580		8. Estimated Percent Trucks 05 _____ %	9. Regularly Used by School Buses? <input type="checkbox"/> Yes <input type="checkbox"/> No Average Number per Day 0		10. Emergency Services Route <input type="checkbox"/> Yes <input type="checkbox"/> No
<b>Submission Information - This information is used for administrative purposes and is not available on the public website.</b>					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					