

LARRY R. CRAYNE, PC
Attorney at Law

238 Johnston Road
Pittsburgh, PA 15241

lrcrayne@comcast.net

(412) 831-5462
(412) 425-4029

December 17, 2025

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

**Re: John Hayden v. Columbia Gas of Pennsylvania, Inc.
Complaint Docket No. C-2025-3055770**

Dear Mr. Homsher:

Enclosed please find a Status Report for the above matter.

Sincerely,

A handwritten signature in cursive script that reads "Larry R. Crayne". The signature is written in black ink and is positioned above the printed name.

Larry R. Crayne

Enclosure: Status Report

cc: John Hayden
403 Main Street
Emlenton, PA 1637

Commonwealth of Pennsylvania

Before the Pennsylvania Public Utility Commission

In the Matter of:

John Hayden,
Complainant,

Complaint Docket
No. C-2025-3055770

VS.

Columbia Gas of Pennsylvania, Inc.,
Respondent.

Status Report

AND NOW comes Respondent, Columbia Gas of Pennsylvania, Inc., (Columbia), and files the following Status Report regarding the above matter:

1. In accordance with the Interim Order dated October 14, 2025, in the above matter, Columbia files the following Status Report regarding Pennsylvania Public Utility Commission's ("Commission") Final Order and Opinion at Docket No. R-2025-3053499 ("Final Order and Opinion") related to Mr. Hayden's above-captioned Complaint.

2. The Commission's Final Order and Opinion on the Company's most recent rate case filing, dated December 9, 2025, has no impact on the Complaint and should be dismissed. Specifically, The Final Order and Opinion did not retroactively affect Columbia's Weather Normalization Adjustment (WNA) mechanism.

3. In fact, the Final Order and Opinion allows the continuation of Columbia's WNA, with slight modifications effective January 1, 2026.

4. Beginning January 1, 2026, in conjunction with the implementation of new base rates, Columbia's WNA will be modified as follows: (1) the deadband will be adjusted to 5% (rather than 3%); (2) the shoulder month of May will be removed from the calculation; and (3) the time period used to calculate the Normal Heating Degree Days will be shortened to 10 years (rather than 20 years).

5. Further, and perhaps most relevant, Mr. Hayden's complaint should be dismissed as his complaint challenges the WNA charges that were accurately billed to him in accordance with the WNA that was approved by the Commission and in accordance with the Company's Commission-approved Tariff.

Wherefore, Columbia Gas respectfully requests that the Commission dismiss this Complaint with prejudice.

Respectfully submitted,

Columbia Gas of Pennsylvania, Inc.,

By: 
Larry R. Crayne, Esq.

Certificate of Service

I hereby certify that I have this day served a true and correct copy of the foregoing document upon the participant listed below, in accordance with the requirements of Sec. 1.54 (relating to service by a participant).

John Hayden
403 Main Street
Emlenton, PA 1637
Jhayden34@hotmail.com

Dated this 17th day of Dec, 2025



Larry R. Crayne
238 Johnston Road
Pittsburgh, PA 15241

Counsel for
Columbia Gas of Pennsylvania, Inc.