

December 16, 2025

Via Certified Mail

BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION

Terry Bente and Betty Bente, Complainants

v.

Metropolitan Edison Company, Respondent

DATE OF DEPOSIT

Docket No.: C-2025-3054387

DEC 16 2025

(Related prior docket: ~~C-2025-3052985~~)

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

Secretary Matthew Homsher
Pennsylvania Public Utility Commission
Secretary's Bureau
400 North Street
Harrisburg, PA 17120

**Re: Request for Clarification Regarding Returned Markings/Paint
Correspondence and Status of Pending Supersedeas**

Dear Secretary Homsher:

Petitioners respectfully request clarification regarding the proper docket association and administrative processing of Petitioners' recent correspondence concerning paint/markings and field activity (the "markings and paint letter"), which was returned under the belief that it pertained to Docket No. ~~C-2025-3052985~~.

The markings and paint letter was intended to relate to Docket No. C-2025-3054387, the active docket involving ongoing utility activity, property-impact concerns, and safety issues affecting Petitioners' residence and ASA-protected agricultural operations.

Petitioners are additionally concerned about the status of Petitioners' Petition for Supersedeas before the Commission. Petitioners have received no notice of final disposition, acceptance, rejection, or other determination from the Commission with respect to that supersedeas request to date.

Status of Pending Supersedeas Requests

Petitioners respectfully note that a request for supersedeas is also pending before the Commonwealth Court of Pennsylvania. This correspondence is submitted solely to clarify docket association and administrative processing and is not intended to concede, waive, or imply any determination regarding the status or merits of the pending supersedeas requests.

Accordingly, Petitioners respectfully request confirmation that:

1. The Commission will accept and docket the returned markings and paint correspondence under Docket No. C-2025-3054387;
2. The administrative closure of Docket No. C-2025-3052985 does not bar submission of safety-related information or post-order field-activity documentation affecting Petitioners' property;
3. Any correspondence mistakenly associated with the older docket may be corrected and entered into the active docket; and
4. The Commission will confirm the current status of Petitioners' pending Petition for Supersedeas in Docket No. C-2025-3054387, including whether any further procedural steps are required for review and disposition.

Petitioners further request that this letter and the attached Certificate of Service be entered into Docket No. C-2025-3054387.

Respectfully submitted,

/s/ Terry Bente

/s/ Betty Bente

DATE OF DEPOSIT

DEC 16 2025

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

CERTIFICATE OF SERVICE (Certified Mail)

I hereby certify that on this December 16, 2025, I served a true and correct copy of the foregoing Request for Clarification Regarding Returned Markings/Paint Correspondence and Status of Pending Supersedeas via Certified Mail upon the following:

Secretary Matthew Homsher
Pennsylvania Public Utility Commission
Secretary's Bureau
400 North Street
Harrisburg, PA 17120

Tori L. Giesler, Esquire
James A. Meehan, Esquire

FirstEnergy Service Company
2800 Pottsville Pike
Reading, PA 19605

/s/ Terry Bente

/s/ Betty Bente

Betty Bente & Terry Bente
865 Hilltown Road
Biglerville, PA 17307

Date: November 5, 2025

~~DATE OF DEPOSIT~~
~~NOV 5 2025~~
PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

VIA CERTIFIED MAIL

Tori L. Giesler, Esq.
James D. Meehan, Esq.
FirstEnergy Service Company – Legal Department
2800 Pottsville Pike
Reading, PA 19612

**Re: Unauthorized Marking and Soil Disturbance Beyond 811 Ticket
Scope — No Easement Exists to Subject Pole / Safety Concerns
Regarding Aging Underground Lines**

Dear Ms. Giesler and Mr. Meehan:

We write to notify FirstEnergy of fresh red electrical-locate paint markings and two narrow soil disturbances discovered on November 4, 2025, on our property at 865 Hilltown Road, Franklin Township, Adams County. The markings extend from the base of our private utility pole toward our barn and appear to follow the approximate path of our underground service conductors.

We contacted Pennsylvania One Call and were informed that the active ticket pertains only to the neighboring parcel, not to our property. One Call declined to release the ticket number for that reason, confirming that no 811 authorization exists for any locate, testing, or excavation activity involving our service lines or pole.

We have verified with the Adams County Recorder of Deeds that there is no recorded easement, right-of-way, license, or access agreement granting Met-Ed or any contractor permission to perform work or conduct testing at the

pole or service area located on our property. The only right-of-way affecting our parcel is along the rear boundary and does not reach the pole at issue.

This location contains aging underground service lines that have been previously reported to Met-Ed, including concerns about conductivity and ground faults that would render uncoordinated digging hazardous. Disturbing these lines without proper coordination could expose workers, our livestock, and our home to unnecessary electrical risk.


For these reasons, please confirm in writing:

1. Whether any Met-Ed employees or contractors performed marking, testing, or probing on our property between October 29 and November 4, 2025;
2. Whether any field crew has been instructed to access our pole, lines, or conduit under the neighbor's 811 ticket; and
3. That no further marking, entry, testing, or excavation will take place on our property unless and until written authorization is issued and proper safety coordination is completed.

We request written clarification within seven (7) days of receipt. This notice is for documentation and safety coordination only.

Thank you for your prompt attention. We will provide a copy of this correspondence to the Pennsylvania Public Utility Commission and Pennsylvania One Call for consistency of record.

Sincerely,



Betty Bente

cc:

Pennsylvania One Call System, Inc.
925 Irwin Run Road

West Mifflin, PA 15122


Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

17-705-1952
CMPC


T.M. BEUTE
665 Hilltown Rd
Biglerville PA
17307



Retail



U.S. POSTAGE PAID
FCM LG ENV
BIGLERVILLE, PA 17307
DEC 16, 2025



17120

\$11.60

RDC 99

S2324K502722-03

SECRETARY MATTHEW HOMSHER
PA. PUC
SECRETARY'S BUREAU
400 NORTH ST
HARRISBURG PA
17120

RECEIVED



DEC 18 2025

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

Billy Bendo
865 Hilltown Rd
Biglerville, PA 17307



Retail



17120

\$11.60

RDC 99

U.S. POSTAGE PAID
FCM LG ENV
ARENDTSMILLE, PA 17303
NOV 05, 2025

S2324H502498-99



RETURN RECEIPT
REQUESTED

RECEIVED

NOV 10 2025

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU

CMPC
717-705-1952

To: PUC SECRETARY BUREAU

Agency: PUC
Floor:
External Carrier:

11/7/2025 10:06:16 AM



9589071052700189506673

Matthew Homsher, Secy
PA PUC
Commonwealth Keystone Building
400 North St
Harrisburg, PA 17120

DATE OF DEPOSIT

NOV 5 2025

PA PUBLIC UTILITY COMMISSION
SECRETARY'S BUREAU