



COMMONWEALTH OF PENNSYLVANIA  
PENNSYLVANIA PUBLIC UTILITY COMMISSION  
COMMONWEALTH KEYSTONE BUILDING  
400 NORTH STREET, HARRISBURG, PA 17120

BUREAU OF  
INVESTIGATION  
&  
ENFORCEMENT

March 9, 2026

**Via Electronic Filing**

Matthew L. Homsher, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Re: Pennsylvania Public Utility Commission,  
Bureau of Investigation and Enforcement v.  
Global Communications Infrastructure Inc.  
Docket No. C-2026-  
**I&E Formal Complaint (Damage Prevention)**

Dear Secretary Homsher:

Enclosed for electronic filing please find the Formal Complaint of the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission in the above-referenced matter.

Copies are being served on the parties of record in accordance with the attached Certificate of Service.

Should you have any questions, please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'G. Rosul', written over a light blue horizontal line.

Grant Rosul  
Prosecutor  
Bureau of Investigation and Enforcement  
PA Attorney ID No. 318204  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

GR/nb  
Enclosures

cc: Stephanie M. Wimer, Deputy Chief Prosecutor, I&E-Enf (*via email* – [stwimer@pa.gov](mailto:stwimer@pa.gov))  
Robert Horensky, Manager, Safety Division (*via email* – [rhorensky@pa.gov](mailto:rhorensky@pa.gov))  
As per Certificate of Service

## NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the date as indicated at the top of the Secretarial Letter. *See* 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified.

**In addition to filing your Answer with the Commission’s Secretary, please electronically serve a copy on:**

Grant Rosul, Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
[grosul@pa.gov](mailto:grosul@pa.gov)

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the administrative penalty and other requested relief.

C. You may elect not to contest this Complaint by paying the administrative penalty within twenty (20) days and performing the corrective actions, if any, set forth in the requested relief. A certified check, cashier’s check or money order should be payable to the “Commonwealth of Pennsylvania” and mailed to:

Matthew L. Homsher, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violations and an agreement to cease and desist from committing further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer, which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the administrative penalty and granting the requested relief as set forth in the Complaint.

E. If you file an Answer which contests the Complaint, the matter will proceed before the assigned presiding Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission’s ADA Coordinator at (717) 787-8714.

**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Global Communications Infrastructure Inc.,	:	
Respondent	:	

---

**FORMAL COMPLAINT**

---

NOW COMES the Bureau of Investigation and Enforcement (“I&E”) of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 182 of the Underground Utility Line Protection Law (“UULPL” or “PA One Call Law”), Act of October 29, 2024, P.L. 1106, No. 127, 73 P.S. § 182.8(c)(2), and files this Formal Complaint (“Complaint”) against Global Communications Infrastructure Inc. (“Global Communications” or “Respondent”) alleging violations of the PA One Call Law in connection with a strike on a half-inch gas service line owned or operated by PECO Energy Company — Gas (“PECO”) on May 2, 2025, in Falls Township, Bucks County, Pennsylvania. In support of its Complaint, I&E respectfully avers as follows:

**I. COMMISSION JURISDICTION AND AUTHORITY**

1. The Pennsylvania Public Utility Commission (“Commission” or “PUC”), with a mailing address of the Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate, *inter alia*, excavators, within the Commonwealth pursuant to the PA One Call Law, Act of October 29, 2024, P.L. 1106, No. 127, 73 P.S. §§ 176 *et seq.*

2. Complainant is the Commission's Bureau of Investigation and Enforcement, which is the bureau established to take enforcement actions against public utilities and other entities subject to the Commission's jurisdiction pursuant to 66 Pa.C.S. § 308.2(a)(11). *See also Implementation of Act 129 of 2008; Organization of Bureaus and Offices*, Docket No. M-2008-2071852 (August 11, 2011) (delegating authority to initiate proceedings that are prosecutory in nature to I&E).

3. Complainant's prosecuting attorney is as follows:

Grant Rosul  
Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120  
[grosul@pa.gov](mailto:grosul@pa.gov)  
(717) 783-5243

4. Respondent is Global Communications, with a main mailing address of 1506 Newport Drive, Lakewood, NJ 08701.

5. Global Communications meets the definition of an "excavator" pursuant to Section 176 of the PA One Call Law, 73 P.S. § 176.<sup>1</sup>

6. A "line" or "facility" is defined as an "underground pipe used in carrying, gathering, transporting or providing natural or artificial gas ...to one or more...consumers or customers of such service...." 73 P.S. § 176.

7. Section 180 of the PA One Call Law, 73 P.S. § 180, imposes duties on excavators.

---

<sup>1</sup> "Excavator" is defined as "any person who or which performs excavation or demolition work for himself or for another person." 73 P.S. § 176. "Excavation work" is defined as "the use of powered equipment or explosives in the movement of earth, rock or other material, and includes, but is not limited to, anchoring, augering, backfilling, blasting, boring, digging, ditching, drilling, driving-in, grading, plowing-in, pulling-in, ripping, scraping, trenching and tunneling." *Id.* "Powered equipment" is defined as "any equipment energized by an engine or motor and used in excavation or demolition work." *Id.*

8. Specifically, Section 180(16) of the PA One Call Law, 73 P.S. § 180(16), requires excavators to “submit a report of alleged violation to the commission through the One Call System not more than thirty days after striking or damaging a facility owner's line during excavation or demolition work activities....” 73 P.S. § 180(16).

9. Respondent, as an excavator, is subject to the power and authority of this Commission pursuant to Section 182.10 of the PA One Call Law, which requires excavators to comply with the PA One Call Law. 73 P.S. § 182.10.

10. Section 182.8(c)-(d) and Section 182.10 of the PA One Call Law, 73 P.S. §§ 182.8(c)-(d) and 182.10, authorize the Commission to, *inter alia*, hear and determine complaints against excavators for violations of the PA One Call Law and to enforce the provisions of the PA One Call Law. 73 P.S. §§ 182.8(c)-(d) and 182.10.

11. Section 182.8(c)(2) of the PA One Call Law, 73 P.S. § 182.8(c)(2), authorizes the Commission’s prosecutorial staff to bring a formal complaint against entities subject to the PA One Call Law. 73 P.S. § 182.8(c)(2).

12. Section 182.10 of the PA One Call Law, 73 P.S. § 182.10(b)(1)(i)-(ii), authorizes the Commission to impose administrative penalties on any person or corporation, subject to the PA One Call Law, who violates any provisions of the PA One Call Law or any regulation or order issued thereunder governing underground utility lines, of up to \$2,500 per violation or if the violation results in injury, death, or property damage of \$25,000 dollars or more an administrative penalty not to exceed \$50,000. 73 P.S. § 182.10(b)(1)(i)-(ii).

13. Pursuant to the provisions of the applicable Commonwealth statutes and regulations, the Commission has jurisdiction over the subject matter of this Complaint and the actions of Respondent related thereto.

## II. FACTUAL BACKGROUND

14. On May 2, 2025, Respondent was excavating with a missile and drill<sup>2</sup> to install a communications line in the vicinity of 8303 Windsor Drive in Falls Township, Bucks County, Pennsylvania, when it struck and damaged a half-inch gas service line belonging to or operated by PECO. An Alleged Violation Report submitted by PECO alerting the Commission of the line strike is attached hereto as I&E Exhibit 1.

15. The half-inch gas service line struck by Respondent is a “line” or “facility” as defined in the PA One Call Law.

16. Respondent was excavating pursuant to a valid routine excavation ticket submitted on April 23, 2025, serial number 20251135533 (“April 23 Ticket”). The April 23 Ticket is attached hereto as I&E Exhibit 2.

17. In response to the April 23 Ticket, USIC, on behalf of PECO, marked where it stated the maps and drawings of the vicinity of 8303 Windsor Drive showed the half-inch gas service line to be.<sup>3</sup> A report prepared by USIC is attached hereto as I&E Exhibit 3.

18. However, unbeknownst to USIC, the gas line was in reality two feet horizontally off the mark left by USIC. The gas line was parallel to the incorrect mark left by USIC. Id.

19. USIC stated in its root cause analysis of the line strike that it marked the line true to the information provided to it by PECO at the time the mark was made. Id.

---

<sup>2</sup> This is a type of trenchless excavation technology that uses compressed air to create tunnels for underground pipes and cables, eliminating the need to dig a trench.

<sup>3</sup> PECO was also found to be in violation of the PA One Call Law for failing to identify and mark its line.

20. Photographs of the aftermath of the line strike show that the excavation undertaken by Respondent was within the tolerance zone<sup>4</sup> of the marking of an electric line. Id. at p. 7.

21. After striking the incorrectly marked half-inch gas service line, Global Communications submitted a New Damage Emergency Ticket, serial number 20251221360. The New Damage Emergency Ticket is attached hereto as I&E Exhibit 4.

22. Because it struck a line while excavating, Respondent was obligated to notify the Commission of the line strike by submitting an Alleged Violation Report (“AVR”)<sup>5</sup> to the Pennsylvania One Call System (“POCS”).

23. However, an AVR was never submitted by Respondent to the Commission to alert the Commission of the line strike.

24. On October 2, 2025, a copy of the report prepared by the Damage Prevention Investigator (“DPI”) from the Commission’s Bureau of Investigation and Enforcement, Damage Prevention Section (“DPS”), was mailed to Global Communications informing Respondent that it was in violation of the PA One Call Law by failing to submit an AVR within 30 days after a line strike or violation, failing to comply with all requests for information from Commission staff, and failing to utilize the best practices published by the Common Ground Alliance when using trenchless technology. The letter further informed Respondent that it could either accept the findings in the DPI’s report or reject them and present its case to the Damage Prevention Committee (“DPC”).

---

<sup>4</sup> The “tolerance zone” is defined as “the horizontal space within eighteen inches of the outside wall or edge of a line or facility.” 73 P.S. § 176. An excavator must “employ prudent techniques, which may include hand-dug test holes, vacuum excavation or similar devices to ascertain the precise position of such facilities” when excavating within the tolerance zone. 73 P.S. § 180(4).

<sup>5</sup> The purpose of an AVR is to report to the Commission through POCS an alleged violation of the PA One Call Law. 73 P.S. §§ 176 and 180(16).

25. On October 22, 2025, Respondent rejected the finding of the DPI report via an email to the DPS.

26. On November 14, 2025, the DPS mailed to Respondent a letter informing it that it could present its case at the December 9, 2025 Damage Prevention Committee (“DPC”) meeting, where its case would be discussed and voted upon.

27. On December 9, 2025, a copy of the DPC’s Informal Determination accepting the DPI’s report and imposing an administrative penalty was mailed to Global Communications, informing Respondent that it could either accept the DPC’s Informal Determination or reject it in writing within thirty (30) days of the date of the notification letter, and that if the Informal Determination is rejected the case may be sent to I&E prosecutory staff for issuance of a formal complaint.

28. On December 30, 2025, Global Communications rejected the DPC’s Informal Determination via an email to the DPI.

### **III. VIOLATIONS**

29. Paragraphs 1-28 are incorporated herein as if stated in their entirety.

#### **Count 1**

30. Respondent failed to submit an AVR to the Commission not more than thirty (30) days after striking the half-inch gas service line in the vicinity of 8303 Windsor Drive.

If proven, this is a violation of Section 180(16) of the PA One Call Law, 73 P.S. § 180(16). As an excavator, Respondent was obligated to submit a report of a line strike or an alleged violation to the Commission through the PA One Call System not more than thirty (30) days after striking or damaging a facility owner's line during excavation or demolition work activities.

Here, the line strike by Respondent occurred on May 2, 2025. Pursuant to this provision of the One Call Law, Respondent's AVR was due to be provided to the Commission no later than June 5, 2025. However, Respondent did not submit an AVR at all.

The Bureau of Investigation and Enforcement's proposed administrative penalty for this violation is \$1,000.

**WHEREFORE**, for all the foregoing reasons, the Pennsylvania Public Utility Commission's Bureau of Investigation and Enforcement respectfully requests that the Commission:

- (1) Find Global Communications Infrastructure Inc. to be in violation of the PA One Call Law at 73 P.S. § 180(16);
- (2) Impose an administrative penalty upon Global Communications Infrastructure Inc. in the amount of \$1,000, to be paid within 30 days of the date of a Commission Final Order;
- (3) Order such other remedies as the Commission may deem appropriate.
- (4) If payment of the administrative penalty is not made as set forth, the Bureau of Investigation and Enforcement requests that this matter be referred to the Pennsylvania Office of the Attorney General for appropriate action.

Respectfully submitted,



Grant Rosul  
Prosecutor  
PA Attorney ID No. 318204

Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

Date: March 9, 2026


**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Global Communications Infrastructure Inc.,	:	
Respondent	:	

**VERIFICATION**

I, Sara Andrade-Locke, Damage Prevention Supervisor, Damage Prevention Section, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau of Investigation and Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: March 9, 2026



---

Sara Andrade-Locke  
Damage Prevention Supervisor  
Damage Prevention Section  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

# **I&E Exhibit 1**



# Alleged Violation Report

PA Act 287, as amended 73 P. S. § 176 et. seq.  
Powered by Pennsylvania One Call System, Inc.

**AVR Number** AVR2025MAY080019  
**AVR Version** 1  
**First Name** TOBY **Last Name** TANG  
**Company Name** PECO AN EXELON COMPANY  
**Address** 680 RIDGE PIKE  
**City** PLYMOUTH MEETING  
**State** PA  
**Zip Code** 19462  
**Email** E188632@exelonds.com **Phone** 2672305179  
**Ext**

## Role

**Submitter Role(s) (?)**

- Facility Owner
- Excavator
- Locator
- Other
- Designer
- Project Owner
- Enforcement Agency

Are you representing a company other than your own?  Yes  No

What company or individual are you representing?

## Alleged Violation Information

**PUC Case Number (if known)**

**Related AVR Number (?)**

**Type of Alleged Violation (?)** Excavator Issue

**Reason** Failed to use prudent techniques in the tolerance zone §5(4)

**When did the alleged violation occur? (?)** 05/02/2025  
10:00:00 AM

Was the One Call System notified?  Yes  No

Original Serial Number

Please enter the 11 digit One Call Serial Number under which work was taking place, which will populate the work site information of this alleged violation.

20251135533

Related Damage Serial Number, if applicable

20251221360

Other Related Serial Numbers (?)

Was the excavation exempt from One Call notification?  Yes  No  Unknown

Reason for Exemption

## Event Information



County BUCKS  
Municipality FALLS TWP  
Ward 0  
Work Site 8303 WINDSOR DR  
Nearest Intersection WARREN DR  
Second Intersection WHEATFIELD CIR  
Geolocation (?)

## Affected Facility Information



Primary Right of Way Type Public  
Public Right of Way Type  
Private Right of Way Type

Affected Operation Gas  
Facility Subtype Affected Distribution  
Facility Owner Company Name PECO  
Contact First Name PATRICK Last Name DUNHAM  
Address 680 RIDGE PIKE  
City PLYMOUTH MEETING  
State PA  
Zip

<b>Email</b>	<b>Phone</b>
<b>Joint Trench?</b>	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown
<b>Involve Cross Bore?</b>	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown
<b>Measured Depth from Grade</b>	>36" / 91 cm
<b>Exact Measured Depth from Grade</b>	Enter the inches or centimeters with number and measurement used

## Work Information



<b>Start Date of Excavation (?)</b>	05/02/2025		
	10:00:00 AM		
<b>Excavation Activity</b>	CONDUIT		
<b>Excavator Company Name</b>	GLOBAL COMMUNICATIONS INFRASTRUCTURE INC		
<b>Contact First Name</b>	NICK	<b>Last Name</b>	SCIARROTTA
<b>Address</b>	2275 W COUNTY LINE RD STE 6 #232		
<b>City</b>	JACKSON		
<b>State</b>	NJ		
<b>Zip</b>	08527		
<b>Email</b>	<b>Phone</b>		
<b>Marked in White</b>	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown		
<b>Method of Excavation</b>	BORING (SELECT TECHNIQUE)		
<b>Equipment Used</b>	What Equipment was used for excavation or demolition when the event occurred? BORING		
<b>Type of Excavator</b>	What is the type of excavator for whom the work was being done when the event occurred? Other		
<b>Did Excavator incur down time?</b>	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown		
<b>How much down time?</b>	2- < 3 hrs		
<b>Estimated cost of down time</b>	\$5,001-\$25,000		
<b>Was a response posted to the One Call System?</b>	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Unknown		
<b>Was the design serial number on the plans/bid documents?</b>	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Unknown		
<b>Were the lines shown on the plans/bid documents?</b>	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Unknown		
<b>What level of subsurface utility engineering was utilized?</b>			
<b>Estimated cost of the entire project</b>			

What was the length of the entire project?

Project Owner Company Name BUCKLEY / COMCAST

Contact First Name Last Name

Address

City

State

Zip

Email Phone

## Event Impact



Did Violation result in underground damage or near miss event? Damage

OSHA Report Filed?  Yes  No

OSHA Report Number

Was 911 called?  Yes  No

Name of 911 Caller UNK

Fire Response  Yes  No

Police Response  Yes  No

Did the incident cause any injuries?  Yes

Number of Injuries (?)

Did the incident cause any deaths?  Yes

Number of Deaths

Was there an evacuation?  Yes  No

Number of people evacuated?

Traffic Stopped?  Yes  No

Service Interrupted?  Yes  No

Duration of Service Interruption? 1 - < 6 hrs

Exact Value of Service Interruption

Approximately how many customers were affected? Unknown

Exact Number of Customers Affected

Cost of Damaged Line Repair?

Exact Cost of Damaged Line Repair

Was other property damaged?  Yes  No

What other property was damaged?

Cost of Other Property Repair

Locator/Locate Information



Who was the facility line locator? Contract Locator

Locator Company USIC

Contact First Name Last Name

Address

City

State

Zip

Email Phone

Was the line marked?  Accurately  Inaccurately/Incompletely  Not Marked  
 Unknown

Were facilities marked according to APWA/CGA temporary marking color code (ANSI standard Z535.1)?  Yes  No  Unknown

What types of marks were present?  Paint  
 Flags  
 Stakes  
 Other

Were offset markings used?  Yes  No  Unknown

Condition of Marks Visible

Was the line marked by the response due date or within the agreed upon locate schedule? (?)  Yes  No  Unknown

Reason for Late Locate

Was the excavation within the tolerance zone? (?)  Yes  No  Unknown

Was there an indication of underground facilities (clear evidence) in the excavation area?  Yes  No  Unknown

What was the evidence? PECO FACILITIES  
(meter/pedestal, pipeline marker, valve box, hydrant, manhole, etc.)

What method(s) were used to locate the facility?

- Electronic  
 Visual

- Records  
 Exposed

Did the excavator request payment under PennDOT Form 408 specifications for extra work performed on a force account basis?

- Yes  No

Additional Locate Comments

If this incident involved any locating/markings errors, please include all records related to the locator's training and qualification (including training to meet UULPL standards as well as Operator Qualification).

## Summary and Attachments

---

Provide a summary of the event

GLOBAL COMMUNICATIONS INFRASTRUCTURE INC was excavating under ticket number 20251135533 to install cable with a Missile when they damaged the 1/2" Plastic gas service 2' from the gas mark out, it was found that at the time of the locate the gas sketch and tap both have the gas service at 2' East of the East House the gas service was severed with the Missile 4' East of the East House, it was found that the gas service was marked accurate to the prints provided at the time of the locate.

If more space is needed, attach additional pages or documents.

Attachments

Damage\_Details\_2025.05.02\_15.52.26\_463... 5.94MB  
Attach pictures and additional documents

Submit Date

05/08/2025

## Compliance Update

---

Research Result

- Listed tickets found  
 Additional tickets found  
 No tickets found

## Additional Tickets Found

---

Additional Serial Numbers

---

Ticket Attachment

Comments

# **I&E Exhibit 2**

CDC 00000 POCS MM/DD/YY TT:TT:TT 20251135533-000 NEW XCAV RTN

=====PENNSYLVANIA UNDERGROUND UTILITY LINE PROTECTION REQUEST=====

Serial Number--[20251135533]-[000] Channel#--[2150AWEB][0236][2019-08]  
Message Type--[NEW][EXCAVATION][ROUTINE]

County--[BUCKS] Municipality--[FALLS TWP]  
Work Site--[8303 WINDSOR DR]  
Nearest Intersection--[WARREN DR]  
Second Intersection--[WHEATFIELD CIR]  
At Intersection--[N] Between Intersections--[N] Site Marked in White--[Y]  
Subdivision--[ ]  
Location Information--  
[PLEASE MARK ALONG PATH IN WHITE FROM 8303 TO 8306 CURB TO PROPERTY, AND  
CURB TO CURB. CABLE SPAN REPLACEMENT. TEMP LINE IS IN PLACE CURRENTLY]  
Caller Lat/Lon--[ ]  
Mapped Type--[P] Mapped Lat/Lon--  
[40.167109/-74.795536,40.167070/-74.795233,40.167431/-74.795214,  
40.167470/-74.795536]  
Attachments--[http://www.pa811.org/attachments/20251135533]  
Type of Work--[INSTALL CABLE AND CONDUIT] Depth--[3]  
Extent of Excavation--[200FTX8INX2FT] Method of Excavation--[BORING]  
Equip Type--[MISSILE AND DRILL]  
Street--[X] Sidewalk--[X] Pub Prop--[X] Pvt Prop--[X] Other--[ ]  
Private Front--[X] Rear--[X] Left--[X] Right--[X]

Lawful Start Dates--[28-Apr-25] thru [07-May-25] Response Due Date--[25-Apr-25]  
Scheduled Excavation Date--[28-Apr-25] Dig Time--[0000] Duration--[2 WEEKS]

Caller--[NICK SCJARROTTA]  
Caller Phone--[848-525-5265]  
Excavator--[GLOBAL COMMUNICATIONS INFRASTRUCTURE INC]  
Address--[2275 W COUNTY LINE RD STE 6 #232]  
City--[JACKSON] State--[NJ] Zip--[08527]  
FAX--[ ] Caller Type--[B]  
Email--[NSCIARROTTA@GMAIL.COM]  
Work For--[BUCKLEY/COMCAST]  
Onsite Contact--[NICK SCJARROTTA]  
Onsite Contact Phone--[609-613-1186]  
Best Time to Call--[ANYTIME]  
Onsite Contact Email--[NSCIARROTTA@GMAIL.COM]

Prepared--[23-Apr-25] at [2154] by [NSCIARROTT]  
Remarks--  
[ ]

KD 0 KD =PECO EXELON CO KW 0 KW =COMCAST C SLRV TFA0 TFA=TWP FALLS AUTH  
TOF0 TOF=FALLS TWP YI 0 YI =VERIZON EASTERN

Serial Number--[20251135533]-[000]  
===== Copyright (c) 2025 by Pennsylvania One Call System, Inc. =====

RESPONSES for S/N: 20251135533:

Ver	CDC	Name	Response	Time	Respondent
0	YI	VERIZON PENNSYLVANIA LLC	YI-FIELD MARKED	4/25/2025 10:20:43 AM	AAA-WEBSVC
0	TOF	FALLS TOWNSHIP BUCKS COUNTY	TOF-NO RESPONSE	4/26/2025 12:05:17 AM	Auto-KARL
0	TOF	FALLS TOWNSHIP BUCKS COUNTY	TOF-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	4/26/2025 11:51:35 AM	JA-OTM
0	TFA	FALLS AUTHORITY TOWNSHIP OF	TFA-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	4/24/2025 6:51:20 AM	JR-WEB
0	KW	COMCAST CABLE COMMUNICATIONS INC	KW-NO RESPONSE	4/26/2025 12:05:17 AM	Auto-KARL
0	KW	COMCAST CABLE COMMUNICATIONS INC	KW-FIELD MARKED	4/28/2025 12:15:24 PM	UQ-WEBSVC
0	KD	PECO AN EXELON COMPANY	KD-FIELD MARKED	4/25/2025 11:51:09 AM	CLS-WEBSVC

DELIVERIES for S/N: 20251135533:

Ver	CDC	Name	To	Time	Seq	Type
0	YI	VERIZON PENNSYLVANIA LLC	YI	4/23/2025 9:55:11 PM	1031	MAIL
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	4/23/2025 9:55:16 PM	0	MAIL
0	TOF	FALLS TOWNSHIP BUCKS COUNTY	TOF	4/23/2025 9:55:10 PM	3	MAIL
0	TFA	FALLS AUTHORITY TOWNSHIP OF	TFA	4/23/2025 9:55:09 PM	41	MAIL
0	KW	COMCAST CABLE COMMUNICATIONS INC	KW	4/23/2025 9:55:07 PM	239	MAIL
0	KD	PECO AN EXELON COMPANY	KD	4/23/2025 9:55:06 PM	258	MAIL

NOTIFICATIONS for S/N: 20251135533:

Ver	CDC	To	Dlvr	Show	Place+	Rule+	Renot+	InAct-	Map-	Rule-	OOG-	Renot-	Forced+
0	YI	YI	1	1	1	0	0	0	0	0	0	0	0
0	XL1		0	0	1	0	0	0	1	0	0	0	0
0	WEBCFM	WEBCFM	1	1	0	0	0	0	0	0	0	0	0
0	VOP		0	0	1	0	0	0	1	0	0	0	0
0	USS		0	0	1	0	0	0	1	0	0	0	0
0	TOF	TOF	1	1	1	0	0	0	0	0	0	0	0
0	TFA	TFA	1	1	1	0	0	0	0	0	0	0	0
0	TCI		0	0	1	0	0	0	1	0	0	0	0
0	PVG		0	0	1	0	0	0	1	0	0	0	0
0	PLL		0	0	1	0	0	0	1	0	0	0	0
0	PEG		0	0	1	0	0	0	1	0	0	0	0
0	LKC		0	0	1	0	0	0	1	0	0	0	0
0	LBC		0	0	1	0	0	0	1	0	0	0	0
0	KW	KW	1	1	1	0	0	0	0	0	0	0	0
0	KD	KD	1	1	1	0	0	0	0	0	0	0	0
0	AV		0	0	1	0	0	0	1	0	0	0	0
0	ATM		0	0	1	0	0	0	1	0	0	0	0
0	ASL		0	0	1	0	0	0	1	0	0	0	0
0	MI		0	0	1	0	0	0	1	0	0	0	0

ATTACHMENT for S/N: 20251135533 (20251135533-0.gif):



# **I&E Exhibit 3**

## Fact Based Investigation Report - USIC Claim Number 40220250502009

**Customer** - Exelon  
**Customer Claim Number** -  
**USIC District** - Philadelphia  
**Damage location** - WINDSOR DR, FALLS TWP, PA 08527  
**Ticket Number** - 20251135533  
**Damage Ticket Number** - 20251221360  
**Utility Type** - Gas-Plastic  
**Facility** - Gas Service - 2" or less  
**Damager** - GLOBAL COMMUNICATIONS INFRASTRUCTURE INC  
**Excavation Type** - CATV Cable  
**Date of Damage** - 5/2/2025 10:31:00 AM  
**Reported Date** - 5/2/2025 10:36:00 AM  
**Notified By** - NICK SCIARROTTA  
**Investigation Date** - 5/2/2025 12:00:00 AM  
**Nature of Damage** - Buried Facilities  
**USIC CDI** - Bennett, Andrew  
**USIC Locate Tech** - Fox, Michael

**Determination:** USIC NOT AT ISSUE  
**Root Cause Analysis:** Prints issue / visual scan performed

### Summary of the Event:

On 5/2/2025 USIC was notified by GLOBAL COMMUNICATIONS INFRASTRUCTURE INC of a gas damage at 9303 Windsor Dr Falls Twp Bucks County PA, During the investigation it was found that GLOBAL COMMUNICATIONS INFRASTRUCTURE INC was excavating under ticket number 20251135533 to install cable with a Missile when they damaged the 1/2" Plastic gas service 2' from the gas mark out, it was found that at the time of the locate the gas sketch and tap both have the gas service at 2' East of the East House the gas service was severed with the Missile 4' East of the East House, it was found that the gas service was marked accurate to the prints provided at the time of the locate.

### Repair Extent:

severed unknown

**Contractor involvement for repair:** No

# Ticket Information:

Original Ticket  
One Call Link



(Click Button)

Ticket Identifier: 448219783  
From: IRTNet At: 04/23/25 09:56 PM Seq No: 2367  
Facility: Gas

KD 00258 POCS 04/23/25 21:55:06 20251135533-000 NEW XCAV RTN

=====  
Serial Number--[20251135533]-[000] Channel#--[2150AWEB][0236][2019-08]  
Message Type--[NEW][EXCAVATION][ROUTINE]

County--[BUCKS] Municipality--[FALLS TWP]  
Work Site--[8303 WINDSOR DR]  
Nearest Intersection--[WARREN DR]  
Second Intersection--[WHEATFIELD CIR]  
At Intersection--[N] Between Intersections--[N] Site Marked in White--[Y]  
Subdivision--[ ]

Location Information--  
[PLEASE MARK ALONG PATH IN WHITE FROM 8303 TO 8306 CURB TO PROPERTY, AND  
CURB TO CURB. CABLE SPAN REPLACEMENT. TEMP LINE IS IN PLACE CURRENTLY]

Caller Lat/Lon--[ ]  
Mapped Type--[P] Mapped Lat/Lon--  
[40.167109/-74.795536,40.167070/-74.795233,40.167431/-74.795214,  
40.167470/-74.795536]

Attachments--[http://www.pa811.org/attachments/20251135533]  
Type of Work--[INSTALL CABLE AND CONDUIT] Depth--[3]  
Extent of Excavation--[200FTX8INX2FT] Method of Excavation--[BORING]  
Equip Type--[MISSILE AND DRILL]  
Street--[X] Sidewalk--[X] Pub Prop--[X] Pvt Prop--[X] Other--[ ]  
Private Front--[X] Rear--[X] Left--[X] Right--[X]

Lawful Start Dates--[28-Apr-25] thru [07-May-25] Response Due Date--[25-Apr-25]  
Scheduled Excavation Date--[28-Apr-25] Dig Time--[0000] Duration--[2 WEEKS]

Caller--[NICK SCJARROTTA]  
Caller Phone--[848-525-5265]  
Excavator--[GLOBAL COMMUNICATIONS INFRASTRUCTURE INC]  
Address--[2275 W COUNTY LINE RD STE 6 #232]  
City--[JACKSON] State--[NJ] Zip--[08527]  
FAX--[ ] Caller Type--[B]  
Email--[NSCIARROTTA@GMAIL.COM]  
Work For--[BUCKLEY/COMCAST]

Onsite Contact--[NICK SCIARROTTA]  
Onsite Contact Phone--[609-613-1186]  
Best Time to Call--[ANYTIME]  
Onsite Contact Email--[NSCIARROTTA@GMAIL.COM]

Prepared--[23-Apr-25] at [2154] by [NSCIARROTT]  
Remarks--  
[]


Geometry--  
[POLYGON ((-74.795536 40.167109, -74.795233 40.16707, -74.795214 40.167431,  
-74.795536 40.16747, -74.795536 40.167109))]

KD 0 KD =PECO EXELON CO KW 0 KW =COMCAST C SLRV TFA0 TFA=TWP FALLS AUTH  
TOF0 TOF=FALLS TWP YI 0 YI =VERIZON EASTERN

Serial Number--[20251135533]-[000]  
===== Copyright (c) 2025 by Pennsylvania One Call System, Inc. =====

-----  
Email\_From: agt\_comm@irth.com  
Email\_Subject: Seq# 2367: 20251135533 for KD - Gas  
Email\_Recv\_Date: 2025-04-23 20:56:25 CDT  
Email\_Sent\_Date: 2025-04-23 20:56:25 CDT  
Email\_MessageID: <56be8c3f-ae5c-4993-8cf8-1772510dd8e8@mail.dll>  
Email\_host: tpromail002.811tickets.com  
Email\_user: 811.pa.peco  
Email\_To: 811.pa.peco@tickets.811tickets.com  
Email\_Content\_Type: text/plain;  
charset="utf-8"  
Email\_Timestamp: 2025-04-23 20:57:20 CDT

Damage Location




Damage Location



[Print Image](#)

I&E Exhibit 3  
Page 5 of 12



[Print Image](#)

Application NAME: GFR QUERY; ENVIRONMENT: PROD; Version 8.23.8816.15393; GFR Details Form

Ecode: 9001325615 **Read Only version**  Versions

Address: 8303 WINDSOR DR, MORRISVILLE, PA, 19067

Location Description: 8303 WINDSOR DR, MORRISVILLE, PA 19067

Quad	Pol. Sub	Div	Service#	Pm#	Pressure
27F2F5	110 - FALLS TWP	GDBUX - Bucks County	106405	774801500	HP - High Pressure

Work Reason: SD - Service Survey Data Change | Status: A - Active | Status Date: 01/01/1981 | Signal: SS - Service Sketch | Special Info:

Work Order:  | Excess Flow Valve:  | Ex. Flow Valve Man.:  | Fuel Line Bond:

Service: Main

Main Type	Size	Depth	Connection
CS - Coated Steel	2.00	2 ft 6 in	V - Service Valve Tee (Non Bolt On)
Distance	Direction	Place Of Reference	Sleeve
7 ft	NN - North of North	C - Curb	

Tap	Size	Distance	Direction	Place Of Reference
	.500	2 ft	EE - East of East	H - House

Cathodic Protection: Cathodic Protection #

Add Sketch:  (N - Don't add to Quad)

Installed By:  (FIELD CREW)

Side by Side



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:34 PM EDT

Property of USIC  
Created On: 2025-04-25 11:23:37 -04:00

Side by Side



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:29 PM EDT

Property of USIC  
Created On: 2025-04-25 11:23:40 -04:00

Investigation Photo

I&E Exhibit 3  
Page 7 of 12



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:24 PM EDT

Investigation Photo



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:29 PM EDT

Investigation Photo

I&E Exhibit 3  
Page 8 of 12




Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:41 PM EDT

Investigation Photo



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:25 PM EDT

Investigation Photo



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:05:42 PM EDT

Investigation Photo



Property of United States Infrastructure Corporation  
Photo created on 05/02/2025 12:08:07 PM EDT

Post Locate Photo



Property of USIC

Created On: 2025-04-25 11:23:34 -04:00

Post Locate Photo



Property of USIC

Created On: 2025-04-25 11:23:35 -04:00

Post Locate Photo



Property of USIC

Created On: 2025-04-25 11:23:35 -04:00

Post Locate Photo



Property of USIC

Created On: 2025-04-25 11:23:37 -04:00

Post Locate Photo



Property of USIC

Created On: 2025-04-25 11:23:40 -04:00

# **I&E Exhibit 4**

CDC 00000 POCS MM/DD/YY TT:TT:TT 20251221360-000 NEW DAMG EMER

=====  
Serial Number--[20251221360]-[000] Channel#--[1024A999][0377][2019-08]  
Message Type--[NEW][DAMAGE][EMERGENCY]

County--[BUCKS] Municipality--[FALLS TWP]  
Work Site--[WINDSOR DR]  
Nearest Intersection--[WARREN DR]  
Second Intersection--[WHEATFIELD CIR]  
At Intersection--[N] Between Intersections--[N] Site Marked in White--[Y]  
Subdivision--[ ]  
Location Information--  
[SITE IS ALONG PATH FROM 8303 TO 8306 PROPERTIES]  
Caller Lat/Lon--[ ]  
Mapped Type--[P] Mapped Lat/Lon--  
[40.167744/-74.795869,40.167773/-74.792927,40.166954/-74.793080,  
40.166793/-74.796469]  
Attachments--[http://www.pa811.org/attachments/20251221360]  
Type of Work--[DAMAGE-NATURAL GAS] Depth--[2FT]  
Extent of Excavation--[1FT X 1FT] Method of Excavation--[ ]  
Equip Type--[ ]  
Street--[ ] Sidewalk--[ ] Pub Prop--[X] Pvt Prop--[X] Other--[ ]  
Private Front--[X] Rear--[X] Left--[X] Right--[X]

Lawful Start Dates--[ ] thru [ ] Response Due Date--[02-May-25]  
Scheduled Excavation Date--[02-May-25] Dig Time--[1045]

Caller--[NICK SCJARROTTA]  
Caller Phone--[848-525-5265]  
Excavator--[GLOBAL COMMUNICATIONS INFRASTRUCTURE INC]  
Address--[2275 W COUNTY LINE RD STE 6 #232]  
City--[JACKSON] State--[NJ] Zip--[08527]  
FAX--[ ] Caller Type--[B]  
Email--[NSCIARROTTA@GMAIL.COM]  
Work For--[BUCKLEY/COMCAST]  
Onsite Contact--[NICK SCJARROTTA]  
Onsite Contact Phone--[609-613-1186]  
Best Time to Call--[ANYTIME]  
Onsite Contact Email--[NSCIARROTTA@GMAIL.COM]

Prepared--[02-May-25] at [1030] by [DARLENE SPANO]

Remarks--  
[EITHER USING A SHOVEL OR MISSILE  
FACILITY TYPE: NATURAL GAS-PECO  
EXCAVATION EQUIPMENT:  
HAZARDOUS RELEASE: YES  
CALLER HAS NOTIFIED 911.]

KD 0 KD =PECO EXELON CO KW 0 KW =COMCAST C SLRV LKC0 LKC=LUMEN LVL 3  
MI 0 MI =MCI PLL0 PLL=ZAYO/PPL/ABVNET TFA0 TFA=TWP FALLS AUTH  
TOF0 TOF=FALLS TWP YI 0 YI =VERIZON EASTERN

Serial Number--[20251221360]-[000]  
=====  
Copyright (c) 2025 by Pennsylvania One Call System, Inc. =====

RESPONSES for S/N: 20251221360:

Ver	CDC	Name	Response	Time	Respondent
0	TFA	FALLS AUTHORITY TOWNSHIP OF	TFA-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 11:36:06 AM	MO-VDI
0	PLL	ZAYO BANDWIDTH FORMERLY PPL TELCOM LLC	PLL-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 11:49:36 AM	AAA-WEBSVC
0	YI	VERIZON PENNSYLVANIA LLC	YI-FIELD MARKED	5/2/2025 11:32:22 AM	AAA-WEBSVC
0	TOF	FALLS TOWNSHIP BUCKS COUNTY	TOF-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 10:32:42 AM	JA-OTM
0	MI	VERIZON BUSINESS FORMERLY MCI	MI-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 10:35:22 AM	PRA-WEBSVC
0	LKC	LUMEN FORMERLY LEVEL 3	LKC-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 10:33:19 AM	AAA-WEBSVC
0	KW	COMCAST CABLE COMMUNICATIONS INC	KW-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 10:55:21 AM	UQ-WEBSVC
0	KD	PECO AN EXELON COMPANY	KD-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	5/2/2025 4:05:27 PM	CLS-WEBSVC
0	KD	PECO AN EXELON COMPANY	KD-NO RESPONSE	5/2/2025 12:31:51 PM	Auto-KARL


DELIVERIES for S/N: 20251221360:

Ver	CDC	Name	To	Time	Seq	Type
0	TFA	FALLS AUTHORITY TOWNSHIP OF	TFA	5/2/2025 11:36:03 AM	0	SPLV
0	TFA	FALLS AUTHORITY TOWNSHIP OF	TFA	5/2/2025 10:30:55 AM	19	MAIL
0	PLL	ZAYO BANDWIDTH FORMERLY PPL TELCOM LLC	PLL	5/2/2025 10:30:52 AM	48	MAIL
0	YI	VERIZON PENNSYLVANIA LLC	YI	5/2/2025 10:32:44 AM	263	MAIL
0	TOF	FALLS TOWNSHIP BUCKS COUNTY	TOF	5/2/2025 10:30:55 AM	7	MAIL
0	MI	VERIZON BUSINESS FORMERLY MCI	MI	5/2/2025 10:31:40 AM	78	MAIL
0	LKC	LUMEN FORMERLY LEVEL 3	LKC	5/2/2025 10:30:52 AM	62	MAIL
0	KW	COMCAST CABLE COMMUNICATIONS INC	KW	5/2/2025 10:30:52 AM	53	MAIL
0	KD	PECO AN EXELON COMPANY	KD	5/2/2025 10:30:51 AM	63	MAIL

NOTIFICATIONS for S/N: 20251221360:

Ver	CDC	To	Dlvr	Show	Place+	Rule+	Renot+	InAct-	Map-	Rule-	OOG-	Renot-	Forced+
0	PVG		0	0	1	0	0	0	1	0	0	0	0
0	PZ4		0	0	0	0	0	1	0	0	0	0	0
0	TCI		0	0	1	0	0	0	1	0	0	0	0
0	TFA	TFA	1	1	1	0	0	0	0	0	0	0	0
0	TKTCFM	TKTCFM	1	1	0	0	0	0	0	0	0	0	0
0	USS		0	0	1	0	0	0	1	0	0	0	0
0	PLL	PLL	1	1	1	0	0	0	0	0	0	0	0
0	VOP		0	0	1	0	0	0	1	0	0	0	0
0	XL1		0	0	1	0	0	0	1	0	0	0	0
0	YI	YI	1	1	1	0	0	0	0	0	0	0	0
0	TOF	TOF	1	1	1	0	0	0	0	0	0	0	0
0	PEG		0	0	1	0	0	0	1	0	0	0	0
0	MI	MI	1	1	1	0	0	0	0	0	0	0	0
0	LKC	LKC	1	1	1	0	0	0	0	0	0	0	0
0	LBC		0	0	1	0	0	0	1	0	0	0	0
0	KW	KW	1	1	1	0	0	0	0	0	0	0	0
0	KD	KD	1	1	1	0	0	0	0	0	0	0	0
0	AV		0	0	1	0	0	0	1	0	0	0	0
0	ATM		0	0	1	0	0	0	1	0	0	0	0
0	ASL		0	0	1	0	0	0	1	0	0	0	0

ATTACHMENT for S/N: 20251221360 (20251221360-0.gif):



**BEFORE THE  
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Global Communications Infrastructure Inc.,	:	
Respondent	:	

**CERTIFICATE OF SERVICE**

I hereby certify that I have this day served a true copy of the foregoing document upon the parties, listed below, in accordance with the requirements of 52 Pa. Code § 1.54 (relating to service by a party).

**Service by Certified Mail**

Global Communications Infrastructure Inc.  
Attn: Nicholas Sciarrotta  
1506 Newport Dr.  
Lakewood, NJ 08701



---

Grant Rosul  
Prosecutor  
Bureau of Investigation and Enforcement  
PA Attorney ID No. 318204  
(717) 783-5243  
[grosul@pa.gov](mailto:grosul@pa.gov)

Date: March 9, 2026