



COMMONWEALTH OF PENNSYLVANIA
PENNSYLVANIA PUBLIC UTILITY COMMISSION
400 NORTH STREET, HARRISBURG, PA 17120

March 10, 2026

IN REPLY PLEASE
REFER TO OUR FILE

Docket No. M-2026-3060809
Utility Code 212285

TERESA K HARROLD ESQUIRE
PENNSYLVANIA AMERICAN WATER COMPANY
852 WESLEY DRIVE
MECHANICSBURG PA 17055
TERESA.HARROLD@AMWATER.COM

RE: Pennsylvania-American Water Company 2025 Annual Asset Optimization Plan at
Docket No. M-2026-3060809

Dear Attorney Harrold:

On March 2, 2026, Pennsylvania-American Water Company (PAWC) filed the above-captioned document (AAOP) with the Pennsylvania Public Utility Commission (Commission). For the Commission to complete its analysis of the filing, please respond with the information requested in the attached document.

Please forward the information to the Secretary of the Commission at the address listed below **within ten (10) business days** from the date of this letter. All documents requiring notary stamps must have original signatures. The Commission strongly encourages submission through efilings with the Secretary of the Commission by opening an efilings account through the Commission website and accepting eservice at <https://efiling.puc.pa.gov>. The Commission is accepting all public documents through our efilings system at this time.

If your filing contains confidential material, you are required to either file by overnight delivery or submit to the Secretary's Share Point File system to ensure the timely filing of your submission. Filers should contact the Secretary's Bureau in advance to gain access to the Share Point File system. Make sure to reference the Docket Number listed above when filing your response. The overnight address for hard-copy or confidential responses is:

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120


Please note your answers must be verified per 52 Pa. Code § 1.36. Accordingly, you must provide the following statement with your responses:

I, [print name of appropriate company representative], hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief, and that I expect to be able to prove the same at a hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa. C.S. § 4904 (relating to unsworn falsification to authorities).

Signature _____
Title _____
Date _____

Please contact the below staff person if any problems should arise that prevent a full response within ten business days or if any clarification of these data requests is needed. Please mark the materials “CONFIDENTIAL” in bold or highlighted manner if any of the requested information is deemed to be of a confidential nature.

In addition, to expedite completion of the review, please send a copy of the response to Paul Zander in the Water/Wastewater Section of the Bureau of Technical Utility Services via e-mail at pzander@pa.gov. Please also direct any questions to Paul Zander at telephone number (717) 783-1372. Thank you in advance for your cooperation.

Sincerely,


Matthew L. Homsher
Secretary

Enclosure: TUS Data Request Set 1

cc: Darryl Lawrence, Office of Consumer Advocate (w/enclosure), ra-oca@paoca.org
NazAarah Sabree, Office of Small Business Advocate (w/enclosure), ra-sba@pa.gov
Allison Kaster, Bureau of Investigation & Enforcement (w/enclosure), akaster@pa.gov

TUS Data Request Set 1

Pennsylvania-American Water Company 2025 Annual Asset Optimization Plan at Docket No. M-2026-3060809

Note: Please restate the data request prior to providing a response. In addition, provide the name and title of the person(s) providing the response and/or information for each data request.

- M-1. The AAOP's Page 9 referenced Attachments A and C, and the AAOP's Page 14 referenced Attachment B. However, the AAOP did not include copies of Attachments A, B, and C. Please provide copies of the AAOP's Attachments A, B, and C.
- M-2. The Commission's Order entered October 3, 2019, at Docket No. P-2017-2606100 (October 2019 Order), Ordering Paragraph No. 4, directed that PAWC's AAOP filings shall include the total annual cost and average unit cost of replacements disaggregated by customer class (i.e., residential, commercial, industrial) and geographic location. PAWC's 2025 AAOP, Table 8, included the total annual cost and average unit cost of replacements disaggregated by geographic location. However, Table 8 did not include the total annual cost and average unit cost of replacements disaggregated by customer class. Also, it appears that Attachment C of PAWC's 2024 AAOP filed with the Commission on March 3, 2025, at Docket No. M-2025-3053700, included the total annual cost and average unit cost of replacements, disaggregated by customer class and geographic location. Please provide the following information:
- a. Provide a revised Table 8 that specifies the total annual cost and average unit cost of replacements disaggregated by customer rate category; or
 - b. Confirm that the AAOP's Attachment C provided in response to Data Request M-1 includes the total annual cost and average unit cost of replacements, disaggregated by customer class and geographic location.