



COMMONWEALTH OF PENNSYLVANIA
PENNSYLVANIA PUBLIC UTILITY COMMISSION
COMMONWEALTH KEYSTONE BUILDING
400 NORTH STREET, HARRISBURG, PA 17120

BUREAU OF
INVESTIGATION
&
ENFORCEMENT

April 10, 2026

Via Electronic Filing

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Re: Pennsylvania Public Utility Commission,
Bureau of Investigation and Enforcement v.
Greater Johnstown Water Authority
Docket No. C-2026-
I&E Formal Complaint (Damage Prevention)

Dear Secretary Homsher:

Enclosed for electronic filing please find the Formal Complaint of the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission in the above-referenced matter.

Copies are being served on the parties of record in accordance with the attached Certificate of Service.

Should you have any questions, please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'G. Rosul', is written over a light blue horizontal line.

Grant Rosul
Prosecutor
Bureau of Investigation and Enforcement
PA Attorney ID No. 318204
(717) 783-5243
grosul@pa.gov

GR/nb
Enclosures

cc: Stephanie M. Wimer, Deputy Chief Prosecutor, I&E-Enf (*via email* – stwimer@pa.gov)
Robert Horensky, Manager, Safety Division (*via email* – rhorensky@pa.gov)
As per Certificate of Service

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the date as indicated at the top of the Secretarial Letter. *See* 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified.

In addition to filing your Answer with the Commission’s Secretary, please electronically serve a copy on:

Grant Rosul, Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
grosul@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the administrative penalty and other requested relief.

C. You may elect not to contest this Complaint by paying the administrative penalty within twenty (20) days and performing the corrective actions, if any, set forth in the requested relief. A certified check, cashier’s check or money order should be payable to the “Commonwealth of Pennsylvania” and mailed to:

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violations and an agreement to cease and desist from committing further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer, which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the administrative penalty and granting the requested relief as set forth in the Complaint.

E. If you file an Answer which contests the Complaint, the matter will proceed before the assigned presiding Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission’s ADA Coordinator at (717) 787-8714.

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Greater Johnstown Water Authority,	:	
Respondent	:	

FORMAL COMPLAINT

NOW COMES the Bureau of Investigation and Enforcement (“I&E”) of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 182 of the Underground Utility Line Protection Law (“UULPL” or “PA One Call Law”), Act of October 29, 2024, P.L. 1106, No. 127, 73 P.S. § 182.8(c)(2), and files this Formal Complaint (“Complaint”) against Greater Johnstown Water Authority (“Respondent”) alleging violations of the PA One Call Law in connection with a strike on a gas line on Chandler Avenue in the City of Johnstown, Cambria County, Pennsylvania. In support of its Complaint, I&E respectfully avers as follows:

I. COMMISSION JURISDICTION AND AUTHORITY

1. The Pennsylvania Public Utility Commission (“Commission” or “PUC”), with a mailing address of the Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate, *inter alia*, excavators, within the Commonwealth pursuant to the PA One Call Law, Act of October 29, 2024, P.L. 1106, No. 127, 73 P.S. §§ 176 *et seq.*

2. Complainant is the Commission’s Bureau of Investigation and Enforcement, which is the bureau established to take enforcement actions against public utilities and other entities subject to the Commission’s jurisdiction pursuant to 66 Pa.C.S. § 308.2(a)(11). *See also Implementation of Act 129 of 2008; Organization of Bureaus and Offices*, Docket No. M-2008-2071852 (August 11, 2011) (delegating authority to initiate proceedings that are prosecutory in nature to I&E).

3. Complainant’s prosecuting attorney is as follows:

Grant Rosul
Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120
grosul@pa.gov
(717) 783-5243

4. Respondent is Greater Johnstown Water Authority, with a main mailing address of 2596 Giant Oaks Drive, Pittsburgh, PA 15241.

5. Greater Johnstown Water Authority meets the definition of a “facility owner” pursuant to Section 176 of the PA One Call Law, 73 P.S. § 176.¹

6. Section 177 of the PA One Call Law, 73 P.S. § 177, imposes duties on facility owners.

7. Specifically, Section of the PA One Call Law, 73 P.S. § 177(5)(v), requires that facility owners “respond to all notices through the One Call System, provided the request is

¹ “Facility owner” is defined in relevant part as “the public utility or agency, political subdivision, municipality, authority, rural electric cooperative or other person or entity who or which owns or operates a line.” A “line” or “facility” is defined as “an underground pipe used in carrying, gathering transporting or providing ... sewage, water or other service to one or more . . . consumers or customers of such service and the appurtenances thereto, regardless of whether such line or structure is located on land owned by a person or public agency or whether it is located within an easement or right-of-way.” 73 P.S. § 176.

made in the time frame set forth under this act. The response shall be made not later than the end of the second business day following receipt of the notification by the One Call System, excluding the business day upon which the notification is received, or not later than the day prior to the lawful start date of excavation if the excavator specifies a later date.” 73 P.S. § 177(5)(v).

8. Respondent, as a facility owner, is subject to the power and authority of this Commission pursuant to Section 182.10 of the PA One Call Law, which requires facility owners to comply with the PA One Call Law. 73 P.S. § 182.10.

9. Section 182.8(c)-(d) and Section 182.10 of the PA One Call Law, 73 P.S. §§ 182.8(c)-(d) and 182.10, authorize the Commission to, *inter alia*, hear and determine complaints against excavators for violations of the PA One Call Law and to enforce the provisions of the PA One Call Law. 73 P.S. §§ 182.8(c)-(d) and 182.10.

10. Section 182.8(c)(2) of the PA One Call Law, 73 P.S. § 182.8(c)(2), authorizes the Commission’s prosecutorial staff to bring a formal complaint against entities subject to the PA One Call Law. 73 P.S. § 182.8(c)(2).

11. Section 182.10 of the PA One Call Law, 73 P.S. § 182.10(b)(1)(i)-(ii), authorizes the Commission to impose administrative penalties on any person or corporation, subject to the PA One Call Law, who violates any provisions of the PA One Call Law or any regulation or order issued thereunder governing underground utility lines, of up to \$2,500 per violation or if the violation results in injury, death, or property damage of \$25,000 dollars or more an administrative penalty not to exceed \$50,000. 73 P.S. § 182.10(b)(1)(i)-(ii).

12. Pursuant to the provisions of the applicable Commonwealth statutes and regulations, the Commission has jurisdiction over the subject matter of this Complaint and the actions of Respondent related thereto.

II. FACTUAL BACKGROUND

13. On January 29, 2025, RDM Johnstown LLC (“RDM”) submitted a routine excavation locate request with serial no. 20250290765 (“January 29 Ticket”), to the Pennsylvania One Call System (“POCS”) in accordance with the PA One Call Law and in preparation for an upcoming excavation project. The January 29 Ticket is attached hereto as I&E Exhibit 1.

14. The January 29 Ticket had a response due date of February 4, 2025, a lawful start date of February 5, 2025, through February 12, 2025, and a scheduled excavation date of February 5, 2025.

15. Notification of the locate request was sent to GJWA on January 29, 2025, at 9:23 AM.

16. GJWA’s response was due on or before February 4, 2025.

17. On February 4, 2025, because GJWA did not provide a response to the January 29 Ticket through POCS by the response due date, POCS automatically entered a response of “NO RESPONSE.”

18. GJWA entered a response that its lines were “FIELD MARKED” on March 6, 2025.

19. On March 21, 2025, RDM was excavating on Chandler Ave in Johnstown City in Cambria County for the purpose of installing a natural gas main.

20. RDM was excavating using powered equipment pursuant to the January 29, 2025, Ticket, which was a valid Routine Excavation Ticket.

21. While installing a natural gas main, RDM struck and damaged a service line owned or operated by Peoples Natural Gas Company (“Peoples”) located over two feet from

where the line was marked on the pavement. The Alleged Violation Report submitted by RDM alerting the Commission of the line strike is attached hereto as I&E Exhibit 2.

22. The incident resulted in damage to an underground line owned or operated by Peoples.

23. While investigating the line strike, it was discovered that GJWA did not respond timely to the January 29, 2025 Ticket.

24. On July 1, 2025, a copy of a notification of damage prevention report prepared by the Damage Prevention Investigator (“DPI”) from the Commission’s Bureau of Investigation and Enforcement, Damage Prevention Section (“DPS”), was mailed to GJWA, informing Respondent that it was in violation of the PA One Call Law by failing to timely respond to a routine One Call ticket. The letter further informed Respondent that it could either accept the findings in the DPI’s report or reject them and present its case to the Damage Prevention Committee (“DPC”).

25. Respondent neither accepted the findings in the DPI’s report nor rejected them within 30 days, as requested by the letter.

26. On July 22, 2025, GJWA was informed by letter that its case would be voted upon at the August 12, 2025, DPC meeting.

27. On July 28, 2025, Respondent sent an email to the DPS, requesting to dispute the findings in the DPI report. GJWA explained that it did not respond to the January 29 Ticket in POCS because it did not mark its lines until March 6 due to inclement weather in the Johnstown area in February and March. GJWA also indicated that it communicated directly with the excavator on a mark-out schedule outside of POCS.

28. On August 13, 2025, a copy of the DPC's Informal Determination accepting the DPI's report and proposed penalty was mailed to GJWA, informing Respondent that it could either accept the DPC's Informal Determination or reject it in writing within thirty (30) days of the date of the notification letter.

29. The letter further advised GJWA that if it rejected the DPC's informal determination, the matter would be referred to the Commission's Bureau of Investigation and Enforcement for the purpose of filing a formal complaint.

30. On August 18, 2025, GJWA rejected the DPC's informal determination via email to the DPI.

III. VIOLATIONS

31. Paragraphs 1-30 are incorporated herein as if stated in their entirety.

Count 1

32. Respondent failed to timely respond to a routine One Call ticket.

If proven, this is a violation of Section 177(5)(v) of the PA One Call Law, 73 P.S. § 177(5)(v), which requires that facility owners "respond to all notices through the One Call System ... not later than the end of the second business day following receipt of the notification by the One Call System."

Here, Respondent did not respond to the January 29 Ticket through POCS by the February 4, 2025 response due date.

The Bureau of Investigation and Enforcement's proposed administrative penalty for this violation is \$1,000.

WHEREFORE, for all the foregoing reasons, the Pennsylvania Public Utility Commission's Bureau of Investigation and Enforcement respectfully requests that the Commission:

- (1) Find Greater Johnstown Water Authority to be in violation of the PA One Call Law at 73 P.S. § 177(5)(v);
- (2) Impose an administrative penalty upon Greater Johnstown Water Authority in the amount of \$1,000, to be paid within 30 days of the date of entry of a Commission Final Order; and
- (3) Order Greater Johnstown Water Authority to attend Online Compliance Training through the Pennsylvania One Call System for facility owners and provide proof of compliance to the Commission within 30 days of the date of entry of a Commission Final Commission Order; and
- (4) Order such other remedies as the Commission may deem appropriate.
- (5) If payment of the administrative penalty is not made as set forth, the Bureau of Investigation and Enforcement requests that this matter be referred to the Pennsylvania Office of the Attorney General for appropriate action.

Respectfully submitted,



Grant Rosul
Prosecutor
PA Attorney ID No. 318204

Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120
(717) 783-5243
grosul@pa.gov

Date: April 10, 2026


**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Greater Johnstown Water Authority LLC,	:	
Respondent	:	

VERIFICATION

I, Sara Andrade-Locke, Damage Prevention Supervisor, Damage Prevention Section, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau of Investigation and Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: April 10, 2026



Sara Andrade-Locke
Damage Prevention Supervisor
Damage Prevention Section
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

I&E Exhibit 1

CDC 00000 POCS MM/DD/YY TT:TT:TT 20250290765-000 NEW XCAV RTN

=====
Serial Number--[20250290765]-[000] Channel#--[0922AWEB][0055][2019-08]
Message Type--[NEW][EXCAVATION][ROUTINE]

County--[CAMBRIA] Municipality--[JOHNSTOWN CITY]
Work Site--[CHANDLER AVE]
Nearest Intersection--[GARFIELD ST]
Second Intersection--[SHERIDAN ST]
At Intersection--[N] Between Intersections--[Y] Site Marked in White--[Y]
Subdivision--[]

Location Information--
[PLEASE MARK CHANDLER AVENUE FROM GARFIELD ST TO SHERIDAN ST. ALSO MARK
BONNER PL FROM CHANDLER AVE TO END OF ALLEY; BLAINE ST FROM CHANDLER AVE
TO THE LEFT SIDE OF 231 BLAINE ST; AND, CENTAUR PL FROM CHANDLER AVE TO
THE GARAGE BEHIND 259 CHANDLER AVE.]

Caller Lat/Lon--[]
Mapped Type--[C] Mapped Lat/Lon--[]
Attachments--[http://www.pa811.org/attachments/20250290765]
Type of Work--[GASLINE REPLACEMENT] Depth--[4 FT]
Extent of Excavation--[500 FT X 3 FT] Method of Excavation--[DIGGING]
Equip Type--[EXCAVATOR]
Street--[X] Sidewalk--[X] Pub Prop--[X] Pvt Prop--[X] Other--[]
Private Front--[X] Rear--[] Left--[X] Right--[]

Lawful Start Dates--[05-Feb-25] thru [12-Feb-25] Response Due Date--[04-Feb-25]
Scheduled Excavation Date--[05-Feb-25] Dig Time--[0730] Duration--[3 WEEKS]

Caller--[JOHN GUSTKEY]
Caller Phone--[814-533-4300] Caller Ext--[120]
Excavator--[RDM JOHNSTOWN LLC]
Address--[640 FRANKLIN ST]
City--[JOHNSTOWN] State--[PA] Zip--[15907]
FAX--[814-533-6090] Caller Type--[B]
Email--[JGUSTKEY@RDM-GJWA.COM]
Work For--[PEOPLES NATURAL GAS COMPANY]
Onsite Contact--[DON OSBORN]
Onsite Contact Phone--[814-341-3882]
Best Time to Call--[MORNING]
Onsite Contact Email--[DOSBORN@RDM-INC.COM]
Complex Project Number--[20243651972]-[000]

CPA Project ID--[8937009]

Prepared--[29-Jan-25] at [0922] by [JGUSTKEY]
Remarks--[]

AL 0 AL =PEOPLES GAS GJW0 GJW=GR JOHNSTOWN WA ION0 ION=FIRSTLIGHT FIBR
JOH0 JOH=JOHNSTOWN CITY LV 0 LV =PENELEC TF 0 TF =VERIZON NORTH

Serial Number--[20250290765]-[000]
=====
Copyright (c) 2025 by Pennsylvania One Call System, Inc. =====

RESPONSES for S/N: 20250290765:

Ver	CDC	Name	Response	Time	Respondent
0	TF	VERIZON NORTH	TF-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	1/29/2025 9:26:52 AM	PRA-WEBSVC
0	LV	PENNSYLVANIA ELECTRIC CO	LV-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	1/29/2025 9:37:46 AM	MBR-WEBSVC
0	JOH	JOHNSTOWN CITY OF	JOH-NO RESPONSE	2/5/2025 12:02:28 AM	Auto-KARL
0	JOH	JOHNSTOWN CITY OF	JOH-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	3/17/2025 11:26:09 AM	JC-WEB
0	ION	FIRSTLIGHT FIBER	ION-CLEAR. NO FACILITIES OR FACIL NOT INVOLVED	1/30/2025 3:32:43 PM	CLS-WEBSVC
0	AL	PEOPLES GAS COMPANY LLC	AL-NO RESPONSE	2/5/2025 12:02:28 AM	Auto-KARL
0	AL	PEOPLES GAS COMPANY LLC	AL-FIELD MARKED	2/12/2025 3:12:25 PM	AAA-WEBSVC
0	GJW	GREATER JOHNSTOWN WATER AUTHORITY	GJW-NO RESPONSE	2/5/2025 12:02:28 AM	Auto-KARL
0	GJW	GREATER JOHNSTOWN WATER AUTHORITY	GJW-FIELD MARKED	3/6/2025 12:26:13 PM	CB-MOBILE

DELIVERIES for S/N: 20250290765:

Ver	CDC	Name	To	Time	Seq	Type
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	1/29/2025 9:23:19 AM	0	MAIL
0	WEBCFM	WEB CONFIRMATION QUEUE	WEBCFM	1/29/2025 9:23:24 AM	0	MAIL
0	TF	VERIZON NORTH	TF	1/29/2025 9:23:13 AM	50	MAIL
0	LV	PENNSYLVANIA ELECTRIC CO	LV	1/29/2025 9:23:20 AM	105	MAIL
0	JOH	JOHNSTOWN CITY OF	JOH	1/29/2025 9:23:20 AM	3	MAIL
0	ION	FIRSTLIGHT FIBER	ION	1/29/2025 9:23:19 AM	20	MAIL
0	AL	PEOPLES GAS COMPANY LLC	AL	1/29/2025 9:23:12 AM	168	MAIL
0	GJW	GREATER JOHNSTOWN WATER AUTHORITY	GJW	1/29/2025 9:23:16 AM	4	MAIL

ATTACHMENT for S/N: 20250290765 (20250290765-0.gif):



I&E Exhibit 2



Alleged Violation Report

PA Act 287, as amended 73 P. S. § 176 et. seq.
Powered by Pennsylvania One Call System, Inc.

AVR Number AVR2025MAR240020
AVR Version 1
First Name JOHN **Last Name** GUSTKEY
Company Name RDM JOHNSTOWN LLC
Address 640 FRANKLIN ST
City JOHNSTOWN
State PA
Zip Code 15907
Email JGUSTKEY@RDM-GJWA.COM **Phone** 8145334300
Ext

Role

Submitter Role(s) (?)

- | | |
|---|---|
| <input type="checkbox"/> Facility Owner | <input type="checkbox"/> Designer |
| <input checked="" type="checkbox"/> Excavator | <input type="checkbox"/> Project Owner |
| <input type="checkbox"/> Locator | <input type="checkbox"/> Enforcement Agency |
| <input type="checkbox"/> Other | |

Are you representing a company other than your own? Yes No

What company or individual are you representing?

Alleged Violation Information

PUC Case Number (if known)

Related AVR Number (?)

Type of Alleged Violation (?) Facility Owner Issue

Reason Marked incorrectly §2(5)

When did the alleged violation occur? (?) 03/21/2025

12:00:00 PM

Was the One Call System notified? Yes No

Original Serial Number

Please enter the 11 digit One Call Serial Number under which work was taking place, which will populate the work site information of this alleged violation.

20250290765

Related Damage Serial Number, if applicable

Other Related Serial Numbers (?) 20250801976

Was the excavation exempt from One Call notification? Yes No Unknown

Reason for Exemption

Event Information

County CAMBRIA

Municipality JOHNSTOWN CITY

Ward 0

Work Site CHANDLER AVE

Nearest Intersection GARFIELD ST

Second Intersection SHERIDAN ST

Geolocation (?)

Affected Facility Information

Primary Right of Way Type Public

Public Right of Way Type City Street

Private Right of Way Type

Affected Operation Gas

Facility Subtype Affected Service/Drop/Lateral

Facility Owner Company Name PEOPLES NATURAL GAS

Contact First Name ROBERT Last Name PARTSCH

Address 3115 ELTON RD

City JOHNSTOWN

State PA

Zip 15904

Email ROBERT.PARTSCH@PE OPLES-GAS.COM **Phone** 814-691-9897

Joint Trench? Yes No Unknown

Involve Cross Bore? Yes No Unknown

Measured Depth from Grade 18" - 36" / 46 - 91 cm

Exact Measured Depth from Grade Enter the inches or centimeters with number and measurement used

Work Information



Start Date of Excavation (?) 03/21/2025

07:30:00 AM

Excavation Activity NATURAL GAS

Excavator Company Name RDM INC

Contact First Name Michael 120 **Last Name** Calpin

Address 640 FRANKLIN ST

City JOHNSTOWN

State PA

Zip 15907

Email mcalpin@rdm-inc.com **Phone** 814-533-4300

Marked in White Yes No Unknown

Method of Excavation DITCHING

Equipment Used What Equipment was used for excavation or demolition when the event occurred?

BACKHOE/TRACKHOE

Type of Excavator What is the type of excavator for whom the work was being done when the event occurred?

Non-utility Pipeline Operator

Did Excavator incur down time? Yes No Unknown

How much down time? 2- < 3 hrs

Estimated cost of down time \$1-\$1,000

Was a response posted to the One Call System? Yes No Unknown

Was the design serial number on the plans/bid documents? Yes No Unknown

Were the lines shown on the plans/bid documents? Yes No Unknown

What level of subsurface utility engineering was utilized? B (Utility Designation)

Estimated cost of the entire project \$400,000 or more

What was the length of the entire project? 4000 FT

Project Owner Company Name PEOPLES NATURAL GAS

Contact First Name Last Name

Address

City

State

Zip

Email Phone

Event Impact



Did Violation result in underground damage or near miss event? Damage

OSHA Report Filed? Yes No

OSHA Report Number

Was 911 called? Yes No

Name of 911 Caller DON OSBORN

Fire Response Yes No

Police Response Yes No

Did the incident cause any injuries? Yes

Number of Injuries (?)

Did the incident cause any deaths? Yes

Number of Deaths

Was there an evacuation? Yes No

Number of people evacuated?

Traffic Stopped? Yes No

Service Interrupted? Yes No

Duration of Service Interruption? 1 - < 6 hrs

Exact Value of Service Interruption

Approximately how many customers were affected? 1

Exact Number of Customers Affected

Cost of Damaged Line Repair? \$1-\$1,000

Exact Cost of Damaged Line Repair

Was other property damaged? Yes No

What other property was damaged?

Cost of Other Property Repair

Locator/Locate Information



Who was the facility line locator? Employee Locator

Locator Company

Contact First Name

Last Name

Address

City

State

Zip

Email

Phone

Was the line marked? Accurately Inaccurately/Incompletely Not Marked
 Unknown

Were facilities marked according to APWA/CGA temporary marking color code (ANSI standard Z535.1)? Yes No Unknown

What types of marks were present? Paint
 Flags
 Stakes
 Other

Were offset markings used? Yes No Unknown

Condition of Marks Visible

Was the line marked by the response due date or within the agreed upon locate schedule? (?) Yes No Unknown

Reason for Late Locate

Was the excavation within the tolerance zone? (?) Yes No Unknown

Was there an indication of underground facilities (clear evidence) in the excavation area? Yes No Unknown

What was the evidence?
(meter/pedestal, pipeline marker, valve
box, hydrant, manhole, etc.)

What method(s) were used to locate
the facility? Electronic Records
 Visual Exposed

Did the excavator request payment
under PennDOT Form 408
specifications for extra work
performed on a force account basis? Yes No

Additional Locate Comments

THE LOCATOR MARKS ARE OVER 24 INCHES FROM THE
LOCATION OF THE DAMAGE.

If this incident involved any locating/marketing errors, please include all records related to the
locator's training and qualification (including training to meet UULPL standards as well as
Operator Qualification).

Summary and Attachments

Provide a summary of the event

RDM WAS INSTALLING NATURAL GAS MAIN ON CHANDLER AVENUE WHEN THEY ENCOUNTERED AND DAMAGED A SERVICE DROP LOCATED OVER 2-FT FROM THE LOCATORS MARKS. RDM IMMEDIATELY CALLED 9-1-1 AND PEOPLES NATURAL GAS ALONG WITH STOPPING WORK, STOPPING ALL RUNNING ENGINES, SECURING THE LEAK AND THE IMMEDIATE AREA UNTIL 9-1-1 AND PNG RESPONDED. WORK WAS HALTED FOR JUST UNDER 2 HOURS WHILE THE SERVICE WAS REPAIRED AND INSPECTED. PHOTOS ATTACHED SHOWING THE LOCATION OF LOCATOR MARKS AND THE DAMAGE.

If more space is needed, attach additional pages or documents.

Attachments

IMG_0027.jpeg 1.31MB
IMG_0028.jpeg 1.17MB

Attach pictures and additional documents

Submit Date

03/24/2025

Compliance Update

Research Result

Listed tickets found
 Additional tickets found
 No tickets found

Additional Tickets Found

Additional Serial Numbers 20243541631

Additional Serial Numbers 20243651972

Additional Serial Numbers 20243541156

Additional Serial Numbers 20243510809

Additional Serial Numbers 20241012039

Ticket Attachment

8937009_report.pdf	1.41MB
8937058_report.pdf	888.87KB
20243651972 CHANDLER_AVE_EAST.pdf	1.44MB
20243541156 CHANDLER_AVE_EAST.pdf	1.44MB
20243510809 24JOH-SBK-L7257 CHANDLER AVE-RR-ML.pdf	1.88MB
6745627_report.pdf	890.39KB

Comments

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

Pennsylvania Public Utility Commission,	:	
Bureau of Investigation and Enforcement,	:	
Complainant	:	
	:	
v.	:	Docket No. C-2026-
	:	
Greater Johnstown Water Authority,	:	
Respondent	:	

CERTIFICATE OF SERVICE

I hereby certify that I have this day served a true copy of the foregoing document upon the parties, listed below, in accordance with the requirements of 52 Pa. Code § 1.54 (relating to service by a party).

Service by Certified Mail

Greater Johnstown Water Authority
Attn: John Gustkey
P.O. Box 1407
Johnstown, PA 15901



Grant Rosul
Prosecutor
Bureau of Investigation and Enforcement
PA Attorney ID No. 318204
(717) 783-5243
grosul@pa.gov

Dated: April 10, 2026