

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

DeAurdrea Linika Franczak

Complainant

v.

PPL Electric Utilities Corporation

Respondent

Docket No. C-2025-3055351

**COMPLAINANT’S PETITION TO REOPEN THE RECORD FOR THE LIMITED
PURPOSE OF ADMITTING PPL EXHIBITS 10 AND 11 AND SECONDARY EXHIBIT 8**

Complainant, DeAurdrea Linika Franczak, appearing pro se, respectfully petitions to reopen the record pursuant to 52 Pa. Code § 5.571 for the limited purpose of admitting **PPL Exhibit 10, PPL Exhibit 11, and Complainant’s Secondary Exhibit 8.**

I. BACKGROUND

1. This formal complaint is docketed at C-2025-3055351.

2. A further hearing was held on April 23, 2026, concerning the disputed winter billing months of December 2022, January 2023, and February 2023.

3. At that hearing, PPL presented witness testimony concerning the usage-summary and meter-history materials reflected in PPL Exhibits 10 and 11, including the estimate-related entry appearing on PPL Exhibit 10, and PPL’s witness was asked to address that entry during examination.

4. On the record, the Presiding Officer stated that PPL Exhibits 10 and 11 were not being admitted into evidence.

5. Secondary Exhibit 8 was prepared solely as a summary demonstrative derived from PPL Exhibits 10 and 11. Because those source exhibits were not admitted, Secondary Exhibit 8 likewise was not admitted.

II. GOOD CAUSE EXISTS TO REOPEN THE RECORD

6. Section 5.571 permits a party, after the record is closed but before a final decision is issued, to petition to reopen the proceeding for the purpose of taking additional evidence.

Franczak v. PPL Electric Utilities Corporation | Docket No. C-2025-3055351 | Petition to Reopen Record

7. PPL Exhibits 10 and 11 are PPL-generated source documents directly pertinent to the issues tried at the further hearing. They concern the usage summary and meter-history for the precise winter period that was the subject of the further hearing.

8. Good cause exists because the hearing testimony addressed the contents of PPL Exhibits 10 and 11, yet the source documents themselves are absent from the evidentiary record. Limited reopening is therefore necessary so that the record conforms to the evidence actually discussed and so the Commission may evaluate the disputed billing months on a complete and accurate record.

8A. Exhibit 10 was not a collateral document. It was a central source record because it contained the estimate-related entry that PPL's witness was asked to address at hearing. Once Exhibit 10 itself was not admitted, Complainant was materially impaired in her ability to meaningfully examine the witness on the contents, meaning, and significance of PPL's own meter-history record, and Secondary Exhibit 8, which was derived solely from PPL Exhibits 10 and 11, likewise could not be admitted.

9. Reopening for this limited purpose will not prejudice PPL. The documents at issue are PPL's own records, PPL's witness was examined concerning those materials, and Complainant seeks no new theory, no surprise evidence, and no broad expansion of the hearing.

10. Secondary Exhibit 8 is not a new source document. It is only a summary demonstrative derived solely from PPL Exhibits 10 and 11. Once the source exhibits are received, Secondary Exhibit 8 may likewise be received for the limited purpose of assisting review of those records.

III. REQUESTED RELIEF

11. Complainant seeks only narrow relief: reopening of the record for the limited purpose of admitting PPL Exhibit 10, PPL Exhibit 11, and Secondary Exhibit 8, with no additional live testimony unless the Presiding Officer deems further testimony necessary.

12. In the alternative, Complainant requests leave to submit those three exhibits by written filing and have them marked and received without reconvening the hearing.

WHEREFORE, Complainant respectfully requests that the Presiding Officer reopen the record for the limited purpose of admitting PPL Exhibit 10, PPL Exhibit 11, and Secondary Exhibit 8, or alternatively permit those exhibits to be submitted into the record by written filing

without additional live testimony unless the Presiding Officer deems further testimony necessary, and grant such other limited relief as is just and proper.

Respectfully submitted,

/s/ Deaudrea Linika Franczak

DeAurdrea Linika Franczak
Complainant, pro se
11405 Warwick Pointe Drive, Apt 202
Brandon, FL 33511
Phone: 813.650.5953
Email: deaudrea0107@yahoo.com
Pro Se Plaintiff

BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION

DeAurdrea Linika Franczak

Complainant

v.

PPL Electric Utilities Corporation

Respondent

Docket No. C-2025-3055351

PROPOSED ORDER

AND NOW, this ____ day of April, 2026, upon consideration of Complainant's Petition to Reopen the Record for the Limited Purpose of Admitting PPL Exhibits 10 and 11 and Secondary Exhibit 8, the Petition is **GRANTED**.

The record is reopened for the limited purpose of receiving PPL Exhibit 10, PPL Exhibit 11, and Complainant's Secondary Exhibit 8. No additional live testimony shall be required unless otherwise ordered.

BY THE PRESIDING OFFICER:

Administrative Law Judge

CERTIFICATE OF SERVICE

I hereby certify that on this 23rd day of April, 2026, a true and correct copy of the foregoing Complainant's Petition to Reopen the Record for the Limited Purpose of Admitting PPL Exhibits 10 and 11 and Secondary Exhibit 8 was served upon all counsel of record by e-mail as follows:

Served via eService April 23, 2026

PUC Hearing Administrator

F. Joseph Brady

Pennsylvania Public Utility Commission

801 Market Street, 4th Floor, Ste 4063

Philadelphia, PA 19107

Via legal assistant Pamela McNeal – pmcneal@pa.gov

Served via eService April 23, 2026

Counsel for PPL Electric Utilities Corporation

Alice Wade, Esquire – alice.wade@postschell.com

Devin T. Ryan, Esquire – dryan@postschell.com Post &
Schell, P.C.

One Oxford Centre, 301 Grant Street, Suite 3010

Pittsburgh, PA 15219

Served via eService April 23, 2026

Megan E. Rulli, Esquire – mruelli@postschell.com Post &
Schell, P.C.

17 North Second Street, 12th Floor
Harrisburg, PA 17101

Served via eService April 23, 2026

Kimberly A. Klock, Esquire – kklock@pplweb.com

Michael J. Shafer, Esquire – mjshafer@pplweb.com

PPL Services Corporation

645 Hamilton Street, Suite 700

Allentown, PA 18101

Served via eService April 23, 2026

DeAurdrea Linika Franczak

Pro Se Complainant

11405 Warwick Pointe Drive, Apt 202

Brandon, FL 33511

Phone: 813.650.5953

Email: deaurdrea0107@yahoo.com

PPL ELECTRIC EXHIBIT NO. 10

From	To	Source	KWH Delivered	KWH Delivered Usage	Status	Reading Sequence	Bill Account	Meter Number	Days Current Billing Period
10/05/2023	11/01/2023	Final	57859	231	Billed	3720			27
	11/01/2023	Work (SO)	57859	231	Posted	3710			27
09/29/2023	10/05/2023	Regular	57628	32	Billed	3700			6
	09/29/2023	Activation	57596	0		3690			0
	09/29/2023	Work (SO)	57596	0	Posted	3680			0
09/06/2023	09/29/2023	Final	57596	444	Billed	3670			23
	09/29/2023	Work (SO)	57596	444	Posted	3660			23
08/07/2023	09/06/2023	Regular	57152	567	Billed	3650			30
07/07/2023	08/07/2023	Regular	56585	550	Billed	3640			31
06/07/2023	07/07/2023	Regular	56035	541	Billed	3630			30
05/08/2023	06/07/2023	Regular	55494	458	Billed	3620			30
04/06/2023	05/08/2023	Regular	55036	788	Billed	3610			32
03/08/2023	04/06/2023	Regular	54248	1082	Billed	3600			29
02/06/2023	03/08/2023	Regular	53166	943	Billed	3590			30
01/06/2023	02/06/2023	Regular	52223	3164	Billed	3580			31
12/06/2022	01/10/2023	Estimate	48455	1431	Memo	3560			35
12/06/2022	01/06/2023	Regular	49059	2035	Billed	3570			31
11/10/2022	12/06/2022	Regular	47024	1157	Billed	3550			26
11/04/2022	11/10/2022	Supp Switch	45867	175	Billed	3540			6
10/06/2022	11/04/2022	Regular	45692	898	Billed	3530			29
09/07/2022	10/06/2022	Regular	44794	690	Billed	3520			29
08/08/2022	09/07/2022	Regular	44104	604	Billed	3510			30
07/08/2022	08/08/2022	Regular	43500	569	Billed	3500			31
06/08/2022	07/08/2022	Regular	42931	388	Billed	3490			30
05/09/2022	06/08/2022	Regular	42543	393	Billed	3480			30
04/07/2022	05/09/2022	Regular	42150	798	Billed	3470			32
03/09/2022	04/07/2022	Regular	41352	1047	Billed	3460			29
02/08/2022	03/09/2022	Regular	40305	1287	Billed	3450			29
	04/02/2020	Activation	23309	0		3190			0

PPL ELECTRIC EXHIBIT NO. 11

Account Number	Billed	Days in bill	Total KWh Used	Avg kWh/day	Electricity costs	Avg. Temperature
	10/02/2023	23	444	19	\$86.34	63
	09/07/2023	30	567	19	\$110.59	72
	08/08/2023	31	550	18	\$106.20	74
	07/10/2023	30	541	18	\$104.30	70
	06/08/2023	30	458	15	\$90.59	63
	05/09/2023	32	788	25	\$144.70	55
	04/10/2023	29	1082	37	\$193.05	43
	03/09/2023	30	943	31	\$170.26	39
	02/07/2023	31	3164	102	\$534.65	35
	01/12/2023	31	2035	66	\$350.60	35
	12/09/2022	32	1332	42	\$242.35	56
	11/09/2022	29	898	31	\$215.12	52
	10/11/2022	29	690	24	\$160.31	61
	09/12/2022	30	604	20	\$139.02	74
	08/11/2022	31	569	18	\$97.17	78
	07/13/2022	30	388	13	\$71.32	71
	06/14/2022	30	393	13	\$155.11	67
	05/13/2022	32	798	25	\$47.80	52
	04/12/2022	29	1047	36	\$166.92	43
	03/14/2022	29	1287	44	\$164.33	36

The information contained in this file is intended for the confidential use by the customer and third parties authorized by the customer to receive the information. Any unauthorized use is prohibited.

**BEFORE THE
PENNSYLVANIA PUBLIC UTILITY COMMISSION**

DeAurdrea Linika Franczak

v.

PPL Electric Utilities Corporation

C-2025-3055351

Secondary Exhibit 8

Winter Usage Spike and Estimated-Entry Summary


Purpose of Exhibit: To summarize, from PPL Exhibits 10 and 11, the disputed winter-period usage figures and the estimated-entry notation appearing during the same time frame.

Relevance to Case: This exhibit helps the ALJ compare the December 2022, January 2023, and February 2023 usage spike against surrounding months and highlights that PPL's own meter-history exhibit contains an estimated entry during the disputed period, requiring explanation and reconciliation.

Source Materials: PPL Exhibit No. 10 (Meter Reading History) and PPL Exhibit No. 11 (Usage Summary).

Secondary Exhibit 8 - Winter Usage Spike and Estimated-Entry Summary

Derived from PPL Exhibits 10 and 11 for the reopened hearing limited to December 2022, January 2023, and February 2023



Summary. Exhibit 11 shows that the three reopened winter bills are the highest-usage months on the usage summary produced by PPL, while Exhibit 10 separately reflects an estimated entry for 12/06/2022-01/10/2023 showing 1431 kWh with status listed as “Memo.” This exhibit is offered to show why the winter-period charges require a clear record-based explanation. It is not offered to claim that the disputed bills were entirely estimated.

Record	Date / Period	Key Figure	Point for Hearing
Usage Summary	12/09/2022 bill	1332 kWh 42 avg/day	Beginning of the disputed winter spike shown on PPL’s usage summary.
Usage Summary	01/12/2023 bill	2035 kWh 66 avg/day	January rises sharply above surrounding months and remains within the reopened period.
Usage Summary	02/07/2023 bill	3164 kWh 102 avg/day	Highest monthly usage figure shown on the usage summary produced by PPL.
Meter History	12/06/2022-01/10/2023	Estimate 1431 kWh Status: Memo	PPL’s own meter-history exhibit includes an estimated entry

Record	Date / Period	Key Figure	Point for Hearing
			overlapping the same winter period and should be reconciled against the billed entries.

Source Materials: PPL Electric Exhibit No. 10 (Meter Reading History) and PPL Electric Exhibit No. 11 (Usage Summary).